

Mari Hoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7177749/publications.pdf>

Version: 2024-02-01

49
papers

1,307
citations

430442

18
h-index

360668

35
g-index

50
all docs

50
docs citations

50
times ranked

1700
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of the Behavioral Regulation in Exercise Questionnaire-2 to assess motivation for physical activity in persons with rheumatoid arthritis: an observational study. <i>Rheumatology International</i> , 2022, 42, 2039-2047.	1.5	6
2	Contribution of an extensive medication-based comorbidity index (Rx-Risk) in explaining the excess mortality after hip fracture in older Norwegians: a NOREPOS cohort study. <i>BMJ Open</i> , 2022, 12, e057823.	0.8	4
3	Update of the fracture risk prediction tool FRAX: a systematic review of potential cohorts and analysis plan. <i>Osteoporosis International</i> , 2022, 33, 2103-2136.	1.3	33
4	Faster age-related decline in cardiorespiratory fitness in rheumatoid arthritis patients: an observational study in the Tr�ndelag Health Study. <i>Rheumatology International</i> , 2021, 41, 369-379.	1.5	6
5	Physical and Psychosocial Burden of Psoriatic Arthritis: Longitudinal Data From a Population�Based Study in Norway. <i>Arthritis Care and Research</i> , 2021, 73, 138-145.	1.5	16
6	Adiposity and Physical Activity as Risk Factors for Developing Psoriatic Arthritis: Longitudinal Data From a Population�Based Study in Norway. <i>Arthritis Care and Research</i> , 2021, 73, 432-441.	1.5	19
7	Does treatment with bisphosphonates protect against fractures in real life? The HUNT study, Norway. <i>Osteoporosis International</i> , 2021, 32, 1395-1404.	1.3	9
8	Reduced cardiorespiratory fitness is a mediator of excess all-cause mortality in rheumatoid arthritis: the Tr�ndelag Health Study. <i>RMD Open</i> , 2021, 7, e001545.	1.8	8
9	Changes in physical activity and basic psychological needs related to mental health among people with physical disability during the COVID-19 pandemic in Norway. <i>Disability and Health Journal</i> , 2021, 14, 101126.	1.6	12
10	Risk of hip and forearm fracture in subjects with type 2 diabetes mellitus and latent autoimmune diabetes of adults. The HUNT Study, Norway. <i>Bone</i> , 2021, 153, 116110.	1.4	2
11	Prediction of Ankylosing Spondylitis in the HUNT Study by a Genetic Risk Score Combining 110 Single-nucleotide Polymorphisms of Genome-wide Significance. <i>Journal of Rheumatology</i> , 2020, 47, 204-210.	1.0	12
12	Proton pump inhibitors and fracture risk. The HUNT study, Norway. <i>Osteoporosis International</i> , 2020, 31, 109-118.	1.3	16
13	Initiation of anti-osteoporotic drugs in high-risk female patients starting glucocorticoid treatment: a population study in Norway. <i>Archives of Osteoporosis</i> , 2020, 15, 121.	1.0	2
14	Individual Variation in Adaptive Immune Responses and Risk of Hip Fracture�A <sc>NOREPOS Population�Based</sc> Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 2327-2334.	3.1	1
15	Psoriatic arthritis: exploring the occurrence of sleep disturbances, fatigue, and depression and their correlates. <i>Arthritis Research and Therapy</i> , 2020, 22, 198.	1.6	31
16	Genetic risk score associations for myocardial infarction are comparable in persons with and without rheumatoid arthritis: the population-based HUNT study. <i>Scientific Reports</i> , 2020, 10, 20416.	1.6	2
17	An Estimation Model for Cardiorespiratory Fitness in Adults with Rheumatoid Arthritis. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1248-1255.	0.2	9
18	Mortality is increased in patients with rheumatoid arthritis or diabetes compared to the general population � the Nord-Tr�ndelag Health Study. <i>Scientific Reports</i> , 2020, 10, 3593.	1.6	33

#	ARTICLE	IF	CITATIONS
19	AB0782â€¦EXPLORING OCCURRENCE AND CORRELATES OF SLEEP DISTURBANCES AND FATIGUE IN PSORIATIC ARTHRITIS PATIENTS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1689.2-1689.	0.5	1
20	Impact of High-Intensity Interval Training on Disease Activity and Disease in Patients With Psoriatic Arthritis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2019, 71, 530-537.	1.5	32
21	Cardiorespiratory fitness in patients with rheumatoid arthritis is associated with the patient global assessment but not with objective measurements of disease activity. <i>RMD Open</i> , 2019, 5, e000912.	1.8	16
22	Effect of high-intensity interval training on cardiovascular disease risk factors and body composition in psoriatic arthritis: a randomised controlled trial. <i>RMD Open</i> , 2018, 4, e000729.	1.8	17
23	Anti-osteoporosis drug use: too little, too much, or just right? The HUNT study, Norway. <i>Osteoporosis International</i> , 2018, 29, 1875-1885.	1.3	14
24	Self-reported Diagnosis of Rheumatoid Arthritis or Ankylosing Spondylitis Has Low Accuracy: Data from the Nord-Tr�ndelag Health Study. <i>Journal of Rheumatology</i> , 2017, 44, 1134-1141.	1.0	32
25	Thyroid Function Tests in the Reference Range and Fracture: Individual Participant Analysis of Prospective Cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2719-2728.	1.8	41
26	Validation of FRAX and the impact of self-reported falls among elderly in a general population: the HUNT study, Norway. <i>Osteoporosis International</i> , 2017, 28, 2935-2944.	1.3	31
27	Psoriasis, fracture risk and bone mineral density: the HUNT Study, Norway. <i>British Journal of Dermatology</i> , 2017, 176, 1162-1169.	1.4	23
28	Quantifying bone marrow inflammatory edema in the spine and sacroiliac joints with thresholding. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 497.	0.8	6
29	Forearm fractures in Central Norway, 1999â€“2012: incidence, time trends, and seasonal variation. <i>Archives of Osteoporosis</i> , 2016, 11, 7.	1.0	16
30	Technologies for Assessment of Bone Reflecting Bone Strength and Bone Mineral Density in Elderly Women: An Update. <i>Women's Health</i> , 2016, 12, 209-216.	0.7	13
31	On the HUNT for cardiovascular risk factors and disease in patients with psoriatic arthritis: population-based data from the Nord-Tr�ndelag Health Study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 819-824.	0.5	61
32	Use of anti-osteoporotic drugs in central Norway after a forearm fracture. <i>Archives of Osteoporosis</i> , 2015, 10, 235.	1.0	12
33	Subclinical Thyroid Dysfunction and Fracture Risk. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 2055.	3.8	264
34	Prevalence and incidence rates of psoriatic arthritis in central Norway: data from the Nord-Tr�ndelag Health Study (HUNT). <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 60-64.	0.5	42
35	Exploring the relationship between bone density and severity of distal radius fragility fracture in women. <i>Journal of Orthopaedic Surgery and Research</i> , 2014, 9, 57.	0.9	13
36	Hand Bone Loss in Patients with Psoriatic Arthritis: Posthoc Analysis of IMPACT II Data Comparing Infliximab and Placebo. <i>Journal of Rheumatology</i> , 2013, 40, 1344-1348.	1.0	16

#	ARTICLE	IF	CITATIONS
37	Cortical Hand Bone Porosity and Its Association with Distal Radius Fracture in Middle Aged and Elderly Women. PLoS ONE, 2013, 8, e68405.	1.1	14
38	THU0372â€¦Osteoporosis an Independent Predictor of Mortality in Hip Fracture Patients. Annals of the Rheumatic Diseases, 2013, 72, A291.2-A291.	0.5	0
39	OPO265â€¦Mortality after fragility hip fracture in middle aged and elderly men and women in southern norway. Annals of the Rheumatic Diseases, 2013, 71, 146.1-146.	0.5	0
40	Long-term in-vitro precision of direct digital X-ray radiogrammetry. Skeletal Radiology, 2011, 40, 1575-1579.	1.2	17
41	Adalimumab reduces hand bone loss in rheumatoid arthritis independent of clinical response: Subanalysis of the PREMIER study. BMC Musculoskeletal Disorders, 2011, 12, 54.	0.8	40
42	Association between high plasma levels of hepatocyte growth factor and progression of radiographic damage in the joints of patients with rheumatoid arthritis. Arthritis and Rheumatism, 2011, 63, 662-669.	6.7	29
43	Using hand bone mass measurements to assess progression of rheumatoid arthritis. Therapeutic Advances in Musculoskeletal Disease, 2010, 2, 79-87.	1.2	5
44	High disease activity is a predictor of cortical hand bone loss in post-menopausal patients with established rheumatoid arthritis: a 5-year multicentre longitudinal study. Rheumatology, 2010, 49, 1676-1682.	0.9	18
45	Adalimumab therapy reduces hand bone loss in early rheumatoid arthritis: explorative analyses from the PREMIER study. Annals of the Rheumatic Diseases, 2009, 68, 1171-1176.	0.5	80
46	Cortical hand bone loss after 1 year in early rheumatoid arthritis predicts radiographic hand joint damage at 5-year and 10-year follow-up. Annals of the Rheumatic Diseases, 2009, 68, 324-329.	0.5	106
47	Antibodies to cyclic citrullinated protein and erythrocyte sedimentation rate predict hand bone loss in patients with rheumatoid arthritis of short duration: a longitudinal study. Arthritis Research and Therapy, 2009, 11, R103.	1.6	36
48	Short-Time In Vitro and In Vivo Precision of Direct Digital X-ray Radiogrammetry. Journal of Clinical Densitometry, 2009, 12, 17-21.	0.5	25
49	Hand bone loss as an outcome measure in established rheumatoid arthritis: 2-year observational study comparing cortical and total bone loss. Arthritis Research and Therapy, 2007, 9, R81.	1.6	66