

Marcelo Petracco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/718174/publications.pdf>

Version: 2024-02-01

19

papers

257

citations

933447

10

h-index

940533

16

g-index

19

all docs

19

docs citations

19

times ranked

204

citing authors

#	ARTICLE	IF	CITATIONS
1	Natural Diet of the Crab <i>Hepatus Pudibundus</i> (Brachyura: Calappidae) in Fortaleza Bay, Ubatuba (Sp), Brazil. <i>Journal of Crustacean Biology</i> , 1997, 17, 440-446.	0.8	31
2	Evaluation of the use of <i>Olivella minuta</i> (Gastropoda, Olividae) and <i>Hastula cinerea</i> (Gastropoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1 2015, 187, 440.	2.7	26
3	Temporal variation in life-history traits of the clam <i>Tivela mactroides</i> (Bivalvia: Veneridae): Density-dependent processes in sandy beaches. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 150, 157-164.	2.1	25
4	Patterns of sandy-beach macrofauna production. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1717-1725.	0.8	21
5	Population biology of <i>< i>Exciorolana armata</i></i> (Dana, 1853) (Isopoda, Cirolanidae) on an exposed sandy beach in Southeastern Brazil. <i>Marine Ecology</i> , 2010, 31, 330-340.	1.1	20
6	Population Dynamics and Secondary Production of <i>Emerita brasiliensis</i> (Crustacea: Hippidae) at Prainha Beach, Brazil. <i>Marine Ecology</i> , 2003, 24, 231-245.	1.1	18
7	Population biology of the gastropod <i>Olivella minuta</i> (Gastropoda, Olividae) on two sheltered beaches in southeastern Brazil. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 150, 149-156.	2.1	18
8	Population biology and secondary production of the harvested clam <i>< i>Tivela mactroides</i></i> (<i>< i>Balanorn, 1778</i></i>) (<i>< i>Bivalvia, < i>Veneridae</i></i>) in <i>< i>Southeastern Brazil</i></i> . <i>Marine Ecology</i> , 2015, 36, 221-234.	1.1	15
9	Brazilian sandy beach macrofauna production: a review. <i>Brazilian Journal of Oceanography</i> , 2012, 60, 473-484.	0.6	14
10	Secondary production of sandy beach macrofauna: An evaluation of predictive models. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 115, 359-365.	2.1	11
11	Frequency, Magnitude, and Possible Causes of Stranding and Mass-Mortality Events of the Beach Clam <i>Tivela mactroides</i> (Bivalvia: Veneridae). <i>PLoS ONE</i> , 2016, 11, e0146323.	2.5	11
12	Production of <i>Exciorolana armata</i> (Dana, 1853) (Isopoda, Cirolanidae) on an exposed sandy beach in southeastern Brazil. <i>Helgoland Marine Research</i> , 2012, 66, 265-274.	1.3	10
13	Spatial distribution of butyltins and imposex in eastern Brazilian Amazon. <i>Marine Pollution Bulletin</i> , 2021, 165, 112155.	5.0	8
14	Population structure and use of space by ghost crabs (Brachyura: Ocypodidae) on an equatorial, macrotidal sandy beach. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 258, 107376.	2.1	8
15	Population ecology of the hermit crab <i>Clibanarius symmetricus</i> (Anomura: Diogenidae) on an exposed beach of the Brazilian Amazon coast. <i>Regional Studies in Marine Science</i> , 2020, 33, 100944.	0.7	7
16	Effects of physical features on production of three macrofaunal species in different sandy beach zones in South America. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 218, 23-30.	2.1	6
17	Effects of beach morphodynamic features on production and <i>< i>P</i>/< i>B</i></i> ratio of the crab <i>< i>Emerita brasiliensis</i></i> Schmitt, 1935 (Decapoda: Hippidae) in sandy beaches of South America. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 1215-1221.	0.8	4
18	Heterochely and laterality in <i>Kingsleya castrensis</i> Pedraza, Martinelli-Filho & MagalhÃ£es, 2015 (Decapoda, Pseudothelphusidae). <i>Crustaceana</i> , 2019, 92, 415-427.	0.3	4

ARTICLE

IF CITATIONS

- | | | | |
|----|--|-----|---|
| 19 | Identification and characterization of Municipal Solid Waste - MSW through geoprocessing and visual analysis of waste in Brazil. Revista De Geografia (Recife), 2022, 39, 274. | 0.0 | 0 |
|----|--|-----|---|