Kurt S Hoffmayer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7182241/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ablation of mitral annular flutter ablation utilizing a left atrial anterior line versus a lateral mitral isthmus line: a systematic review and meta-analysis. Journal of Interventional Cardiac Electrophysiology, 2022, 63, 87-95.	1.3	9
2	Association between early recurrences of atrial tachyarrhythmias and long-term outcomes in patients after repeat atrial fibrillation ablation. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 323-331.	1.3	4
3	Characteristics and outcomes of recurrent atrial fibrillation after prior failed pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 715-722.	1.3	5
4	Meta-analysis of the Usefulness of Catheter Ablation of Atrial Fibrillation in Patients With Heart Failure With Preserved Ejection Fraction. American Journal of Cardiology, 2021, 142, 66-73.	1.6	27
5	Electrical Substrate Ablation for Refractory Ventricular Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e008868.	4.8	10
6	Empiric catheter ablation of premature ventricular contractions when there is a >20% burden in an asymptomatic patient with normal left ventricular size and function—An argument for a conservative, do-less approach. Heart Rhythm O2, 2021, 2, 210-214.	1.7	1
7	Association between specific antiarrhythmic drug prescription in the post-procedural blanking period and recurrent atrial arrhythmias after catheter ablation for atrial fibrillation. PLoS ONE, 2021, 16, e0253266.	2.5	2
8	Fasciculoventricular and atrioventricular accessory pathways in patients with Danon disease and preexcitation: A multicenter experience. Heart Rhythm, 2021, 18, 1194-1202.	0.7	7
9	Computational ECG mapping and respiratory gating to optimize stereotactic ablative radiotherapy workflow for refractory ventricular tachycardia. Heart Rhythm O2, 2021, 2, 511-520.	1.7	17
10	Importance of the Activation Sequence of the His or Right Bundle for Diagnosis of Complex Tachycardia Circuits. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e009194.	4.8	4
11	Variants of accessory pathways. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 21-29.	1.2	12
12	Ventricular arrhythmias in patients with biventricular assist devices. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 243-252.	1.3	6
13	Ventricular Tachycardia Storm Originating From Moderator Band Requiring Extracorporeal MembraneÂOxygenation. JACC: Case Reports, 2020, 2, 946-950.	0.6	2
14	Effect of closed loop stimulation versus accelerometer on outcomes with cardiac resynchronization therapy: the CLASS trial. Journal of Interventional Cardiac Electrophysiology, 2020, 61, 479-485.	1.3	2
15	Clinical factors associated with baseline history of atrial fibrillation and subsequent clinical outcomes following initial implantable cardioverterâ€defibrillator placement. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 542-550.	1.2	3
16	P2Y ₁₂ inhibitors with oral anticoagulation for percutaneous coronary intervention with atrial fibrillation: a systematic review and meta-analysis. Heart, 2020, 106, 575-583.	2.9	13
17	Intraluminal Esophageal Temperature Monitoring Using the CircaS-Cathâ,,¢ Temperature Probe to Guide Left Atrial Ablation in Patients with Atrial Fibrillation. Journal of Atrial Fibrillation, 2020, 13, 2386.	0.5	3
18	Predictors of rate-adaptive pacing in patients implanted with implantable cardioverter–defibrillator and subsequent differential clinical outcomes. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 83-91.	1.3	1

KURT S HOFFMAYER

#	Article	IF	CITATIONS
19	Long-term mode and timing of premature ventricular complex recurrence following successful catheter ablation. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 153-160.	1.3	6
20	Randomized controlled trial of Amigo® robotically controlled versus manually controlled ablation of the cavo-tricuspid isthmus using a contact force ablation catheter. Journal of Interventional Cardiac Electrophysiology, 2018, 51, 125-132.	1.3	2
21	Use of Programmed Ventricular Extrastimulus During Supraventricular Tachycardia to Differentiate Atrioventricular Nodal Re-Entrant Tachycardia From Atrioventricular Re-Entrant Tachycardia. JACC: Clinical Electrophysiology, 2018, 4, 872-880.	3.2	1
22	Long-term morbidity and mortality after implantable cardioverter-defibrillator implantation with procedural complication: A report from the National Cardiovascular Data Registry. Heart Rhythm, 2018, 15, 847-854.	0.7	12
23	Successful ventricular fibrillation functional substrate ablation via a single vascular access site. HeartRhythm Case Reports, 2018, 4, 173-176.	0.4	2
24	Concealed Accessory Pathways with a Single Ventricular and Two Discrete Atrial Insertion Sites. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 255-263.	1.2	6
25	The Relationship of Antitachycardia Pacing versus Shock in an Implantable Cardioverterâ€Defibrillator Population and the Risk of Mortality: Just an Association?. Journal of Cardiovascular Electrophysiology, 2017, 28, 423-424.	1.7	1
26	A surgeon with symptomatic ventricular tachycardia while operating and exacerbated by left lateral decubitus position: Too much of a stretch?. HeartRhythm Case Reports, 2017, 3, 210-214.	0.4	2
27	Injectable loop recorder implantation in an ambulatory setting by advanced practice providers: Analysis of outcomes. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 982-985.	1.2	14
28	Still an Important Tool. JACC: Clinical Electrophysiology, 2017, 3, 666-668.	3.2	0
29	Survival After Secondary Prevention Implantable Cardioverter-Defibrillator Placement. JACC: Clinical Electrophysiology, 2017, 3, 20-28.	3.2	14
30	Reasons for and predictors of acute hospitalization versus elective outpatient implantable cardioverter-defibrillator implantation and subsequent differential clinical outcomes. Journal of Interventional Cardiac Electrophysiology, 2017, 50, 85-93.	1.3	1
31	Comparison of radionuclide angiographic synchrony analysis to echocardiography and magnetic resonance imaging for the diagnosis of arrhythmogenic right ventricular cardiomyopathy. Heart Rhythm, 2015, 12, 1268-1275.	0.7	7
32	Variable Clinical Features and Ablation of Manifest Nodofascicular/Ventricular Pathways. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 117-127.	4.8	35
33	Cardiac Electrophysiological Substrate Underlying the ECG Phenotype and Electrogram Abnormalities in Brugada Syndrome Patients. Circulation, 2015, 131, 1950-1959.	1.6	139
34	Contact force-sensing catheters. Current Opinion in Cardiology, 2015, 30, 74-80.	1.8	19
35	Response to Letter Regarding Article, "Variable Clinical Features and Ablation of Manifest Nodofascicular/Ventricular Pathways― Circulation: Arrhythmia and Electrophysiology, 2015, 8, 995-995	4.8	0
36	ls Cavotricuspid Isthmus Block Present?. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1225-1227.	1.2	1

KURT S HOFFMAYER

#	Article	IF	CITATIONS
37	Safety of radiofrequency catheter ablation without coronary angiography in aortic cusp ventricular arrhythmias. Heart Rhythm, 2014, 11, 1117-1121.	0.7	43
38	An electrocardiographic scoring system for distinguishing right ventricular outflow tract arrhythmias in patients with arrhythmogenic right ventricular cardiomyopathy from idiopathic ventricular tachycardia. Heart Rhythm, 2013, 10, 477-482.	0.7	56
39	Electrocardiographic Patterns of Ventricular Arrhythmias in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy. Frontiers in Physiology, 2012, 3, 23.	2.8	10
40	Electrocardiographic Comparison of Ventricular Arrhythmias in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy and Right Ventricular Outflow Tract Tachycardia. Journal of the American College of Cardiology, 2011, 58, 831-838.	2.8	71
41	Closure of a para-valvular aortic leak: with the use of 2 AMPLATZER devices and real-time 2- and 3-dimensional transesophageal echocardiography. Texas Heart Institute Journal, 2011, 38, 81-4.	0.3	7
42	Bradycardia?. Journal of Electrocardiology, 2010, 43, 335.	0.9	0