

# Loïc Sentilhes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7185563/publications.pdf>

Version: 2024-02-01

156  
papers

8,042  
citations

61945

43  
h-index

58549

82  
g-index

221  
all docs

221  
docs citations

221  
times ranked

5918  
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and Neonatal Morbidity and Mortality Among Pregnant Women With and Without COVID-19 Infection. <i>JAMA Pediatrics</i> , 2021, 175, 817.	3.3	910
2	Maternal Outcome After Conservative Treatment of Placenta Accreta. <i>Obstetrics and Gynecology</i> , 2010, 115, 526-534.	1.2	386
3	<scp>FIGO</scp> classification for the clinical diagnosis of placenta accreta spectrum disorders,. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 146, 20-24.	1.0	312
4	Placenta Praevia and Placenta Accreta: Diagnosis and Management. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, e1-e48.	1.1	306
5	Efficacy of Ursodeoxycholic Acid in Treating Intrahepatic Cholestasis of Pregnancy: A Meta-analysis. <i>Gastroenterology</i> , 2012, 143, 1492-1501.	0.6	237
6	Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 12-21.	0.5	211
7	Evidence-based guidelines for the management of abnormallyÂinvasive placenta: recommendations from theÂInternational Society for Abnormally InvasiveÂPlacenta. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 511-526.	0.7	207
8	<scp>FIGO</scp> consensus guidelines on placenta accreta spectrum disorders: Conservative management,. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 291-298.	1.0	195
9	Tranexamic Acid for the Prevention of Blood Loss after Vaginal Delivery. <i>New England Journal of Medicine</i> , 2018, 379, 731-742.	13.9	178
10	Fetal growth restriction and intra-uterine growth restriction: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 193, 10-18.	0.5	177
11	Preeclampsia and COVID-19: results from the INTERCOVID prospective longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 289.e1-289.e17.	0.7	172
12	Twin pregnancies: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 12-17.	0.5	161
13	Fertility and pregnancy outcomes following conservative treatment for placenta accreta. <i>Human Reproduction</i> , 2010, 25, 2803-2810.	0.4	155
14	Delivery for women with a previous cesarean: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 25-32.	0.5	155
15	Coronavirus disease 2019 in pregnancy was associated with maternal morbidity and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 914.e1-914.e15.	0.7	147
16	Predictors of Failed Pelvic Arterial Embolization for Severe Postpartum Hemorrhage. <i>Obstetrics and Gynecology</i> , 2009, 113, 992-999.	1.2	123
17	Tranexamic Acid for the Prevention of Blood Loss after Cesarean Delivery. <i>New England Journal of Medicine</i> , 2021, 384, 1623-1634.	13.9	123
18	Prevention of spontaneous preterm birth: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 217-224.	0.5	105

#	ARTICLE	IF	CITATIONS
19	Tranexamic acid for the prevention and treatment of postpartum haemorrhage. <i>British Journal of Anaesthesia</i> , 2015, 114, 576-587.	1.5	97
20	Management of placenta accreta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1125-1134.	1.3	95
21	Late complications of operative hysteroscopy: predicting patients at risk of uterine rupture during subsequent pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 120, 134-138.	0.5	91
22	Postpartum haemorrhage: prevention and treatment. <i>Expert Review of Hematology</i> , 2016, 9, 1043-1061.	1.0	91
23	Fertility and pregnancy outcomes following uterine devascularization for severe postpartum haemorrhage. <i>Human Reproduction</i> , 2008, 23, 1087-1092.	0.4	88
24	Fertility and pregnancy following pelvic arterial embolisation for postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 84-93.	1.1	88
25	Prolonged and post-term pregnancies: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 169, 10-16.	0.5	81
26	Sexual function in women before and after transvaginal mesh repair for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 763-772.	0.7	80
27	Instrumental delivery: clinical practice guidelines from the French College of Gynaecologists and Obstetricians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 43-48.	0.5	79
28	Long-term psychological impact of severe postpartum hemorrhage. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 615-620.	1.3	76
29	Effect of Glyburide vs Subcutaneous Insulin on Perinatal Complications Among Women With Gestational Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1773.	3.8	75
30	Effect of routine controlled cord traction as part of the active management of the third stage of labour on postpartum haemorrhage: multicentre randomised controlled trial (TRACOR). <i>BMJ</i> , The, 2013, 346, f1541-f1541.	3.0	73
31	Complications of pelvic organ prolapse surgery and methods of prevention. <i>International Urogynecology Journal</i> , 2013, 24, 1859-1872.	0.7	68
32	Prevention of complications related to the use of prosthetic meshes in prolapse surgery: guidelines for clinical practice. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 170-180.	0.5	67
33	Fetal Death in a Patient With Intrahepatic Cholestasis of Pregnancy. <i>Obstetrics and Gynecology</i> , 2006, 107, 458-460.	1.2	62
34	Preterm premature rupture of membranes at 22â25 weeksâ gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 298.e1-298.e14.	0.7	62
35	Bâlynch suture for massive persistent postpartum hemorrhage following stepwise uterine devascularization. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1020-1026.	1.3	61
36	Planned caesarean in the interventional radiology cath lab to enable immediate uterine artery embolization for the conservative treatment of placenta accreta. <i>Clinical Radiology</i> , 2012, 67, 1089-1094.	0.5	60

#	ARTICLE	IF	CITATIONS
37	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	0.9	57
38	Favourable outcome of a tight constriction band secondary to amniotic band syndrome. <i>Prenatal Diagnosis</i> , 2004, 24, 198-201.	1.1	52
39	Fertility after B-Lynch suture and stepwise uterine devascularization. <i>Fertility and Sterility</i> , 2009, 91, 934.e5-934.e9.	0.5	51
40	Risk of low birth weight and micronutrient deficiencies in neonates from mothers after gastric bypass: a case control study. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 1384-1391.	1.0	51
41	Effect of Cell-Free DNA Screening vs Direct Invasive Diagnosis on Miscarriage Rates in Women With Pregnancies at High Risk of Trisomy 21. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 557.	3.8	51
42	Comparison of postpartum haemorrhage guidelines: discrepancies underline our lack of knowledge. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 718-722.	1.1	47
43	Study protocol. TRAAP - TRANexamic Acid for Preventing postpartum hemorrhage after vaginal delivery: a multicenter randomized, double-blind, placebo-controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 135.	0.9	46
44	Laparoscopic myomectomy during pregnancy resulting in septic necrosis of the myometrium. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 876-878.	1.1	43
45	Diabetes mellitus, maternal adiposity, and insulin-dependent gestational diabetes are associated with COVID-19 in pregnancy: the INTERCOVID study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 74.e1-74.e16.	0.7	43
46	Conservative Management of Placenta Accreta Spectrum. <i>Clinical Obstetrics and Gynecology</i> , 2018, 61, 783-794.	0.6	41
47	<scp>PACCRETA</scp>: Clinical situations at high risk of Placenta <scp>ACCRETA</scp>/Percreta: impact of diagnostic methods and management on maternal morbidity. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 476-482.	1.3	40
48	Shoulder dystocia: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 203, 156-161.	0.5	40
49	Risk factors for chronic post-traumatic stress disorder development one year after vaginal delivery: a prospective, observational study. <i>Scientific Reports</i> , 2017, 7, 8724.	1.6	40
50	Attempted vaginal versus planned cesarean delivery in 195 breech first twin pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 55-60.	1.3	39
51	Sexual Function After Transobturator Tape Procedure for Stress Urinary Incontinence. <i>Urology</i> , 2008, 71, 1074-1079.	0.5	38
52	Maternal and Neonatal Morbidity After Attempted Operative Vaginal Delivery According to Fetal Head Station. <i>Obstetrics and Gynecology</i> , 2015, 126, 521-529.	1.2	38
53	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 61-65.	0.5	37
54	Uterine devascularization and subsequent major intrauterine synechiae and ovarian failure. <i>Fertility and Sterility</i> , 2005, 83, 755-757.	0.5	36

#	ARTICLE	IF	CITATIONS
55	Midterm Follow-up of High-Grade Genital Prolapse Repair by the Trans-obturator and Infracoccygeal Hammock Procedure after Hysterectomy. <i>European Urology</i> , 2007, 51, 1065-1072.	0.9	32
56	Effects of prenatal exposure to maternal COVID-19 and perinatal care on neonatal outcome: results from the INTERCOVID Multinational Cohort Study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 488.e1-488.e17.	0.7	32
57	Successful expectant management for a cornual heterotopic pregnancy. <i>Fertility and Sterility</i> , 2009, 91, 934.e11-934.e13.	0.5	31
58	Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 73.e1-73.e7.	0.7	30
59	Magnetic resonance imaging for abnormally invasive placenta: the added value of intravenous gadolinium injection. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 88-95.	1.1	30
60	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F476-F482.	1.4	29
61	TRAAP2 - TRANexamic Acid for Preventing postpartum hemorrhage after cesarean delivery: a multicenter randomized, doubleblind, placebo- controlled trial â a study protocol. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 63.	0.9	29
62	Colouterine fistula complicating diverticulitis: a case report and review of the literature. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 110, 107-110.	0.5	27
63	Conservative management or cesarean hysterectomy for placenta accreta spectrum: the PACCRETA prospective study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 839.e1-839.e24.	0.7	27
64	Uterine Artery Embolization for Retained Products of Conception with Marked Vascularity: A Safe and Efficient First-Line Treatment. <i>CardioVascular and Interventional Radiology</i> , 2017, 40, 520-529.	0.9	26
65	Assessment of fresh and preserved amniotic membrane for guided bone regeneration in mice. <i>Journal of Biomedical Materials Research - Part A</i> , 2020, 108, 2044-2056.	2.1	26
66	Pregnancy outcome in Turner syndrome: A French multi-center study after the 2009 guidelines. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 20-25.	0.5	25
67	Why stepwise uterine devascularization should be the firstâline conservative surgical treatment to control severe postpartum hemorrhage?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009, 88, 490-492.	1.3	24
68	Fertility after pelvic arterial embolization, stepwise uterine devascularization, hypogastric artery ligation, and Bâlynch suture to control postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 108, 249-249.	1.0	24
69	Cohort Profile: the Etude EpidÃ©miologique sur les Petits Ages Gestationnels-2 (EPIPAGE-2) preterm birth cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1428-1429m.	0.9	24
70	Clinical profiles of placenta accreta spectrum: the PACCRETA populationâbased study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1646-1655.	1.1	24
71	Female sexual function following surgery for stress urinary incontinence: tension-free vaginal versus transobturator tape procedure. <i>International Urogynecology Journal</i> , 2009, 20, 393-399.	0.7	23
72	Breech presentation: Clinical practice guidelines from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 252, 599-604.	0.5	22

#	ARTICLE	IF	CITATIONS
73	A multicenter observational survey of management strategies in 442 pregnancies with suspected placenta accreta spectrum. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 12-20.	1.3	22
74	Sexual function in women following the transvaginal tension-free tape procedure for incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 102, 105-109.	1.0	21
75	Posttraumatic Stress Disorder Symptoms 2 Months After Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2022, 139, 63-72.	1.2	20
76	Tranexamic acid and obstetric hemorrhage: give empirically or selectively?. <i>International Journal of Obstetric Anesthesia</i> , 2021, 48, 103206.	0.2	19
77	Maternal outcomes after uterine balloon tamponade for postpartum hemorrhage. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015, 94, 399-404.	1.3	18
78	Maternal outcome after abdominal packing for uncontrolled postpartum hemorrhage despite peripartum hysterectomy. <i>PLoS ONE</i> , 2017, 12, e0177092.	1.1	18
79	Protection of brain development by antenatal magnesium sulphate for infants born preterm. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 25-30.	1.1	18
80	Outcomes of operative vaginal delivery managed by residents under supervision and attending obstetricians: a prospective cross-sectional study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 59.e1-59.e15.	0.7	17
81	Sexual function and postpartum depression 6 months after attempted operative vaginal delivery according to fetal head station: A prospective population-based cohort study. <i>PLoS ONE</i> , 2017, 12, e0178915.	1.1	16
82	Planned delivery route of preterm breech singletons, and neonatal and 2-year outcomes: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 73-82.	1.1	16
83	Incidental finding of an intrauterine device in the sigmoid colon. <i>European Journal of Contraception and Reproductive Health Care</i> , 2008, 13, 212-214.	0.6	15
84	Influence of Gestational Age on Fibrinolysis from Birth to Postnatal Day 10. <i>Journal of Pediatrics</i> , 2011, 158, 377-382.e1.	0.9	15
85	Maternal occupational exposures to nanoscale particles and small for gestational age outcome in the French Longitudinal Study of Children. <i>Environment International</i> , 2019, 122, 322-329.	4.8	15
86	Performance of antenatal imaging to predict placenta accreta spectrum degree of severity. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 21-28.	1.3	15
87	Treatment of concomitant prolapse and stress urinary incontinence via a transobturator subvesical mesh without independent suburethral tape. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 223-229.	1.3	14
88	First Twin in Breech Presentation and Neonatal Mortality and Morbidity According to Planned Mode of Delivery. <i>Obstetrics and Gynecology</i> , 2020, 135, 1015-1023.	1.2	14
89	Extirpative or conservative management for placenta percreta?. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1875-1876.	0.7	13
90	Management of placenta accreta. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1536-1537.	1.1	13

#	ARTICLE	IF	CITATIONS
91	Use of a Visual Aid in addition to a Collector Bag to Evaluate Postpartum Blood loss: A Prospective Simulation Study. <i>Scientific Reports</i> , 2017, 7, 46333.	1.6	13
92	Tranexamic acid for childbirth: why, when, and for whom. <i>Expert Review of Hematology</i> , 2019, 12, 753-761.	1.0	13
93	Has B-Lynch suture hidden long-term effects?. <i>Fertility and Sterility</i> , 2010, 94, e62.	0.5	12
94	Association of Intraventricular Hemorrhage and Death With Tocolytic Exposure in Preterm Infants. <i>JAMA Network Open</i> , 2018, 1, e182355.	2.8	12
95	Surgical treatment of postpartum haemorrhage: national survey of French residents of obstetrics and gynecology. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 91.	0.9	12
96	Umbilical artery aneurysm in a severe growth-restricted fetus with normal karyotype. <i>Prenatal Diagnosis</i> , 2007, 27, 1059-1061.	1.1	11
97	Infracoccygeal sacropexy reinforced with posterior mesh interposition for apical and posterior compartment prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 137, 108-113.	0.5	11
98	High-dose tranexamic acid for treating postpartum haemorrhage after vaginal delivery. <i>British Journal of Anaesthesia</i> , 2015, 114, 339-341.	1.5	11
99	Maladie des brides amniotiques : ÃtiopathogÃnie, diagnostic antÃnatal et prise en charge nÃonatale. <i>Revue Sage - Femme</i> , 2004, 3, 67-78.	0.1	10
100	Intrahepatic cholestasis of pregnancy and bile acid levels. <i>Hepatology</i> , 2005, 42, 737-738.	3.6	10
101	Amniotic Band Syndrome with Limb Amputation after Exposure to Mifepristone in Early Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2007, 22, 51-54.	0.6	10
102	Surgical management of postpartum haemorrhage: survey of French obstetricians. <i>Scientific Reports</i> , 2016, 6, 30342.	1.6	10
103	Planned Mode of Delivery of Preterm Twins and Neonatal and 2-Year Outcomes. <i>Obstetrics and Gynecology</i> , 2019, 133, 71-80.	1.2	10
104	Conservative approach: Intentional retention of the placenta. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021, 72, 52-66.	1.4	10
105	Which surgery should be the first-line uterine-sparing procedure to control severe postpartum hemorrhage?. <i>Fertility and Sterility</i> , 2011, 95, e71.	0.5	9
106	Tranexamic acid for preventing postpartum blood loss at cesarean delivery: is evidence sufficient?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 836-836.	1.3	8
107	Evaluation by Obstetric Care Providers of Simulated Postpartum Blood Loss using a Collector Bag: A French prospective study.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-29.	0.7	8
108	Re: Does tranexamic acid prevent postpartum haemorrhage? A systematic review of randomised controlled trials. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 982-982.	1.1	8

#	ARTICLE	IF	CITATIONS
109	Geographic variation in management of patients with placenta accreta spectrum: An international survey of experts (GPASS). <i>International Journal of Gynecology and Obstetrics</i> , 2022, 158, 129-136.	1.0	8
110	How I manage pregnancy in women with Glanzmann thrombasthenia. <i>Blood</i> , 2022, 139, 2632-2641.	0.6	8
111	Management of Maternal Cor Triatriatum During Pregnancy. <i>Obstetrics and Gynecology</i> , 2004, 104, 1212-1215.	1.2	7
112	Prophylactic tranexamic acid in addition to uterotonics may prevent blood loss for vaginal and caesarean deliveries. <i>Evidence-Based Medicine</i> , 2016, 21, 97-97.	0.6	7
113	Policy of high-dose tranexamic acid for treating postpartum hemorrhage after vaginal delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1617-1622.	0.7	7
114	Incidence and risk factors of caesarean section in preterm breech births: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 212, 37-43.	0.5	7
115	Tranexamic Acid for the Management of Obstetric Hemorrhage. <i>Obstetrics and Gynecology</i> , 2017, 130, 1386-1386.	1.2	7
116	Delayed hysterectomy: a laparotomy too far?. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 101-102.	0.7	7
117	An economic evaluation of tranexamic acid to prevent postpartum haemorrhage in women with vaginal delivery: the randomised controlled TRAAP trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 114-120.	1.1	7
118	Conservative management or cesarean hysterectomy for placenta accreta spectrum? Local resources and organization of care matter. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 872.	0.7	7
119	Arabin pessary to prevent adverse perinatal outcomes in twin pregnancies with a short cervix: a multicenter randomized controlled trial (PESSARONE). <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 271.e1-271.e13.	0.7	7
120	Factors Associated With Peripartum Hysterectomy. <i>Obstetrics and Gynecology</i> , 2009, 114, 927.	1.2	6
121	Tranexamic Acid for Prevention PPH: a Promising Drug But Today Only a Promising Drug. <i>Transfusion Medicine Reviews</i> , 2016, 30, 100.	0.9	6
122	Normal delivery: physiologic support and medical interventions. Guidelines of the French National Authority for Health (HAS) with the collaboration of the French College of Gynecologists and Obstetricians (CNGOF) and the French College of Midwives (CNSF). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 6576-6585.	0.7	6
123	Tocolysis in the management of preterm prelabor rupture of membranes at 22-33 weeks of gestation: study protocol for a multicenter, double-blind, randomized controlled trial comparing nifedipine with placebo (TOCOPROM). <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 614.	0.9	6
124	Tranexamic acid for the prevention of blood loss after cesarean among women with twins: a secondary analysis of the TRANexamic Acid for Preventing Postpartum Hemorrhage Following a Cesarean Delivery randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 889.e1-889.e17.	0.7	6
125	Preterm Breech Presentation. <i>Obstetrics and Gynecology</i> , 2016, 127, 1170.	1.2	5
126	Control of Postpartum Hemorrhage Using Vacuum-Induced Uterine Tamponade. <i>Obstetrics and Gynecology</i> , 2016, 128, 909-910.	1.2	5



#	ARTICLE	IF	CITATIONS
127	Pelvic Floor Disorders 6 Months after Attempted Operative Vaginal Delivery According to the Fetal Head Station: A Prospective Cohort Study. PLoS ONE, 2016, 11, e0168591.	1.1	5
128	Survival Without Severe Neonatal Morbidity in Very Preterm Twins According to Planned Mode of Delivery. Obstetrics and Gynecology, 2022, 139, 202-209.	1.2	5
129	Tranexamic acid for the prevention of postpartum hemorrhage in women undergoing cesarean delivery. American Journal of Obstetrics and Gynecology, 2022, 226, 755-756.	0.7	5
130	Staffing needs for unscheduled activity in obstetrics and gynecology. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 245, 19-25.	0.5	4
131	Should intravaginal slingplasty (IVS) procedure be abandoned?. American Journal of Obstetrics and Gynecology, 2007, 196, e18.	0.7	3
132	Graft Use in Transvaginal Pelvic Organ Prolapse Repair: A Systematic Review. Obstetrics and Gynecology, 2009, 113, 952.	1.2	3
133	Arteriovenous malformation following conservative treatment of placenta percreta with uterine artery embolization but no adjunctive therapy. American Journal of Obstetrics and Gynecology, 2011, 205, e13.	0.7	3
134	4: Conservative management versus cesarean hysterectomy for placenta accreta spectrum; the PACCRETA prospective population-based study. American Journal of Obstetrics and Gynecology, 2020, 222, S3-S4.	0.7	3
135	Intrauterine Vacuum-Induced Hemorrhage-Control Device for Rapid Treatment of Postpartum Hemorrhage. Obstetrics and Gynecology, 2021, 137, 1127-1127.	1.2	3
136	Importance of the Assessment Time Window for Intravenous Tranexamic Acid and Thromboembolic Events. JAMA Surgery, 2021, , .	2.2	3
137	Reply to: Prophylactic tranexamic acid at delivery: if not now, when?. International Journal of Obstetric Anesthesia, 2022, 49, 103234.	0.2	3
138	Risk of Tranexamic Acid for Treatment of Postpartum Hemorrhage. American Journal of Kidney Diseases, 2017, 69, 160.	2.1	2
139	Embarazo y Aterio cicatricial. EMC - Ginecologãa-Obstetricia, 2017, 53, 1-16.	0.0	2
140	Abnormally invasive placentation in a woman with congenital myotonic dystrophy. International Journal of Gynecology and Obstetrics, 2018, 140, 376-377.	1.0	2
141	Cervical pessary combined with vaginal progesterone for the prevention of spontaneous preterm birth: is the evidence sufficient?. Journal of Perinatal Medicine, 2018, 46, 691-691.	0.6	1
142	570: Neonatal outcomes after management of non-cephalic second twin delivery by residents. American Journal of Obstetrics and Gynecology, 2018, 218, S341.	0.7	1
143	Conservative management or cesarean hysterectomy for placenta percreta? A subgroup analysis of the PACCRETA study is needed. American Journal of Obstetrics and Gynecology, 2022, 227, 117-118.	0.7	1
144	Assessing conservative management vs cesarean hysterectomy for placenta accreta spectrum: the importance of comparing data collected at the same study period. American Journal of Obstetrics and Gynecology, 2022, , .	0.7	1

#	ARTICLE	IF	CITATIONS
145	Maternal and Neonatal Morbidity After Attempted Operative Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2022, 139, 833-845.	1.2	1
146	Postdischarge outcomes of readmitted women included in the PACCRETA study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 795-798.	0.7	1
147	Does uterine artery ligation, performed because of a severe postpartum hemorrhage, alter fertility?. <i>Fertility and Sterility</i> , 2011, 95, e76.	0.5	0
148	Management of Placenta Accreta. <i>Obstetric Anesthesia Digest</i> , 2014, 34, 133-135.	0.0	0
149	A French network for prevention and reduction of reproductive risk in couples and pregnant women. <i>European Journal of Public Health</i> , 2019, 29, .	0.1	0
150	Coronavirus disease 2019 in pregnancy was associated with maternal morbidity and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 551.	0.7	0
151	Maladie des brides amniotiques. , 2011, , 307-315.		0
152	Interruption mÃ©dicale de grossesse. , 2011, , 417-436.		0
153	Surveillance du travail pour les grossesses gÃ©mellaires. , 2016, , 103-112.		0
154	Compressions utÃ©rines. , 2020, , 123-137.		0
155	Ligatures vasculaires. , 2020, , 111-121.		0
156	Antifibrinolytic agents for the prevention of postpartum hemorrhage. <i>Thrombosis Update</i> , 2021, 5, 100089.	0.4	0