

Dina V Dudina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7186115/publications.pdf>

Version: 2024-02-01

143
papers

2,246
citations

304602

22
h-index

315616

38
g-index

146
all docs

146
docs citations

146
times ranked

1631
citing authors

#	ARTICLE	IF	CITATIONS
1	Progress in aluminium and magnesium matrix composites obtained by spark plasma, microwave and induction sintering. <i>International Materials Reviews</i> , 2023, 68, 225-246.	9.4	14
2	Structural Features and Corrosion Resistance of Fe66Cr10Nb5B19 Metallic Glass Coatings Obtained by Detonation Spraying. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 622-630.	1.2	5
3	Microstructure and properties of Cu-10wt% Al bronze obtained by high-energy mechanical milling and spark plasma sintering. <i>Materials Letters</i> , 2022, 312, 131671.	1.3	12
4	Detonation Spraying of Cr3C2-NiCr Coatings and Their Properties. <i>Journal of Thermal Spray Technology</i> , 2022, 31, 598-608.	1.6	7
5	Electric current-assisted joining of similar/dissimilar materials. , 2022, , 151-176.		3
6	Preparation of nanoporous gold particles on diamond facets via galvanic replacement and dealloying. <i>Diamond and Related Materials</i> , 2022, 123, 108860.	1.8	2
7	Elimination of Composition Segregation in 33Al-45Cu-22Fe (at.%) Powder by Two-Stage High-Energy Mechanical Alloying. <i>Materials</i> , 2022, 15, 2087.	1.3	6
8	FeCoNiCu Alloys Obtained by Detonation Spraying and Spark Plasma Sintering of High-Energy Ball-Milled Powders. <i>Journal of Thermal Spray Technology</i> , 2022, 31, 1067-1075.	1.6	4
9	Core-Shell Particle Reinforcements—A New Trend in the Design and Development of Metal Matrix Composites. <i>Materials</i> , 2022, 15, 2629.	1.3	8
10	Spark plasma sintering treatment of cold sprayed materials for synthesis and structural modification: A case study using TiC-Cu composites. <i>Materials Letters: X</i> , 2022, 14, 100140.	0.3	5
11	The Benefit of the Glassy State of Reinforcing Particles for the Densification of Aluminum Matrix Composites. <i>Journal of Composites Science</i> , 2022, 6, 135.	1.4	10
12	Morphological and Structural Transformations of Fe-Pd Powder Alloys Formed by Galvanic Replacement, Annealing and Acid Treatment. <i>Materials</i> , 2022, 15, 3571.	1.3	2
13	Fe-Ag pseudo-alloys obtained by wire electric explosion, ball milling and spark plasma sintering. <i>Materials Letters</i> , 2022, 323, 132536.	1.3	3
14	Materials Development Using High-Energy Ball Milling: A Review Dedicated to the Memory of M.A. Korchagin. <i>Journal of Composites Science</i> , 2022, 6, 188.	1.4	12
15	A Feasibility Study of High-Entropy Alloy Coating Deposition by Detonation Spraying Combined with Laser Melting. <i>Materials</i> , 2022, 15, 4532.	1.3	8
16	Interaction between Fe66Cr10Nb5B19 metallic glass and aluminum during spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 799, 140165.	2.6	21
17	Deposition of tungsten coatings by detonation spraying. <i>Surface and Coatings Technology</i> , 2021, 409, 126943.	2.2	13
18	Separating the reaction and spark plasma sintering effects during the formation of Ti-Cu composites from mechanically milled Ti-Cu mixtures. <i>Ceramics International</i> , 2021, 47, 12494-12504.	2.3	18

#	ARTICLE	IF	CITATIONS
19	Structure and composition of Fe-Co-Ni and Fe-Co-Ni-Cu coatings obtained by detonation spraying of powder mixtures. <i>Materials Letters</i> , 2021, 290, 129498.	1.3	11
20	Processing of Fe-Based Alloys by Detonation Spraying and Spark Plasma Sintering. <i>Journal of Thermal Spray Technology</i> , 2021, 30, 1692-1702.	1.6	5
21	Detonation Spraying of Hydroxyapatite on a Titanium Alloy Implant. <i>Materials</i> , 2021, 14, 4852.	1.3	9
22	Microstructure and Mechanical Properties of Composites Obtained by Spark Plasma Sintering of Al-Fe66Cr10Nb5B19 Metallic Glass Powder Mixtures. <i>Metals</i> , 2021, 11, 1457.	1.0	8
23	Graphitization of synthetic diamond crystals: A morphological study. <i>Diamond and Related Materials</i> , 2021, 118, 108563.	1.8	12
24	Manufacturing of TiC-Cu composites by mechanical milling and spark plasma sintering using different carbon sources. <i>Surfaces and Interfaces</i> , 2021, 27, 101445.	1.5	8
25	Structural transformations of a gas-atomized Al _{62.5} Cu ₂₅ Fe _{12.5} alloy during detonation spraying, spark plasma sintering and hot pressing. <i>Science of Sintering</i> , 2021, 53, 379-386.	0.5	2
26	Metal-Nanocarbon Composite Coatings Produced by Detonation Spraying with In Situ Carbon Generation. <i>Journal of Thermal Spray Technology</i> , 2021, 30, 1837-1849.	1.6	3
27	Synthesis of Ceramic Reinforcements in Metallic Matrices during Spark Plasma Sintering: Consideration of Reactant/Matrix Mutual Chemistry. <i>Ceramics</i> , 2021, 4, 592-599.	1.0	3
28	Selective deposition of platinum hemispheres on the {100} facets of synthetic diamond. <i>Diamond and Related Materials</i> , 2020, 101, 107620.	1.8	2
29	Microstructure and mechanical properties of materials obtained by spark plasma sintering of Ni ₃ Al-Ni powder mixtures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 773, 138882.	2.6	18
30	Pulsed current-assisted joining of copper to graphite using Ti-Cu brazing layers. <i>Materials Today: Proceedings</i> , 2020, 25, 377-380.	0.9	8
31	Melting at the inter-particle contacts during Spark Plasma Sintering: Direct microstructural evidence and relation to particle morphology. <i>Vacuum</i> , 2020, 181, 109566.	1.6	20
32	The influence of morphology and composition of metal-carbide coatings deposited on the diamond surface on the properties of copper-diamond composites. <i>Surface and Coatings Technology</i> , 2020, 401, 126272.	2.2	28
33	Detonation spraying of Ti-Cu mixtures in different atmospheres: Carbon, nitrogen and oxygen uptake by the powders. <i>Surfaces and Interfaces</i> , 2020, 21, 100676.	1.5	8
34	Strontium and silicate co-substituted hydroxyapatite: Mechanochemical synthesis and structural characterization. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2020, 262, 114719.	1.7	24
35	Structure and Phase Composition of a W-Ta-Mo-Nb-V-Cr-Zr-Ti Alloy Obtained by Ball Milling and Spark Plasma Sintering. <i>Entropy</i> , 2020, 22, 143.	1.1	11
36	Combustion of Titanium-Carbon Black High-Energy Ball-Milled Mixtures in Nitrogen: Formation of Titanium Carbonitrides at Atmospheric Pressure. <i>Materials</i> , 2020, 13, 1810.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Formation of Metallic Glass Coatings by Detonation Spraying of a Fe66Cr10Nb5B19 Powder. <i>Metals</i> , 2019, 9, 846.	1.0	16
38	Formation of ordered nanocrystalline CeO ₂ structures during thermal decomposition of cerium formate Ce(HCOO) ₃ . <i>Ceramics International</i> , 2019, 45, 19684-19688.	2.3	12
39	Characterization of Sr-substituted hydroxyapatite synthesized by the mechanochemical method. <i>Materials Today: Proceedings</i> , 2019, 12, 57-60.	0.9	1
40	Fracture analysis in the area of contact stresses using the FEM and the gradient criteria of the limiting state. <i>Materials Today: Proceedings</i> , 2019, 16, 130-136.	0.9	0
41	Interaction of calcium phosphates with calcium oxide or calcium hydroxide during the mechanochemical synthesis of hydroxyapatite. <i>Ceramics International</i> , 2019, 45, 16927-16933.	2.3	33
42	Interaction of a Ti-Cu Alloy with Carbon: Synthesis of Composites and Model Experiments. <i>Materials</i> , 2019, 12, 1482.	1.3	15
43	Combustion characteristics and structure of carbon nanotube/titanium composites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 137, 1903-1910.	2.0	5
44	Spark Plasma Sintering of Diamond- and Nanodiamond-Metal Composites. , 2019, , 441-457.		2
45	Fabrication of Porous Materials by Spark Plasma Sintering: A Review. <i>Materials</i> , 2019, 12, 541.	1.3	81
46	Synthesis of Nano-Sized TiB ₂ and TiC Particles During Spark Plasma Sintering of Ball-Milled Ti-Cu Alloy + B(C) and Ti+Cu+B mixtures. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 678, 012012.	0.3	1
47	Computer-Controlled Detonation Spraying: Flexible Control of the Coating Chemistry and Microstructure. <i>Metals</i> , 2019, 9, 1244.	1.0	29
48	Formation of TiC-Cu nanocomposites by a reaction between Ti ₂₅ Cu ₇₅ melt-spun alloy and carbon. <i>Materials Letters</i> , 2019, 235, 104-106.	1.3	14
49	Synthesis of nickel boride by thermal explosion in ball-milled powder mixtures. <i>Journal of Materials Science</i> , 2018, 53, 13592-13599.	1.7	10
50	Structural and Phase Transformations in Alloys during Spark Plasma Sintering of Ti + 23.5 at % Al + 21 at % Nb Powder Mixtures. <i>Inorganic Materials</i> , 2018, 54, 37-41.	0.2	6
51	Phase formation during high-energy ball milling of the 33Al-45Cu-22Fe (at.%) powder mixture. <i>Journal of Alloys and Compounds</i> , 2018, 736, 289-296.	2.8	7
52	Electric Current-Assisted Joining of Copper Plates Using Silver Formed by In-Situ Decomposition of Ag ₂ C ₂ O ₄ . <i>Metals</i> , 2018, 8, 538.	1.0	3
53	Structural and morphological transformations in cobalt-carbon mixtures during ball milling, annealing and Spark Plasma Sintering. <i>Vacuum</i> , 2018, 157, 210-215.	1.6	7
54	Detonation spraying behaviour of refractory metals: Case studies for Mo and Ta-based powders. <i>Advanced Powder Technology</i> , 2018, 29, 1859-1864.	2.0	35

#	ARTICLE	IF	CITATIONS
55	Effect of the Surface Modification of Synthetic Diamond with Nickel or Tungsten on the Properties of Copper-Diamond Composites. <i>Inorganic Materials</i> , 2018, 54, 426-433.	0.2	16
56	Field Effects on Reacting Systems. , 2018, , 315-400.		0
57	Sintering by Low-Voltage Electric Pulses (Including Spark Plasma Sintering (SPS)). , 2018, , 89-191.		4
58	Field-Assisted Sintering. , 2018, , .		74
59	Sintering by High-Voltage Electric Pulses. , 2018, , 37-87.		0
60	Structural and mechanical characterization of porous iron aluminide FeAl obtained by pressureless Spark Plasma Sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 695, 309-314.	2.6	18
61	Multiwalled carbon nanotube forests grown on the surface of synthetic diamond crystals. <i>Ceramics International</i> , 2017, 43, 10606-10609.	2.3	7
62	Structural characterization and magnetic properties of Al ₈₂ Fe ₁₆ Ti ₂ (TM: Ti, Ni, Cu) alloys prepared by mechanical alloying. <i>Journal of Non-Crystalline Solids</i> , 2017, 468, 67-73.	1.5	8
63	Fast synthesis of La-substituted apatite by the dry mechanochemical method and analysis of its structure. <i>Journal of Solid State Chemistry</i> , 2017, 252, 93-99.	1.4	17
64	The influence of the formation of Fe ₃ C on graphitization in a carbon-rich iron-amorphous carbon mixture processed by Spark Plasma Sintering and annealing. <i>Ceramics International</i> , 2017, 43, 11902-11906.	2.3	21
65	Application of a spark plasma sintering facility for the heat treatment of compact and powder materials. <i>Inorganic Materials</i> , 2017, 53, 658-663.	0.2	7
66	Elimination of oxide films during Spark Plasma Sintering of metallic powders: A case study using partially oxidized nickel. <i>Advanced Powder Technology</i> , 2017, 28, 641-647.	2.0	23
67	Analysis of the formation of FeAl with a high open porosity during electric current-assisted sintering of loosely packed Fe-Al powder mixtures. <i>Vacuum</i> , 2017, 146, 74-78.	1.6	8
68	Fast synthesis and consolidation of porous FeAl by pressureless Spark Plasma Sintering. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 218, 012003.	0.3	2
69	Synthesis of ZrC and HfC nanoparticles encapsulated in graphitic shells from mechanically milled Zr-C and Hf-C powder mixtures. <i>Ceramics International</i> , 2017, 43, 14529-14532.	2.3	9
70	Structure and mechanical properties of coatings formed by detonation spraying of titanium powder. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	0
71	Morphological features of W- and Ni-containing coatings on diamond crystals and properties of diamond-copper composites obtained by Spark Plasma Sintering. <i>Materials Today: Proceedings</i> , 2017, 4, 11396-11401.	0.9	2
72	Enhancing the properties of WC/Co detonation coatings using two-component fuels. <i>Surface and Coatings Technology</i> , 2017, 318, 244-249.	2.2	27

#	ARTICLE	IF	CITATIONS
73	Preparation of porous materials by Spark Plasma Sintering: Peculiarities of alloy formation during consolidation of Fe@Pt core-shell and hollow Pt(Fe) particles. <i>Journal of Alloys and Compounds</i> , 2017, 707, 233-237.	2.8	10
74	Detonation spraying of copper: theoretical analysis and experimental studies. <i>Materials Today: Proceedings</i> , 2017, 4, 11346-11350.	0.9	12
75	Mechanical Characterization of Composite Coatings Formed by Reactive Detonation Spraying of Titanium. <i>Metals</i> , 2017, 7, 355.	1.0	3
76	Structural Investigations of TiCu Nanocomposites Prepared by Ball Milling and Spark Plasma Sintering. <i>Metals</i> , 2017, 7, 123.	1.0	14
77	Structure and Properties of Coatings Formed by Detonation Spraying of Titanium Powder. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 286, 012025.	0.3	0
78	Spark Plasma Sintering of the mixtures of metallic powders and metal matrix composites: peculiarities of the structure formation and properties of the sintered materials. <i>Metal Working and Material Science</i> , 2017, , 45-54.	0.0	0
79	Crystallization Kinetics of Al-Fe and Al-Fe-Y Amorphous Alloys Produced by Mechanical Milling. <i>Journal of Nanomaterials</i> , 2016, 2016, 1-9.	1.5	9
80	Formation of Aluminum Particles with Shell Morphology during Pressureless Spark Plasma Sintering of FeAl Mixtures: Current-Related or Kirkendall Effect?. <i>Materials</i> , 2016, 9, 375.	1.3	14
81	Mechanochemical Synthesis of SiO ₄ ⁴⁻ Substituted Hydroxyapatite, Part III – Thermal Stability. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 1866-1874.	1.0	5
82	Surface modification of synthetic diamond with tungsten. , 2016, , .		2
83	Inter-particle interactions in partially densified compacts of electrically conductive materials during spark plasma sintering. , 2016, , .		1
84	A novel approach to the synthesis of silicocarnotite. <i>Materials Letters</i> , 2016, 164, 255-259.	1.3	12
85	Network distribution of reinforcements in composites produced by sintering: microstructure formation and influence on consolidation behavior and properties. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 289-295.	0.5	3
86	Microstructure and mechanical behavior of metallic glass fiber-reinforced Al alloy matrix composites. <i>Scientific Reports</i> , 2016, 6, 24384.	1.6	80
87	Structural and mechanical characterization of detonation coatings formed by reaction products of titanium with components of the spraying atmosphere. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	0
88	The influence of the in-situ formed and added carbon on the formation of metastable Ni-based phases during detonation spraying. <i>Materials Letters</i> , 2016, 181, 127-131.	1.3	20
89	Reactivity of materials towards carbon of graphite foil during Spark Plasma Sintering: A case study using NiW powders. <i>Materials Letters</i> , 2016, 168, 62-67.	1.3	22
90	Detonation spraying behavior of TiCuTi powders and the role of reactive processes in the coating formation. <i>Ceramics International</i> , 2016, 42, 690-696.	2.3	18

#	ARTICLE	IF	CITATIONS
91	Detonation spraying of titanium and formation of coatings with spraying atmosphere-dependent phase composition. <i>Surface and Coatings Technology</i> , 2015, 261, 174-180.	2.2	27
92	Phase evolution during early stages of mechanical alloying of Cu-13 wt.% Al powder mixtures in a high-energy ball mill. <i>Journal of Alloys and Compounds</i> , 2015, 629, 343-350.	2.8	32
93	Smaller crystallites in sintered materials? A discussion of the possible mechanisms of crystallite size refinement during pulsed electric current-assisted sintering. <i>Materials Letters</i> , 2015, 144, 168-172.	1.3	21
94	Towards a better understanding of nickel/diamond interactions: the interface formation at low temperatures. <i>RSC Advances</i> , 2015, 5, 51799-51806.	1.7	17
95	Porous electrically conductive materials produced by Spark Plasma Sintering and hot pressing of nanodiamonds. <i>Ceramics International</i> , 2015, 41, 12459-12463.	2.3	16
96	Detonation Spraying of Ti-Al Intermetallics: Phase and Microstructure Development of the Coatings. <i>Materials and Manufacturing Processes</i> , 2015, 30, 724-729.	2.7	13
97	Crystallization of Fe ₈₃ B ₁₇ amorphous alloy by electric pulses produced by a capacitor discharge. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 120, 1565-1572.	1.1	4
98	Carbon uptake during Spark Plasma Sintering: investigation through the analysis of the carbide footprint in a Ni-W alloy. <i>RSC Advances</i> , 2015, 5, 80228-80237.	1.7	42
99	Formation of self-supporting porous graphite structures by Spark Plasma Sintering of nickel-amorphous carbon mixtures. <i>Journal of Physics and Chemistry of Solids</i> , 2015, 76, 192-202.	1.9	22
100	Nickel-graphite composites of variable architecture by graphitization-accompanied spark plasma sintering and hot pressing and their response to phase separation. <i>Science of Sintering</i> , 2015, 47, 237-248.	0.5	9
101	In situ formation of metal-ceramic composite coatings by detonation spraying of titanium. , 2014, , .		1
102	Formation Routes of Nanocomposite Coatings in Detonation Spraying of Ti ₃ SiC ₂ -Cu Powders. <i>Journal of Thermal Spray Technology</i> , 2014, 23, 1116-1123.	1.6	3
103	Control of interfacial interaction during detonation spraying of Ti ₃ SiC ₂ -Cu composites. <i>Inorganic Materials</i> , 2014, 50, 35-39.	0.2	8
104	Electric pulse consolidation: an alternative to spark plasma sintering. <i>Journal of Materials Science</i> , 2014, 49, 952-985.	1.7	57
105	Possibilities of the Computer-Controlled Detonation Spraying method: A chemistry viewpoint. <i>Ceramics International</i> , 2014, 40, 3253-3260.	2.3	26
106	4 Microstructure formation of particle-reinforced metal matrix composite coatings produced by thermal spraying. , 2014, , 103-122.		2
107	Recrystallisation-accompanied phase separation in Ag-Fe and Ag-Ni nanocomposites: a route to structure tailoring of nanoporous silver. <i>RSC Advances</i> , 2013, 3, 12655.	1.7	16
108	Ti ₃ SiC ₂ -Cu composites by mechanical milling and spark plasma sintering: Possible microstructure formation scenarios. <i>Metals and Materials International</i> , 2013, 19, 1235-1241.	1.8	15

#	ARTICLE	IF	CITATIONS
109	Outside Mainstream Electronic Databases: Review of Studies Conducted in the USSR and Post-Soviet Countries on Electric Current-Assisted Consolidation of Powder Materials. <i>Materials</i> , 2013, 6, 4375-4440.	1.3	37
110	Reactive Spark Plasma Sintering: Successes and Challenges of Nanomaterial Synthesis. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-12.	1.5	69
111	Compositional variations in the coatings formed by detonation spraying of Ti3Al at different O2/C2H2 ratios. <i>Intermetallics</i> , 2012, 29, 140-146.	1.8	22
112	Detonation spraying of TiO2+2.5vol.% Ag powders in a reducing atmosphere. <i>Journal of the European Ceramic Society</i> , 2012, 32, 815-821.	2.8	23
113	Crystallization of Ti33Cu67 metallic glass under high-current density electrical pulses. <i>Nanoscale Research Letters</i> , 2011, 6, 512.	3.1	4
114	Properties of Cu-Based Nanocomposites Produced by Mechanically-Activated Self-Propagating High-Temperature Synthesis and Spark-Plasma Sintering. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 252-257.	0.9	10
115	Glass formation in the Nb-Si binary system. <i>Journal of Alloys and Compounds</i> , 2010, 504, S14-S17.	2.8	4
116	Cu-based metallic glass particle additions to significantly improve overall compressive properties of an Al alloy. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010, 41, 1551-1557.	3.8	70
117	The synthesis and consolidation of hard materials by spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2009, 27, 367-375.	1.7	107
118	Shock compression of Ti-Cu powder mixtures: Microstructural aspects. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 41-44.	2.6	4
119	A magnesium alloy matrix composite reinforced with metallic glass. <i>Composites Science and Technology</i> , 2009, 69, 2734-2736.	3.8	61
120	In situ boron carbide-titanium diboride composites prepared by mechanical milling and subsequent Spark Plasma Sintering. <i>Journal of Materials Science</i> , 2008, 43, 3569-3576.	1.7	60
121	Formation of intermetallic phases during mechanical alloying and annealing of Cr + 20 wt % Al mixtures. <i>Inorganic Materials</i> , 2008, 44, 587-591.	0.2	6
122	The absence of plasma in spark plasma sintering. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	142
123	Shock-Wave Synthesis of Titanium Diboride in Copper Matrix and Compaction of TiB ₂ -Cu Nanocomposites. <i>Materials Science Forum</i> , 2007, 534-536, 921-924.	0.3	0
124	Cold and Detonation Spraying of TiB ₂ -Cu Nanocomposites. <i>Materials Science Forum</i> , 2007, 534-536, 1373-1376.	0.3	10
125	Spark Plasma Sintering of Nanoscale (Ni+Al) Powder Mixture. <i>Solid State Phenomena</i> , 2007, 119, 35-38.	0.3	15
126	Production of Dispersion-Strengthened Cu-TiB ₂ Alloys by Ball-Milling and Spark-Plasma Sintering. <i>Materials Science Forum</i> , 2007, 534-536, 1489-1492.	0.3	1

#	ARTICLE	IF	CITATIONS
127	Thermal Stability and Properties of Cu-TiB ₂ Nanocomposites Prepared by Combustion Synthesis and Spark-Plasma Sintering. Materials Science Forum, 2007, 534-536, 1517-1520.	0.3	0
128	Properties of Dispersion Strengthened Cu-TiB ₂ Nanocomposites Prepared by Spark Plasma Sintering. Solid State Phenomena, 2007, 119, 63-66.	0.3	7
129	Cold spraying of in situ produced TiB ₂ -Cu nanocomposite powders. Composites Science and Technology, 2007, 67, 2292-2296.	3.8	56
130	Application of self-propagating high-temperature synthesis and mechanical activation for obtaining nanocomposites. Combustion, Explosion and Shock Waves, 2007, 43, 176-187.	0.3	39
131	Preparation and electrical erosion resistance of TiB ₂ /Cu nanocomposites. Inorganic Materials, 2006, 42, 739-743.	0.2	2
132	A synthetic route for metal-ceramic interpenetrating phase composites. Materials Letters, 2006, 60, 3723-3726.	1.3	17
133	Nanocomposites TiB ₂ -Cu: Consolidation and erosion behavior. Journal of Materials Science, 2005, 40, 3491-3495.	1.7	13
134	Electric Erosion Behavior of Nanocomposites. Journal of Metastable and Nanocrystalline Materials, 2005, 24-25, 727-0.	0.1	0
135	SPARK PLASMA SINTERING OF Cu-TiB ₂ NANOCOMPOSITE. , 2005, , 293-296.		0
136	Microstructure of Cu-TiB ₂ Nanocomposite during Spark Plasma Sintering. Materials Science Forum, 2004, 449-452, 1113-1116.	0.3	5
137	Microstructure changes in TiB ₂ -Cu nanocomposite under sintering. Journal of Materials Science, 2004, 39, 5325-5331.	1.7	31
138	Solid-State Synthesis of Titanium Diboride in Copper Matrix. Journal of Metastable and Nanocrystalline Materials, 2003, 15-16, 253-258.	0.1	8
139	TiB ₂ -Cu Interpenetrating Phase Composites Produced by Spark-plasma Sintering. Journal of Korean Powder Metallurgy Institute, 2003, 10, 168-171.	0.2	1
140	On the choice of structure materials for high-temperature galvanic cells. , 0, , .		0
141	Nanoscale TiB ₂ -dispersed Cu-matrix composite produced by a high-energy milling and self-propagating high-temperature synthesis process. , 0, , .		1
142	Spark Plasma Sintering of Nanoscale (Ni+Al) Powder Mixture. Solid State Phenomena, 0, , 35-38.	0.3	1
143	Properties of Dispersion Strengthened Cu-TiB ₂ Nanocomposites Prepared by Spark Plasma Sintering. Solid State Phenomena, 0, , 63-66.	0.3	1