

Koichi Okuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7186219/publications.pdf>

Version: 2024-02-01

74
papers

1,410
citations

331670

21
h-index

361022

35
g-index

77
all docs

77
docs citations

77
times ranked

929
citing authors

#	ARTICLE	IF	CITATIONS
1	Beads phantom for evaluating heterogeneity of SUV on 18F-FDG PET images. Annals of Nuclear Medicine, 2022, , 1.	2.2	0
2	Clinical Validation of Japanese Normal Myocardial Perfusion Imaging Databases Using Semi-conductor Gamma Camera (D-SPECT). Annals of Nuclear Cardiology, 2022, , .	0.2	0
3	Demystifying dyssynchrony for diagnosis and prognosis: Tips for measuring heterogeneous phase distribution. Journal of Nuclear Cardiology, 2021, 28, 1064-1067.	2.1	2
4	What does diagnostic threshold mean? Deterministic and probabilistic considerations. Journal of Nuclear Cardiology, 2021, 28, 1702-1706.	2.1	4
5	The utility of heart-to-mediastinum ratio using a planar image created from IQ-SPECT with Iodine-123 meta-iodobenzylguanidine. Journal of Nuclear Cardiology, 2021, 28, 2569-2577.	2.1	11
6	What does entropy reveal in phase analysis of myocardial perfusion SPECT?. Journal of Nuclear Cardiology, 2021, 28, 172-174.	2.1	5
7	Metal artifact reduction for improving quantitative SPECT/CT imaging. Annals of Nuclear Medicine, 2021, 35, 291-298.	2.2	8
8	Experimental evaluation of the GE NM/CT 870 CZT clinical SPECT system equipped with WEHR and MEHRS collimator. Journal of Applied Clinical Medical Physics, 2021, 22, 165-177.	1.9	26
9	Verification of phantom accuracy using a Monte Carlo simulation: bone scintigraphy chest phantom. Radiological Physics and Technology, 2021, 14, 336-344.	1.9	4
10	Comparison of Myocardial Ischemia Detection Between Semiconductor and Conventional Anger-type Three-detector SPECT. Annals of Nuclear Cardiology, 2021, 7, 49-56.	0.2	0
11	Texture Feature Comparison Between Step-and-Shoot and Continuous-Bed-Motion ¹⁸ F-FDG PET. Journal of Nuclear Medicine Technology, 2021, 49, 58-64.	0.8	2
12	Current state of oncologic F-FDG PET/CT in Japan: A nationwide survey. Asia Oceania Journal of Nuclear Medicine and Biology, 2021, 9, 158-166.	0.1	0
13	Has the era of dual-gated myocardial perfusion SPECT and PET arrived?. Journal of Nuclear Cardiology, 2020, 27, 648-650.	2.1	4
14	Imaging technology for myocardial perfusion single-photon emission computed tomography 2018 in Japan. Japanese Journal of Radiology, 2020, 38, 274-282.	2.4	2
15	Study of novel deformable image registration in myocardial perfusion single-photon emission computed tomography. Nuclear Medicine Communications, 2020, 41, 196-205.	1.1	0
16	Serial examination of cardiac function and perfusion in growing rats using SPECT/CT for small animals. Scientific Reports, 2020, 10, 160.	3.3	1
17	Calibrated scintigraphic imaging procedures improve quantitative assessment of the cardiac sympathetic nerve activity. Scientific Reports, 2020, 10, 21834.	3.3	7
18	Current state of bone scintigraphy protocols and practice in Japan. Asia Oceania Journal of Nuclear Medicine and Biology, 2020, 8, 116-122.	0.1	6

#	ARTICLE	IF	CITATIONS
19	Phase dyssynchrony and 123I-meta-iodobenzylguanidine innervation imaging towards standardization. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 519-523.	2.1	5
20	Nasal thallium-201 uptake in patients with parosmia with and without hyposmia after upper respiratory tract infection. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1252-1256.	2.8	11
21	Preliminary quantitative evaluation of radiation-induced DNA damage in peripheral blood lymphocytes after cardiac dual-isotope imaging. <i>Applied Radiation and Isotopes</i> , 2019, 154, 108890.	1.5	2
22	Ability of artificial intelligence to diagnose coronary artery stenosis using hybrid images of coronary computed tomography angiography and myocardial perfusion SPECT. <i>European Journal of Hybrid Imaging</i> , 2019, 3, 4.	1.5	10
23	Impact of iterative reconstruction with resolution recovery in myocardial perfusion SPECT: phantom and clinical studies. <i>Scientific Reports</i> , 2019, 9, 19618.	3.3	4
24	Prognostic Value of Early Evaluation of Left Ventricular Dyssynchrony After Myocardial Infarction. <i>Molecular Imaging and Biology</i> , 2019, 21, 654-659.	2.6	5
25	Accuracy of an artificial neural network for detecting a regional abnormality in myocardial perfusion SPECT. <i>Annals of Nuclear Medicine</i> , 2019, 33, 86-92.	2.2	16
26	Making the invisible visible: Phase dyssynchrony has potential as a new prognostic marker. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 298-302.	2.1	9
27	Artificial neural network retrained to detect myocardial ischemia using a Japanese multicenter database. <i>Annals of Nuclear Medicine</i> , 2018, 32, 303-310.	2.2	24
28	Is 123I-metaiodobenzylguanidine heart-to-mediastinum ratio dependent on age? From Japanese Society of Nuclear Medicine normal database. <i>Annals of Nuclear Medicine</i> , 2018, 32, 175-181.	2.2	17
29	Quantification of Myocardial Perfusion Defect Size in Rats: Comparison between Quantitative Perfusion SPECT and Autoradiography. <i>Molecular Imaging and Biology</i> , 2018, 20, 544-550.	2.6	4
30	Ability of the prognostic model of J-ACCESS study to predict cardiac events in a clinical setting: The APPROACH study. <i>Journal of Cardiology</i> , 2018, 72, 81-86.	1.9	7
31	Influence of ROI definition on the heart-to-mediastinum ratio in planar 123I-MIBG imaging. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 208-216.	2.1	11
32	A European myocardial 123I-mIBG cross-calibration phantom study. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1191-1197.	2.1	39
33	Creation and characterization of normal myocardial perfusion imaging databases using the IQ-SPECT system. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1328-1337.	2.1	17
34	Comparison of phase dyssynchrony analysis using gated myocardial perfusion imaging with four software programs: Based on the Japanese Society of Nuclear Medicine working group normal database. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 611-621.	2.1	63
35	IQ-SPECT for thallium-201 myocardial perfusion imaging: effect of normal databases on quantification. <i>Annals of Nuclear Medicine</i> , 2017, 31, 454-461.	2.2	5
36	Comparison of diagnostic performance of four software packages for phase dyssynchrony analysis in gated myocardial perfusion SPECT. <i>EJNMMI Research</i> , 2017, 7, 27.	2.5	30

#	ARTICLE	IF	CITATIONS
37	Prognostic value of olfactory nerve damage measured with thallium-based olfactory imaging in patients with idiopathic olfactory dysfunction. <i>Scientific Reports</i> , 2017, 7, 3581.	3.3	12
38	Standardization of ¹²³ I-meta-iodobenzylguanidine myocardial sympathetic activity imaging: phantom calibration and clinical applications. <i>Clinical and Translational Imaging</i> , 2017, 5, 255-263.	2.1	28
39	Diagnostic accuracy of an artificial neural network compared with statistical quantitation of myocardial perfusion images: a Japanese multicenter study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2280-2289.	6.4	57
40	Validation of Left Ventricular Ejection Fraction with the IQA-SPECT System in Small-Heart Patients. <i>Journal of Nuclear Medicine Technology</i> , 2017, 45, 201-207.	0.8	8
41	Reducing the small-heart effect in pediatric gated myocardial perfusion single-photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1378-1388.	2.1	14
42	IQA-SPECT technology and its clinical applications using multicenter normal databases. <i>Annals of Nuclear Medicine</i> , 2017, 31, 649-659.	2.2	20
43	Cross calibration of ¹²³ I-meta-iodobenzylguanidine heart-to-mediastinum ratio with D-SPECT planogram and Anger camera. <i>Annals of Nuclear Medicine</i> , 2017, 31, 605-615.	2.2	15
44	Normal Values and Gender Differences of Left Ventricular Functional Parameters with CardioREPO Software. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 29-33.	0.2	5
45	Cardiac and Respiratory Motion-induced Artifact in Myocardial Perfusion SPECT. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 88-93.	0.2	10
46	¹²³ I-meta-iodobenzylguanidine Sympathetic Nerve Function Indices Derived from Planar Images. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 200-202.	0.2	0
47	Cardiac Time-of-flight PET for Evaluating Myocardial Perfusion with ¹³ N-ammonia. <i>Annals of Nuclear Cardiology</i> , 2016, 2, 73-78.	0.2	2
48	Normal values and standardization of parameters in nuclear cardiology: Japanese Society of Nuclear Medicine working group database. <i>Annals of Nuclear Medicine</i> , 2016, 30, 188-199.	2.2	99
49	The time has come to standardize ¹²³ I-MIBG heart-to-mediastinum ratios including planar and SPECT methods. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 386-388.	6.4	16
50	Development and validation of a direct-comparison method for cardiac ¹²³ I-metaiodobenzylguanidine washout rates derived from late 3-hour and 4-hour imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 319-325.	6.4	14
51	Cardiac Time-of-flight PET for Evaluating Myocardial Perfusion with ¹³ N-ammonia. <i>Annals of Nuclear Cardiology</i> , 2016, 2, 73-78.	0.2	1
52	Diagnostic Performance of Artificial Neural Network for Detecting Ischemia in Myocardial Perfusion Imaging. <i>Circulation Journal</i> , 2015, 79, 1549-1556.	1.6	23
53	Nuclear myocardial perfusion imaging using thallium-201 with a novel multifocal collimator SPECT/CT: IQ-SPECT versus conventional protocols in normal subjects. <i>Annals of Nuclear Medicine</i> , 2015, 29, 452-459.	2.2	30
54	Optimization of iterative reconstruction parameters with attenuation correction, scatter correction and resolution recovery in myocardial perfusion SPECT/CT. <i>Annals of Nuclear Medicine</i> , 2014, 28, 60-68.	2.2	25

#	ARTICLE	IF	CITATIONS
55	Application of a medium-energy collimator for I-131 imaging after ablation treatment of differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2014, 28, 551-558.	2.2	6
56	Multicenter cross-calibration of I-123 metaiodobenzylguanidine heart-to-mediastinum ratios to overcome camera-collimator variations. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 970-978.	2.1	117
57	Improved quantification of small hearts for gated myocardial perfusion imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1163-1170.	6.4	50
58	Assessment of Olfactory Nerve by SPECT-MRI Image with Nasal Thallium-201 Administration in Patients with Olfactory Impairments in Comparison to Healthy Volunteers. <i>PLoS ONE</i> , 2013, 8, e57671.	2.5	29
59	Prototype imaging protocols for monitoring the efficacy of iodine-131 ablation in differentiated thyroid cancer. <i>Hellenic Journal of Nuclear Medicine</i> , 2013, 16, 175-80.	0.3	2
60	Standardization of metaiodobenzylguanidine heart to mediastinum ratio using a calibration phantom: effects of correction on normal databases and a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 113-119.	6.4	87
61	Cause of apical thinning on attenuation-corrected myocardial perfusion SPECT. <i>Nuclear Medicine Communications</i> , 2011, 32, 1033-1039.	1.1	20
62	Estimation of Cardiac Event Risk by Gated Myocardial Perfusion Imaging and Quantitative Scoring Methods Based on a Multi-Center J-ACCESS Database. <i>Circulation Journal</i> , 2011, 75, 2417-2423.	1.6	22
63	Quantification of myocardial perfusion SPECT using freeware package (cardioBull). <i>Annals of Nuclear Medicine</i> , 2011, 25, 571-579.	2.2	13
64	The relationship between stress-induced myocardial ischemia and coronary artery atherosclerosis measured by hybrid SPECT/CT camera. <i>Annals of Nuclear Medicine</i> , 2011, 25, 650-656.	2.2	12
65	Semi-automated algorithm for calculating heart-to-mediastinum ratio in cardiac Iodine-123 MIBG imaging. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 82-89.	2.1	88
66	The validity of multi-center common normal database for identifying myocardial ischemia: Japanese Society of Nuclear Medicine working group database. <i>Annals of Nuclear Medicine</i> , 2010, 24, 99-105.	2.2	14
67	Attenuation correction of myocardial SPECT by scatter-photopeak window method in normal subjects. <i>Annals of Nuclear Medicine</i> , 2009, 23, 501-506.	2.2	15
68	Characterization of Japanese standards for myocardial sympathetic and metabolic imaging in comparison with perfusion imaging. <i>Annals of Nuclear Medicine</i> , 2009, 23, 517-522.	2.2	32
69	Clinical usefulness of novel cardiac MDCT/SPECT fusion image. <i>Annals of Nuclear Medicine</i> , 2009, 23, 579-586.	2.2	9
70	The importance of population-specific normal database for quantification of myocardial ischemia: comparison between Japanese 360 and 180-degree databases and a US database. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 422-430.	2.1	57
71	Standardization of the heart-to-mediastinum ratio of 123I-labelled-metaiodobenzylguanidine uptake using the dual energy window method: feasibility of correction with different camera-collimator combinations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 560-566.	6.4	31
72	Regional wall thickening in gated myocardial perfusion SPECT in a Japanese population: effect of sex, radiotracer, rotation angles and frame rates. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 1608-1615.	6.4	17

#	ARTICLE	IF	CITATIONS
73	Correction of iodine-123-labeled meta-iodobenzylguanidine uptake with multi-window methods for standardization of the heart-to-mediastinum ratio. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 843-851.	2.1	44
74	Shape Recovery Method for Repairing Dents on Stainless Steel Sheets by Laser Forming. <i>Key Engineering Materials</i> , 0, 523-524, 1012-1017.	0.4	0