

# Rosanne M Guijt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7186668/publications.pdf>

Version: 2024-02-01

114  
papers

5,339  
citations

108046

37  
h-index

104191

69  
g-index

119  
all docs

119  
docs citations

119  
times ranked

6104  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inexpensive portable capillary electrophoresis instrument for Monitoring Zinc(II) in remote areas. <i>Journal of Chromatography A</i> , 2022, 1668, 462895.	1.8	20
2	An improved nucleic acid sequence-based amplification method mediated by T4 gene 32 protein. <i>PLoS ONE</i> , 2022, 17, e0265391.	1.1	6
3	Novel Boundary Lubrication Mechanisms from Molecular Pillows of Lubricin Brush-Coated Graphene Oxide Nanosheets. <i>Langmuir</i> , 2022, 38, 5351-5360.	1.6	2
4	3D Printing: An Alternative Microfabrication Approach with Unprecedented Opportunities in Design. <i>Analytical Chemistry</i> , 2021, 93, 350-366.	3.2	69
5	Scalable 3D printing method for the manufacture of single-material fluidic devices with integrated filter for point of collection colourimetric analysis. <i>Analytica Chimica Acta</i> , 2021, 1151, 238101.	2.6	13
6	Amplification-free electrochemiluminescence molecular beacon-based microRNA sensing using a mobile phone for detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129261.	4.0	29
7	Facile fabrication of micro-/nanostructured, superhydrophobic membranes with adjustable porosity by 3D printing. <i>Journal of Materials Chemistry A</i> , 2021, 9, 21379-21386.	5.2	30
8	Antifouling Strategies for Electrochemical Biosensing: Mechanisms and Performance toward Point of Care Based Diagnostic Applications. <i>ACS Sensors</i> , 2021, 6, 1482-1507.	4.0	113
9	Hyphenated sample preparation-electrospray and nano-electrospray ionization mass spectrometry for biofluid analysis. <i>Journal of Chromatography A</i> , 2021, 1646, 462086.	1.8	5
10	3D printing for the integration of porous materials into miniaturised fluidic devices: A review. <i>Analytica Chimica Acta</i> , 2021, 1185, 338796.	2.6	28
11	Perspective - what constitutes a quality analytical paper: Microfluidics and Flow analysis. <i>Talanta Open</i> , 2021, 4, 100055.	1.7	2
12	Blood apheresis technologies – a critical review on challenges towards efficient blood separation and treatment. <i>Materials Advances</i> , 2021, 2, 7210-7236.	2.6	8
13	Lubricin (PRG4) reduces fouling susceptibility and improves sensitivity of carbon-based electrodes. <i>Electrochimica Acta</i> , 2020, 333, 135574.	2.6	19
14	One step multi-material 3D printing for the fabrication of a photometric detector flow cell. <i>Analytica Chimica Acta</i> , 2020, 1097, 127-134.	2.6	34
15	A review on the sources, occurrence and health risks of per-/poly-fluoroalkyl substances (PFAS) arising from the manufacture and disposal of electric and electronic products. <i>Journal of Water Process Engineering</i> , 2020, 38, 101683.	2.6	74
16	The influence of electrolyte concentration on nanofractures fabricated in a 3D-printed microfluidic device by controlled dielectric breakdown. <i>Electrophoresis</i> , 2020, 41, 2007-2014.	1.3	2
17	In-syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. <i>Angewandte Chemie</i> , 2020, 132, 23362-23368.	1.6	0
18	In-syringe Electrokinetic Protein Removal from Biological Samples prior to Electrospray Ionization Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 23162-23168.	7.2	4

#	ARTICLE	IF	CITATIONS
19	Rapid Additive Manufacturing of 3D Geometric Structures via Dual-Wavelength Polymerization. ACS Macro Letters, 2020, 9, 1409-1414.	2.3	10
20	A Simple Electrochemical Swab Assay for the Rapid Quantification of Clonazepam in Unprocessed Saliva Enabled by Lubricin Antifouling Coatings. ChemElectroChem, 2020, 7, 2851-2858.	1.7	22
21	Colour tuning and enhancement of gel-based electrochemiluminescence devices utilising Ru(ii) and Ir(iii) complexes. Chemical Communications, 2019, 55, 11474-11477.	2.2	20
22	Increasing the functionalities of 3D printed microchemical devices by single material, multimaterial, and print-pause-print 3D printing. Lab on A Chip, 2019, 19, 35-49.	3.1	135
23	In-Syringe Electrokinetic Ampholytes Focusing Coupled with Electrospray Ionization Mass Spectrometry. Analytical Chemistry, 2019, 91, 8259-8266.	3.2	4
24	In-Transit Electroextraction of Small-Molecule Pharmaceuticals from Blood. Angewandte Chemie - International Edition, 2019, 58, 3790-3794.	7.2	10
25	Multimaterial 3D Printed Fluidic Device for Measuring Pharmaceuticals in Biological Fluids. Analytical Chemistry, 2019, 91, 1758-1763.	3.2	61
26	Recent trends in capillary and micro-chip electrophoretic instrumentation for field-analysis. Trends in Environmental Analytical Chemistry, 2018, 18, 1-10.	5.3	38
27	Academic parenting: work-family conflict and strategies across child age, disciplines and career level. Studies in Higher Education, 2018, 43, 625-643.	2.9	23
28	Miniaturised total chemical-analysis systems (µTAS) that periodically convert chemical into electronic information. Sensors and Actuators B: Chemical, 2018, 273, 1334-1345.	4.0	20
29	The role of gratitude in enhancing the relationship between doctoral research students and their supervisors. Teaching in Higher Education, 2017, 22, 621-638.	1.7	25
30	3D printed LED based on-capillary detector housing with integrated slit. Analytica Chimica Acta, 2017, 965, 131-136.	2.6	49
31	Comparing Microfluidic Performance of Three-Dimensional (3D) Printing Platforms. Analytical Chemistry, 2017, 89, 3858-3866.	3.2	300
32	Microfluidic Device for Studying Traumatic Brain Injury. Neuromethods, 2017, , 145-156.	0.2	4
33	Isotachophoretic Fluorescence in Situ Hybridization of Intact Bacterial Cells. Analytical Chemistry, 2017, 89, 6513-6520.	3.2	20
34	Electrophoretic separations on paper: Past, present, and future-A review. Analytica Chimica Acta, 2017, 985, 7-23.	2.6	37
35	One-Step Fabrication of a Microfluidic Device with an Integrated Membrane and Embedded Reagents by Multimaterial 3D Printing. Analytical Chemistry, 2017, 89, 4701-4707.	3.2	106
36	Using Printing Orientation for Tuning Fluidic Behavior in Microfluidic Chips Made by Fused Deposition Modeling 3D Printing. Analytical Chemistry, 2017, 89, 12805-12811.	3.2	66

#	ARTICLE	IF	CITATIONS
37	Time-Resolved Pharmacological Studies using Automated, On-line Monitoring of Five Parallel Suspension Cultures. <i>Scientific Reports</i> , 2017, 7, 10337.	1.6	9
38	Van de Graaff generator for capillary electrophoresis. <i>Journal of Chromatography A</i> , 2017, 1517, 195-202.	1.8	5
39	Lab on a Chip " Future Technology for Characterizing Biotechnology Products. , 2017, , 849-859.		0
40	Mild and repetitive very mild axonal stretch injury triggers cytoskeletal mislocalization and growth cone collapse. <i>PLoS ONE</i> , 2017, 12, e0176997.	1.1	25
41	Nanoporous Membranes for Microfluidic Concentration Prior to Electrophoretic Separation of Proteins in Urine. <i>Analytical Chemistry</i> , 2016, 88, 8257-8263.	3.2	42
42	Capillary electrophoresis for automated on-line monitoring of suspension cultures: Correlating cell density, nutrients and metabolites in near real-time. <i>Analytica Chimica Acta</i> , 2016, 920, 94-101.	2.6	21
43	3D printed microfluidic devices: enablers and barriers. <i>Lab on A Chip</i> , 2016, 16, 1993-2013.	3.1	816
44	Salinity effects on chloroplast PSII performance in glycophytes and halophytes. <i>Functional Plant Biology</i> , 2016, 43, 1003.	1.1	30
45	Potassium retention in leaf mesophyll as an element of salinity tissue tolerance in halophytes. <i>Plant Physiology and Biochemistry</i> , 2016, 109, 346-354.	2.8	58
46	Plant leaves as templates for soft lithography. <i>RSC Advances</i> , 2016, 6, 22469-22475.	1.7	42
47	Direct electrokinetic injection of inorganic cations from whole fruits and vegetables for capillary electrophoresis analysis. <i>Journal of Chromatography A</i> , 2016, 1428, 346-351.	1.8	5
48	Electrokinetic Size and Mobility Traps for On-site Therapeutic Drug Monitoring. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7359-7362.	7.2	11
49	Flow injection analysis of organic peroxide explosives using acid degradation and chemiluminescent detection of released hydrogen peroxide. <i>Talanta</i> , 2015, 143, 191-197.	2.9	14
50	Versatile electrophoresis-based self-test platform. <i>Electrophoresis</i> , 2015, 36, 644-645.	1.3	1
51	Micellar electrokinetic chromatography of organic and peroxide-based explosives. <i>Analytica Chimica Acta</i> , 2015, 876, 91-97.	2.6	7
52	Counter-pressure-assisted ITP with electrokinetic injection under field-amplified conditions for bacterial analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 6995-7002.	1.9	9
53	Direct coupling of a free-flow isotachopheresis (FFITP) device with electrospray ionization mass spectrometry (ESI-MS). <i>Lab on A Chip</i> , 2015, 15, 3495-3502.	3.1	21
54	Electrokinetics for sample preparation of biological molecules in biological samples using microfluidic systems. <i>Bioanalysis</i> , 2014, 6, 1961-1974.	0.6	13

#	ARTICLE	IF	CITATIONS
55	Ion transport in broad bean leaf mesophyll under saline conditions. <i>Planta</i> , 2014, 240, 729-743.	1.6	22
56	Evaluation of potential cationic probes for the detection of proline and betaine. <i>Electrophoresis</i> , 2014, 35, 3379-3386.	1.3	4
57	Capillary electrophoresis for the analysis of paralytic shellfish poisoning toxins in shellfish: Comparison of detection methods. <i>Electrophoresis</i> , 2014, 35, 1496-1503.	1.3	28
58	Microfluidic culture platform for studying neuronal response to mild to very mild axonal stretch injury. <i>Biomicrofluidics</i> , 2014, 8, 044110.	1.2	28
59	Droplet Microfluidics for Postcolumn Reactions in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2014, 86, 11811-11818.	3.2	18
60	Polymeric Microchip for the Simultaneous Determination of Anions and Cations by Hydrodynamic Injection Using a Dual-Channel Sequential Injection Microchip Electrophoresis System. <i>Analytical Chemistry</i> , 2014, 86, 3380-3388.	3.2	40
61	Transient isotachopheresis-capillary zone electrophoresis with contactless conductivity and ultraviolet detection for the analysis of paralytic shellfish toxins in mussel samples. <i>Journal of Chromatography A</i> , 2014, 1364, 295-302.	1.8	27
62	On-line sequential injection-capillary electrophoresis for near-real-time monitoring of extracellular lactate in cell culture flasks. <i>Journal of Chromatography A</i> , 2014, 1323, 157-162.	1.8	27
63	Cost-Effective Three-Dimensional Printing of Visibly Transparent Microchips within Minutes. <i>Analytical Chemistry</i> , 2014, 86, 3124-3130.	3.2	436
64	Stainless Steel Pinholes for Fast Fabrication of High-Performance Microchip Electrophoresis Devices by CO <sub>2</sub> Laser Ablation. <i>Analytical Chemistry</i> , 2013, 85, 10051-10056.	3.2	19
65	On-line simultaneous and rapid separation of anions and cations from a single sample using dual-capillary sequential injection-capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2013, 781, 80-87.	2.6	58
66	Analytical isotachopheresis of lactate in human serum using dry film photoresist microfluidic chips compatible with a commercially available field-deployable instrument platform. <i>Analytica Chimica Acta</i> , 2013, 803, 135-142.	2.6	16
67	Porous layer open tubular monolith capillary column: switching-off the reaction kinetics as the governing factor in their preparation by using an immiscible liquid-controlled polymerization. <i>RSC Advances</i> , 2013, 3, 24927.	1.7	5
68	Tuneable nanochannel formation for sample-in/answer-out devices. <i>Chemical Communications</i> , 2013, 49, 2816.	2.2	11
69	Exploring chip-capillary electrophoresis-laser-induced fluorescence field-deployable platform flexibility: Separations of fluorescent dyes by chip-based non-aqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2013, 1286, 216-221.	1.8	25
70	Microfluidic isotachopheresis: A review. <i>Electrophoresis</i> , 2013, 34, 1493-1509.	1.3	71
71	Capillary electrophoresis for monitoring bioprocesses. <i>Electrophoresis</i> , 2013, 34, 1465-1482.	1.3	22
72	In-plane alloy electrodes for capacitively coupled contactless conductivity detection in poly(methylmethacrylate) electrophoretic chips. <i>Electrophoresis</i> , 2013, 34, 2980-2987.	1.3	24

#	ARTICLE	IF	CITATIONS
73	Isotachophoresis on a chip with indirect fluorescence detection as a field deployable system for analysis of carboxylic acids. <i>Electrophoresis</i> , 2012, 33, 3166-3172.	1.3	14
74	Electric field gradient focusing using a variable width polyaniline electrode. <i>Electrophoresis</i> , 2012, 33, 3254-3258.	1.3	6
75	Lab-on-a-Chip device with laser-patterned polymer electrodes for high voltage application and contactless conductivity detection. <i>Chemical Communications</i> , 2012, 48, 9287.	2.2	21
76	Separation of carboxylic acids in human serum by isotachophoresis using a commercial field-deployable analytical platform combined with in-house glass microfluidic chips. <i>Analytica Chimica Acta</i> , 2012, 755, 115-120.	2.6	14
77	Dual wavelength excitation fluorescence detector for capillary electrophoresis using a pulsed bi-colour light emitting diode. <i>Analyst</i> , The, 2011, 136, 2234.	1.7	12
78	Lab on a Chip " Future Technology for Characterizing Biotechnology Products. , 2011, , 753-764.		2
79	Microfluidic chips for capillary electrophoresis with integrated electrodes for capacitively coupled conductivity detection based on printed circuit board technology. <i>Sensors and Actuators B: Chemical</i> , 2011, 159, 307-313.	4.0	50
80	Pressure-assisted electrokinetic supercharging for the enhancement of non-steroidal anti-inflammatory drugs. <i>Journal of Chromatography A</i> , 2011, 1218, 6750-6755.	1.8	25
81	UV initiated formation of polymer monoliths in glass and polymer microreactors. <i>Sensors and Actuators B: Chemical</i> , 2011, 155, 388-396.	4.0	35
82	Electrokinetic supercharging"electrospray ionisation"mass spectrometry for separation and on"line preconcentration of hypolipidaemic drugs in water samples. <i>Electrophoresis</i> , 2010, 31, 1184-1193.	1.3	44
83	Strategies for the on-line preconcentration and separation of hypolipidaemic drugs using micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 386-393.	1.8	29
84	Manufacturing and application of a fully polymeric electrophoresis chip with integrated polyaniline electrodes. <i>Lab on A Chip</i> , 2010, 10, 1869.	3.1	16
85	Photolithographic patterning of conducting polyaniline films via flash welding. <i>Synthetic Metals</i> , 2010, 160, 1405-1409.	2.1	13
86	Recent advances in enhancing the sensitivity of electrophoresis and electrochromatography in capillaries and microchips (2006"2008). <i>Electrophoresis</i> , 2009, 30, 230-248.	1.3	121
87	Determination of the surface heat"transfer coefficient in CE. <i>Electrophoresis</i> , 2009, 30, 910-920.	1.3	8
88	Dry film microchips for miniaturised separations. <i>Electrophoresis</i> , 2009, 30, 4219-4224.	1.3	17
89	Supported palladium catalysis using a heteroleptic 2-methylthiomethylpyridine"N,S" donor motif for Mizoroki" Heck and Suzuki" Miyaura coupling, including continuous organic monolith in capillary microscale flow-through mode. <i>Tetrahedron</i> , 2009, 65, 7474-7481.	1.0	42
90	Palladium-mediated organic synthesis using porous polymer monolith formed in situ as a continuous catalyst support structure for application in microfluidic devices. <i>Tetrahedron</i> , 2009, 65, 1450-1454.	1.0	74

#	ARTICLE	IF	CITATIONS
91	Counter-flow electrokinetic supercharging for the determination of non-steroidal anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2009, 1216, 3380-3386.	1.8	49
92	Identification of inorganic ions in post-blast explosive residues using portable CE instrumentation and capacitively coupled contactless conductivity detection. <i>Electrophoresis</i> , 2008, 29, 4593-4602.	1.3	96
93	High intensity light emitting diode array as an alternative exposure source for the fabrication of electrophoretic microfluidic devices. <i>Journal of Chromatography A</i> , 2008, 1213, 3-7.	1.8	13
94	Electrokinetic supercharging for on-line preconcentration of seven non-steroidal anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2008, 1189, 278-284.	1.8	50
95	Identification of homemade inorganic explosives by ion chromatographic analysis of post-blast residues. <i>Journal of Chromatography A</i> , 2008, 1182, 205-214.	1.8	86
96	Microfluidic Devices for Flow-Through Supported Palladium Catalysis on Porous Organic Monolith. <i>Australian Journal of Chemistry</i> , 2008, 61, 630.	0.5	16
97	Maskless photolithography using UV LEDs. <i>Lab on A Chip</i> , 2008, 8, 1402.	3.1	51
98	Identification of Inorganic Improvised Explosive Devices by Analysis of Postblast Residues Using Portable Capillary Electrophoresis Instrumentation and Indirect Photometric Detection with a Light-Emitting Diode. <i>Analytical Chemistry</i> , 2007, 79, 7005-7013.	3.2	125
99	Reliable electrophoretic mobilities free from Joule heating effects using CE. <i>Electrophoresis</i> , 2007, 28, 3759-3766.	1.3	23
100	Temperature Profiles and Heat Dissipation in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2006, 78, 2684-2693.	3.2	33
101	Macroporous monolith supports for continuous flow capillary microreactors. <i>Tetrahedron Letters</i> , 2006, 47, 9321-9324.	0.7	49
102	Variation of zeta-potential with temperature in fused-silica capillaries used for capillary electrophoresis. <i>Electrophoresis</i> , 2006, 27, 672-676.	1.3	38
103	Internal electrolyte temperatures for polymer and fused-silica capillaries used in capillary electrophoresis. <i>Electrophoresis</i> , 2005, 26, 4333-4344.	1.3	16
104	Determination of inorganic ions using microfluidic devices. <i>Electrophoresis</i> , 2004, 25, 3602-3624.	1.3	43
105	Conductivity detection for conventional and miniaturised capillary electrophoresis systems. <i>Electrophoresis</i> , 2004, 25, 4032-4057.	1.3	128
106	Miniaturized analytical assays in biotechnology. <i>Biotechnology Advances</i> , 2003, 21, 431-444.	6.0	5
107	Chemical and physical processes for integrated temperature control in microfluidic devices. <i>Lab on A Chip</i> , 2003, 3, 1.	3.1	75
108	On-Chip Contactless Four-Electrode Conductivity Detection for Capillary Electrophoresis Devices. <i>Analytical Chemistry</i> , 2003, 75, 306-312.	3.2	99

#	ARTICLE	IF	CITATIONS
109	Indirect Electro-Osmotic Pumping. Journal of the Association for Laboratory Automation, 2002, 7, 62-64.	2.8	5
110	Use of bioaffinity interactions in electrokinetically controlled assays on microfabricated devices. Electrophoresis, 2002, 23, 823-835.	1.3	34
111	Considerations on contactless conductivity detection in capillary electrophoresis. Electrophoresis, 2002, 23, 2888-2893.	1.3	55
112	Fabrication of a glass-implemented microcapillary electrophoresis device with integrated contactless conductivity detection. Electrophoresis, 2002, 23, 3511-3519.	1.3	64
113	New approaches for fabrication of microfluidic capillary electrophoresis devices with on-chip conductivity detection. Electrophoresis, 2001, 22, 235-241.	1.3	109
114	Capillary electrophoresis with on-chip four-electrode capacitively coupled conductivity detection for application in bioanalysis. Electrophoresis, 2001, 22, 2537-2541.	1.3	109