

Anthony Harnden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7187833/publications.pdf>

Version: 2024-02-01

93
papers

4,449
citations

126708

33
h-index

110170

64
g-index

95
all docs

95
docs citations

95
times ranked

4553
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical recognition of meningococcal disease in children and adolescents. Lancet, The, 2006, 367, 397-403. | 6.3 | 459 |
| 2 | Classification of Cough as a Symptom in Adults and Management Algorithms. Chest, 2018, 153, 196-209. | 0.4 | 281 |
| 3 | Treatment of Unexplained Chronic Cough. Chest, 2016, 149, 27-44. | 0.4 | 263 |
| 4 | Anatomy and Neurophysiology of Cough. Chest, 2014, 146, 1633-1648. | 0.4 | 227 |
| 5 | Physical and mental health 3 months after SARS-CoV-2 infection (long COVID) among adolescents in England (CLOcK): a national matched cohort study. The Lancet Child and Adolescent Health, 2022, 6, 230-239. | 2.7 | 160 |
| 6 | Kawasaki disease: What is the epidemiology telling us about the etiology?. International Journal of Infectious Diseases, 2005, 9, 185-194. | 1.5 | 159 |
| 7 | Chronic Cough Due to Gastroesophageal Reflux in Adults. Chest, 2016, 150, 1341-1360. | 0.4 | 158 |
| 8 | Chloramphenicol treatment for acute infective conjunctivitis in children in primary care: a randomised double-blind placebo-controlled trial. Lancet, The, 2005, 366, 37-43. | 6.3 | 133 |
| 9 | Increase in emergency admissions to hospital for children aged under 15 in England, 1999-2010: national database analysis. Archives of Disease in Childhood, 2013, 98, 328-334. | 1.0 | 129 |
| 10 | Rising incidence of Kawasaki disease in England: analysis of hospital admission data. BMJ: British Medical Journal, 2002, 324, 1424-1425. | 2.4 | 105 |
| 11 | Tools for Assessing Outcomes in Studies of Chronic Cough. Chest, 2015, 147, 804-814. | 0.4 | 99 |
| 12 | Kawasaki Disease in England. Pediatric Infectious Disease Journal, 2009, 28, 21-24. | 1.1 | 95 |
| 13 | Respiratory infections for which general practitioners consider prescribing an antibiotic: a prospective study. Archives of Disease in Childhood, 2007, 92, 594-597. | 1.0 | 91 |
| 14 | Identification of children at risk of influenza-related complications in primary and ambulatory care: a systematic review and meta-analysis. Lancet Respiratory Medicine, the, 2015, 3, 139-149. | 5.2 | 90 |
| 15 | Overview of the Management of Cough. Chest, 2014, 146, 885-889. | 0.4 | 86 |
| 16 | Kawasaki disease: a prospective population survey in the UK and Ireland from 2013 to 2015. Archives of Disease in Childhood, 2019, 104, 640-646. | 1.0 | 79 |
| 17 | Somatic Cough Syndrome (Previously Referred to as Psychogenic Cough) and Tic Cough (Previously) Tj ETQq1 1 0.784314 rgBT /Over 0.4 76 | 0.4 | 76 |
| 18 | Association Between Race and COVID-19 Outcomes Among 2.6 Million Children in England. JAMA Pediatrics, 2021, 175, 928. | 3.3 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Immunogenicity and Safety of a Combination Pneumococcal-Meningococcal Vaccine in Infants. JAMA - Journal of the American Medical Association, 2005, 293, 1751. | 3.8 | 63 |
| 20 | Etiologies of Chronic Cough in Pediatric Cohorts. Chest, 2017, 152, 607-617. | 0.4 | 63 |
| 21 | Managing Chronic Cough as a Symptom in Children and Management Algorithms. Chest, 2020, 158, 303-329. | 0.4 | 63 |
| 22 | Pharmacologic and Nonpharmacologic Treatment for Acute Cough Associated With the Common Cold. Chest, 2017, 152, 1021-1037. | 0.4 | 59 |
| 23 | Parenteral penicillin for children with meningococcal disease before hospital admission: case-control study. BMJ: British Medical Journal, 2006, 332, 1295-1298. | 2.4 | 53 |
| 24 | Symptomatic Treatment of Cough Among Adult Patients With Lung Cancer. Chest, 2017, 151, 861-874. | 0.4 | 50 |
| 25 | Treatment of Interstitial Lung Disease Associated Cough. Chest, 2018, 154, 904-917. | 0.4 | 50 |
| 26 | Montelukast for postinfectious cough in adults: a double-blind randomised placebo-controlled trial. Lancet Respiratory Medicine, 2014, 2, 35-43. | 5.2 | 49 |
| 27 | Death audits and reviews for reducing maternal, perinatal and child mortality. The Cochrane Library, 2020, 3, CD012982. | 1.5 | 47 |
| 28 | Assessment of Intervention Fidelity and Recommendations for Researchers Conducting Studies on the Diagnosis and Treatment of Chronic Cough in the Adult. Chest, 2015, 148, 32-54. | 0.4 | 46 |
| 29 | Serious suppurative Group A streptococcal infections in previously well children. Pediatric Infectious Disease Journal, 1988, 7, 714-718. | 1.1 | 45 |
| 30 | Circumstances of child deaths in Mali and Uganda: a community-based confidential enquiry. The Lancet Global Health, 2018, 6, e691-e702. | 2.9 | 39 |
| 31 | Why do General Practitioners prescribe antibiotics for acute infective conjunctivitis in children? Qualitative interviews with GPs and a questionnaire survey of parents and teachers. Family Practice, 2006, 23, 226-232. | 0.8 | 36 |
| 32 | Cough Due to TB and Other Chronic Infections. Chest, 2018, 153, 467-497. | 0.4 | 36 |
| 33 | Managing Chronic Cough Due to Asthma and NAEB in Adults and Adolescents. Chest, 2020, 158, 68-96. | 0.4 | 36 |
| 34 | Effect of nasal balloon autoinflation in children with otitis media with effusion in primary care: an open randomized controlled trial. Cmaj, 2015, 187, 961-969. | 0.9 | 35 |
| 35 | Effect of Oral Prednisolone on Symptom Duration and Severity in Nonasthmatic Adults With Acute Lower Respiratory Tract Infection. JAMA - Journal of the American Medical Association, 2017, 318, 721. | 3.8 | 35 |
| 36 | Chronic Cough and Gastroesophageal Reflux in Children. Chest, 2019, 156, 131-140. | 0.4 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Using vital signs to assess children with acute infections: a survey of current practice. <i>British Journal of General Practice</i> , 2008, 58, 236-241. | 0.7 | 33 |
| 38 | Whooping cough in school age children presenting with persistent cough in UK primary care after introduction of the preschool pertussis booster vaccination: prospective cohort study. <i>BMJ</i> , The, 2014, 348, g3668. | 3.0 | 32 |
| 39 | Antibiotics for lower respiratory tract infection in children presenting in primary care in England (ARTIC PC): a double-blind, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2021, 398, 1417-1426. | 6.3 | 32 |
| 40 | Detection of anti-pertussis toxin IgG in oral fluids for use in diagnosis and surveillance of <i>Bordetella pertussis</i> infection in children and young adults. <i>Journal of Medical Microbiology</i> , 2006, 55, 1223-1228. | 0.7 | 32 |
| 41 | Global Physiology and Pathophysiology of Cough. <i>Chest</i> , 2021, 159, 282-293. | 0.4 | 30 |
| 42 | Methodologies for the Development of the Management of Cough. <i>Chest</i> , 2014, 146, 1395-1402. | 0.4 | 29 |
| 43 | Clinically Diagnosing Pertussis-associated Cough in Adults and Children. <i>Chest</i> , 2019, 155, 147-154. | 0.4 | 27 |
| 44 | Near patient testing for influenza in children in primary care: comparison with laboratory test. <i>BMJ: British Medical Journal</i> , 2003, 326, 480-480. | 2.4 | 26 |
| 45 | Occupational and Environmental Contributions to Chronic Cough in Adults. <i>Chest</i> , 2016, 150, 894-907. | 0.4 | 26 |
| 46 | Cough in the Athlete. <i>Chest</i> , 2017, 151, 441-454. | 0.4 | 25 |
| 47 | Prescribing antibiotics to "at-risk"™ children with influenza-like illness in primary care: qualitative study: Table 1. <i>BMJ Open</i> , 2016, 6, e011497. | 0.8 | 23 |
| 48 | Adult Outpatients With Acute Cough Due to Suspected Pneumonia or Influenza. <i>Chest</i> , 2019, 155, 155-167. | 0.4 | 23 |
| 49 | Child deaths: confidential enquiry into the role and quality of UK primary care. <i>British Journal of General Practice</i> , 2009, 59, 819-824. | 0.7 | 22 |
| 50 | <i>Mycoplasma pneumoniae</i> and Respiratory Virus Infections in Children With Persistent Cough in England. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 1047-1051. | 1.1 | 22 |
| 51 | Clinical Characteristics of Pertussis-Associated Cough in Adults and Children. <i>Chest</i> , 2017, 152, 353-367. | 0.4 | 22 |
| 52 | Life-Threatening and Non-Life-Threatening Complications Associated With Coughing. <i>Chest</i> , 2020, 158, 2058-2073. | 0.4 | 22 |
| 53 | Ethnic disparities in infectious disease hospitalisations in the first year of life in New Zealand. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 223-231. | 0.4 | 21 |
| 54 | Preference-based measures to obtain health state utility values for use in economic evaluations with child-based populations: a review and UK-based focus group assessment of patient and parent choices. <i>Quality of Life Research</i> , 2018, 27, 1769-1780. | 1.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Which early "red flag" symptoms identify children with meningococcal disease in primary care?. <i>British Journal of General Practice</i> , 2011, 61, e97-e104. | 0.7 | 20 |
| 56 | Chagas Disease as a Cause of Symptomatic Chronic Myocardopathy in Mexican Children. <i>Pediatric Infectious Disease Journal</i> , 2009, 28, 1011-1013. | 1.1 | 19 |
| 57 | Ear discharge in children presenting with acute otitis media: observational study from UK general practice. <i>British Journal of General Practice</i> , 2010, 60, 101-105. | 0.7 | 18 |
| 58 | Modelling anti-pertussis toxin IgG antibody decay following primary and preschool vaccination with an acellular pertussis vaccine in UK subjects using a modified oral fluid assay. <i>Journal of Medical Microbiology</i> , 2013, 62, 1281-1289. | 0.7 | 18 |
| 59 | Moving forward on strengthening and sustaining National Immunization Technical Advisory Groups (NITAGs) globally: Recommendations from the 2nd global NITAG network meeting. <i>Vaccine</i> , 2017, 35, 6925-6930. | 1.7 | 18 |
| 60 | Place of death, care-seeking and care pathway progression in the final illnesses of children under five years of age in sub-Saharan Africa: a systematic review. <i>Journal of Global Health</i> , 2019, 9, 020422. | 1.2 | 18 |
| 61 | Chronic Cough Due to Stable Chronic Bronchitis. <i>Chest</i> , 2020, 158, 705-718. | 0.4 | 18 |
| 62 | Prioritizing areas for quality marker development in children in UK general practice: extending the use of the nominal group technique. <i>Family Practice</i> , 2012, 29, 567-575. | 0.8 | 17 |
| 63 | Acute Cough Due to Acute Bronchitis in Immunocompetent Adult Outpatients. <i>Chest</i> , 2020, 157, 1256-1265. | 0.4 | 17 |
| 64 | An open randomised study of autoinflation in 4- to 11-year-old school children with otitis media with effusion in primary care. <i>Health Technology Assessment</i> , 2015, 19, 1-150. | 1.3 | 17 |
| 65 | Kawasaki disease. <i>BMJ</i> , The, 2014, 349, g5336-g5336. | 3.0 | 16 |
| 66 | Primary care quality indicators for children: measuring quality in UK general practice. <i>British Journal of General Practice</i> , 2014, 64, e752-e757. | 0.7 | 15 |
| 67 | The Evidence Base for Interventions Delivered to Children in Primary Care: An Overview of Cochrane Systematic Reviews. <i>PLoS ONE</i> , 2011, 6, e23051. | 1.1 | 15 |
| 68 | COVID-19 vaccination programme: a central role for primary care. <i>British Journal of General Practice</i> , 2021, 71, 52-53. | 0.7 | 14 |
| 69 | Pertussis-induced cough. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011, 24, 304-307. | 1.1 | 13 |
| 70 | Recognising Kawasaki disease in UK primary care: a descriptive study using the Clinical Practice Research Datalink. <i>British Journal of General Practice</i> , 2014, 64, e477-e483. | 0.7 | 10 |
| 71 | Increasing Incidence of Life-threatening Pertussis. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, 282-289. | 1.1 | 10 |
| 72 | Home deaths of children under 5 years in rural South Africa: a population-based longitudinal study. <i>Tropical Medicine and International Health</i> , 2019, 24, 862-878. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Chronic Cough Related to Acute Viral Bronchiolitis in Children. <i>Chest</i> , 2018, 154, 378-382. | 0.4 | 7 |
| 74 | Hospital readmissions with acute infectious diseases in New Zealand children ≤ 2 years of age. <i>BMC Pediatrics</i> , 2018, 18, 98. | 0.7 | 6 |
| 75 | Care pathways during a child's final illness in rural South Africa: Findings from a social autopsy study. <i>PLoS ONE</i> , 2019, 14, e0224284. | 1.1 | 6 |
| 76 | Lessons from the United Kingdom's COVID-19 vaccination strategy. <i>Medical Journal of Australia</i> , 2021, 214, 417-419. | 0.8 | 6 |
| 77 | Cough in Ambulatory Immunocompromised Adults. <i>Chest</i> , 2017, 152, 1038-1042. | 0.4 | 5 |
| 78 | Death audits and reviews for reducing maternal, perinatal and child mortality. <i>The Cochrane Library</i> , 2018, . . | 1.5 | 5 |
| 79 | Response. <i>Chest</i> , 2019, 155, 450. | 0.4 | 5 |
| 80 | Global Physiology and Pathophysiology of Cough. <i>Chest</i> , 2021, 160, 1413-1423. | 0.4 | 5 |
| 81 | The early use of Antibiotics for at Risk Children with Influenza-like illness (ARCHIE): a double-blind randomised placebo-controlled trial. <i>European Respiratory Journal</i> , 2021, 58, 2002819. | 3.1 | 4 |
| 82 | Clinical recognition of meningococcal disease – Authors' reply. <i>Lancet</i> , The, 2006, 367, 1395-1396. | 6.3 | 3 |
| 83 | Early use of Antibiotics for at Risk Children with Influenza (ARCHIE): protocol for a double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2018, 8, e021144. | 0.8 | 3 |
| 84 | Care-seeking during fatal childhood illness in rural South Africa: a qualitative study. <i>BMJ Open</i> , 2021, 11, e043652. | 0.8 | 3 |
| 85 | Delivering high-quality child health care in general practice. <i>British Journal of General Practice</i> , 2011, 61, 165-166. | 0.7 | 2 |
| 86 | Economic evaluation of the OSAC randomised controlled trial: oral corticosteroids for non-asthmatic adults with acute lower respiratory tract infection in primary care. <i>BMJ Open</i> , 2020, 10, e033567. | 0.8 | 2 |
| 87 | Early connections: effectiveness of a pre-call intervention to improve immunisation coverage and timeliness. <i>Journal of Primary Health Care</i> , 2012, 4, 189-98. | 0.2 | 2 |
| 88 | Human metapneumovirus. <i>British Journal of General Practice</i> , 2005, 55, 84-5. | 0.7 | 1 |
| 89 | Quality of life, healthcare use and costs in 'at-risk' children after early antibiotic treatment versus placebo for influenza-like illness: within-trial descriptive economic analyses of the ARCHIE randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e049373. | 0.8 | 1 |
| 90 | Cochrane Review: Neuraminidase inhibitors for preventing and treating influenza in children (published trials only). <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012, 7, 1719-1790. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Pertussis has low prevalence in adults with acute cough and is difficult to distinguish clinically from other causes. Evidence-Based Medicine, 2016, 21, 116-116. | 0.6 | 0 |
| 92 | Response. Chest, 2019, 155, 1082-1083. | 0.4 | 0 |
| 93 | Severe acute respiratory syndrome--novel virus, recurring theme. British Journal of General Practice, 2003, 53, 434-5. | 0.7 | 0 |