

Wendy A Nelson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7188120/publications.pdf>

Version: 2024-02-01

124
papers

2,513
citations

257101

24
h-index

253896

43
g-index

126
all docs

126
docs citations

126
times ranked

1953
citing authors

#	ARTICLE	IF	CITATIONS
1	A NEW LOOK AT AN ANCIENT ORDER: GENERIC REVISION OF THE BANGIALES (RHODOPHYTA) ¹ . Journal of Phycology, 2011, 47, 1131-1151.	1.0	280
2	A Systematic Review of Marine-Based Species Distribution Models (SDMs) with Recommendations for Best Practice. Frontiers in Marine Science, 2017, 4, .	1.2	164
3	Utility of psbA and nSSU for phylogenetic reconstruction in the Corallinales based on New Zealand taxa. Molecular Phylogenetics and Evolution, 2008, 46, 958-973.	1.2	100
4	Genetic diversity in <i>Undaria pinnatifida</i> (Laminariales, Phaeophyceae) deduced from mitochondrial genes – origins and succession of introduced populations. Phycologia, 2006, 45, 687-695.	0.6	97
5	Multi-gene phylogenetic analyses of New Zealand coralline algae: <i>Corallinapetra Novaezelandiae</i> gen. et sp. nov. and recognition of the Hapalidiales ord. nov.. Journal of Phycology, 2015, 51, 454-468.	1.0	90
6	Carbon dioxide mitigation potential of seaweed aquaculture beds (SABs). Journal of Applied Phycology, 2017, 29, 2363-2373.	1.5	84
7	<i>Ulva</i> , <i>Umbraulva</i> and <i>Gemina</i> : genetic survey of New Zealand taxa reveals diversity and introduced species. European Journal of Phycology, 2009, 44, 143-154.	0.9	83
8	Highly Conserved Mitochondrial Genomes among Multicellular Red Algae of the Florideophyceae. Genome Biology and Evolution, 2015, 7, 2394-2406.	1.1	76
9	<i>Symphycladia lithophila</i> sp. nov. (Rhodomelaceae, Ceramiales), a new Korean red algal species based on morphology and rbcL sequences. Botanica Marina, 2010, 53, 233-241.	0.6	69
10	Phylogenetic relationships and generic concepts in the red order Bangiales: challenges ahead. Phycologia, 2006, 45, 249-259.	0.6	52
11	Relationships of the Porphyra (Bangiales, Rhodophyta) flora of the Falkland Islands: a molecular survey using rbcL and nSSU sequence data. Australian Systematic Botany, 2010, 23, 27.	0.3	48
12	Tracing the Trans-Pacific Evolutionary History of a Domesticated Seaweed (<i>Gracilaria chilensis</i>) with Archaeological and Genetic Data. PLoS ONE, 2014, 9, e114039.	1.1	46
13	Four new species of Porphyra (Bangiales, Rhodophyta) from the New Zealand region described using traditional characters and 18S rDNA sequence data. Cryptogamie, Algologie, 2001, 22, 263-284.	0.3	41
14	Taxonomy and distribution of selected species of the agarophyte genus <i>Gelidium</i> (Gelidiales). Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 50 222	1.5	37
15	High diversity of coralline algae in New Zealand revealed: Knowledge gaps and implications for future research. PLoS ONE, 2019, 14, e0225645.	1.1	37
16	The Biogeographic Importance of Buoyancy in Macroalgae: A Case Study of the Southern Bull Kelp Genus <i>Durvillaea</i> (Phaeophyceae), Including Descriptions of Two New Species ¹ . Journal of Phycology, 2020, 56, 23-36.	1.0	32
17	Phylogenetic diversity in South African Porphyra (Bangiales, Rhodophyta) determined by nuclear SSU sequence analyses. European Journal of Phycology, 2004, 39, 197-211.	0.9	30
18	<i>Dione</i> and <i>Minerva</i> , two new genera from New Zealand circumscribed for basal taxa in the Bangiales (Rhodophyta). Phycologia, 2005, 44, 139-145.	0.6	30

#	ARTICLE	IF	CITATIONS
19	Genetic connectivity between trans-oceanic populations of <i>Capreolia implexa</i> (Gelidiales, Rhodophyta) in cool temperate waters of Australasia and Chile. <i>Aquatic Botany</i> , 2014, 119, 73-79.	0.8	29
20	Mitochondrial and Plastid Genomes from Coralline Red Algae Provide Insights into the Incongruent Evolutionary Histories of Organelles. <i>Genome Biology and Evolution</i> , 2018, 10, 2961-2972.	1.1	29
21	Macroalgae. <i>Coral Reefs of the World</i> , 2019, , 507-536.	0.3	29
22	The harvesting of macroalgae in New Zealand. <i>Hydrobiologia</i> , 1990, 204-205, 25-33.	1.0	28
23	Ocean acidification in New Zealand waters: trends and impacts. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2018, 52, 155-195.	0.8	27
24	A genome-wide investigation of the effect of farming and human-mediated introduction on the ubiquitous seaweed <i>Undaria pinnatifida</i> . <i>Nature Ecology and Evolution</i> , 2021, 5, 360-368.	3.4	27
25	Genetic diversity and biogeography of native and introduced populations of <i>Ulva pertusa</i> (<i>Ulvales</i> , <i>Chlorophyta</i>). <i>Phycological Research</i> , 2016, 64, 102-109.	0.8	26
26	<i>Psaromenia</i> (Kallymeniaceae, Rhodophyta): a new genus for <i>Kallymenia berggrenii</i> . <i>Phycologia</i> , 2010, 49, 73-85.	0.6	24
27	<i>Amalthea</i> and <i>Galene</i> , two new genera of Halymeniaceae (Rhodophyta) from New Zealand. <i>Botanica Marina</i> , 2014, 57, 185-201.	0.6	23
28	Genealogical partitioning and phylogeography of <i>Colpomenia peregrina</i> (Scytosiphonaceae, Rhodophyta) based on mitochondrial <i>cox3</i> sequences. <i>Phycologia</i> , 2005, 44, 103-111.	0.6	22
29	<i>Colpomenia claytonii</i> sp. nov. (Scytosiphonaceae, Phaeophyceae) based on morphology and mitochondrial <i>cox3</i> sequences. <i>Botanica Marina</i> , 2011, 54, .	0.6	22
30	Sequencing of historic and modern specimens reveals cryptic diversity in <i>Nothogenia</i> (Sciniaceae, Rhodophyta). <i>Phycologia</i> , 2015, 54, 97-108.	0.6	22
31	History, current status and future of marine macroalgal research in New Zealand: Taxonomy, ecology, physiology and human uses. <i>Phycological Research</i> , 2004, 52, 80-106.	0.8	22
32	Title is missing!. <i>Journal of Applied Phycology</i> , 1999, 11, 185-193.	1.5	21
33	Red algal parasites: a synopsis of described species, their hosts, distinguishing characters and areas for continued research. <i>Botanica Marina</i> , 2017, 60, 13-25.	0.6	20
34	Diversity and complexity in New Zealand Kallymeniaceae (Rhodophyta): recognition of the genus <i>Ectophora</i> and description of <i>E. marginata</i> sp. nov.. <i>Phycologia</i> , 2011, 50, 241-255.	0.6	19
35	A morphological and phylogenetic study of <i>Glaphyrosiphon</i> gen. nov. (Halymeniaceae, Rhodophyta) based on <i>Grateloupia intestinalis</i> with descriptions of two new species: <i>Glaphyrosiphon lindaueri</i> from New Zealand and <i>Glaphyrosiphon chilensis</i> from Chile. <i>Phycologia</i> , 2010, 49, 554-573.	0.6	18
36	Insights from natural history collections: analysing the New Zealand macroalgal flora using herbarium data. <i>PhytoKeys</i> , 2013, 30, 1-21.	0.4	18

#	ARTICLE	IF	CITATIONS
37	Three new macroalgae from the Three Kings Islands New Zealand including the first southern Pacific Ocean record of the Furcellariaceae (Rhodophyta). <i>Phycologia</i> , 2014, 53, 602-613.	0.6	18
38	When seaweeds go bad: an overview of outbreaks of nuisance quantities of marine macroalgae in New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2015, 49, 472-491.	0.8	18
39	Challenges for the conservation of marine small natural features. <i>Biological Conservation</i> , 2017, 211, 69-79.	1.9	18
40	Concise review of the genus <i>Durvillaea</i> Bory de Saint-Vincent, 1825. <i>Journal of Applied Phycology</i> , 2020, 32, 3-21.	1.5	18
41	The presence of gigartinine in a New Zealand <i>Gracilaria</i> species. <i>Journal of Applied Phycology</i> , 2001, 13, 409-413.	1.5	17
42	Reassessment of the genus <i>Lophurella</i> (Rhodomelaceae, Rhodophyta) from Australia and New Zealand reveals four cryptic species. <i>European Journal of Phycology</i> , 2020, 55, 113-128.	0.9	17
43	<i>Pyropia plicata</i> sp. nov. (Bangiales, Rhodophyta): naming a common intertidal alga from New Zealand. <i>PhytoKeys</i> , 2013, 21, 17-28.	0.4	16
44	Macroalgal Diversity Associated with Rhodolith Beds in Northern New Zealand. <i>Cryptogamie, Algologie</i> , 2014, 35, 27-47.	0.3	16
45	Inorganic carbon utilization of tropical calcifying macroalgae and the impacts of intensive mariculture-derived coastal acidification on the physiological performance of the rhodolith <i>Sporolithon</i> sp.. <i>Environmental Pollution</i> , 2020, 266, 115344.	3.7	16
46	Distribution patterns and introduction pathways of the cosmopolitan brown alga <i>Colpomenia peregrina</i> using mt <i>cox3</i> and <i>atp6</i> sequences. <i>Journal of Applied Phycology</i> , 2014, 26, 491-504.	1.5	15
47	Genetic segregation and differentiation of a common subtidal alga <i>Pterocladia lucida</i> (Gelidiales, Rhodophyta) from New Zealand. <i>Journal of Applied Phycology</i> , 2014, 26, 491-504.	1.5	15
48	Introduced marine macroalgae: new perspectives on species recognition and distribution in New Zealand. <i>Botanica Marina</i> , 2021, 64, 379-393.	0.6	15
49	<i>Porphyrta migatae</i> sp. nov. (Bangiales, Rhodophyta) from Japan. <i>Phycologia</i> , 2010, 49, 345-354.	0.6	14
50	Rhodophyta. , 2017, , 89-133.		14
51	History, current status and future of marine macroalgal research in New Zealand: Taxonomy, ecology, physiology and human uses. <i>Phycological Research</i> , 2004, 52, 80-106.	0.8	13
52	<i>Cladophoropsis brachyartra</i> from southern South America is a synonym of <i>Wittrockiella lyallii</i> (Cladophorophyceae, Chlorophyta), previously regarded as endemic to New Zealand. <i>Phycologia</i> , 2010, 49, 525-536.	0.6	13
53	<i>Stauromenia australis</i> , a new genus and species in the family Kallymeniaceae (Rhodophyta) from southern New Zealand. <i>Phycologia</i> , 2012, 51, 451-460.	0.6	13
54	Marine Prasiolales (Trebouxiophyceae, Chlorophyta) from New Zealand and the Balleny Islands, with descriptions of <i>Prasiola novaezelandiae</i> sp. nov. and <i>Rosenvingiella australis</i> sp. nov.. <i>Phycologia</i> , 2012, 51, 217-227.	0.6	13

#	ARTICLE	IF	CITATIONS
55	New record of <i>Hypnea flexicaulis</i> in New Zealand and description of <i>Calliblepharis psammophilus</i> sp. nov.. <i>Botanica Marina</i> , 2015, 58, 485-497.	0.6	13
56	Corallinapetrales and Corallinapetraceae: A new order and family of coralline red algae including <i>Corallinapetra gabriellii</i> comb. nov.. <i>Journal of Phycology</i> , 2021, 57, 849-862.	1.0	13
57	The Lindauer legacy – current names for the Algae Nova-Zelandicae Exsiccatae. <i>New Zealand Journal of Botany</i> , 1996, 34, 553-582.	0.8	12
58	Using gigartinine to track the distribution of an alien species of <i>Gracilaria</i> in New Zealand. <i>Journal of Applied Phycology</i> , 2007, 19, 313-323.	1.5	11
59	A phylogenetic reappraisal of the family Liagoraceae sensu lato (Nemaliales, Rhodophyta) based on sequence analyses of two plastid genes and postfertilization development. <i>Journal of Phycology</i> , 2015, 51, 546-559.	1.0	11
60	Complete mitochondrial genome of a rhodolith, <i>Sporolithon durum</i> (Sporolithales, Rhodophyta). <i>Mitochondrial DNA</i> , 2015, 26, 155-156.	0.6	11
61	Records of adventive marine algae in New Zealand: <i>Antithamnionella ternifolia</i> , <i>Polysiphonia senticulosa</i> (Ceramiales, Rhodophyta), and <i>Striaria attenuata</i> (Dictyosiphonales, Phaeophyta). <i>New Zealand Journal of Marine and Freshwater Research</i> , 1996, 30, 449-453.	0.8	10
62	<i>Bangiadulcis</i> gen. nov.: a new genus for freshwater filamentous Bangiales (Rhodophyta). <i>Taxon</i> , 2007, 56, 883-886.	0.4	10
63	Recognition and distribution of <i>Polysiphonia morrowii</i> (Rhodomelaceae, Rhodophyta) in New Zealand. <i>Botanica Marina</i> , 2013, 56, 41-47.	0.6	10
64	Beyond diving depths: deepwater macroalgae in the New Zealand region. <i>Marine Biodiversity</i> , 2015, 45, 797-818.	0.3	10
65	Rhodophyta. , 2016, , 1-45.		10
66	Comparative phylogeography of two <i>Agarophyton</i> species in the New Zealand archipelago. <i>Journal of Phycology</i> , 2020, 56, 1575-1590.	1.0	10
67	Cryptic diversity and phylogeographic patterns in the <i>Asparagopsis armata</i> species complex (Bonnemaisoniales, Rhodophyta) from New Zealand. <i>Phycologia</i> , 2022, 61, 89-96.	0.6	10
68	Reproductive structures in <i>Curdiea coriacea</i> (Gracilariales, Rhodophyta) including the first report of spermatangia for the genus. <i>New Zealand Journal of Botany</i> , 1997, 35, 195-202.	0.8	9
69	Systematic revision of the genus <i>Phycodrys</i> (Delesseriaceae, Rhodophyta) from New Zealand, with the descriptions of three new species, <i>P. novae-zelandiae</i> sp. nov., <i>P. franiae</i> sp. nov. and <i>P. adamsiae</i> sp. nov.. <i>European Journal of Phycology</i> , 2010, 45, 200-214.	0.9	9
70	Neither <i>Callophyllis</i> nor <i>Gelidium</i> : <i>Blastophyllis</i> gen. nov. and <i>Zuccarelloa</i> gen. nov. (Kallymeniaceae, Rhodophyta) for three New Zealand species. <i>Phycologia</i> , 2017, 56, 549-560.	0.6	9
71	<i>Chnoospora minima</i> (Phaeophyta) in Port Underwood, Marlborough – a curious new algal record for New Zealand. <i>New Zealand Journal of Botany</i> , 1991, 29, 341-344.	0.8	8
72	Comparative culture experiments with filamentous members of the Bangiales (Rhodophyta) from New Zealand: Insights into ecologic adaptation and biogeography. <i>Phycological Research</i> , 2008, 56, 183-192.	0.8	8

#	ARTICLE	IF	CITATIONS
73	History of the typification of conserved and rejected names, including an account of the typification of <i>Bangia</i> Lyngb. (<i>Bangiaceae</i> , <i>Rhodophyta</i>). <i>Taxon</i> , 2008, 57, 1351-1354.	0.4	8
74	<i>Phaeophysema</i> gen. nov. and <i>Vimineoleathesia</i> gen. nov., new brown algal genera for the minute Japanese members of the genus <i>Leathesia</i> . <i>European Journal of Phycology</i> , 2010, 45, 107-115.	0.9	8
75	<i>Hymenenopsis heterophylla</i> gen. et sp. nov. (<i>Delesseriaceae</i> , <i>Rhodophyta</i>) from New Zealand, based on a red alga previously known as <i>Hymenena palmata</i> f. <i>marginata</i> sensu Kylin, with emphasis on its cystocarp development. <i>Phycologia</i> , 2012, 51, 62-73.	0.6	8
76	The first record of <i>Grateloupia subpectinata</i> from the New Zealand region and comparison with <i>G. prolifera</i> , a species endemic to the Chatham Islands. <i>Botanica Marina</i> , 2013, 56, 507-513.	0.6	8
77	Mesophotic <i>Ecklonia radiata</i> (<i>Laminariales</i>) at Rangitāhua, Kermadec Islands, New Zealand. <i>Phycologia</i> , 2018, 57, 534-538.	0.6	8
78	<i>Agarophyton transtasmanicum</i> sp. nov. from Australia and New Zealand. <i>Phycologia</i> , 2020, 59, 238-245.	0.6	8
79	New distributional record for <i>Pyropia koreana</i> : confirmed to occur on the South Island, New Zealand. <i>Algae</i> , 2014, 29, 177-181.	0.9	8
80	An assessment of <i>Haraldiophyllum</i> (<i>Delesseriaceae</i> , <i>Rhodophyta</i>), including <i>H. crispatum</i> (J.D. Hooker et Tj ETQq0 0 0 rgBT /Overlock 10 TF evidence. <i>European Journal of Phycology</i> , 2007, 42, 391-408.	0.9	7
81	<i>Psilophycus alveatus</i> gen. et comb. nov., a basal taxon in the <i>Gigartinaceae</i> (<i>Rhodophyta</i>) from New Zealand. <i>Phycologia</i> , 2011, 50, 219-231.	0.6	7
82	The genus <i>Melanthalia</i> (<i>Gracilariales</i> , <i>Rhodophyta</i>): new insights from New Caledonia and New Zealand. <i>Phycologia</i> , 2013, 52, 426-436.	0.6	7
83	Two new species of <i>Mesospora</i> (<i>Ralfsiales</i> , <i>Phaeophyceae</i>) from the subtropical Indo-Pacific region. <i>Phycologia</i> , 2017, 56, 487-498.	0.6	7
84	Growth and carrageenan composition of two populations of the New Zealand carrageenophyte <i>Sarcotalia lanceata</i> (<i>Gigartinaceae</i> , <i>Rhodophyta</i>). <i>Journal of Applied Phycology</i> , 2018, 30, 2485-2497.	1.5	7
85	<i>Dictyota korowai</i> sp. nov. (<i>Dictyotales</i> , <i>Phaeophyceae</i>) from Manawatāwhi/Three Kings Islands, northern New Zealand, previously confused with <i>Dictyota intermedia</i> . <i>Phycologia</i> , 2019, 58, 433-442.	0.6	7
86	First record of <i>Bonnemaisonia hamifera</i> (<i>Bonnemaisoniales</i> , <i>Rhodophyta</i>) in the South Pacific, from the South Island of New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2020, 54, 167-176.	0.8	7
87	Feulgen microspectrophotometric analysis of the life history stages of <i>Analipus japonicus</i> (Harv.) Wynne (<i>Phaeophyta</i>). <i>Phycologia</i> , 1981, 20, 435-437.	0.6	6
88	Title is missing!. <i>Hydrobiologia</i> , 1999, 398/399, 57-63.	1.0	6
89	Growth and reproductive phenology of the kelp <i>Lessonia variegata</i> in central New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2006, 40, 273-284.	0.8	6
90	AN EXAMINATION OF <i>PACHYMENIA</i> AND <i>AEODES</i> (<i>HALYMENIACEAE</i> , <i>RHODOPHYTA</i>) IN NEW ZEALAND AND THE TRANSFER OF TWO SPECIES OF <i>AEODES</i> IN SOUTH AFRICA TO <i>PACHYMENIA</i> ¹ . <i>Journal of Phycology</i> , 2009, 45, 1389-1399.	1.0	6

#	ARTICLE	IF	CITATIONS
91	A reappraisal of Symphyocladia (Rhodomelaceae, Rhodophyta), including a new species based on morphology and molecular data. <i>Phycologia</i> , 2012, 51, 531-541.	0.6	6
92	<i>Prasiola</i> (<sc>P</sc>rasiolales, <sc>T</sc>rebouxiophyceae) in <sc>J</sc>apan: a survey of freshwater populations and new records of marine taxa. <i>Phycological Research</i> , 2016, 64, 110-117.	0.8	6
93	Phylogeographic analysis of the brown alga <sc>C</sc><sc>utleria multifida</sc> (<sc>T</sc>ilopteridales, <sc>P</sc>haeophyceae) suggests a complicated introduction history. <i>Phycological Research</i> , 2016, 64, 3-10.	0.8	6
94	Molecular phylogeny and taxonomic reassessment of the genus <sc>Cladostephus</sc> (Sphacelariales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	6
95	Cryptofauna associated with rhodoliths: Diversity is species-specific and influenced by habitat. <i>Marine Ecology</i> , 2021, 42, e12647.	0.4	6
96	Epiphytic <i>Jania</i> in New Zealand: <i>Jania sphaeroramosa</i> sp. nov. (Corallinales, Rhodophyta). <i>Phytotaxa</i> , 2018, 357, 30.	0.1	5
97	<i>Phymatolithopsis</i> gen. nov. (Hapalidiales, Corallinophycidae, Rhodophyta) based on molecular and morphoanatomical evidence. <i>Journal of Phycology</i> , 2022, 58, 161-178.	1.0	5
98	<i>Colpomenia durvillei</i> (Scytosiphonaceae, Phaeophyceae): its distribution and relationships with other elongate species of the genus. <i>Botanica Marina</i> , 2012, 55, 367-375.	0.6	4
99	The phylogenetic position of the morphologically unusual <i>Pleurostichidium falkenbergii</i> (Rhodomelaceae, Rhodophyta) based on plastid phylogenomics. <i>Phycologia</i> , 2019, 58, 319-325.	0.6	4
100	Validation and phylogenetic placement of the Placentophoraceae <sc>fam. nov.</sc> . (Gigartinales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	4
101	Unnamed for over 30 years: <i>Cigartina falshawiae</i> <sc>sp. nov.</sc> (Gigartinaceae, Rhodophyta) and its confusion with <i>Iridaea tuberculosa</i> in New Zealand. <i>Phycologia</i> , 2020, 59, 45-53.	0.6	4
102	A new genus and species in the Sporolithales (Corallinophycidae, Rhodophyta) from northern New Zealand: <i>Roseapetra farrae</i> sp. nov.. <i>Phytotaxa</i> , 2021, 490, 35-46.	0.1	4
103	Cryptic Cryptogam Revealed: <i>Hypnea corona</i> (Gigartinales: Cystocloniaceae), a New Red Algal Species Described from the <i>Hypnea cornuta</i> Complex ^{1,2} . <i>Pacific Science</i> , 2021, 75, .	0.2	4
104	<i>Nancythalia humilis</i> gen. et sp. nov. and <i>Abroteia suborbiculare</i> (Delesseriaceae, Rhodophyta) from New Zealand. <i>Phycologia</i> , 2002, 41, 245-253.	0.6	3
105	Developmental morphology of <i>Sarcodia montagneana</i> and <i>S. grandifolia</i> from New Zealand and a phylogeny of <i>Sarcodia</i> (Sarcodiaceae, Rhodophyta) based on rbcL sequence analysis. <i>European Journal of Phycology</i> , 2011, 46, 153-170.	0.9	3
106	Transfer of the subantarctic red alga <i>Grateloupia aucklandica</i> to the genus <i>Glaphyrosiphon</i> (Halymeniales, Rhodophyta). <i>Phycologia</i> , 2014, 53, 457-462.	0.6	3
107	Soft sediment macroalgae in two New Zealand harbours: Biomass, diversity and community composition. <i>Aquatic Botany</i> , 2016, 129, 9-18.	0.8	3
108	<i>Prasionema heeschiae</i> sp. nov. (Prasiolales, Chlorophyta) from Campbell Island, New Zealand: first record of <i>Prasionema</i> in the southern hemisphere. <i>European Journal of Phycology</i> , 2018, 53, 198-207.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Two new species of <i>Platoma</i> (Schizymeniaceae) from the western South Pacific Ocean. <i>Phycologia</i> , 2015, 54, 307-315.	0.6	2
110	South Pacific. Coastal Research Library, 2017, , 349-359.	0.2	2
111	Distribution of the genus <i>Zonaria</i> (Dictyotales: Phaeophyceae) in New Zealand, and description of <i>Zonaria cryptica</i> sp. nov from Stewart Island. <i>New Zealand Journal of Botany</i> , 2018, 56, 264-275.	0.8	2
112	A new agarophyte, <i>Curdiea balthazar</i> sp. nov. (Gracilariales, Rhodophyta), from the Three Kings Islands, northern New Zealand. , 1999, , 57-63.		2
113	Taxonomic notes on the New Zealand macroalgal flora: synonymic checklist of the red algal order Gracilariales with selection of lectotypes and description of a new species. <i>New Zealand Journal of Botany</i> , 2014, 52, 236-244.	0.8	1
114	Clump structure, population structure and non-destructive biomass estimation of the New Zealand carrageenophyte <i>Sarcothalia lanceata</i> (Gigartinales, Rhodophyta). <i>Botanica Marina</i> , 2016, 59, 373-385.	0.6	1
115	Mismatch of morphological and molecular identifications in native and invasive subspecies of <i>Codium fragile</i> (Bryopsidophyceae, Chlorophyta). <i>Journal of Phycology</i> , 2017, 53, 218-229.	1.0	1
116	<i>Predaea rosa</i> sp. nov. (Nemastomatales, Rhodophyta): a cool-temperate species from southern New Zealand. <i>Phycologia</i> , 2017, 56, 167-175.	0.6	1
117	<i>Clymene sutherlandiae</i> sp. nov.: A new species of <i>Bangiales</i> (Rhodophyta) from the southern hemisphere. <i>Phycological Research</i> , 2022, 70, 133-136.	0.8	1
118	Marine macroalgae of the Balleny Islands and Ross Sea. <i>Antarctic Science</i> , 2022, 34, 298-312.	0.5	1
119	New macroalgal record for the New Zealand region: <i>Cephalocystis furcellata</i> (Rhodymeniales.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	0.8	0
120	Seventh Asian Pacific Phycological Forum. <i>Botanica Marina</i> , 2015, 58, .	0.6	0
121	<i>Streblodladia</i> (Rhodomelaceae) in New Zealand: recognition of a new species. <i>Phytotaxa</i> , 2018, 374, 41.	0.1	0
122	A Festschrift in Honour of Prof. Robert E. DeWreede. <i>Botanica Marina</i> , 2021, .	0.6	0
123	New Zealand Rhodymeniales: A New Name for <i>Gloioderma saccatum</i> (J. Agardh) Kylin. <i>Cryptogamie, Algologie</i> , 2016, 37, 171-178.	0.3	0
124	UNA VIVIENNE CASSIE COOPER (née DELLOW) (29 September 1926–5 July 2021). <i>Phycologia</i> , 0, , 1-3.	0.6	0