

# Wendy A Nelson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7188120/publications.pdf>

Version: 2024-02-01

124  
papers

2,513  
citations

257101

24  
h-index

253896

43  
g-index

126  
all docs

126  
docs citations

126  
times ranked

1953  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Phymatolithopsis</i> gen. nov. (Hapalidiales, Corallinophycidae, Rhodophyta) based on molecular and morphoanatomical evidence. <i>Journal of Phycology</i> , 2022, 58, 161-178.	1.0	5
2	Cryptic diversity and phylogeographic patterns in the <i>Asparagopsis armata</i> species complex (Bonnemaisoniales, Rhodophyta) from New Zealand. <i>Phycologia</i> , 2022, 61, 89-96.	0.6	10
3	<i>Clymene sutherlandiae</i> sp. nov.: A new species of <i>Bangiales</i> (Rhodophyta) from the southern hemisphere. <i>Phycological Research</i> , 2022, 70, 133-136.	0.8	1
4	Marine macroalgae of the Balleny Islands and Ross Sea. <i>Antarctic Science</i> , 2022, 34, 298-312.	0.5	1
5	Corallinapetrales and Corallinapetraceae: A new order and family of coralline red algae including <i>Corallinapetra gabriellii</i> comb. nov.. <i>Journal of Phycology</i> , 2021, 57, 849-862.	1.0	13
6	A genome-wide investigation of the effect of farming and human-mediated introduction on the ubiquitous seaweed <i>Undaria pinnatifida</i> . <i>Nature Ecology and Evolution</i> , 2021, 5, 360-368.	3.4	27
7	<strong>A new genus and species in the Sporolithales (Corallinophycidae, Rhodophyta) from northern New Zealand: <i>Roseapetra farriae</i> sp. nov.</strong> <i>Phytotaxa</i> , 2021, 490, 35-46.	0.1	4
8	Cryptofauna associated with rhodoliths: Diversity is species-specific and influenced by habitat. <i>Marine Ecology</i> , 2021, 42, e12647.	0.4	6
9	Cryptic Cryptogam Revealed: <i>Hypnea corona</i> (Gigartinales: Cystocloniaceae), a New Red Algal Species Described from the <i>Hypnea cornuta</i> Complex <sup>1,2</sup> . <i>Pacific Science</i> , 2021, 75, .	0.2	4
10	Introduced marine macroalgae: new perspectives on species recognition and distribution in New Zealand. <i>Botanica Marina</i> , 2021, 64, 379-393.	0.6	15
11	A Festschrift in Honour of Prof. Robert E. DeWreede. <i>Botanica Marina</i> , 2021, .	0.6	0
12	Reassessment of the genus <i>Lophurella</i> (Rhodomelaceae, Rhodophyta) from Australia and New Zealand reveals four cryptic species. <i>European Journal of Phycology</i> , 2020, 55, 113-128.	0.9	17
13	First record of <i>Bonnemaisonia hamifera</i> (Bonnemaisoniales, Rhodophyta) in the South Pacific, from the South Island of New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2020, 54, 167-176.	0.8	7
14	Concise review of the genus <i>Durvillaea</i> Bory de Saint-Vincent, 1825. <i>Journal of Applied Phycology</i> , 2020, 32, 3-21.	1.5	18
15	The Biogeographic Importance of Buoyancy in Macroalgae: A Case Study of the Southern Bull Kelp Genus <i>Durvillaea</i> (Phaeophyceae), Including Descriptions of Two New Species <sup>1</sup> . <i>Journal of Phycology</i> , 2020, 56, 23-36.	1.0	32
16	Unnamed for over 30 years: <i>Gigartina falshawiae</i> sp. nov. (Gigartinales, Rhodophyta) and its confusion with <i>Iridaea tuberculosa</i> in New Zealand. <i>Phycologia</i> , 2020, 59, 45-53.	0.6	4
17	Inorganic carbon utilization of tropical calcifying macroalgae and the impacts of intensive mariculture-derived coastal acidification on the physiological performance of the rhodolith <i>Sporolithon</i> sp.. <i>Environmental Pollution</i> , 2020, 266, 115344.	3.7	16
18	Molecular phylogeny and taxonomic reassessment of the genus <i>Cladostephus</i> (Sphacelariales.) <i>Tj ETQq0 0 0,rgBT /Overlock 10 T</i>	0.9	6

#	ARTICLE	IF	CITATIONS
19	Comparative phylogeography of two <i>Agarophyton</i> species in the New Zealand archipelago. <i>Journal of Phycology</i> , 2020, 56, 1575-1590.	1.0	10
20	<i>Agarophyton transtasmanicum</i> sp. nov. from Australia and New Zealand. <i>Phycologia</i> , 2020, 59, 238-245.	0.6	8
21	<i>Dictyota korowai</i> sp. nov. (Dictyotales, Phaeophyceae) from Manawatūwhi/Three Kings Islands, northern New Zealand, previously confused with <i>Dictyota intermedia</i> . <i>Phycologia</i> , 2019, 58, 433-442.	0.6	7
22	Macroalgae. <i>Coral Reefs of the World</i> , 2019, , 507-536.	0.3	29
23	The phylogenetic position of the morphologically unusual <i>Pleurostichidium falkenbergii</i> (Rhodomelaceae, Rhodophyta) based on plastid phylogenomics. <i>Phycologia</i> , 2019, 58, 319-325.	0.6	4
24	Validation and phylogenetic placement of the Placentophoraceae fam. nov. (Gigartinales). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.6	4
25	High diversity of coralline algae in New Zealand revealed: Knowledge gaps and implications for future research. <i>PLoS ONE</i> , 2019, 14, e0225645.	1.1	37
26	<i>Prasionema heeschiae</i> sp. nov. (Prasiolales, Chlorophyta) from Campbell Island, New Zealand: first record of <i>Prasionema</i> in the southern hemisphere. <i>European Journal of Phycology</i> , 2018, 53, 198-207.	0.9	3
27	Growth and carrageenan composition of two populations of the New Zealand carrageenophyte <i>Sarcothalia lanceata</i> (Gigartinales, Rhodophyta). <i>Journal of Applied Phycology</i> , 2018, 30, 2485-2497.	1.5	7
28	Ocean acidification in New Zealand waters: trends and impacts. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2018, 52, 155-195.	0.8	27
29	<i>Streblodladia</i> (Rhodomelaceae) in New Zealand: recognition of a new species. <i>Phytotaxa</i> , 2018, 374, 41.	0.1	0
30	Mitochondrial and Plastid Genomes from Coralline Red Algae Provide Insights into the Incongruent Evolutionary Histories of Organelles. <i>Genome Biology and Evolution</i> , 2018, 10, 2961-2972.	1.1	29
31	Distribution of the genus <i>Zonaria</i> (Dictyotales: Phaeophyceae) in New Zealand, and description of <i>Zonaria cryptica</i> sp. nov from Stewart Island. <i>New Zealand Journal of Botany</i> , 2018, 56, 264-275.	0.8	2
32	Mesophotic <i>Ecklonia radiata</i> (Laminariales) at Rangitāhua, Kermadec Islands, New Zealand. <i>Phycologia</i> , 2018, 57, 534-538.	0.6	8
33	Epiphytic <i>Jania</i> in New Zealand: <i>Jania sphaeroramosa</i> sp. nov. (Corallinales, Rhodophyta). <i>Phytotaxa</i> , 2018, 357, 30.	0.1	5
34	Challenges for the conservation of marine small natural features. <i>Biological Conservation</i> , 2017, 211, 69-79.	1.9	18
35	Red algal parasites: a synopsis of described species, their hosts, distinguishing characters and areas for continued research. <i>Botanica Marina</i> , 2017, 60, 13-25.	0.6	20
36	Two new species of <i>Mesospora</i> (Ralfsiales, Phaeophyceae) from the subtropical Indo-Pacific region. <i>Phycologia</i> , 2017, 56, 487-498.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Neither <i>Callophyllis</i> nor <i>Gelidium</i> : <i>Blastophyllis</i> gen. nov. and <i>Zuccarelloa</i> gen. nov. (Kallymeniaceae, Rhodophyta) for three New Zealand species. <i>Phycologia</i> , 2017, 56, 549-560.	0.6	9
38	Carbon dioxide mitigation potential of seaweed aquaculture beds (SABs). <i>Journal of Applied Phycology</i> , 2017, 29, 2363-2373.	1.5	84
39	<i>Rhodophyta.</i> , 2017, , 89-133.		14
40	South Pacific. Coastal Research Library, 2017, , 349-359.	0.2	2
41	Mismatch of morphological and molecular identifications in native and invasive subspecies of <i>Codium fragile</i> (Bryopsidophyceae, Chlorophyta). <i>Journal of Phycology</i> , 2017, 53, 218-229.	1.0	1
42	A Systematic Review of Marine-Based Species Distribution Models (SDMs) with Recommendations for Best Practice. <i>Frontiers in Marine Science</i> , 2017, 4, .	1.2	164
43	<i>Predaea rosa</i> sp. nov. (Nemastomatales, Rhodophyta): a cool-temperate species from southern New Zealand. <i>Phycologia</i> , 2017, 56, 167-175.	0.6	1
44	<i>Prasiola</i> (<sc>P</sc>rasiolales, <sc>T</sc>rebouxiophyceae) in <sc>J</sc>apan: a survey of freshwater populations and new records of marine taxa. <i>Phycological Research</i> , 2016, 64, 110-117.	0.8	6
45	Clump structure, population structure and non-destructive biomass estimation of the New Zealand carrageenophyte <i>Sarcothalia lanceata</i> (Gigartinaceae, Rhodophyta). <i>Botanica Marina</i> , 2016, 59, 373-385.	0.6	1
46	<i>Rhodophyta.</i> , 2016, , 1-45.		10
47	Genetic diversity and biogeography of native and introduced populations of <i>Ulva pertusa</i> (<sc>U</sc>lvales, <sc>C</sc>hlorophyta). <i>Phycological Research</i> , 2016, 64, 102-109.	0.8	26
48	Soft sediment macroalgae in two New Zealand harbours: Biomass, diversity and community composition. <i>Aquatic Botany</i> , 2016, 129, 9-18.	0.8	3
49	Phylogeographic analysis of the brown alga <sc>C</sc>uteria multifida (<sc>T</sc>ilopteridales, <sc>P</sc>haeophyceae) suggests a complicated introduction history. <i>Phycological Research</i> , 2016, 64, 3-10.	0.8	6
50	Genetic segregation and differentiation of a common subtidal alga <i>Pterocladia lucida</i> (Gelidiales,) Tj ETQq0 0 0 rgBT, Overlock, 10 Tf 50 2	1.5	15
51	New Zealand Rhodymeniales: A New Name for <i>Gloioderma saccatum</i> (J. Agardh) Kylin. <i>Cryptogamie, Algologie</i> , 2016, 37, 171-178.	0.3	0
52	New record of <i>Hypnea flexicaulis</i> in New Zealand and description of <i>Calliblepharis psammophilus</i> sp. nov.. <i>Botanica Marina</i> , 2015, 58, 485-497.	0.6	13
53	A phylogenetic reappraisal of the family Liagoraceae sensu lato (Nemaliales, Rhodophyta) based on sequence analyses of two plastid genes and postfertilization development. <i>Journal of Phycology</i> , 2015, 51, 546-559.	1.0	11
54	Highly Conserved Mitochondrial Genomes among Multicellular Red Algae of the Florideophyceae. <i>Genome Biology and Evolution</i> , 2015, 7, 2394-2406.	1.1	76

#	ARTICLE	IF	CITATIONS
55	Two new species of <i>Platoma</i> (Schizymeniaceae) from the western South Pacific Ocean. <i>Phycologia</i> , 2015, 54, 307-315.	0.6	2
56	Multi-gene phylogenetic analyses of New Zealand coralline algae: <i>Corallinapetra Novaezelandiae</i> gen. et sp. nov. and recognition of the Hapalidiales ord. nov.. <i>Journal of Phycology</i> , 2015, 51, 454-468.	1.0	90
57	Beyond diving depths: deepwater macroalgae in the New Zealand region. <i>Marine Biodiversity</i> , 2015, 45, 797-818.	0.3	10
58	Seventh Asian Pacific Phycological Forum. <i>Botanica Marina</i> , 2015, 58, .	0.6	0
59	Sequencing of historic and modern specimens reveals cryptic diversity in <i>Nothogenia</i> ( <i>Scinaiceae</i> , Rhodophyta). <i>Phycologia</i> , 2015, 54, 97-108.	0.6	22
60	When seaweeds go bad: an overview of outbreaks of nuisance quantities of marine macroalgae in New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2015, 49, 472-491.	0.8	18
61	Complete mitochondrial genome of a rhodolith, <i>Sporolithon durum</i> (Sporolithales, Rhodophyta). <i>Mitochondrial DNA</i> , 2015, 26, 155-156.	0.6	11
62	Transfer of the subantarctic red alga <i>Grateloupia aucklandica</i> to the genus <i>Glaphyrosiphon</i> (Halymeniales, Rhodophyta). <i>Phycologia</i> , 2014, 53, 457-462.	0.6	3
63	Three new macroalgae from the Three Kings Islands New Zealand including the first southern Pacific Ocean record of the <i>Furcellariaceae</i> (Rhodophyta). <i>Phycologia</i> , 2014, 53, 602-613.	0.6	18
64	Taxonomic notes on the New Zealand macroalgal flora: synonymic checklist of the red algal order Gracilariales with selection of lectotypes and description of a new species. <i>New Zealand Journal of Botany</i> , 2014, 52, 236-244.	0.8	1
65	Distribution patterns and introduction pathways of the cosmopolitan brown alga <i>Colpomenia peregrina</i> using mt cox3 and atp6 sequences. <i>Journal of Applied Phycology</i> , 2014, 26, 491-504.	1.5	15
66	Taxonomy and distribution of selected species of the agarophyte genus <i>Gelidium</i> (Gelidiales.) <i>Tj ETQq0 0 0 rgBT /Oyerlock 10, Tf 50 302</i>	1.5	37
67	Genetic connectivity between trans-oceanic populations of <i>Capreolia implexa</i> (Gelidiales, Rhodophyta) in cool temperate waters of Australasia and Chile. <i>Aquatic Botany</i> , 2014, 119, 73-79.	0.8	29
68	Macroalgal Diversity Associated with Rhodolith Beds in Northern New Zealand. <i>Cryptogamie, Algologie</i> , 2014, 35, 27-47.	0.3	16
69	<i>Amalthea</i> and <i>Galene</i> , two new genera of Halymeniaceae (Rhodophyta) from New Zealand. <i>Botanica Marina</i> , 2014, 57, 185-201.	0.6	23
70	Tracing the Trans-Pacific Evolutionary History of a Domesticated Seaweed ( <i>Gracilaria chilensis</i> ) with Archaeological and Genetic Data. <i>PLoS ONE</i> , 2014, 9, e114039.	1.1	46
71	New distributional record for <i>Pyropia koreana</i> : confirmed to occur on the South Island, New Zealand. <i>Algae</i> , 2014, 29, 177-181.	0.9	8
72	The genus <i>Melanthalia</i> (Gracilariales, Rhodophyta): new insights from New Caledonia and New Zealand. <i>Phycologia</i> , 2013, 52, 426-436.	0.6	7

#	ARTICLE	IF	CITATIONS
73	Recognition and distribution of <i>Polysiphonia morrowii</i> (Rhodomelaceae, Rhodophyta) in New Zealand. <i>Botanica Marina</i> , 2013, 56, 41-47.	0.6	10
74	Insights from natural history collections: analysing the New Zealand macroalgal flora using herbarium data. <i>PhytoKeys</i> , 2013, 30, 1-21.	0.4	18
75	The first record of <i>Grateloupia subpectinata</i> from the New Zealand region and comparison with <i>G. prolifera</i> , a species endemic to the Chatham Islands. <i>Botanica Marina</i> , 2013, 56, 507-513.	0.6	8
76	<i>Pyropia plicata</i> sp. nov. (Bangiales, Rhodophyta): naming a common intertidal alga from New Zealand. <i>PhytoKeys</i> , 2013, 21, 17-28.	0.4	16
77	A reappraisal of <i>Symphyclocladia</i> (Rhodomelaceae, Rhodophyta), including a new species based on morphology and molecular data. <i>Phycologia</i> , 2012, 51, 531-541.	0.6	6
78	<i>Colpomenia durvillei</i> (Scytosiphonaceae, Phaeophyceae): its distribution and relationships with other elongate species of the genus. <i>Botanica Marina</i> , 2012, 55, 367-375.	0.6	4
79	<i>Stauromenia australis</i> , a new genus and species in the family Kallymeniaceae (Rhodophyta) from southern New Zealand. <i>Phycologia</i> , 2012, 51, 451-460.	0.6	13
80	Marine Prasiolales (Trebouxiophyceae, Chlorophyta) from New Zealand and the Balleny Islands, with descriptions of <i>Prasiola novaezelandiae</i> sp. nov. and <i>Rosenvingiella australis</i> sp. nov.. <i>Phycologia</i> , 2012, 51, 217-227.	0.6	13
81	<i>Hymenopsis heterophylla</i> gen. et sp. nov. (Delesseriaceae, Rhodophyta) from New Zealand, based on a red alga previously known as <i>Hymenena palmata</i> f. <i>marginata</i> sensu Kylin, with emphasis on its cystocarp development. <i>Phycologia</i> , 2012, 51, 62-73.	0.6	8
82	<i>Colpomenia claytonii</i> sp. nov. (Scytosiphonaceae, Phaeophyceae) based on morphology and mitochondrial cox3 sequences. <i>Botanica Marina</i> , 2011, 54, .	0.6	22
83	<i>Psilophycus alveatus</i> gen. et comb. nov., a basal taxon in the Gigartinaceae (Rhodophyta) from New Zealand. <i>Phycologia</i> , 2011, 50, 219-231.	0.6	7
84	Diversity and complexity in New Zealand Kallymeniaceae (Rhodophyta): recognition of the genus <i>Ectophora</i> and description of <i>E. marginata</i> sp. nov.. <i>Phycologia</i> , 2011, 50, 241-255.	0.6	19
85	A NEW LOOK AT AN ANCIENT ORDER: GENERIC REVISION OF THE BANGIALES (RHODOPHYTA) <sup>1</sup> . <i>Journal of Phycology</i> , 2011, 47, 1131-1151.	1.0	280
86	Developmental morphology of <i>Sarcodia montagneana</i> and <i>S. grandifolia</i> from New Zealand and a phylogeny of <i>Sarcodia</i> (Sarcodiaceae, Rhodophyta) based on rbcL sequence analysis. <i>European Journal of Phycology</i> , 2011, 46, 153-170.	0.9	3
87	Systematic revision of the genus <i>Phycodrys</i> (Delesseriaceae, Rhodophyta) from New Zealand, with the descriptions of three new species, <i>P. novae-zelandiae</i> sp. nov., <i>P. franiae</i> sp. nov. and <i>P. adamsiae</i> sp. nov.. <i>European Journal of Phycology</i> , 2010, 45, 200-214.	0.9	9
88	<i>Phaeophysema</i> gen. nov. and <i>Vimineolea</i> thesiagen. nov., new brown algal genera for the minute Japanese members of the genus <i>Leathesia</i> . <i>European Journal of Phycology</i> , 2010, 45, 107-115.	0.9	8
89	<i>Symphyclocladia lithophila</i> sp. nov. (Rhodomelaceae, Ceramiales), a new Korean red algal species based on morphology and rbcL sequences. <i>Botanica Marina</i> , 2010, 53, 233-241.	0.6	69
90	<i>Cladophoropsis brachyartra</i> from southern South America is a synonym of <i>Wittrockiella lyallii</i> (Cladophorophyceae, Chlorophyta), previously regarded as endemic to New Zealand. <i>Phycologia</i> , 2010, 49, 525-536.	0.6	13

#	ARTICLE	IF	CITATIONS
91	A morphological and phylogenetic study of <i>Glaphyrosiphon</i> gen. nov. (Halymeniaceae, Rhodophyta) based on <i>Grateloupia intestinalis</i> with descriptions of two new species: <i>Glaphyrosiphon lindaueri</i> from New Zealand and <i>Glaphyrosiphon chilensis</i> from Chile. <i>Phycologia</i> , 2010, 49, 554-573.	0.6	18
92	<i>Porphyra migitae</i> sp. nov. (Bangiales, Rhodophyta) from Japan. <i>Phycologia</i> , 2010, 49, 345-354.	0.6	14
93	<i>Psaromenia</i> (Kallymeniaceae, Rhodophyta): a new genus for <i>Kallymenia berggrenii</i> . <i>Phycologia</i> , 2010, 49, 73-85.	0.6	24
94	Relationships of the <i>Porphyra</i> (Bangiales, Rhodophyta) flora of the Falkland Islands: a molecular survey using rbcL and nSSU sequence data. <i>Australian Systematic Botany</i> , 2010, 23, 27.	0.3	48
95	<i>Ulva</i> , <i>Umbraulva</i> and <i>Gemina</i> : genetic survey of New Zealand taxa reveals diversity and introduced species. <i>European Journal of Phycology</i> , 2009, 44, 143-154.	0.9	83
96	AN EXAMINATION OF <i>PACHYMENIA</i> AND <i>AEODES</i> (HALYMENIACEAE, RHODOPHYTA) IN NEW ZEALAND AND THE TRANSFER OF TWO SPECIES OF <i>AEODES</i> IN SOUTH AFRICA TO <i>PACHYMENIA</i> <sup>1</sup> . <i>Journal of Phycology</i> , 2009, 45, 1389-1399.	1.0	6
97	New macroalgal record for the New Zealand region: <i>Cephalocystis furcellata</i> (Rhodymeniales.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td	0.6	0
98	Utility of psbA and nSSU for phylogenetic reconstruction in the Corallinales based on New Zealand taxa. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 958-973.	1.2	100
99	Comparative culture experiments with filamentous members of the Bangiales (Rhodophyta) from New Zealand: Insights into ecologic adaptation and biogeography. <i>Phycological Research</i> , 2008, 56, 183-192.	0.8	8
100	History of the typification of conserved and rejected names, including an account of the typification of <i>Bangia</i> Lyngb. ( <i>Bangiaceae</i> , <i>Rhodophyta</i> ). <i>Taxon</i> , 2008, 57, 1351-1354.	0.4	8
101	An assessment of <i>Haraldiophyllum</i> (Delesseriaceae, Rhodophyta), including <i>H. crispatum</i> (J.D. Hooker et) evidence. <i>European Journal of Phycology</i> , 2007, 42, 391-408. Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67 Td	0.9	7
102	<i>Bangiadulcis</i> gen. nov.: a new genus for freshwater filamentous Bangiales (Rhodophyta). <i>Taxon</i> , 2007, 56, 883-886.	0.4	10
103	Using gigartinine to track the distribution of an alien species of <i>Gracilaria</i> in New Zealand. <i>Journal of Applied Phycology</i> , 2007, 19, 313-323.	1.5	11
104	Growth and reproductive phenology of the kelp <i>Lessonia variegata</i> in central New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2006, 40, 273-284.	0.8	6
105	Phylogenetic relationships and generic concepts in the red order Bangiales: challenges ahead. <i>Phycologia</i> , 2006, 45, 249-259.	0.6	52
106	Genetic diversity in <i>Undaria pinnatifida</i> (Laminariales, Phaeophyceae) deduced from mitochondria genes – origins and succession of introduced populations. <i>Phycologia</i> , 2006, 45, 687-695.	0.6	97
107	<i>Dione</i> and <i>Minerva</i> , two new genera from New Zealand circumscribed for basal taxa in the Bangiales (Rhodophyta). <i>Phycologia</i> , 2005, 44, 139-145.	0.6	30
108	Genealogical partitioning and phylogeography of <i>Colpomenia peregrina</i> (Scytosiphonaceae,) sequences. <i>Phycologia</i> , 2005, 44, 103-111. Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td	0.6	22

#	ARTICLE	IF	CITATIONS
109	Phylogenetic diversity in South African Porphyra (Bangiales, Rhodophyta) determined by nuclear SSU sequence analyses. <i>European Journal of Phycology</i> , 2004, 39, 197-211.	0.9	30
110	History, current status and future of marine macroalgal research in New Zealand: Taxonomy, ecology, physiology and human uses. <i>Phycological Research</i> , 2004, 52, 80-106.	0.8	13
111	History, current status and future of marine macroalgal research in New Zealand: Taxonomy, ecology, physiology and human uses. <i>Phycological Research</i> , 2004, 52, 80-106.	0.8	22
112	<i>Nancythalia humilis</i> gen. et sp. nov. and <i>Abroteia suborbiculare</i> (Delesseriaceae, Rhodophyta) from New Zealand. <i>Phycologia</i> , 2002, 41, 245-253.	0.6	3
113	Four new species of Porphyra (Bangiales, Rhodophyta) from the New Zealand region described using traditional characters and 18S rDNA sequence data. <i>Cryptogamie, Algologie</i> , 2001, 22, 263-284.	0.3	41
114	The presence of gigartinine in a New Zealand Gracilaria species. <i>Journal of Applied Phycology</i> , 2001, 13, 409-413.	1.5	17
115	Title is missing!. <i>Hydrobiologia</i> , 1999, 398/399, 57-63.	1.0	6
116	Title is missing!. <i>Journal of Applied Phycology</i> , 1999, 11, 185-193.	1.5	21
117	A new agarophyte, <i>Curdiea balthazar</i> sp. nov. (Gracilariales, Rhodophyta), from the Three Kings Islands, northern New Zealand. , 1999, , 57-63.		2
118	Reproductive structures in <i>Curdiea coriacea</i> (Gracilariales, Rhodophyta) including the first report of spermatangia for the genus. <i>New Zealand Journal of Botany</i> , 1997, 35, 195-202.	0.8	9
119	Records of adventive marine algae in New Zealand: <i>Antithamnionella ternifolia</i> , <i>Polysiphonia senticulosa</i> (Ceramiales, Rhodophyta), and <i>Striaria attenuata</i> (Dictyosiphonales, Phaeophyta). <i>New Zealand Journal of Marine and Freshwater Research</i> , 1996, 30, 449-453.	0.8	10
120	The Lindauer legacy – current names for the Algae Nova-Zelandicae Exsiccatae. <i>New Zealand Journal of Botany</i> , 1996, 34, 553-582.	0.8	12
121	<i>Chnoospora minima</i> (Phaeophyta) in Port Underwood, Marlborough – a curious new algal record for New Zealand. <i>New Zealand Journal of Botany</i> , 1991, 29, 341-344.	0.8	8
122	The harvesting of macroalgae in New Zealand. <i>Hydrobiologia</i> , 1990, 204-205, 25-33.	1.0	28
123	Feulgen microspectrophotometric analysis of the life history stages of <i>Analipus japonicus</i> (Harv.) Wynne (Phaeophyta). <i>Phycologia</i> , 1981, 20, 435-437.	0.6	6
124	UNA VIVIENNE CASSIE COOPER (née DELLOW) (29 September 1926 – 5 July 2021). <i>Phycologia</i> , 0, , 1-3.	0.6	0