
## Li Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7188923/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Design and construction of core-shell heterostructure of Ni-V layered double hydroxide composite electrode materials for high-performance hybrid supercapacitor and L-Tryptophan sensor. Journal of Alloys and Compounds, 2022, 890, 161781.	2.8	39
2	Boosting the potassium-ion storage performance enabled by engineering of hierarchical MoSSe nanosheets modified with carbon on porous carbon sphere. Science Bulletin, 2022, 67, 933-945.	4.3	96
3	Dynamic Locking of Interfacial Side Reaction Sites Promotes Aluminumâ€Air Batteries Close to Theoretical Capacity. Advanced Sustainable Systems, 2022, 6, 2100420.	2.7	3
4	Eightâ€Electron Redox Cyclohexanehexone Anode for Highâ€Rate Highâ€Capacity Lithium Storage. Advanced Energy Materials, 2022, 12, .	10.2	16
5	High-Strength agarose gel electrolyte enables long-endurance wearable Al-air batteries with greatly suppressed self-corrosion. Energy Storage Materials, 2021, 34, 427-435.	9.5	45
6	Gradually activated lithium uptake in sodium citrate toward high-capacity organic anode for lithium-ion batteries. Rare Metals, 2021, 40, 1366-1372.	3.6	18
7	Design principles and direct applications of cobalt-based metal-organic frameworks for electrochemical energy storage. Coordination Chemistry Reviews, 2021, 438, 213872.	9.5	51
8	Defects Engineering of Lightweight Metal–Organic Frameworks-Based Electrocatalytic Membrane for High-Loading Lithium–Sulfur Batteries. ACS Nano, 2021, 15, 13803-13813.	7.3	62
9	Secondary Bonding Channel Design Induces Intercalation Pseudocapacitance toward Ultrahigh apacity and Highâ€Rate Organic Electrodes. Advanced Materials, 2021, 33, e2104039.	11.1	18
10	High performance columnar-like Fe2O3@carbon composite anode via yolk@shell structural design. Journal of Energy Chemistry, 2020, 41, 126-134.	7.1	191
11	Strongly Coupled MoS <sub>2</sub> Nanocrystal/Ti <sub>3</sub> C <sub>2</sub> Nanosheet Hybrids Enable High apacity Lithiumâ€ion Storage. ChemSusChem, 2020, 13, 1485-1490.	3.6	39
12	In Situ/Operando Spectroscopic Characterizations Guide the Compositional and Structural Design of Lithium–Sulfur Batteries. Small Methods, 2020, 4, 1900467.	4.6	42
13	Organic polymeric filler-amorphized poly(ethylene oxide) electrolyte enables all-solid-state lithium–metal batteries operating at 35 °C. Journal of Materials Chemistry A, 2020, 8, 13351-13363.	5.2	51
14	Nano-size porous carbon spheres as a high-capacity anode with high initial coulombic efficiency for potassium-ion batteries. Nanoscale Horizons, 2020, 5, 895-903.	4.1	42
15	Propelling polysulfide conversion for high-loading lithium–sulfur batteries through highly sulfiphilic NiCo2S4 nanotubes. Energy Storage Materials, 2020, 27, 51-60.	9.5	80
16	Highly integrated sulfur cathodes with strong sulfur/high-strength binder interactions enabling durable high-loading lithium–sulfur batteries. Journal of Energy Chemistry, 2020, 49, 71-79.	7.1	20
17	Trifluoropropylene Carbonateâ€Driven Interface Regulation Enabling Greatly Enhanced Lithium Storage Durability of Siliconâ€Based Anodes. Advanced Functional Materials, 2019, 29, 1906548.	7.8	49
18	Yolk–shell structured metal oxide@carbon nanoring anode boosting performance of lithium-ion batteries. New Journal of Chemistry, 2019, 43, 16148-16155.	1.4	10

LI ZHANG

#	Article	IF	CITATIONS
19	Nitrogen-doped graphdiyne nanowall stabilized dendrite-free lithium metal anodes. Journal of Materials Chemistry A, 2019, 7, 27535-27546.	5.2	28
20	PECVD-derived graphene nanowall/lithium composite anodes towards highly stable lithium metal batteries. Energy Storage Materials, 2019, 22, 29-39.	9.5	65
21	<i>In situ</i> optical spectroscopy characterization for optimal design of lithium–sulfur batteries. Chemical Society Reviews, 2019, 48, 5432-5453.	18.7	120
22	Vanadium Dioxide-Graphene Composite with Ultrafast Anchoring Behavior of Polysulfides for Lithium–Sulfur Batteries. ACS Applied Materials & Interfaces, 2018, 10, 15733-15741.	4.0	92
23	In Situ Assembly of 2D Conductive Vanadium Disulfide with Graphene as a High‣ulfur‣oading Host for Lithium–Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1800201.	10.2	188
24	A Highly Stretchable Crossâ€Linked Polyacrylamide Hydrogel as an Effective Binder for Silicon and Sulfur Electrodes toward Durable Lithiumâ€Ion Storage. Advanced Functional Materials, 2018, 28, 1705015.	7.8	148
25	Recent progress in the tailored growth of two-dimensional hexagonal boron nitride <i>via</i> chemical vapour deposition. Chemical Society Reviews, 2018, 47, 4242-4257.	18.7	107
26	Growth of defect-engineered graphene on manganese oxides for Li-ion storage. Energy Storage Materials, 2018, 12, 110-118.	9.5	26
27	Selfâ€Assembled Binary Organic Granules with Multiple Lithium Uptake Mechanisms toward Highâ€Energy Flexible Lithiumâ€Ion Hybrid Supercapacitors. Advanced Energy Materials, 2018, 8, 1802273.	10.2	68
28	In-situ PECVD-enabled graphene-V2O3 hybrid host for lithium–sulfur batteries. Nano Energy, 2018, 53, 432-439.	8.2	105
29	Biotemplating Growth of Nepenthes-like N-Doped Graphene as a Bifunctional Polysulfide Scavenger for Li–S Batteries. ACS Nano, 2018, 12, 10240-10250.	7.3	146
30	Caging Nb <sub>2</sub> O <sub>5</sub> Nanowires in PECVDâ€Derived Graphene Capsules toward Bendable Sodiumâ€ion Hybrid Supercapacitors. Advanced Materials, 2018, 30, e1800963.	11.1	155
31	Synchronous immobilization and conversion of polysulfides on a VO <sub>2</sub> –VN binary host targeting high sulfur load Li–S batteries. Energy and Environmental Science, 2018, 11, 2620-2630.	15.6	465
32	Reversible Lithiumâ€lon Uptake in Poly(methylmethacrylate) Thinâ€Film via Lithiation/Delithiation at In Situ Formed Intramolecular Cyclopentanedione. Advanced Energy Materials, 2016, 6, 1601375.	10.2	43
33	Tailoring the Interplay between Ternary Composite Binder and Graphite Anodes toward High-Rate and Long-Life Li-Ion Batteries. Electrochimica Acta, 2016, 191, 70-80.	2.6	25
34	Controllable synthesis of spinel lithium nickel manganese oxide cathode material with enhanced electrochemical performances through a modified oxalate co-precipitation method. Journal of Power Sources, 2015, 274, 1180-1187.	4.0	40
35	Correlation between lithium deposition on graphite electrode and the capacity loss for LiFePO 4 /graphite cells. Electrochimica Acta, 2015, 173, 323-330.	2.6	43
36	In situ growth of three-dimensional graphene coatings on arbitrary-shaped micro/nano materials and its mechanism studies. Carbon, 2015, 92, 84-95.	5.4	17

LI ZHANG

#	Article	IF	CITATIONS
37	A Binary Cyclic Carbonates-Based Electrolyte Containing Propylene Carbonate and Trifluoropropylene Carbonate for 5V Lithium-Ion Batteries. Electrochimica Acta, 2015, 167, 151-159.	2.6	43
38	A coordinatively cross-linked polymeric network as a functional binder for high-performance silicon submicro-particle anodes in lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 19036-19045.	5.2	139
39	Confined synthesis of hierarchical structured LiMnPO4/C granules by a facile surfactant-assisted solid-state method for high-performance lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 711-719.	5.2	59
40	In-situ growth of graphene decorations for high-performance LiFePO4 cathode through solid-state reaction. Journal of Power Sources, 2014, 249, 311-319.	4.0	76
41	In-plane Vacancy-Induced Growth of Ultra-High Loading Cobalt Oxide-Graphene Composite for High-Performance Lithium-Ion Batteries. Electrochimica Acta, 2014, 136, 330-339.	2.6	12
42	Chitosan, a new and environmental benign electrode binder for use with graphite anode in lithium-ion batteries. Electrochimica Acta, 2013, 105, 378-383.	2.6	121
43	Capacity loss induced by lithium deposition at graphite anode for LiFePO4/graphite cell cycling at different temperatures. Electrochimica Acta, 2013, 111, 802-808.	2.6	78
44	Porous graphene frame supported silicon@graphitic carbon via in situ solid-state synthesis for high-performance lithium-ion anodes. Journal of Materials Chemistry A, 2013, 1, 7601.	5.2	52
45	Highly corrosion resistant platinum–niobium oxide–carbon nanotube electrodes for the oxygen reduction in PEM fuel cells. Energy and Environmental Science, 2012, 5, 6156.	15.6	94
46	High Rate Electrochemical Capacitors from Three-Dimensional Arrays of Vanadium Nitride Functionalized Carbon Nanotubes. Journal of Physical Chemistry C, 2011, 115, 24381-24393.	1.5	145