Gareth T Jones

List of Publications by Citations

Source: https://exaly.com/author-pdf/7189151/gareth-t-jones-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 papers

4,046 citations

34 h-index 60 g-index

155 ext. papers

4,943 ext. citations

avg, IF

5.53 L-index

#	Paper	IF	Citations
126	Global prevalence of ankylosing spondylitis. <i>Rheumatology</i> , 2014 , 53, 650-7	3.9	343
125	The prevalence of fibromyalgia in the general population: a comparison of the American College of Rheumatology 1990, 2010, and modified 2010 classification criteria. <i>Arthritis and Rheumatology</i> , 2015 , 67, 568-75	9.5	232
124	Low back pain in schoolchildren: occurrence and characteristics. <i>Pain</i> , 2002 , 97, 87-92	8	221
123	Predictors of low back pain in British schoolchildren: a population-based prospective cohort study. <i>Pediatrics</i> , 2003 , 111, 822-8	7.4	201
122	Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2009 , 143, 92-6	8	168
121	Active exercise, education, and cognitive behavioral therapy for persistent disabling low back pain: a randomized controlled trial. <i>Spine</i> , 2007 , 32, 1578-85	3.3	141
120	HLA-DQA1-HLA-DRB1 variants confer susceptibility to pancreatitis induced by thiopurine immunosuppressants. <i>Nature Genetics</i> , 2014 , 46, 1131-4	36.3	130
119	Risk of recurrent stillbirth: systematic review and meta-analysis. <i>BMJ, The</i> , 2015 , 350, h3080	5.9	110
118	Normative data for the Hospital Anxiety and Depression Scale. <i>Quality of Life Research</i> , 2015 , 24, 391-8	3.7	98
117	The prevalence and management of low back pain across adulthood: results from a population-based cross-sectional study (the MUSICIAN study). <i>Pain</i> , 2012 , 153, 27-32	8	97
116	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 427-36	2.4	96
115	Epidemiology of back pain in older adults: prevalence and risk factors for back pain onset. <i>Rheumatology</i> , 2011 , 50, 1645-53	3.9	92
114	Current evidence of methotrexate efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach. <i>Rheumatology</i> , 2013 , 52, 825-31	3.9	83
113	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010 , 149, 143-151	8	78
112	Current evidence of anti-tumor necrosis factor [treatment efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach of individual drugs. <i>Arthritis Care and Research</i> , 2014 , 66, 1073-84	4.7	71
111	Persons with chronic widespread pain experience excess mortality: longitudinal results from UK Biobank and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1815-1822	2.4	66
110	Are common symptoms in childhood associated with chronic widespread body pain in adulthood? Results from the 1958 British Birth Cohort Study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1669-75		60

109	Predicting the onset of widespread body pain among children. Arthritis and Rheumatism, 2003, 48, 261	5-21	59	
108	Genetic and environmental influences on non-specific low back pain in children: a twin study. <i>European Spine Journal</i> , 2008 , 17, 502-8	2.7	56	
107	Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2016 , 55, 1786-90	3.9	55	
106	The characterisation and determinants of quality of life in ANCA associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 207-11	2.4	52	
105	Diet, lifestyle and chronic widespread pain: results from the 1958 British Birth Cohort Study. <i>Pain Research and Management</i> , 2011 , 16, 87-92	2.6	52	
104	Predicting persistent disabling low back pain in general practice: a prospective cohort study. <i>British Journal of General Practice</i> , 2006 , 56, 334-41	1.6	52	
103	Predicting persistent low back pain in schoolchildren: a prospective cohort study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1359-66		51	
102	Physical activity and emotional problems amongst adolescents : a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 765-72	4.5	49	
101	Fatigue: a principal contributor to impaired quality of life in ANCA-associated vasculitis. <i>Rheumatology</i> , 2010 , 49, 1383-90	3.9	46	
100	Co-Occurrence and Characteristics of Patients With Axial Spondyloarthritis Who Meet Criteria for Fibromyalgia: Results From a UK National Register. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2144-2150	9.5	44	
99	Predicting new onset of widespread pain following a motor vehicle collision. <i>Journal of Rheumatology</i> , 2006 , 33, 968-74	4.1	44	
98	Patients receiving anti-TNF therapies experience clinically important improvements in RA-related fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2015 , 54, 964-71	3.9	42	
97	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015 , 9, 203-12	2.1	38	
96	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011 , 63, 696-701	4.7	36	
95	Managing low back pain presenting to primary care: where do we go from here?. <i>Pain</i> , 2006 , 122, 219-2	228	36	
94	Explaining fatigue in ANCA-associated vasculitis. <i>Rheumatology</i> , 2013 , 52, 1680-5	3.9	35	
93	Occurrence of RaynaudS phenomenon in children ages 12-15 years: prevalence and association with other common symptoms. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3518-21		35	
92	The British Society for Rheumatology Biologics Registers in Ankylosing Spondylitis (BSRBR-AS) study: Protocol for a prospective cohort study of the long-term safety and quality of life outcomes of biologic treatment. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 347	2.8	34	

91	What characterizes persons who do not report musculoskeletal pain? Results from a 4-year Population-based longitudinal study (the Epifund study). <i>Journal of Rheumatology</i> , 2009 , 36, 1071-7	4.1	33
90	Determining Pathways to Improvements in Fatigue in Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2303-10	9.5	32
89	The relationship between body mass index across the life course and knee pain in adulthood: results from the 1958 birth cohort study. <i>Rheumatology</i> , 2011 , 50, 2251-6	3.9	30
88	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: rheumatoid arthritis. <i>Rheumatology</i> , 2012 , 51, 1707-13	3.9	29
87	Markers for work disability in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2014 , 53, 953-6	3.9	28
86	Impact of biological therapy on work outcomes in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS) and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1578-1584	2.4	27
85	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: osteoarthritis. <i>Rheumatology</i> , 2012 , 51, 2224-33	3.9	26
84	Psychosocial Vulnerability and Early Life Adversity as Risk Factors for Central Sensitivity Syndromes. <i>Current Rheumatology Reviews</i> , 2016 , 12, 140-53	1.6	26
83	BSR and BHPR guideline for the treatment of axial spondyloarthritis (including ankylosing spondylitis) with biologics. <i>Rheumatology</i> , 2017 , 56, 313-316	3.9	25
82	EULAR recommendations for management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e54	2.4	23
81	Treatment response and drug retention rates in 24 195 biologic-nalle patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1536-1544	2.4	23
80	Establishing the characteristics for patients with chronic Complex Regional Pain Syndrome: the value of the CRPS-UK Registry. <i>British Journal of Pain</i> , 2015 , 9, 122-8	2.1	23
79	Environmental risk factors in systemic sclerosis. Current Opinion in Rheumatology, 2013, 25, 179-83	5.3	23
78	Does switching anti-TNFIbiologic agents represent an effective option in childhood chronic uveitis: the evidence from a systematic review and meta-analysis approach. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 39-46	5.3	22
77	Is there an association between preterm birth or low birthweight and chronic widespread pain? Results from the 1958 Birth Cohort Study. <i>European Journal of Pain</i> , 2012 , 16, 134-9	3.7	22
76	Influence of childhood behaviour on the reporting of chronic widespread pain in adulthood: results from the 1958 British Birth Cohort Study. <i>Rheumatology</i> , 2010 , 49, 1882-8	3.9	22
75	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 400-6	2.4	22
74	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015 , 42, 2059-65	4.1	21

73	Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci 2020 , 61, 3		20	
72	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010 , 49, 1513-20	3.9	19	
71	Disease Severity in Never Smokers, Ex-Smokers, and Current Smokers With Axial Spondyloarthritis: Results From the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2017 , 69,	140 1 :741	3 ¹⁸	
70	Identifying Persons with Axial Spondyloarthritis At Risk of Poor Work Outcome: Results from the British Society for Rheumatology Biologics Register. <i>Journal of Rheumatology</i> , 2019 , 46, 145-152	4.1	18	
69	Five Potentially Modifiable Factors Predict Poor Quality of Life in Ankylosing Spondylitis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2018 , 45, 62-69	4.1	18	
68	Non-anti-TNF biologic modifier drugs in non-infectious refractory chronic uveitis: The current evidence from a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 238-50	5.3	17	
67	Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2019 , 58, 811-819	3.9	16	
66	Influence of co-morbid fibromyalgia on disease activity measures and response to tumour necrosis factor inhibitors in axial spondyloarthritis: results from a UK national register. <i>Rheumatology</i> , 2018 , 57, 1982-1990	3.9	15	
65	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. <i>Rheumatology</i> , 2014 , 53, 2080-7	3.9	15	
64	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016 , 11, 1	2.9	14	
63	Does physical trauma lead to an increase in the risk of new onset widespread pain?. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 391-3	2.4	14	
62	The epidemiology of regional and widespread musculoskeletal pain in rural versus urban settings in those B 5 years. <i>British Journal of Pain</i> , 2015 , 9, 86-95	2.1	13	
61	Predicting response to anti-TNF[therapy among patients with axial spondyloarthritis (axSpA): results from BSRBR-AS. <i>Rheumatology</i> , 2020 , 59, 2481-2490	3.9	13	
60	Determining factors related to poor quality of life in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS). <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 202-208	2.4	13	
59	Differences in the prevalence of ankylosing spondylitis in primary and secondary care: only one-third of patients are managed in rheumatology. <i>Rheumatology</i> , 2016 , 55, 1820-5	3.9	11	
58	Impact of Smoking in Response to Tumor Necrosis Factor Inhibitors in Axial Spondyloarthritis: Methodologic Considerations for Longitudinal Observational Studies. <i>Arthritis Care and Research</i> , 2020 , 72, 591-599	4.7	11	
57	Impact of Moving From a Widespread to Multisite Pain Definition on Other Fibromyalgia Symptoms. <i>Arthritis Care and Research</i> , 2017 , 69, 1878-1886	4.7	10	
56	The epidemiology of regular opioid use and its association with mortality: Prospective cohort study of 466 486 UK biobank participants. <i>EClinicalMedicine</i> , 2020 , 21, 100321	11.3	10	

55	Examining Changes in Central and Peripheral Pain as Mediates of Fatigue Improvement: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 922-6	4.7	10
54	Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 914-919	2.4	9
53	The prevalence of fibromyalgia in axial spondyloarthritis. Rheumatology International, 2020, 40, 1581-15	59 .16	9
52	The Maintaining Musculoskeletal Health (MAmMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 179	2.8	9
51	AxSpA patients who also meet criteria for fibromyalgia: identifying distinct patient clusters using data from a UK national register (BSRBR-AS). <i>BMC Rheumatology</i> , 2019 , 3, 19	2.9	8
50	Identification and Validation of Clinically Relevant Clusters of Severe Fatigue in Rheumatoid Arthritis. <i>Psychosomatic Medicine</i> , 2017 , 79, 1051-1058	3.7	8
49	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174	2.4	8
48	Psychological therapies for chronic widespread pain and fibromyalgia syndrome. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101416	5.3	7
47	A systematic review of prognostic factors for distal upper limb pain. British Journal of Pain, 2015, 9, 241	-5.51	7
46	Onset of neck pain after a motor vehicle accident: a case-control study. <i>Journal of Rheumatology</i> , 2005 , 32, 1576-83	4.1	7
45	Investigating generalizability of results from a randomized controlled trial of the management of chronic widespread pain: the MUSICIAN study. <i>Pain</i> , 2017 , 158, 96-102	8	6
44	The re-evaluation of the measurement of pain in population-based epidemiological studies: The SHAMA study. <i>British Journal of Pain</i> , 2015 , 9, 134-41	2.1	6
43	The effect of an internet option and single-sided printing format to increase the response rate to a population-based study: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2014 , 14, 104	4.7	6
42	The evidence base for managing older persons with low back pain. British Journal of Pain, 2012, 6, 166-9	2.1	6
41	Effectiveness and treatment retention of TNF inhibitors when used as monotherapy versus comedication with csDMARDs in 15 332 patients with psoriatic arthritis. Data from the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1410-1418	2.4	6
40	Maintained physical activity and physiotherapy in the management of distal upper limb pain - a protocol for a randomised controlled trial (the arm pain trial). <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 71	2.8	5
39	Fatigue-related brain white matter changes in granulomatosis with polyangiitis. <i>Rheumatology</i> , 2013 , 52, 1429-34	3.9	5
38	Predictors of extra-articular manifestations in axial spondyloarthritis and their influence on TNF-inhibitor prescribing patterns: results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis. <i>RMD Open</i> , 2020 , 6,	5.9	4

(2019-2020)

37	Impact of discordance between patients and evaluators global assessment on treatment outcomes in 14′868 patients with spondyloarthritis. <i>Rheumatology</i> , 2020 , 59, 2455-2461	3.9	4
36	Smoking status and cause-specific discontinuation of tumour necrosis factor inhibitors in axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 177	5.7	4
35	Pain reporting in older adults: the influence of cognitive impairment - results from the Cambridge City >75 Cohort study. <i>British Journal of Pain</i> , 2014 , 8, 119-24	2.1	4
34	Reproducibility of pain manikins: a comparison of paper versus online questionnaires. <i>British Journal of Pain</i> , 2013 , 7, 130-7	2.1	4
33	Real-world effectiveness and safety of ustekinumab for the treatment of Crohn's disease: the Scottish ustekinumab cohort. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2067-20	745	4
32	The changing states of fibromyalgia in patients with axial spondyloarthritis: results from the British Society of Rheumatology Biologics Register for Ankylosing Spondylitis. <i>Rheumatology</i> , 2021 , 60, 4121-4	1129	4
31	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAmMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 903-91	1 ^{2.4}	4
30	Epidemiology of chronic pain in children and adolescents: a protocol for a systematic review update. <i>BMJ Open</i> , 2021 , 11, e043675	3	4
29	Real-world 6 and 12-month Drug Retention, Remission and Response Rates of Secukinumab in 2,017 Psoriatic Arthritis patients in 13 European Countries. <i>Arthritis Care and Research</i> , 2021 ,	4.7	4
28	Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1287-1288	2.4	3
27	Comment on Hendriks et al.: prognostic factors for poor recovery in acute whiplash patients. Pain 2005;114:408-416. <i>Pain</i> , 2005 , 119, 247-248	8	3
26	The psychological and psychosocial impact of the Pakistan Kashmir earthquake after 8 months: a preliminary evaluation by PACTT: Pakistan Aberdeen Collaborative Trauma Team. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of		3
25	Comorbidity and response to TNF inhibitors in axial spondyloarthritis: longitudinal analysis of the BSRBR-AS. <i>Rheumatology</i> , 2021 , 60, 4158-4165	3.9	3
24	Association between comorbidities and disease activity in axial spondyloarthritis: results from the BSRBR-AS. <i>Rheumatology</i> , 2021 , 60, 3189-3198	3.9	3
23	The effect of COVID-19 public health restrictions on the health of people with musculoskeletal conditions and symptoms: the CONTAIN study. <i>Rheumatology</i> , 2021 , 60, SI13-SI24	3.9	3
22	Investigating the role of beliefs about emotions, emotional suppression and distress within a pain management programme for fibromyalgia. <i>British Journal of Pain</i> , 2019 , 13, 112-120	2.1	2
21	What is the incidence of complex regional pain syndrome (CRPS) Type I within four months of a wrist fracture in the adult population? A systematic review. <i>Hand Therapy</i> , 2020 , 25, 45-55	1.1	2
20	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. <i>Family Practice</i> , 2019 , 36, 179-186	1.9	2

19	224. The Natural History of Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. <i>Rheumatology</i> , 2014 , 53, i143-i144	3.9	2
18	Alternative population sampling frames produced important differences in estimates of association: a case-control study of vasculitis. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 675-80	5.7	2
17	Epidemiology of pain 2006 , 1199-1214		2
16	Simplified bedside assessment of pulmonary gas exchange in very preterm infants at 36 weeksS postmenstrual age. <i>Thorax</i> , 2021 , 76, 689-695	7.3	2
15	Similar biologic drug response regardless of radiographic status in axial spondyloarthritis: data from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis registry. <i>Rheumatology</i> , 2021 , 60, 5795-5800	3.9	2
14	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. <i>RMD Open</i> , 2019 , 5, e000810	5.9	1
13	The role of metrology in axSpA: does it provide unique information in assessing patients and predicting outcome? Results from the BSRBR-AS registry. <i>Arthritis Care and Research</i> , 2020 ,	4.7	1
12	Quantifying and predicting the effect of anti-TNF therapy on axSpA-related fatigue: results from the BSRBR-AS registry and meta-analysis. <i>Rheumatology</i> , 2020 , 59, 3408-3414	3.9	1
11	Constructs of health belief and disabling distal upper limb pain. <i>Scandinavian Journal of Pain</i> , 2016 , 13, 91-97	1.9	1
10	The BSR-PsA: study protocol for the British Society for Rheumatology psoriatic arthritis register. <i>BMC Rheumatology</i> , 2021 , 5, 19	2.9	1
9	Challenges in the management of distal arm pain. Pain Management, 2012, 2, 97-100	2.3	O
8	Generating EQ-5D-5L health utility scores from BASDAI and BASFI: a mapping study in patients with axial spondyloarthritis using longitudinal UK registry data <i>European Journal of Health Economics</i> , 2022 , 1	3.6	O
7	Treatment of psoriatic arthritis with biologic and targeted synthetic DMARDs: British Society for Rheumatology guideline scope. <i>Rheumatology</i> , 2021 , 60, 1588-1592	3.9	O
6	Depression and anxiety symptoms at TNF inhibitor initiation are associated with impaired treatment response in axial spondyloarthritis. <i>Rheumatology</i> , 2021 , 60, 5734-5742	3.9	O
5	Enabling work participation for people with musculoskeletal conditions: lessons from work changes imposed by COVID-19: a mixed-method study <i>BMJ Open</i> , 2022 , 12, e057919	3	О
4	The psychological and psychosocial impact of the Pakistan Kashmir earthquake after 8 months: a preliminary evaluation by PACTT. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2008 , 5, 43-46		
3	Epidemiolog∃ del dolor 2007 , 1231-1246		
2	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancer-Norfolk cohort: a population-based cross-sectional study. <i>British Journal of Pain</i> , 2018 , 12, 35-46	2.1	

LIST OF PUBLICATIONS

Lessons from experiences of accessing healthcare during the pandemic for remobilizing rheumatology services: a national mixed methods study.. *Rheumatology Advances in Practice*, **2022**, 6, rkac013

1.1