

# Yukio Hitotsuyanagi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7189493/publications.pdf>

Version: 2024-02-01

43

papers

691

citations

567281

15

h-index

580821

25

g-index

43

all docs

43

docs citations

43

times ranked

517

citing authors

#	ARTICLE	IF	CITATIONS
1	Semisynthesis of Antitrypanosomal <i>p</i>-Quinone Analog Possesing the Komaroviquinone Pharmacophore. <i>Chemical and Pharmaceutical Bulletin</i> , 2022, 70, 300-303.	1.3	1
2	Retusone A, a Guiane-Type Sesquiterpene Dimer from Wikstroemia retusa and Its Inhibitory Effects on Histone Acetyltransferase HBO1 Expression. <i>Molecules</i> , 2022, 27, 2909.	3.8	1
3	Garcinielliptone G from Garcinia subelliptica Induces Apoptosis in Acute Leukemia Cells. <i>Molecules</i> , 2021, 26, 2422.	3.8	3
4	Lipase TL®-mediated kinetic resolution of glycerol analogues: Efficient convergent route to both enantiomeric glycerol units. <i>Tetrahedron Letters</i> , 2021, 73, 153138.	1.4	0
5	Design and synthesis of analogues of RA-VII, an antitumor bicyclic hexapeptide from Rubiae radix. <i>Journal of Natural Medicines</i> , 2021, 75, 752-761.	2.3	7
6	Estrogenic phytochemical from Labisia pumila (Myrsinaceae) with selectivity towards estrogen receptor alpha and beta subtypes. FÄ»toterapÄ»Ä‡, 2019, 137, 104256.	2.2	6
7	RAâ€XXV and RAâ€XXVI, Bicyclic Hexapeptides from <i>Rubia cordifolia</i> L.: Structure, Synthesis, and Conformation. <i>Chemistry - an Asian Journal</i> , 2019, 14, 205-215.	3.3	11
8	Methyl dehydroabietate counters high fat diet-induced insulin resistance and hepatic steatosis by modulating peroxisome proliferator-activated receptor signaling in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 214-219.	5.6	6
9	Structure and hydrogen bonds of cyclohexapeptide RA-VII by molecular dynamics simulations and quantum chemical calculations. <i>Molecular Simulation</i> , 2018, 44, 73-84.	2.0	4
10	Biomarkers identification of Lycopodiaceae and Huperziaceae species from peninsular Malaysia with HPLC chromatographic profiling and partial least square analysis. <i>Separation Science Plus</i> , 2018, 1, 660-668.	0.6	2
11	&lt;b&gt;1&lt;/b&gt;&lt;i&gt;O&lt;/i&gt;, 20&lt;/b&gt;&lt;i&gt;O&lt;/i&gt;-diacetyl kamebakaurin protects against acetaminophen-induced hepatotoxicity in &lt;b&gt;mice &lt;/b&gt;. <i>Biomedical Research</i> , 2018, 39, 251-260.	0.9	5
12	Protection from acetaminophen-induced hepatotoxicity by post-administration of 1 <i>O</i> , 20 <i>O</i> -diacetyl kamebakaurin in mice. <i>Fundamental Toxicological Sciences</i> , 2018, 5, 161-165.	0.6	0
13	Suppressive effect of kamebakaurin on acetaminophen-induced hepatotoxicity by inhibiting lipid peroxidation and inflammatory response in mice. <i>Pharmacological Reports</i> , 2017, 69, 903-907.	3.3	19
14	RAâ€dimerâ€...B, a New Dimeric RAâ€series Cyclopeptide Incorporating Two Different Types of Cycloisodityrosine Units, from <i>Rubia cordifolia</i> â€...L.. <i>Chemistry - an Asian Journal</i> , 2016, 11, 3389-3397.	3.3	7
15	Semisynthesis of salviandulin E analogues and their antitrypanosomal activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 442-446.	2.2	11
16	Aza-cycloisodityrosine analogue of RA-VII, an antitumor bicyclic hexapeptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 6728-6731.	2.2	4
17	Stemono-amines Câ€E, new alkaloids from Stemona tuberosa. <i>Tetrahedron Letters</i> , 2013, 54, 6995-6998.	1.4	11
18	Goniolandrene A and B from Goniothalamus macrophyllus. FÄ»toterapÄ»Ä‡, 2013, 88, 1-6.	2.2	13

#	ARTICLE	IF	CITATIONS
19	Structures of stemona-amine B and stemona-lactams Mâ€“R. <i>Tetrahedron</i> , 2013, 69, 6297-6304.	1.9	24
20	Conformational folding of mycobacterial methoxy- and ketomycolic acids facilitated by $\hat{\pm}$ -methyl trans-cyclopropane groups rather than cis-cyclopropane units. <i>Microbiology (United Kingdom)</i> , 2013, 159, 2405-2415.	1.8	18
21	Synthesis of [Tyr-5- $\hat{\gamma}$ (CH2NMe)-Tyr-6]RA-VII, a reduced peptide bond analogue of RA-VII, an antitumor bicyclic hexapeptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 2757-2759.	2.2	2
22	O-Seco-RA-XXIV, a possible precursor of an antitumor peptide RA-XXIV, from <i>Rubia cordifolia</i> L.. <i>Phytochemistry Letters</i> , 2012, 5, 335-339.	1.2	11
23	Isolation, Structure Determination, and Synthesis of Alloâ€RAâ€V and Neoâ€RAâ€V, RAâ€Series Bicyclic Peptides from <i>Rubia cordifolia</i> L.. <i>Chemistry - A European Journal</i> , 2012, 18, 2839-2846.	3.3	33
24	Per-N-methylated analogues of an antitumor bicyclic hexapeptide RA-VII. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2458-2463.	3.0	6
25	Sesquiterpene Lactones from <i>Daucus glaber</i>. <i>Helvetica Chimica Acta</i> , 2010, 93, 48-57.	1.6	9
26	Design and synthesis of a bis(cycloisodityrosine) analogue of RA-VII, an antitumor bicyclic hexapeptide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 6458-6461.	2.2	5
27	Structures of cytotoxic bicyclic hexapeptides, RA-XIX, -XX, -XXI, and -XXII, from <i>Rubia cordifolia</i> L.. <i>Tetrahedron</i> , 2008, 64, 4117-4125.	1.9	14
28	A novel bicyclic hexapeptide, RA-XVIII, from <i>Rubia cordifolia</i> : Structure, semi-synthesis, and cytotoxicity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 808-811.	2.2	27
29	New Cytotoxic Bicyclic Hexapeptides, RA-XXIII and RA-XXIV, from <i>Rubia cordifolia</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 730-733.	1.3	25
30	Chemical Modification via Thioamide Intermediates and Conformation-Activity Relationships of an Antitumor Bicyclic Hexapeptide RA-VII. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2004, 62, 993-1005.	0.1	3
31	Isolation, structural elucidation, and synthesis of RA-XVII, a novel bicyclic hexapeptide from <i>Rubia cordifolia</i> , and the effect of side chain at residue 1 upon the conformation and cytotoxic activity. <i>Tetrahedron Letters</i> , 2004, 45, 935-938.	1.4	21
32	Synthesis of [Gly-1]RA-VII, [Gly-2]RA-VII, and [Gly-4]RA-VII. Glycine-Containing Analogues of RA-VII, an Antitumor Bicyclic Hexapeptide from Rubia Plants. <i>Journal of Organic Chemistry</i> , 2004, 69, 1481-1486.	3.2	12
33	Semisynthesis of an Analogue of Antitumor Bicyclic Hexapeptide RA-VII by Fixing the Ala-2/Tyr-3 Bond to Cisby Incorporating a Triazolesis-Amide Bond Surrogate. <i>Organic Letters</i> , 2004, 6, 1111-1114.	4.6	26
34	RA-VII, a cyclic depsipeptide, changes the conformational structure of actin to cause G2 arrest by the inhibition of cytokinesis. <i>Cancer Letters</i> , 2004, 209, 223-229.	7.2	38
35	Synthesis of I,I-cycloisodityrosines by copper(II) acetate-DMAP-mediated intramolecular O-arylation of phenols with phenylboronic acids. <i>Tetrahedron Letters</i> , 2003, 44, 5901-5903.	1.4	44
36	Synthesis of [l-Ala-1]RA-VII, [d-Ala-2]RA-VII, and [d-Ala-4]RA-VII by Epimerization of RA-VII, an Antitumor Bicyclic Hexapeptide from Rubia Plants, through Oxazoles. <i>Journal of the American Chemical Society</i> , 2003, 125, 7284-7290.	13.7	27

#	ARTICLE	IF	CITATIONS
37	AcisAmide Bond Surrogate Incorporating 1,2,4-Triazole. <i>Journal of Organic Chemistry</i> , 2002, 67, 3266-3271.	3.2	78
38	RA-dimer A, a novel dimeric antitumor bicyclic hexapeptide from <i>Rubia cordifolia L.</i> . <i>Tetrahedron Letters</i> , 2000, 41, 6127-6130.	1.4	16
39	Degradation of an antitumour bicyclic hexapeptide RA-VII into cycloisodityrosines. <i>Chemical Communications</i> , 2000, , 1633-1634.	4.1	14
40	Anti Tumor Compounds Isolated from Higher Plants. <i>Studies in Natural Products Chemistry</i> , 2000, 24, 269-350.	1.8	6
41	Studies on RA Derivatives. I. Preparation and Cytotoxicity of Cyclic Hexapeptides, RA Derivatives.. <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 1266-1269.	1.3	22
42	Studies on RA Derivatives. V. Synthesis and Antitumor Activity of Ala2-Modified RA-VII Derivatives.. <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 1402-1410.	1.3	25
43	Conformational analysis of antitumor cyclic hexapeptides, RA series. <i>Tetrahedron</i> , 1991, 47, 2757-2772.	1.9	74