Heather Allison

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7189655/heather-allison-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41	1,215	25	34
papers	citations	h-index	g-index
47	1,448 ext. citations	5.5	4.2
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
41	Amoebicidal Activity of Poly-Epsilon-Lysine Functionalized Hydrogels. 2022 , 63, 11		O
40	Tracing the fate of wastewater viruses reveals catchment-scale virome diversity and connectivity. Water Research, 2021 , 203, 117568	12.5	3
39	The Site-Specific Recombination System of the Bacteriophage 🛚 4. <i>Frontiers in Microbiology</i> , 2020 , 11, 578056	5.7	O
38	Investigating the Antibacterial Properties of Inverse Vulcanized Sulfur Polymers. <i>ACS Omega</i> , 2020 , 5, 5229-5234	3.9	21
37	Structural annotation of the conserved carbohydrate esterase vb_24B_21 from Shiga toxin-encoding bacteriophage 2 4. <i>Journal of Structural Biology</i> , 2020 , 212, 107596	3.4	2
36	Antimicrobial Activity of Poly-epsilon-lysine Peptide Hydrogels Against Pseudomonas aeruginosa 2020 , 61, 18		6
35	Viromic Analysis of Wastewater Input to a River Catchment Reveals a Diverse Assemblage of RNA Viruses. <i>MSystems</i> , 2018 , 3,	7.6	36
34	Nano-structured rhodium doped SrTiO3\(\text{V} isible light activated photocatalyst for water decontamination. } Applied Catalysis B: Environmental, 2017, 206, 547-555	21.8	53
33	Shigatoxin encoding Bacteriophage ?24 modulates bacterial metabolism to raise antimicrobial tolerance. <i>Scientific Reports</i> , 2017 , 7, 40424	4.9	11
32	Development of a Poly-Lysine Contact Lens as a Drug Delivery Device for the Treatment of Fungal Keratitis 2017 , 58, 4499-4505		16
31	Characterising the Canine Oral Microbiome by Direct Sequencing of Reverse-Transcribed rRNA Molecules. <i>PLoS ONE</i> , 2016 , 11, e0157046	3.7	25
30	Transcriptomic analysis of Shiga-toxigenic bacteriophage carriage reveals a profound regulatory effect on acid resistance in Escherichia coli. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 8118-25	4.8	31
29	The microbial ecology of anaerobic cellulose degradation in municipal waste landfill sites: evidence of a role for fibrobacters. <i>Environmental Microbiology</i> , 2012 , 14, 1077-87	5.2	34
28	Comparative genomics of Shiga toxin encoding bacteriophages. <i>BMC Genomics</i> , 2012 , 13, 311	4.5	66
27	Identification of genes expressed in cultures of E. coli lysogens carrying the Shiga toxin-encoding prophage 24 B. <i>BMC Microbiology</i> , 2012 , 12, 42	4.5	13
26	Short communication: Characterization of Shiga toxin 2-carrying bacteriophages induced from Shiga-toxigenic Escherichia coli isolated from Italian dairy products. <i>Journal of Dairy Science</i> , 2012 , 95, 6949-56	4	2
25	Development and application of a method for the purification of free shigatoxigenic bacteriophage from environmental samples. <i>Journal of Microbiological Methods</i> , 2012 , 91, 240-5	2.8	6

(2005-2012)

24	Cumulative effect of prophage burden on Shiga toxin production in Escherichia coli. <i>Microbiology</i> (<i>United Kingdom</i>), 2012 , 158, 488-497	2.9	27
23	Importance of Micromonospora spp. as colonizers of cellulose in freshwater lakes as demonstrated by quantitative reverse transcriptase PCR of 16S rRNA. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 3495-9	4.8	12
22	Characterization of the relationship between integrase, excisionase and antirepressor activities associated with a superinfecting Shiga toxin encoding bacteriophage. <i>Nucleic Acids Research</i> , 2011 , 39, 2116-29	20.1	37
21	Development and validation of a qPCR-based method for quantifying Shiga toxin-encoding and other lambdoid bacteriophages. <i>Environmental Microbiology</i> , 2010 , 12, 1194-204	5.2	29
20	454-pyrosequencing: a molecular battiscope for freshwater viral ecology. <i>Genes</i> , 2010 , 1, 210-26	4.2	11
19	High-throughput method for rapid induction of prophages from lysogens and its application in the study of Shiga Toxin-encoding Escherichia coli strains. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 2360-5	4.8	21
18	Bacteriophage lambda: a paradigm revisited. Journal of Virology, 2010, 84, 6876-9	6.6	28
17	Composition of the landfill microbial community as determined by application of domain- and group-specific 16S and 18S rRNA-targeted oligonucleotide probes. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 1301-6	4.8	26
16	Molecular biological detection and quantification of novel Fibrobacter populations in freshwater lakes. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 5148-52	4.8	18
15	Detection of novel Fibrobacter populations in landfill sites and determination of their relative abundance via quantitative PCR. <i>Environmental Microbiology</i> , 2008 , 10, 1310-9	5.2	26
14	Cellulose degradation by micromonosporas recovered from freshwater lakes and classification of these actinomycetes by DNA gyrase B gene sequencing. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 7080-4	4.8	35
13	Effects of a nanoparticulate silica substrate on cell attachment of Candida albicans. <i>Journal of Applied Microbiology</i> , 2007 , 102, 757-65	4.7	56
12	Multilocus characterization scheme for shiga toxin-encoding bacteriophages. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 8032-40	4.8	26
11	Short-tailed stx phages exploit the conserved YaeT protein to disseminate Shiga toxin genes among enterobacteria. <i>Journal of Bacteriology</i> , 2007 , 189, 7223-33	3.5	51
10	Identification of multiple integration sites for Stx-phage Phi24B in the Escherichia coli genome, description of a novel integrase and evidence for a functional anti-repressor. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 4098-4110	2.9	35
9	Stx-phages: drivers and mediators of the evolution of STEC and STEC-like pathogens. <i>Future Microbiology</i> , 2007 , 2, 165-74	2.9	102
8	Survival of a Shiga toxin-encoding bacteriophage in a compost model. <i>FEMS Microbiology Letters</i> , 2005 , 245, 369-75	2.9	26
7	Occurrence of hlyA and sheA genes in extraintestinal Escherichia coli strains. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2965-8	9.7	34

6	Putative anti-muscarinic antibodies cannot be detected in patients with primary Sjogrenæ syndrome using conventional immunological approaches. <i>British Journal of Rheumatology</i> , 2004 , 43, 1488-95	; 3	35
5	Immunity profiles of wild-type and recombinant shiga-like toxin-encoding bacteriophages and characterization of novel double lysogens. <i>Infection and Immunity</i> , 2003 , 71, 3409-18	7	73
4	Phage-mediated transfer of virulence genes. <i>Journal of Chemical Technology and Biotechnology</i> , 2001 , 76, 662-666	2	27
3	Lytic and lysogenic infection of diverse Escherichia coli and Shigella strains with a verocytotoxigenic bacteriophage. <i>Applied and Environmental Microbiology</i> , 2001 , 67, 4335-7	8	36
2	Cloning and characterization of a Prevotella melaninogenica hemolysin. <i>Infection and Immunity</i> , 1997 , 65, 2765-71	2	23
1	Characterization of TPI gene expression in isogeneic wild-type and gcr1-deletion mutant strains of Saccharomyces cerevisiae. <i>Nucleic Acids Research</i> , 1990 , 18, 7099-107	- 4	1 6