

Ji-Man Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7189790/ji-man-park-publications-by-year.pdf>

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 papers	1,126 citations	19 h-index	29 g-index
110 ext. papers	1,550 ext. citations	2.1 avg, IF	5.19 L-index

#	Paper	IF	Citations
106	Full mouth rehabilitation of the patient with severely worn dentition and limited vertical dimension. <i>The Journal of Korean Academy of Prosthodontics</i> , 2022 , 60, 91	0.2	
105	Accuracy of Surgical Robot System Compared to Surgical Guide for Dental Implant Placement: A Pilot Study 2022 , 26, 27-38		1
104	Evaluation of different registration methods and dental restorations on the registration duration and accuracy of cone beam computed tomography data and intraoral scans: a retrospective clinical study.. <i>Clinical Oral Investigations</i> , 2022 , 1	4.2	
103	Dimensional accuracy and surface characteristics of 3D-printed dental casts. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 427-437	4	11
102	Trueness of intraoral scanners in digitizing specific locations at the margin and intaglio surfaces of intracoronal preparations. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 779-786	4	5
101	An in vitro comparison of the marginal and internal adaptation of ultrathin occlusal veneers made of 3D-printed zirconia, milled zirconia, and heat-pressed lithium disilicate. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	3
100	Dental students' perceptions on a simulated practice using patient-based customised typodonts during the transition from preclinical to clinical education. <i>European Journal of Dental Education</i> , 2021 ,	2.5	2
99	In Vitro Comparison between Metal Sleeve-Free and Metal Sleeve-Incorporated 3D-Printed Computer-Assisted Implant Surgical Guides. <i>Materials</i> , 2021 , 14,	3.5	4
98	Restoration of implant-supported fixed dental prosthesis using the automatic abutment superimposition function of the intraoral scanner in partially edentulous patients. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021 , 59, 79	0.2	
97	Accuracy of Dental Implant Placement by a Novel In-House Model-Free and Zero-Setup Fully Guided Surgical Template Made of a Light-Cured Composite Resin (VARO Guide): A Comparative In Vitro Study. <i>Materials</i> , 2021 , 14,	3.5	1
96	Immediate loading of fixed partial prostheses reconstructed using either tapered or straight implants in the posterior area: A randomized clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 703-715	3.9	1
95	Fabrication of Metal-Reinforced Complete Dentures Using the CAD-CAM Technique. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7369	2.6	0
94	Immediate loading protocols increase the risk of failure of implants placed by fully guided surgery in partially edentulous jaws: A randomized clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 735-744	3.9	1
93	The Measurement of Dimensional Ridge Contour Changes after Tooth Extraction Using Intraoral Scanner: A Clinical Pilot Study 2021 , 25, 114-123		
92	Correlation analysis of periodontal tissue dimensions in the esthetic zone using a non-invasive digital method. <i>Journal of Periodontal and Implant Science</i> , 2021 , 51, 88-99	2	1
91	Comparative evaluation of two sets of complete dentures fabricated by digital and conventional workflow in a single patient: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021 , 59, 350	0.2	
90	Trueness of ten intraoral scanners in determining the positions of simulated implant scan bodies. <i>Scientific Reports</i> , 2021 , 11, 2606	4.9	10

89	Effects of Scanning Strategy and Scanner Type on the Accuracy of Intraoral Scans: A New Approach for Assessing the Accuracy of Scanned Data. <i>Journal of Prosthodontics</i> , 2020 , 29, 518-523	3.9	28
88	Biomechanical Evaluation of Initial Stability of a Root Analogue Implant Design with Drilling Protocol: A 3D Finite Element Analysis. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4104	2.6	1
87	Dental students' clinical confidence in denture treatment after clinical experiences. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 185	0.2	
86	Abutment-Level Digital Impression Using Abutment Matching Algorithm, And Insurance-Covered Implant Prosthesis By Metal 3D Printing: A Case Report. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2020 , 24, 137-147	0.3	
85	Comparison between Occlusal Errors of Single Posterior Crowns Adjusted Using Patient Specific Motion or Conventional Methods. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 9140	2.6	0
84	Investigation of Optimal Cement Space in 3D Printed 3-unit Resin Prosthesis: A Pilot Study. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2020 , 24, 62-75	0.3	1
83	Evaluation of the accuracy of three different intraoral scanners for endocrown digital impression: An in vitro study. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 282	0.2	
82	Wear resistance of 3D-printed denture tooth resin opposing zirconia and metal antagonists. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 387-394	4	15
81	Assessment of Compatibility between Various Intraoral Scanners and 3D Printers through an Accuracy Analysis of 3D Printed Models. <i>Materials</i> , 2020 , 13,	3.5	3
80	Clinical factors influencing implant positioning by guided surgery using a nonmetal sleeve template in the partially edentulous ridge: Multiple regression analysis of a prospective cohort. <i>Clinical Oral Implants Research</i> , 2020 , 31, 1187-1198	4.8	6
79	Changes in mucogingival junction after an apically positioned flap with collagen matrix at sites with or without previous guided bone regeneration: A prospective comparative cohort study. <i>Clinical Oral Implants Research</i> , 2020 , 31, 1199-1206	4.8	0
78	Flexural Strength of 3D-Printing Resin Materials for Provisional Fixed Dental Prostheses. <i>Materials</i> , 2020 , 13,	3.5	8
77	Comparative reproducibility analysis of 6 intraoral scanners used on complex intracoronal preparations. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 113-120	4	24
76	Optical Impression in Restorative Dentistry 2019 ,		3
75	The use of implant surveyed fixed prosthesis for removable partial denture with a few unilateral remaining teeth: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 254	0.2	1
74	Assessment of metal sleeve-free 3D-printed implant surgical guides. <i>Dental Materials</i> , 2019 , 35, 468-476	5.7	17
73	Measuring the Complete-arch Distortion of an Optical Dental Impression. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	3
72	Digital workflow to provide an immediate interim restoration after single-implant placement by using a surgical guide and a matrix-positioning device. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 17-21	4	9

71	Use of Model-Free and Zero-Setup ComputerGuided Implant Surgical Template for Partial Edentulous Cases. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2019 , 23, 220-228	0.3	1
70	Use of an Extraoral Transfer Jig and a Handheld Face Scanner App for Integrating Face Scan Data into Prosthesis Design. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2019 , 23, 106-110	0.3	
69	Rehabilitation with implant-supported fixed dental prostheses using digital duplication technique on customized artificial tooth, interim denture and implant surgical template: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 397	0.2	1
68	Trueness of digital intraoral impression in reproducing multiple implant position. <i>PLoS ONE</i> , 2019 , 14, e0222070	3.7	19
67	Integration of intraoral digital scans with a 3D facial scan for anterior tooth rehabilitation. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 394-397	4	14
66	Trueness of digital intraoral impression in reproducing multiple implant position 2019 , 14, e0222070		
65	Trueness of digital intraoral impression in reproducing multiple implant position 2019 , 14, e0222070		
64	Trueness of digital intraoral impression in reproducing multiple implant position 2019 , 14, e0222070		
63	Trueness of digital intraoral impression in reproducing multiple implant position 2019 , 14, e0222070		
62	A Study on Possibility of Clinical Application for Color Measurements of Shade Guides Using an Intraoral Digital Scanner. <i>Journal of Prosthodontics</i> , 2018 , 27, 670-675	3.9	16
61	Comparison of digital intraoral scanner reproducibility and image trueness considering repetitive experience. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 225-232	4	106
60	Wear Resistance of 3D Printing Resin Material Opposing Zirconia and Metal Antagonists. <i>Materials</i> , 2018 , 11,	3.5	18
59	Accuracy of 9 intraoral scanners for complete-arch image acquisition: A qualitative and quantitative evaluation. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 895-903.e1	4	62
58	Accuracy comparison of buccal bite scans by five intra-oral scanners. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2018 , 34, 17-31	0.2	4
57	Study on Users' Responses to Facebook Messages from Dental Clinics Study on Users' Responses to Facebook Messages from Dental Clinics. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2018 , 22, 18-34	0.3	
56	Review of Computer-assisted Implant Surgeries: Navigation Surgery System vs. Computer-guided Implant Template vs. Robot Review of Computer-assisted Implant Surgeries: Navigation Surgery System vs. Computer-guided Implant Template vs. Robot. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2018 , 22, 50-58	0.3	
55	Review of Computer-assisted Implant Surgeries: Navigation Surgery System vs. Computer-guided Implant Template vs. Robot. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2018 , 22, 50-58	0.3	6
54	Study on Users' Responses to Facebook Messages from Dental Clinics. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2018 , 22, 18-34	0.3	1

53	Comparison of Reproducibility of Milled Acrylic Resin and Zirconia Models for 3-unit bridge Using Three-dimensional Analysis. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2018 , 22, 130-138 ³	0.3	
52	3D Printing of Resin Material for Denture Artificial Teeth: Chipping and Indirect Tensile Fracture Resistance. <i>Materials</i> , 2018 , 11,	3.5	33
51	Precision of digital implant models compared to conventional implant models for posterior single implant crowns: A within-subject comparison. <i>Clinical Oral Implants Research</i> , 2018 , 29, 931-936	4.8	11
50	Accuracy of a digital removable partial denture fabricated by casting a rapid prototyped pattern: A clinical study. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 468-474	4	26
49	Digital technique for in vivo assessment of internal and marginal fit of fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 452-454	4	10
48	An In Vitro Evaluation of the Loosening of Different Interchangeable Abutments in Internal-Connection-Type Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, 350-355	2.8	9
47	Analysis on the Accuracy of Intraoral Scanners: The Effects of Mandibular Anterior Interdental Space. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 719	2.6	8
46	Accuracy of several implant bite registration techniques: an pilot study. <i>Journal of Advanced Prosthodontics</i> , 2017 , 9, 341-349	2.2	8
45	Flexural strength of various kinds of the resin bridges fabricated with 3D printing. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2017 , 33, 260-268	0.2	2
44	Implant-supported Restoration Cases Fabricated from Digital Impression Data with the Help of Intraoral Scanner and Virtual Articulator Implant-supported Restoration Cases Fabricated from Digital Impression Data with the Help of Intraoral Scanner and Virtual Articulator. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2017 , 21, 14-23	0.3	
43	RPD framework fabrication using computer-aided design (CAD) and rapid prototyping. <i>The Journal of Korean Academy of Prosthodontics</i> , 2017 , 55, 94	0.2	5
42	Implant-supported Restoration Cases Fabricated from Digital Impression Data with the Help of Intraoral Scanner and Virtual Articulator. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , 2017 , 21, 14-23	0.3	2
41	An in vitro study of mesenchymal stem cell proliferation on titanium discs coated with rhTGF- β /PLGA by electrospray. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 120	0.2	
40	Comparison of Customized Abutments Made from Titanium and a Machinable Precious Alloy. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 92-100	2.8	3
39	Clinical evaluations of cast gold alloy, machinable zirconia, and semiprecious alloy crowns: A multicenter study. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 684-91	4	19
38	Full mouth rehabilitation of a patient with occlusal plane discrepancy with milling machine for clinic. <i>Daehan Simmi Chisgwa Haghoeji</i> , 2016 , 25, 68-78		
37	Evaluation of marginal and internal gap under model-free monolithic zirconia restoration fabricated by digital intraoral scanner. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 210	0.2	3
36	New method of assessing the relationship between buccal bone thickness and gingival thickness. <i>Journal of Periodontal and Implant Science</i> , 2016 , 46, 372-381	2	21

35	A comparison of the precision of three-dimensional images acquired by 2 digital intraoral scanners: effects of tooth irregularity and scanning direction. <i>Korean Journal of Orthodontics</i> , 2016 , 46, 3-12	1.4	74
34	Clinical evaluation of the removable partial dentures with implant fixed prostheses. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 239	0.2	4
33	Prosthetic rehabilitation of marginal mandibulectomized patient using implant-supported removable partial denture. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016 , 54, 126	0.2	
32	Impact of Orthodontic Brackets on the Intraoral Scan Data Accuracy. <i>BioMed Research International</i> , 2016 , 2016, 5075182	3	14
31	Comparative analysis on reproducibility among 5 intraoral scanners: sectional analysis according to restoration type and preparation outline form. <i>Journal of Advanced Prosthodontics</i> , 2016 , 8, 354-362	2.2	47
30	Comparison of experience curves between two 3-dimensional intraoral scanners. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 221-30	4	79
29	Bone Regeneration of Blood-derived Stem Cells within Dental Implants. <i>Journal of Dental Research</i> , 2015 , 94, 1318-25	8.1	7
28	Biochemical Responses of Anodized Titanium Implants with a Poly(lactide-co-glycolide)/Bone Morphogenic Protein-2 Submicron Particle Coating. Part 1: An In Vitro Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 512-518	2.8	7
27	Biochemical Responses of Anodized Titanium Implants with a Poly(lactide-co-glycolide)/Bone Morphogenic Protein-2 Submicron Particle Coating. Part 2: An In Vivo Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 754-60	2.8	9
26	Changes in views on digital intraoral scanners among dental hygienists after training in digital impression taking. <i>BMC Oral Health</i> , 2015 , 15, 151	3.7	22
25	Porcelain repair - Influence of different systems and surface treatments on resin bond strength. <i>Journal of Advanced Prosthodontics</i> , 2015 , 7, 343-8	2.2	17
24	A case report of a surgical guide fabricated via intraoral scanning-based implant planning and wax-based rapid prototyping. <i>The Journal of Korean Academy of Prosthodontics</i> , 2015 , 53, 244	0.2	
23	Optimizing third molar autotransplantation: applications of reverse-engineered surgical templates and rapid prototyping of three-dimensional teeth. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014 , 72, 1653-9	1.8	16
22	The effect of abutment screw length on screw loosening in dental implants with external abutment connections after thermocycling. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 59-62	2.8	20
21	Strain gauge analysis of occlusal forces on implant prostheses at various occlusal heights. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 1034-41	2.8	5
20	Comparison of five-axis milling and rapid prototyping for implant surgical templates. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 374-83	2.8	24
19	Measuring abutment convergence angles using stereovision dental image processing system. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 259-65	2.2	
18	A comparative study of gold UCLA-type and CAD/CAM titanium implant abutments. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 46-52	2.2	7

17	A survey of the satisfaction of patients who have undergone implant surgery with and without employing a computer-guided implant surgical template. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 395-405	2.2	14
16	Characteristics and response of mouse bone marrow derived novel low adherent mesenchymal stem cells acquired by quantification of extracellular matrix. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 351-60	2.2	3
15	Three dimensional finite element analysis of the stress distribution around the mandibular posterior implant during non-working movement according to the amount of cantilever. <i>Journal of Advanced Prosthodontics</i> , 2014 , 6, 361-71	2.2	8
14	A study on the impacts of infection control education on dental hygienists' perceptions for hepatitis type B and their practices to prevent infection. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014 , 52, 287	0.2	2
13	Comparative study on stress distribution around internal tapered connection implants according to fit of cement- and screw-retained prostheses. <i>Journal of Advanced Prosthodontics</i> , 2013 , 5, 312-8	2.2	10
12	An assessment of template-guided implant surgery in terms of accuracy and related factors. <i>Journal of Advanced Prosthodontics</i> , 2013 , 5, 440-7	2.2	27
11	Finite element modeling technique for predicting mechanical behaviors on mandible bone during mastication. <i>Journal of Advanced Prosthodontics</i> , 2012 , 4, 218-26	2.2	15
10	Customized abutment and screw-type implant prostheses after cementation based on the digital intra-oral impression technique. <i>The Journal of Korean Academy of Prosthodontics</i> , 2012 , 50, 67	0.2	8
9	Surveyed restoration and RPD framework design utilizing electronic surveying. <i>The Journal of Korean Academy of Prosthodontics</i> , 2011 , 49, 354	0.2	7
8	Evaluation of shear bond strengths of gingiva-colored composite resin to porcelain, metal and zirconia substrates. <i>Journal of Advanced Prosthodontics</i> , 2011 , 3, 166-71	2.2	9
7	Responses of periodontal ligament stem cells on various titanium surfaces. <i>Oral Diseases</i> , 2011 , 17, 320-3.5	2.2	23
6	A 3-dimensional finite element analysis of tapered internal connection implant system (Avana SS III□) on different abutment connections. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010 , 48, 181	0.2	1
5	Accuracy of 5-axis precision milling for guided surgical template. <i>The Journal of Korean Academy of Prosthodontics</i> , 2010 , 48, 294	0.2	3
4	Full mouth rehabilitation of the patient with severely worn dentition: a case report. <i>Journal of Advanced Prosthodontics</i> , 2010 , 2, 106-10	2.2	33
3	The patients' satisfaction following implant treatment. <i>The Journal of Korean Academy of Prosthodontics</i> , 2008 , 46, 569	0.2	9
2	Osseointegration of anodized titanium implants coated with fibroblast growth factor-fibronectin (FGF-FN) fusion protein. <i>International Journal of Oral and Maxillofacial Implants</i> , 2006 , 21, 859-66	2.8	34
1	Trueness of digital intraoral impression in reproducing multiple implant position		1