

Lin Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7189915/publications.pdf>

Version: 2024-02-01

160
papers

31,951
citations

15466

65
h-index

7496

151
g-index

161
all docs

161
docs citations

161
times ranked

43428
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	Serial Analysis of Gene Expression. <i>Science</i> , 1995, 270, 484-487.	6.0	3,976
3	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
4	A high-affinity conformation of Hsp90 confers tumour selectivity on Hsp90 inhibitors. <i>Nature</i> , 2003, 425, 407-410.	13.7	1,322
5	PUMA Induces the Rapid Apoptosis of Colorectal Cancer Cells. <i>Molecular Cell</i> , 2001, 7, 673-682.	4.5	1,162
6	14-3-3 β Is a p53-Regulated Inhibitor of G2/M Progression. <i>Molecular Cell</i> , 1997, 1, 3-11.	4.5	1,153
7	Characterization of the Yeast Transcriptome. <i>Cell</i> , 1997, 88, 243-251.	13.5	1,009
8	Whole genome amplification from a single cell: implications for genetic analysis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 5847-5851.	3.3	861
9	Role of BAX in the Apoptotic Response to Anticancer Agents. <i>Science</i> , 2000, 290, 989-992.	6.0	843
10	Analysis of human transcriptomes. <i>Nature Genetics</i> , 1999, 23, 387-388.	9.4	719
11	The transcriptional targets of p53 in apoptosis control. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 851-858.	1.0	691
12	The Tumor Suppressor p53 Limits Ferroptosis by Blocking DPP4 Activity. <i>Cell Reports</i> , 2017, 20, 1692-1704.	2.9	608
13	PUMA mediates the apoptotic response to p53 in colorectal cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1931-1936.	3.3	531
14	Male mice defective in the DNA mismatch repair gene PMS2 exhibit abnormal chromosome synapsis in meiosis. <i>Cell</i> , 1995, 82, 309-319.	13.5	512
15	PUMA, a potent killer with or without p53. <i>Oncogene</i> , 2008, 27, S71-S83.	2.6	466
16	Identification and classification of p53-regulated genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 14517-14522.	3.3	424
17	A Functional Genomic Approach Identifies FAL1 as an Oncogenic Long Noncoding RNA that Associates with BMI1 and Represses p21 Expression in Cancer. <i>Cancer Cell</i> , 2014, 26, 344-357.	7.7	361
18	Sulforaphane-induced G2/M Phase Cell Cycle Arrest Involves Checkpoint Kinase 2-mediated Phosphorylation of Cell Division Cycle 25C. <i>Journal of Biological Chemistry</i> , 2004, 279, 25813-25822.	1.6	317

#	ARTICLE	IF	CITATIONS
19	microRNA-21 Negatively Regulates Cdc25A and Cell Cycle Progression in Colon Cancer Cells. <i>Cancer Research</i> , 2009, 69, 8157-8165.	0.4	288
20	Circular RNA-ITCH Suppresses Lung Cancer Proliferation via Inhibiting the Wnt/ β -Catenin Pathway. <i>BioMed Research International</i> , 2016, 2016, 1-11.	0.9	284
21	p53/HMGB1 Complexes Regulate Autophagy and Apoptosis. <i>Cancer Research</i> , 2012, 72, 1996-2005.	0.4	220
22	Immunogenic effects of chemotherapy-induced tumor cell death. <i>Genes and Diseases</i> , 2018, 5, 194-203.	1.5	219
23	PUMA Regulates Intestinal Progenitor Cell Radiosensitivity and Gastrointestinal Syndrome. <i>Cell Stem Cell</i> , 2008, 2, 576-583.	5.2	199
24	Regulation of PUMA β by p53 in cisplatin-induced renal cell apoptosis. <i>Oncogene</i> , 2006, 25, 4056-4066.	2.6	184
25	No PUMA, no death. <i>Cancer Cell</i> , 2003, 4, 248-249.	7.7	181
26	Single sperm analysis of the trinucleotide repeats in the Huntington's disease gene: quantification of the mutation frequency spectrum. <i>Human Molecular Genetics</i> , 1995, 4, 1519-1526.	1.4	180
27	PUMA-mediated intestinal epithelial apoptosis contributes to ulcerative colitis in humans and mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1722-1732.	3.9	162
28	PUMA Dissociates Bax and Bcl-XL to Induce Apoptosis in Colon Cancer Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 16034-16042.	1.6	158
29	PUMA is directly activated by NF β and contributes to TNF β -induced apoptosis. <i>Cell Death and Differentiation</i> , 2009, 16, 1192-1202.	5.0	147
30	Downregulation of Dkk3 activates β -catenin/TCF-4 signaling in lung cancer. <i>Carcinogenesis</i> , 2008, 29, 84-92.	1.3	145
31	The nuclear function of p53 is required for PUMA-mediated apoptosis induced by DNA damage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4054-4059.	3.3	143
32	Following Cytochrome <i>c</i> Release, Autophagy Is Inhibited during Chemotherapy-Induced Apoptosis by Caspase 8-Mediated Cleavage of Beclin 1. <i>Cancer Research</i> , 2011, 71, 3625-3634.	0.4	134
33	FBW7 mutations mediate resistance of colorectal cancer to targeted therapies by blocking Mcl-1 degradation. <i>Oncogene</i> , 2017, 36, 787-796.	2.6	134
34	Selection against <i>PUMA</i> Gene Expression in Myc-Driven B-Cell Lymphomagenesis. <i>Molecular and Cellular Biology</i> , 2008, 28, 5391-5402.	1.1	130
35	Deletion of Puma protects hematopoietic stem cells and confers long-term survival in response to high-dose β -irradiation. <i>Blood</i> , 2010, 115, 3472-3480.	0.6	125
36	PUMA amplifies necroptosis signaling by activating cytosolic DNA sensors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3930-3935.	3.3	121

#	ARTICLE	IF	CITATIONS
37	Growth factors protect intestinal stem cells from radiation-induced apoptosis by suppressing PUMA through the PI3K/AKT/p53 axis. <i>Oncogene</i> , 2010, 29, 1622-1632.	2.6	120
38	Role of p53, PUMA, and Bax in wogonin-induced apoptosis in human cancer cells. <i>Biochemical Pharmacology</i> , 2008, 75, 2020-2033.	2.0	119
39	BH3 mimetics to improve cancer therapy; mechanisms and examples. <i>Drug Resistance Updates</i> , 2007, 10, 207-217.	6.5	118
40	Mcl-1 Degradation Is Required for Targeted Therapeutics to Eradicate Colon Cancer Cells. <i>Cancer Research</i> , 2017, 77, 2512-2521.	0.4	118
41	Studying human mutations by sperm typing: instability of CAG trinucleotide repeats in the human androgen receptor gene. <i>Nature Genetics</i> , 1994, 7, 531-535.	9.4	116
42	p53 Up-regulated Modulator of Apoptosis (PUMA) Activation Contributes to Pancreatic Î²-Cell Apoptosis Induced by Proinflammatory Cytokines and Endoplasmic Reticulum Stress. <i>Journal of Biological Chemistry</i> , 2010, 285, 19910-19920.	1.6	108
43	Necroptosis: an alternative cell death program defending against cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1865, 228-236.	3.3	104
44	Vitamin D3 activates the autolysosomal degradation function against <i>Helicobacter pylori</i> through the PDIA3 receptor in gastric epithelial cells. <i>Autophagy</i> , 2019, 15, 707-725.	4.3	104
45	The mRNA of L-Type Calcium Channel Elevated in Colon Cancer. <i>American Journal of Pathology</i> , 2000, 157, 1549-1562.	1.9	102
46	5-Fluorouracil upregulates cell surface B7-H1 (PD-L1) expression in gastrointestinal cancers. , 2016, 4, 65.		100
47	PUMA Sensitizes Lung Cancer Cells to Chemotherapeutic Agents and Irradiation. <i>Clinical Cancer Research</i> , 2006, 12, 2928-2936.	3.2	97
48	Vertical suppression of the EGFR pathway prevents onset of resistance in colorectal cancers. <i>Nature Communications</i> , 2015, 6, 8305.	5.8	97
49	Immunotherapy efficacy on mismatch repair-deficient colorectal cancer: From bench to bedside. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2020, 1874, 188447.	3.3	97
50	Uncoupling p53 Functions in Radiation-Induced Intestinal Damage via PUMA and p21. <i>Molecular Cancer Research</i> , 2011, 9, 616-625.	1.5	96
51	Mutant KRAS as a critical determinant of the therapeutic response of colorectal cancer. <i>Genes and Diseases</i> , 2015, 2, 4-12.	1.5	94
52	Fibulin-5 Suppresses Lung Cancer Invasion by Inhibiting Matrix Metalloproteinase-7 Expression. <i>Cancer Research</i> , 2009, 69, 6339-6346.	0.4	93
53	Chemoprevention by nonsteroidal anti-inflammatory drugs eliminates oncogenic intestinal stem cells via SMAC-dependent apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20027-20032.	3.3	93
54	Regorafenib Inhibits Colorectal Tumor Growth through PUMA-Mediated Apoptosis. <i>Clinical Cancer Research</i> , 2014, 20, 3472-3484.	3.2	93

#	ARTICLE	IF	CITATIONS
55	p53 independent induction of PUMA mediates intestinal apoptosis in response to ischaemia-reperfusion. <i>Gut</i> , 2007, 56, 645-654.	6.1	89
56	Apoptosis in human cancer cells. <i>Current Opinion in Oncology</i> , 2004, 16, 19-24.	1.1	84
57	Role of Apoptosis in Colon Cancer Biology, Therapy, and Prevention. <i>Current Colorectal Cancer Reports</i> , 2013, 9, 331-340.	1.0	82
58	Frequent Inactivation of <i>RAMP2</i> , <i>EFEMP1</i> and <i>Dutt1</i> in Lung Cancer by Promoter Hypermethylation. <i>Clinical Cancer Research</i> , 2007, 13, 4336-4344.	3.2	81
59	A coordinated action of Bax, PUMA, and p53 promotes MG132-induced mitochondria activation and apoptosis in colon cancer cells. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1062-1069.	1.9	80
60	PUMA-mediated apoptosis drives chemical hepatocarcinogenesis in mice. <i>Hepatology</i> , 2011, 54, 1249-1258.	3.6	78
61	Inhibition of CDK4/6 protects against radiation-induced intestinal injury in mice. <i>Journal of Clinical Investigation</i> , 2016, 126, 4076-4087.	3.9	77
62	Salidroside attenuates hypoxia-induced pulmonary arterial smooth muscle cell proliferation and apoptosis resistance by upregulating autophagy through the AMPK-mTOR-ULK1 pathway. <i>BMC Pulmonary Medicine</i> , 2017, 17, 191.	0.8	75
63	SMAC/Diablo mediates the proapoptotic function of PUMA by regulating PUMA-induced mitochondrial events. <i>Oncogene</i> , 2007, 26, 4189-4198.	2.6	74
64	mTOR inhibitors induce apoptosis in colon cancer cells via CHOP-dependent DR5 induction on 4E-BP1 dephosphorylation. <i>Oncogene</i> , 2016, 35, 148-157.	2.6	74
65	Sp1 and p73 activate PUMA following serum starvation. <i>Carcinogenesis</i> , 2008, 29, 1878-1884.	1.3	73
66	IRF-1 transcriptionally upregulates PUMA, which mediates the mitochondrial apoptotic pathway in IRF-1-induced apoptosis in cancer cells. <i>Cell Death and Differentiation</i> , 2010, 17, 699-709.	5.0	72
67	SMAC/Diablo-dependent apoptosis induced by nonsteroidal antiinflammatory drugs (NSAIDs) in colon cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16897-16902.	3.3	68
68	PINCH-1 Regulates the ERK-Bim Pathway and Contributes to Apoptosis Resistance in Cancer Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 2508-2517.	1.6	67
69	Ionizing irradiation induces acute haematopoietic syndrome and gastrointestinal syndrome independently in mice. <i>Nature Communications</i> , 2014, 5, 3494.	5.8	67
70	p53 and PUMA Independently Regulate Apoptosis of Intestinal Epithelial Cells in Patients and Mice With Colitis. <i>Gastroenterology</i> , 2011, 141, 1036-1045.	0.6	65
71	Immunogenic cell death in colon cancer prevention and therapy. <i>Molecular Carcinogenesis</i> , 2020, 59, 783-793.	1.3	65
72	Inhibiting oncogenic signaling by sorafenib activates PUMA via GSK3 β and NF- κ B to suppress tumor cell growth. <i>Oncogene</i> , 2012, 31, 4848-4858.	2.6	63

#	ARTICLE	IF	CITATIONS
73	Pharmacologically blocking p53-dependent apoptosis protects intestinal stem cells and mice from radiation. <i>Scientific Reports</i> , 2015, 5, 8566.	1.6	63
74	PUMA mediates EGFR tyrosine kinase inhibitor-induced apoptosis in head and neck cancer cells. <i>Oncogene</i> , 2009, 28, 2348-2357.	2.6	62
75	Ligand-Independent Antiapoptotic Function of Estrogen Receptor- β in Lung Cancer Cells. <i>Molecular Endocrinology</i> , 2010, 24, 1737-1747.	3.7	62
76	ADAR1 is essential for intestinal homeostasis and stem cell maintenance. <i>Cell Death and Disease</i> , 2013, 4, e599-e599.	2.7	62
77	Serial analysis of gene expression in the frontal cortex of patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 2001, 178, s137-s141.	1.7	61
78	PUMA Induction by FoxO3a Mediates the Anticancer Activities of the Broad-Range Kinase Inhibitor UCN-01. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 2893-2902.	1.9	60
79	Super-resolution imaging reveals the evolution of higher-order chromatin folding in early carcinogenesis. <i>Nature Communications</i> , 2020, 11, 1899.	5.8	60
80	Dihydropantanshinone I induced apoptosis and autophagy through caspase dependent pathway in colon cancer. <i>Phytomedicine</i> , 2015, 22, 1079-1087.	2.3	58
81	Development of Small-Molecule PUMA Inhibitors for Mitigating Radiation-Induced Cell Death. <i>Current Topics in Medicinal Chemistry</i> , 2011, 11, 281-290.	1.0	57
82	FBW7-Dependent Mcl-1 Degradation Mediates the Anticancer Effect of Hsp90 Inhibitors. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1979-1988.	1.9	57
83	p53 Upregulated Modulator of Apoptosis Induction Mediates Acetaminophen-Induced Necrosis and Liver Injury in Mice. <i>Hepatology</i> , 2019, 69, 2164-2179.	3.6	56
84	CAG repeat length variation in sperm from a patient with Kennedy's disease. <i>Human Molecular Genetics</i> , 1995, 4, 303-305.	1.4	55
85	Fibulin-3 suppresses Wnt/ β -catenin signaling and lung cancer invasion. <i>Carcinogenesis</i> , 2014, 35, 1707-1716.	1.3	53
86	Autophagy Mediates HBx-Induced Nuclear Factor- κ B Activation and Release of IL-6, IL-8, and CXCL2 in Hepatocytes. <i>Journal of Cellular Physiology</i> , 2015, 230, 2382-2389.	2.0	53
87	Colorectal cancer prevention: Immune modulation taking the stage. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2018, 1869, 138-148.	3.3	53
88	Apelin-13 Attenuates Traumatic Brain Injury-Induced Damage by Suppressing Autophagy. <i>Neurochemical Research</i> , 2015, 40, 89-97.	1.6	52
89	Role of Bcl-xL/Beclin-1 in interplay between apoptosis and autophagy in oxaliplatin and bortezomib-induced cell death. <i>Biochemical Pharmacology</i> , 2014, 88, 178-188.	2.0	51
90	BRAFV600E-dependent Mcl-1 stabilization leads to everolimus resistance in colon cancer cells. <i>Oncotarget</i> , 2016, 7, 47699-47710.	0.8	51

#	ARTICLE	IF	CITATIONS
91	Mcl-1 Phosphorylation without Degradation Mediates Sensitivity to HDAC Inhibitors by Liberating BH3-Only Proteins. <i>Cancer Research</i> , 2018, 78, 4704-4715.	0.4	49
92	Role of AMP-activated protein kinase in cross-talk between apoptosis and autophagy in human colon cancer. <i>Cell Death and Disease</i> , 2014, 5, e1504-e1504.	2.7	48
93	Wogonin, an active ingredient of Chinese herb medicine <i>Scutellaria baicalensis</i> , inhibits the mobility and invasion of human gallbladder carcinoma GBC-SD cells by inducing the expression of maspin. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1373-1380.	2.0	47
94	Fibulin-5 inhibits Wnt/ β -catenin signaling in lung cancer. <i>Oncotarget</i> , 2015, 6, 15022-15034.	0.8	47
95	PEG-Farnesylthiosalicylate Conjugate as a Nanomicellar Carrier for Delivery of Paclitaxel. <i>Bioconjugate Chemistry</i> , 2013, 24, 464-472.	1.8	46
96	Hsp90 Inhibitors Promote p53-Dependent Apoptosis through PUMA and Bax. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2559-2568.	1.9	46
97	Inhibition of autophagy by bafilomycin A1 promotes chemosensitivity of gastric cancer cells. <i>Tumor Biology</i> , 2016, 37, 653-659.	0.8	46
98	Erythrocyte Membrane-Wrapped pH Sensitive Polymeric Nanoparticles for Non-Small Cell Lung Cancer Therapy. <i>Bioconjugate Chemistry</i> , 2017, 28, 2591-2598.	1.8	46
99	A novel small molecule inhibitor of MDM2-p53 (APG-115) enhances radiosensitivity of gastric adenocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 97.	3.5	45
100	Mcl-1 inhibition overcomes intrinsic and acquired Regorafenib resistance in Colorectal Cancer. <i>Theranostics</i> , 2020, 10, 8098-8110.	4.6	45
101	PUMA Suppresses Intestinal Tumorigenesis in Mice. <i>Cancer Research</i> , 2009, 69, 4999-5006.	0.4	44
102	Long noncoding RNA PiHL regulates p53 protein stability through GRWD1/RPL11/MDM2 axis in colorectal cancer. <i>Theranostics</i> , 2020, 10, 265-280.	4.6	44
103	Nanoscale nuclear architecture for cancer diagnosis beyond pathology via spatial-domain low-coherence quantitative phase microscopy. <i>Journal of Biomedical Optics</i> , 2010, 15, 066028.	1.4	43
104	Loss of Caspase-3 sensitizes colon cancer cells to genotoxic stress via RIP1-dependent necrosis. <i>Cell Death and Disease</i> , 2015, 6, e1729-e1729.	2.7	43
105	Differential apoptotic response to the proteasome inhibitor Bortezomib [VELCADE, PS-341] in Bax-deficient and p21-deficient colon cancer cells. <i>Cancer Biology and Therapy</i> , 2003, 2, 694-9.	1.5	42
106	Targeting p53-dependent stem cell loss for intestinal chemoprotection. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	41
107	BET Inhibitors Potentiate Chemotherapy and Killing of <i>SPOP</i> -Mutant Colon Cancer Cells via Induction of DR5. <i>Cancer Research</i> , 2019, 79, 1191-1203.	0.4	40
108	Propofol inhibits growth and invasion of pancreatic cancer cells through regulation of the miR-21/Slug signaling pathway. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 4120-4133.	0.0	40

#	ARTICLE	IF	CITATIONS
109	Hypoxia-mediated regulation of Cdc25A phosphatase by p21 and miR-21. <i>Cell Cycle</i> , 2009, 8, 3157-3164.	1.3	39
110	Catalase suppression-mediated H ₂ O ₂ accumulation in cancer cells by wogonin effectively blocks tumor necrosis factor-induced NF- κ B activation and sensitizes apoptosis. <i>Cancer Science</i> , 2011, 102, 870-876.	1.7	39
111	Administration of PUMA adenovirus increases the sensitivity of esophageal cancer cells to anticancer drugs. <i>Cancer Biology and Therapy</i> , 2006, 5, 380-385.	1.5	38
112	Targeting Bax interaction sites reveals that only homo-oligomerization sites are essential for its activation. <i>Cell Death and Differentiation</i> , 2013, 20, 744-754.	5.0	38
113	Anti-cancer Effects of JKA97 Are Associated with Its Induction of Cell Apoptosis via a Bax-dependent and p53-independent Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 8624-8633.	1.6	37
114	MicroRNA-21 Down-regulates Rb1 Expression by Targeting PDCD4 in Retinoblastoma. <i>Journal of Cancer</i> , 2014, 5, 804-812.	1.2	36
115	Combination of wogonin and sorafenib effectively kills human hepatocellular carcinoma cells through apoptosis potentiation and autophagy inhibition. <i>Oncology Letters</i> , 2017, 13, 5028-5034.	0.8	36
116	The Multi-Targeted Kinase Inhibitor Sunitinib Induces Apoptosis in Colon Cancer Cells via PUMA. <i>PLoS ONE</i> , 2012, 7, e43158.	1.1	35
117	Role of Smac in Determining the Chemotherapeutic Response of Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2011, 17, 5412-5422.	3.2	34
118	Receptor Interactive Protein Kinase 3 Promotes Cisplatin-Triggered Necrosis in Apoptosis-Resistant Esophageal Squamous Cell Carcinoma Cells. <i>PLoS ONE</i> , 2014, 9, e100127.	1.1	34
119	SMAC Mimetics Sensitize Nonsteroidal Anti-inflammatory Drug-Induced Apoptosis by Promoting Caspase-3-Mediated Cytochrome <i>c</i> Release. <i>Cancer Research</i> , 2008, 68, 276-284.	0.4	33
120	Aurora Kinase Inhibition Induces PUMA via NF- κ B to Kill Colon Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 1298-1308.	1.9	30
121	Restoring PUMA induction overcomes KRAS-mediated resistance to anti-EGFR antibodies in colorectal cancer. <i>Oncogene</i> , 2018, 37, 4599-4610.	2.6	30
122	Epigenetic Regulation of RIP3 Suppresses Necroptosis and Increases Resistance to Chemotherapy in NonSmall Cell Lung Cancer. <i>Translational Oncology</i> , 2020, 13, 372-382.	1.7	30
123	Cleaving Beclin 1 to suppress autophagy in chemotherapy-induced apoptosis. <i>Autophagy</i> , 2011, 7, 1239-1241.	4.3	29
124	Crizotinib Induces PUMA-Dependent Apoptosis in Colon Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 777-786.	1.9	29
125	TAp73 promotes cell survival upon genotoxic stress by inhibiting p53 activity. <i>Oncotarget</i> , 2014, 5, 8107-8122.	0.8	27
126	Amphiphilic sugar poly(orthoesters) as pH-responsive nanoscopic assemblies for acidity-enhanced drug delivery and cell killing. <i>Chemical Communications</i> , 2015, 51, 13078-13081.	2.2	25

#	ARTICLE	IF	CITATIONS
127	Novel smac mimetic APG-1387 elicits ovarian cancer cell killing through TNF-alpha, Ripoptosome and autophagy mediated cell death pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 53.	3.5	25
128	BID mediates selective killing of APC-deficient cells in intestinal tumor suppression by nonsteroidal antiinflammatory drugs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16520-16525.	3.3	24
129	High Loading of Hydrophobic and Hydrophilic Agents via Small Immunostimulatory Carrier for Enhanced Tumor Penetration and Combinational Therapy. <i>Theranostics</i> , 2020, 10, 1136-1150.	4.6	24
130	Smac Modulates Chemosensitivity in Head and Neck Cancer Cells through the Mitochondrial Apoptotic Pathway. <i>Clinical Cancer Research</i> , 2011, 17, 2361-2372.	3.2	23
131	Non-steroidal anti-inflammatory drugs induce immunogenic cell death in suppressing colorectal tumorigenesis. <i>Oncogene</i> , 2021, 40, 2035-2050.	2.6	21
132	Interferon \hat{I}^2 drives intestinal regeneration after radiation. <i>Science Advances</i> , 2021, 7, eabi5253.	4.7	20
133	eIF4E S209 phosphorylation licenses myc- and stress-driven oncogenesis. <i>ELife</i> , 2020, 9, .	2.8	19
134	An insight into statistical refractive index properties of cell internal structure via low-coherence statistical amplitude microscopy. <i>Optics Express</i> , 2010, 18, 21950.	1.7	18
135	RIP1 promotes proliferation through G2/M checkpoint progression and mediates cisplatin-induced apoptosis and necroptosis in human ovarian cancer cells. <i>Acta Pharmacologica Sinica</i> , 2020, 41, 1223-1233.	2.8	18
136	NSAIDs Downregulate Bcl-X _L and Dissociate BAX and Bcl-X _L to Induce Apoptosis in Colon Cancer Cells. <i>Nutrition and Cancer</i> , 2008, 60, 98-103.	0.9	17
137	The GS-nitroxide JP4-039 improves intestinal barrier and stem cell recovery in irradiated mice. <i>Scientific Reports</i> , 2018, 8, 2072.	1.6	17
138	miR-22 protect PC12 from ischemia/reperfusion-induced injury by targeting p53 upregulated modulator of apoptosis (PUMA). <i>Bioengineered</i> , 2020, 11, 209-218.	1.4	15
139	Deletion of the Impg2 gene causes the degeneration of rod and cone cells in mice. <i>Human Molecular Genetics</i> , 2020, 29, 1624-1634.	1.4	14
140	A novel immunochemotherapy based on targeting of cyclooxygenase and induction of immunogenic cell death. <i>Biomaterials</i> , 2021, 270, 120708.	5.7	14
141	BET protein degradation triggers DR5-mediated immunogenic cell death to suppress colorectal cancer and potentiate immune checkpoint blockade. <i>Oncogene</i> , 2021, 40, 6566-6578.	2.6	14
142	An apoptosis-independent role of SMAC in tumor suppression. <i>Oncogene</i> , 2013, 32, 2380-2389.	2.6	13
143	Non-coding RNA-mediated autophagy in cancer: A protumor or antitumor factor?. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2021, 1876, 188642.	3.3	13
144	Role of Receptor Interacting Protein (RIP) kinases in cancer. <i>Genes and Diseases</i> , 2022, 9, 1579-1593.	1.5	13

#	ARTICLE	IF	CITATIONS
145	Glucose deprivation-induced endoplasmic reticulum stress response plays a pivotal role in enhancement of TRAIL cytotoxicity. <i>Journal of Cellular Physiology</i> , 2021, 236, 6666-6677.	2.0	11
146	Co-targeting translation and proteasome rapidly kills colon cancer cells with mutant <i>RAS/RAF</i> via ER stress. <i>Oncotarget</i> , 2017, 8, 9280-9292.	0.8	11
147	CDK4/6 Inhibition Suppresses p73 Phosphorylation and Activates DR5 to Potentiate Chemotherapy and Immune Checkpoint Blockade. <i>Cancer Research</i> , 2022, 82, 1340-1352.	0.4	11
148	The mutation properties of spinal and bulbar muscular atrophy disease alleles. <i>Neurogenetics</i> , 1998, 1, 249-252.	0.7	9
149	Synthesis of clickable amphiphilic polysaccharides as nanoscopic assemblies. <i>Chemical Communications</i> , 2014, 50, 12742-12745.	2.2	7
150	Investigation of nuclear nano-morphology marker as a biomarker for cancer risk assessment using a mouse model. <i>Journal of Biomedical Optics</i> , 2012, 17, 066014.	1.4	6
151	Single-Sperm Typing. <i>Current Protocols in Human Genetics</i> , 2002, 32, Unit 1.6.	3.5	5
152	Targeting Myc-driven stress vulnerability in mutant KRAS colorectal cancer. <i>Molecular Biomedicine</i> , 2022, 3, 10.	1.7	4
153	Transcriptional Regulation of Apoptosis. , 2009, , 239-260.		3
154	Screening Poly [dA/dT(-)] cDNA for Gene Identification. , 2003, 221, 197-206.		0
155	Preparation of human hair keratin/calcium alginate blend films. <i>Ferroelectrics</i> , 2019, 547, 27-36.	0.3	0
156	PUMA. , 2011, , 3122-3124.		0
157	PUMA. , 2014, , 1-5.		0
158	PUMA. , 2016, , 3849-3852.		0
159	Abstract 1763: NEO2734, a novel dual bromodomain and histone acetyltransferase inhibitor, in the treatment of colorectal cancer. , 2020, , .		0
160	Abstract 1622: Microsatellite instability causes colorectal cancer cell death to trigger anti-tumor immune response. , 2020, , .		0