

# Mats Börjesson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/719087/publications.pdf>

Version: 2024-02-01

151  
papers

4,798  
citations

147566

31  
h-index

114278

63  
g-index

153  
all docs

153  
docs citations

153  
times ranked

5795  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Short-term Homebased Pre- and Postoperative Exercise on Recovery After Colorectal Cancer Surgery (PHYSSURG-C). <i>Annals of Surgery</i> , 2022, 275, 448-455.	2.1	28
2	Participation in exercise-based cardiac rehabilitation is related to reduced total mortality in both men and women: results from the SWEDEHEART registry. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 485-492.	0.8	28
3	Accelerometer derived physical activity patterns in 27.890 middle-aged adults: The SCAPIS cohort study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 866-880.	1.3	25
4	Life satisfaction, health-related quality of life and physical activity after treatment for valvular aortic stenosis. <i>Cardiology in the Young</i> , 2022, , 1-7.	0.4	2
5	Heart Failure and Patient-Reported Outcomes in Adults With Congenital Heart Disease from 15 Countries. <i>Journal of the American Heart Association</i> , 2022, 11, e024993.	1.6	10
6	Cohort profile: the Swedish study of SUDden cardiac Death in the Young (SUDDY) 2000-2010: a complete nationwide cohort of SCDs. <i>BMJ Open</i> , 2022, 12, e055557.	0.8	4
7	Long-term outcomes after myocardial infarction in middle-aged and older patients with congenital heart disease—a nationwide study. <i>European Heart Journal</i> , 2021, 42, 2577-2586.	1.0	22
8	Is Physiological Equivalent Temperature (PET) a superior screening tool for heat stress risk than Wet-Bulb Globe Temperature (WBGT) index? Eight years of data from the Gothenburg half marathon. <i>British Journal of Sports Medicine</i> , 2021, 55, 825-830.	3.1	19
9	Physical Functioning, Mental Health, and Quality of Life in Different Congenital Heart Defects: Comparative Analysis in 3538 Patients From 15 Countries. <i>Canadian Journal of Cardiology</i> , 2021, 37, 215-223.	0.8	36
10	Implantable cardiac devices in adult patients with repaired tetralogy of Fallot. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 22-28.	0.4	0
11	The gap between stated importance of and clinical work in promoting healthy lifestyle habits by healthcare professionals in a Swedish hospital setting: A cross-sectional survey. <i>Health and Social Care in the Community</i> , 2021, 29, 385-394.	0.7	5
12	Delphi developed syllabus for the medical specialty of sport and exercise medicine: part 2. <i>British Journal of Sports Medicine</i> , 2021, 55, 81-83.	3.1	7
13	Constitutive PGC-1 $\beta$ Overexpression in Skeletal Muscle Does Not Contribute to Exercise-Induced Neurogenesis. <i>Molecular Neurobiology</i> , 2021, 58, 1465-1481.	1.9	8
14	Atrial arrhythmias and patient-reported outcomes in adults with congenital heart disease: An international study. <i>Heart Rhythm</i> , 2021, 18, 793-800.	0.3	16
15	Mortality burden in patients born with Ebstein's anomaly: a 40-year nationwide cohort study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2021, 7, 312-319.	1.8	3
16	Phenotypes of adults with congenital heart disease around the globe: a cluster analysis. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 53.	1.0	8
17	Children and Adolescents Treated for Valvular Aortic Stenosis Have Different Physical Activity Patterns Compared to Healthy Controls: A Methodological Study in a National Cohort. <i>Pediatric Cardiology</i> , 2021, 42, 774-783.	0.6	3
18	High prevalence of ascending aortic dilation in adults with repaired coarctation of the aorta. <i>Cardiology in the Young</i> , 2021, 31, 992-997.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Does persistent (patent) foramen ovale closure reduce the risk of recurrent decompression sickness in scuba divers?. <i>Diving and Hyperbaric Medicine</i> , 2021, 51, 63-67.	0.2	1
20	Post-operative musculoskeletal outcomes in patients with coarctation of the aorta following different surgical approaches. <i>International Journal of Cardiology</i> , 2021, 327, 80-85.	0.8	0
21	Athletes with valvular heart disease and competitive sports: a position statement of the Sport Cardiology Section of the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1569-1578.	0.8	16
22	Patient-Reported Outcomes in Adults With Congenital Heart Disease Following Hospitalization (from Tj ETQq0 0 0,rgBT /Overlock 10 T	0.7	7
23	Sports and exercise medicine in Europe and the advances in the last decade. <i>British Journal of Sports Medicine</i> , 2021, 55, 1122-1124.	3.1	9
24	Cumulative Incidence of Infective Endocarditis in Patients with Congenital Heart Disease: A Nationwide, Case-Control Study Over Nine Decades. <i>Clinical Infectious Diseases</i> , 2021, 73, 1469-1475.	2.9	19
25	Low physical activity in patients diagnosed with head and neck cancer. <i>Laryngoscope Investigative Otolaryngology</i> , 2021, 6, 747-755.	0.6	5
26	The importance of physical activity and cardiorespiratory fitness for patients with heart failure. <i>Diabetes Research and Clinical Practice</i> , 2021, 176, 108833.	1.1	10
27	2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. <i>Russian Journal of Cardiology</i> , 2021, 26, 4488.	0.4	12
28	The use of coping strategies "shift-persist" mediates associations between physical activity and mental health problems in adolescents: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 1104.	1.2	7
29	Fitness, strength and severity of COVID-19: a prospective register study of 1 559 187 Swedish conscripts. <i>BMJ Open</i> , 2021, 11, e051316.	0.8	29
30	Physical workload and fatigue pattern characterization in a top-class women's football national team: a case study of the 2019 FIFA Women's World Cup. <i>Journal of Sports Medicine and Physical Fitness</i> , 2021, 61, 1081-1090.	0.4	3
31	High-intensity activity is more strongly associated with metabolic health in children compared to sedentary time: a cross-sectional study of the I.Family cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 90.	2.0	12
32	Enhanced prediction of atrial fibrillation and mortality among patients with congenital heart disease using nationwide register-based medical hospital data and neural networks. <i>European Heart Journal Digital Health</i> , 2021, 2, 568-575.	0.7	2
33	Physical activity, self-efficacy and quality of life in patients with chronic pain, assessed during and 1 year after physiotherapy rehabilitation " a prospective follow-up study. <i>Disability and Rehabilitation</i> , 2021, , 1-8.	0.9	0
34	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. <i>Circulation</i> , 2021, 144, 916-929.	1.6	164
35	Outcome and survival after open heart surgery for adults with congenital heart disease " a single center experience. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 1-9.	0.4	0
36	Long-term risk of stroke and myocardial infarction in middle-aged men with a hypertensive response to exercise: a 44-year follow-up study. <i>Journal of Hypertension</i> , 2021, 39, 503-510.	0.3	6

#	ARTICLE	IF	CITATIONS
37	Risk factors for not finishing an ultramarathon: 4-year study in 23996 race starters, SAFER XXI. <i>Journal of Sports Medicine and Physical Fitness</i> , 2021, , .	0.4	1
38	Association of change in physical activity associated with change in sleep complaints: results from a six-year longitudinal study with Swedish health care workers. <i>Sleep Medicine</i> , 2020, 69, 189-197.	0.8	4
39	Brief recommendations for participation in leisure time or competitive sports in athletesâ€“patients with coronary artery disease: Summary of a Position Statement from the Sports Cardiology Section of the European Association of Preventive Cardiology (EAPC). <i>European Journal of Preventive Cardiology</i> , 2020, 27, 770-776.	0.8	23
40	NOACs in adult congenital heart disease â€“ Still limited experience. <i>International Journal of Cardiology</i> , 2020, 300, 143-144.	0.8	2
41	Implantable cardioverter-defibrillators and patient-reported outcomes in adults with congenital heart disease: An international study. <i>Heart Rhythm</i> , 2020, 17, 768-776.	0.3	13
42	Underlying contributing conditions to breathlessness among middle-aged individuals in the general population: a cross-sectional study. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000643.	1.2	25
43	Cardiac Complications during Pregnancy Related to Parity in Women with Congenital Heart Disease. <i>Cardiology</i> , 2020, 145, 533-542.	0.6	6
44	Validation of myocardial infarction diagnosis in patients with congenital heart disease in Sweden. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 460.	0.7	13
45	Recommendations for participation in competitive sports in adolescent and adult athletes with Congenital Heart Disease (CHD): position statement of the Sports Cardiology & Exercise Section of the European Association of Preventive Cardiology (EAPC), the European Society of Cardiology (ESC) Working Group on Adult Congenital Heart Disease and the Sports Cardiology, Physical Activity and Prevention Working Group of the Association for European Paediatric and Congenital Cardiology	1.0	75
46	Exercise in the Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) era: A Question and Answer session with the experts Endorsed by the section of Sports Cardiology & Exercise of the European Association of Preventive Cardiology (EAPC). <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1242-1251.	0.8	96
47	Subjective reports of physical activity levels and sedentary time prior to hospital admission can predict utilization of hospital care and all-cause mortality among patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 691-701.	0.4	12
48	Secular trends in cardiovascular risk factors among women aged 45â€“54â€“years in Gothenburg, Sweden, from 1980 to 2014. <i>BMC Public Health</i> , 2020, 20, 1042.	1.2	3
49	Incidence of Type 1 diabetes mellitus and effect on mortality in young patients with congenital heart defect â€“ A nationwide cohort study. <i>International Journal of Cardiology</i> , 2020, 310, 58-63.	0.8	10
50	Effect of medical treatment in patients with systemic right ventricle. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 300-305.	0.4	2
51	Exercise capacity, physical activity, and health-related quality of life in adults with CHD. <i>Cardiology in the Young</i> , 2020, 30, 668-673.	0.4	3
52	Pregnancy in a healthy population: dynamics of NTproBNP and hs-cTroponin T. <i>Open Heart</i> , 2020, 7, e001293.	0.9	19
53	Recurrent cerebrovascular events in patients after percutaneous closure of patent foramen ovale. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104860.	0.7	12
54	Religion and spirituality as predictors of patient-reported outcomes in adults with congenital heart disease around the globe. <i>International Journal of Cardiology</i> , 2019, 274, 93-99.	0.8	27

#	ARTICLE	IF	CITATIONS
55	Recommendations for participation in leisure time or competitive sports in athletes-patients with coronary artery disease: a position statement from the Sports Cardiology Section of the European Association of Preventive Cardiology (EAPC). <i>European Heart Journal</i> , 2019, 40, 13-18.	1.0	85
56	Congenital heart disease: the children will become elderly. <i>Aging</i> , 2019, 11, 851-852.	1.4	3
57	Differential impact of physical activity type on depression in adults with congenital heart disease: A multi-center international study. <i>Journal of Psychosomatic Research</i> , 2019, 124, 109762.	1.2	12
58	Risk of Cancer Among Children and Young Adults With Congenital Heart Disease Compared With Healthy Controls. <i>JAMA Network Open</i> , 2019, 2, e196762.	2.8	52
59	Prevalence and Effects of Cigarette Smoking, Cannabis Consumption, and Co-use in Adults From 15 Countries With Congenital Heart Disease. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1842-1850.	0.8	14
60	Exercise related sudden cardiac death (SCD) in the young – Pre-mortam characterization of a Swedish nationwide cohort, showing a decline in SCD among athletes. <i>Resuscitation</i> , 2019, 144, 99-105.	1.3	25
61	Sex- and age-specific associations between cardiorespiratory fitness, CVD morbidity and all-cause mortality in 266.109 adults. <i>Preventive Medicine</i> , 2019, 127, 105799.	1.6	44
62	Self-assessed preoperative level of habitual physical activity predicted postoperative complications after colorectal cancer surgery: A prospective observational cohort study. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2045-2051.	0.5	14
63	Efficacy and safety with ticagrelor in patients with prior myocardial infarction in the approved European label: insights from PEGASUS-TIMI 54. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2019, 5, 200-206.	1.4	25
64	Cardiovascular risk factors in adults with coarctation of the aorta. <i>Congenital Heart Disease</i> , 2019, 14, 549-558.	0.0	11
65	Medical Emergencies During a Half Marathon Race – The Influence of Weather. <i>International Journal of Sports Medicine</i> , 2019, 40, 312-316.	0.8	9
66	Perceived Health Mediates Effects of Physical Activity on Quality of Life in Patients With a Fontan Circulation. <i>American Journal of Cardiology</i> , 2019, 124, 144-150.	0.7	17
67	Factors associated with health-related quality of life among adults with tetralogy of Fallot. <i>Open Heart</i> , 2019, 6, e000932.	0.9	8
68	Adrenaline Improves Platelet Reactivity in Ticagrelor-Treated Healthy Volunteers. <i>Thrombosis and Haemostasis</i> , 2019, 119, 735-743.	1.8	8
69	Education as important predictor for successful employment in adults with congenital heart disease worldwide. <i>Congenital Heart Disease</i> , 2019, 14, 362-371.	0.0	27
70	Intraoperative infusion of noradrenaline improves platelet aggregation in patients undergoing coronary artery bypass grafting: a randomized controlled trial. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 657-665.	1.9	4
71	Elite female footballers’ stories of sociocultural factors, emotions, and behaviours prior to anterior cruciate ligament injury. <i>International Journal of Sport and Exercise Psychology</i> , 2019, 17, 630-646.	1.1	17
72	Outcome of exercise-related out-of-hospital cardiac arrest is dependent on location: Sports arenas vs outside of arenas. <i>PLoS ONE</i> , 2019, 14, e0211723.	1.1	9

#	ARTICLE	IF	CITATIONS
73	Physical Inactivity in Brazil and Sweden - Different Countries, Similar Problem. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 112, 119-120.	0.3	9
74	Although Coronary Mortality Has Decreased, Rates of Cardiovascular Disease Remain High: 21 Years of Follow-Up Comparing Cohorts of Men Born in 1913 With Men Born in 1943. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	15
75	Long-Term Risk of Hemorrhagic Stroke in Young Patients With Congenital Heart Disease. <i>Stroke</i> , 2018, 49, 1155-1162.	1.0	38
76	Quality of life after percutaneous closure of patent foramen ovale in patients after cryptogenic stroke compared to a normative sample. <i>International Journal of Cardiology</i> , 2018, 257, 46-49.	0.8	9
77	Home-based interval training increases endurance capacity in adults with complex congenital heart disease. <i>Congenital Heart Disease</i> , 2018, 13, 254-262.	0.0	19
78	International recommendations for electrocardiographic interpretation in athletes. <i>European Heart Journal</i> , 2018, 39, 1466-1480.	1.0	237
79	Atrial Fibrillation Burden in Young Patients With Congenital Heart Disease. <i>Circulation</i> , 2018, 137, 928-937.	1.6	67
80	Fitness attenuates the prevalence of increased coronary artery calcium in individuals with metabolic syndrome. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 309-316.	0.8	28
81	Patient-reported outcomes in adults with congenital heart disease: Inter-country variation, standard of living and healthcare system factors. <i>International Journal of Cardiology</i> , 2018, 251, 34-41.	0.8	66
82	Multidisciplinary approach and treatment options in right ventricular outflow tract malformations. <i>Journal of Multidisciplinary Healthcare</i> , 2018, Volume 11, 333-338.	1.1	1
83	The incidence of atrial fibrillation and the added value of thumb ECG for detecting new cases. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 256-261.	0.4	5
84	Concomitant Associations of Healthy Food Intake and Cardiorespiratory Fitness With Coronary Artery Calcium. <i>American Journal of Cardiology</i> , 2018, 122, 560-564.	0.7	2
85	Physical Activity-Related Drivers of Perceived Health Status in Adults With Congenital Heart Disease. <i>American Journal of Cardiology</i> , 2018, 122, 1437-1442.	0.7	19
86	Constitutive PGC-1 $\alpha$ Overexpression in Skeletal Muscle Does Not Improve Morphological Outcome in Mouse Models of Brain Irradiation or Cortical Stroke. <i>Neuroscience</i> , 2018, 384, 314-328.	1.1	6
87	Vorapaxar in patients with coronary artery bypass grafting: Findings from the TRA 2 $\mu$ P-TIMI 50 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017, 6, 164-172.	0.4	8
88	International Recommendations for Electrocardiographic Interpretation in Athletes. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1057-1075.	1.2	318
89	International criteria for electrocardiographic interpretation in athletes: Consensus statement. <i>British Journal of Sports Medicine</i> , 2017, 51, 704-731.	3.1	291
90	Red Flags for Maltese Adults with Congenital Heart Disease: Poorer Dental Care and Less Sports Participation Compared to Other European Patients – An APPROACH-IS Substudy. <i>Pediatric Cardiology</i> , 2017, 38, 965-973.	0.6	4

#	ARTICLE	IF	CITATIONS
91	Comparison of participants and non-participants in patient-reported outcome surveys: the case of Assessment of Patterns of Patient-Reported Outcomes in Adults with Congenital Heart disease – International Study. <i>Cardiology in the Young</i> , 2017, 27, 427-434.	0.4	17
92	Epidemiological changes in Eisenmenger syndrome in the Nordic region in 1977–2012. <i>Heart</i> , 2017, 103, 1353-1358.	1.2	26
93	Effect of maternal age and cardiac disease severity on outcome of pregnancy in women with congenital heart disease. <i>International Journal of Cardiology</i> , 2017, 243, 197-203.	0.8	22
94	Adjunctive use of anticoagulants at the time of percutaneous coronary intervention in patients with an acute coronary syndrome treated with fondaparinux: a multinational retrospective review. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017, 3, 214-220.	1.4	2
95	Type 1 diabetes mellitus and associated risk factors in patients with or without CHD: a case–control study. <i>Cardiology in the Young</i> , 2017, 27, 1670-1677.	0.4	1
96	RV to PA conduits: impact of transcatheter pulmonary valve replacement in adults – a national register study. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 153-158.	0.4	5
97	High-Sensitivity Troponin I in Stable Patients with Atherosclerotic Disease in the TRA 2Å°P - TIMI 50 Trial. <i>Clinical Chemistry</i> , 2017, 63, 307-315.	1.5	19
98	Poor blood pressure control in adults with repaired coarctation of the aorta and hypertension: a register-based study of associated factors. <i>Cardiology in the Young</i> , 2017, 27, 1708-1715.	0.4	6
99	Ischemic heart disease in children and young adults with congenital heart disease in Sweden. <i>International Journal of Cardiology</i> , 2017, 248, 143-148.	0.8	35
100	Patient reported outcomes are associated with physical activity level in adults with congenital heart disease. <i>International Journal of Cardiology</i> , 2017, 243, 174-179.	0.8	15
101	Secular changes in cardiovascular risk factors in Swedish 50-year-old men over a 50-year period: The study of men born in 1913, 1923, 1933, 1943, 1953 and 1963. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 612-620.	0.8	31
102	Long-term outcome after right ventricle to pulmonary artery conduit surgery and reintervention. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 284-291.	0.4	9
103	Illness perceptions in adult congenital heart disease: A multi-center international study. <i>International Journal of Cardiology</i> , 2017, 244, 130-138.	0.8	27
104	Ability of noninvasive criteria to predict hemodynamically significant aortic obstruction in adults with coarctation of the aorta. <i>Congenital Heart Disease</i> , 2017, 12, 174-180.	0.0	8
105	Prognosis is better, still not good, and variable, for adults with congenital heart disease. <i>Journal of Thoracic Disease</i> , 2017, 9, 1789-1791.	0.6	1
106	Efficacy and safety of ticagrelor for long-term secondary prevention of atherothrombotic events in relation to renal function: insights from the PEGASUS-TIMI 54 trial. <i>European Heart Journal</i> , 2016, 37, ehv482.	1.0	70
107	High incidence of infective endocarditis in adults with congenital ventricular septal defect. <i>Heart</i> , 2016, 102, 1835-1839.	1.2	46
108	Platelet function recovery after ticagrelor withdrawal in patients awaiting urgent coronary surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 51, ezw373.	0.6	16



#	ARTICLE	IF	CITATIONS
109	Physical activity pattern, cardiorespiratory fitness, and socioeconomic status in the SCAPIS pilot trial – A cross-sectional study. Preventive Medicine Reports, 2016, 4, 44-49.	0.8	36
110	Catheter closure of atrial septal defect in the elderly (≥ 65 years). A worthwhile procedure. International Journal of Cardiology, 2016, 218, 25-30.	0.8	18
111	Quality of Life of Adults With Congenital Heart Disease in 15 Countries. Journal of the American College of Cardiology, 2016, 67, 2237-2245.	1.2	142
112	Ticagrelor for Prevention of Ischemic Events After Myocardial Infarction in Patients With Peripheral Artery Disease. Journal of the American College of Cardiology, 2016, 67, 2719-2728.	1.2	303
113	Effect of Losmapimod on Cardiovascular Outcomes in Patients Hospitalized With Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2016, 315, 1591.	3.8	190
114	Homograft reconstruction of the right ventricular outflow tract in adults with congenital heart disease: a systematic review. Interactive Cardiovascular and Thoracic Surgery, 2016, 22, 57-62.	0.5	5
115	Left ventricular hypertrophy in adults with previous repair of coarctation of the aorta; association with systolic blood pressure in the high normal range. International Journal of Cardiology, 2016, 218, 59-64.	0.8	25
116	Hypertension in adults with repaired coarctation of the aorta. American Heart Journal, 2016, 181, 10-15.	1.2	29
117	Ischemic Stroke in Children and Young Adults With Congenital Heart Disease. Journal of the American Heart Association, 2016, 5, .	1.6	81
118	Reduction in Total Cardiovascular Events With Ezetimibe/Simvastatin Post-Acute Coronary Syndrome. Journal of the American College of Cardiology, 2016, 67, 353-361.	1.2	173
119	Physical activity and exercise lower blood pressure in individuals with hypertension: narrative review of 27 RCTs. British Journal of Sports Medicine, 2016, 50, 356-361.	3.1	185
120	Randomized trials of closure of persistent foramen ovale (PFO) vs medical therapy for patients with cryptogenic stroke – Effect of lost-to-follow-up and withdrawal of consent. International Journal of Cardiology, 2016, 207, 308-309.	0.8	8
121	Why do patients participate in long-term cardiovascular trials? – a questionnaire-based study. Scandinavian Cardiovascular Journal, 2016, 50, 83-87.	0.4	2
122	Is preoperative physical activity related to post-surgery recovery? – a cohort study of colorectal cancer patients. International Journal of Colorectal Disease, 2016, 31, 1131-1140.	1.0	28
123	Committed to Life: Adolescents' and Young Adults' Experiences of Living with Fontan Circulation. Congenital Heart Disease, 2015, 10, 403-412.	0.0	24
124	Recurrent stroke in patients with patent foramen ovale: An observational prospective study of percutaneous closure of PFO versus non-closure. International Journal of Cardiology, 2015, 195, 293-299.	0.8	12
125	Height, weight and body mass index in adults with congenital heart disease. International Journal of Cardiology, 2015, 187, 219-226.	0.8	30
126	Vorapaxar in Patients With Diabetes Mellitus and Previous Myocardial Infarction. Circulation, 2015, 131, 1047-1053.	1.6	73



#	ARTICLE	IF	CITATIONS
127	The risk of atrial fibrillation in the general male population: a lifetime follow-up of 50-year-old men. <i>Europace</i> , 2015, 17, 1018-1022.	0.7	28
128	Genetic variation at the human connexin 43 locus but not at the connexin 40 locus is associated with left bundle branch block. <i>Open Heart</i> , 2015, 2, e000187.	0.9	11
129	Assessment of Patterns of Patient-Reported Outcomes in Adults with Congenital Heart disease – International Study (APPROACH-IS): Rationale, design, and methods. <i>International Journal of Cardiology</i> , 2015, 179, 334-342.	0.8	84
130	High mortality and morbidity among adults with congenital heart disease and type 2 diabetes. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 344-50.	0.4	19
131	Coronary artery bypass grafting-related bleeding complications in real-life acute coronary syndrome patients treated with clopidogrel or ticagrelor. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 46, 699-705.	0.6	41
132	Muscle function in adults with congenital heart disease. <i>International Journal of Cardiology</i> , 2014, 170, 358-363.	0.8	47
133	Atrial natriuretic peptide as a predictor of atrial fibrillation in a male population study. The Study of Men Born in 1913 and 1923. <i>International Journal of Cardiology</i> , 2014, 171, 44-48.	0.8	13
134	Seven-year follow-up of percutaneous closure of patent foramen ovale. <i>International Journal of Cardiology Heart &amp; Vessels</i> , 2013, 1, 32-36.	0.5	5
135	Consensus document regarding cardiovascular safety at sports arenas: Position stand from the European Association of Cardiovascular Prevention and Rehabilitation (EACPR), section of Sports Cardiology. <i>European Heart Journal</i> , 2011, 32, 2119-2124.	1.0	67
136	Spinal cord stimulation for long-term treatment of severe angina pectoris: what does the evidence say?. <i>Future Cardiology</i> , 2011, 7, 825-833.	0.5	8
137	Cardiovascular evaluation of middle-aged/senior individuals engaged in leisure-time sport activities: position stand from the sections of exercise physiology and sports cardiology of the European Association of Cardiovascular Prevention and Rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 446-458.	3.1	176
138	Time for action regarding cardiovascular emergency care at sports arenas: a lesson from the Arena study. <i>European Heart Journal</i> , 2010, 31, 1438-1441.	1.0	32
139	Spinal cord stimulation in severe angina pectoris – A systematic review based on the Swedish Council on Technology assessment in health care report on long-standing pain. <i>Pain</i> , 2008, 140, 501-508.	2.0	56
140	Comment to text by Leif Thuesen, “PCI-The ugly duckling” <i>Scandinavian Cardiovascular Journal</i> , 2007, 41, 10-11.	0.4	1
141	An Academic ECG Core Lab Perspective of the FDA Initiative for Digital ECG Capture and Data Management in Large-Scale Clinical Trials. <i>Drug Information Journal</i> , 2005, 39, 345-351.	0.5	1
142	Can ST-segment recovery and myocardial blush predict prognosis?. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2005, 2, 506-507.	3.3	0
143	Chest pain: an update. <i>Current Opinion in Anaesthesiology</i> , 2002, 15, 569-574.	0.9	1
144	Vectorelectrocardiography in Coronary Artery Disease. <i>Scandinavian Cardiovascular Journal</i> , 2001, 35, 72-74.	0.4	1

#	ARTICLE	IF	CITATIONS
145	ST Variability during the First 4 Hours of Acute Myocardial Infarction Predicts 1-Year Mortality. <i>Annals of Noninvasive Electrocardiology</i> , 2001, 6, 198-202.	0.5	11
146	Long-term mortality after acute myocardial infarction in relation to prescribed dosages of a beta-blocker at hospital discharge. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 589-595.	1.3	6
147	Similar risk reduction of death of extended-release metoprolol once daily and immediate-release metoprolol twice daily during 5 years after myocardial infarction. <i>Cardiovascular Drugs and Therapy</i> , 1999, 13, 127-135.	1.3	10
148	Visceral chest pain in unstable angina pectoris and effects of transcutaneous electrical nerve stimulation (TENS). <i>Herz</i> , 1999, 24, 114-125.	0.4	16
149	Optimal Treatment After Acute Myocardial Infarction in the Elderly. <i>Drugs and Aging</i> , 1995, 6, 181-191.	1.3	4
150	Acute Myocardial Infarction: Difference in the Treatment between Men and Women. <i>International Journal for Quality in Health Care</i> , 1993, 5, 261-265.	0.9	34
151	Epilepsy in patients with congenital heart disease: A nationwide cohort study. <i>Brain and Behavior</i> , 0, , .	1.0	2