

Miguel Angel Sanz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7191631/miguel-angel-sanz-publications-by-citations.pdf>

Version: 2023-06-07

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

578
papers

32,415
citations

69
h-index

172
g-index

604
ext. papers

37,140
ext. citations

4.2
avg, IF

6.37
L-index

#	Paper	IF	Citations
578	International Scoring System for Evaluating Prognosis in Myelodysplastic Syndromes. <i>Blood</i> , 1997 , 89, 2079-2088	2.2	3508
577	Diagnosis and management of AML in adults: 2017 ELN recommendations from an international expert panel. <i>Blood</i> , 2017 , 129, 424-447	2.2	2764
576	Diagnosis and management of acute myeloid leukemia in adults: recommendations from an international expert panel, on behalf of the European LeukemiaNet. <i>Blood</i> , 2010 , 115, 453-74	2.2	2483
575	Revised recommendations of the International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2003 , 21, 4642-9	2.2	2107
574	Standardization of terminology, definitions and outcome criteria in immune thrombocytopenic purpura of adults and children: report from an international working group. <i>Blood</i> , 2009 , 113, 2386-93	2.2	1651
573	International consensus report on the investigation and management of primary immune thrombocytopenia. <i>Blood</i> , 2010 , 115, 168-86	2.2	1392
572	Midostaurin plus Chemotherapy for Acute Myeloid Leukemia with a FLT3 Mutation. <i>New England Journal of Medicine</i> , 2017 , 377, 454-464	59.2	1067
571	Blinatumomab versus Chemotherapy for Advanced Acute Lymphoblastic Leukemia. <i>New England Journal of Medicine</i> , 2017 , 376, 836-847	59.2	978
570	Management of acute promyelocytic leukemia: recommendations from an expert panel on behalf of the European LeukemiaNet. <i>Blood</i> , 2009 , 113, 1875-91	2.2	720
569	Efficacy of romiplostim in patients with chronic immune thrombocytopenic purpura: a double-blind randomised controlled trial. <i>Lancet, The</i> , 2008 , 371, 395-403	40	663
568	A Randomized Comparison of All Transretinoic Acid (ATRA) Followed by Chemotherapy and ATRA Plus Chemotherapy and the Role of Maintenance Therapy in Newly Diagnosed Acute Promyelocytic Leukemia. <i>Blood</i> , 1999 , 94, 1192-1200	2.2	606
567	Risk-adapted treatment of acute promyelocytic leukemia with all-trans-retinoic acid and anthracycline monochemotherapy: a multicenter study by the PETHEMA group. <i>Blood</i> , 2004 , 103, 1237-43 ²	2.2	338
566	Results from a randomized trial of salvage chemotherapy followed by lestaurtinib for patients with FLT3 mutant AML in first relapse. <i>Blood</i> , 2011 , 117, 3294-301	2.2	323
565	A Randomized, Double-Blind, Placebo-Controlled, Phase III Study of Filgrastim in Remission Induction and Consolidation Therapy for Adults With De Novo Acute Myeloid Leukemia. <i>Blood</i> , 1997 , 90, 4710-4718	2.2	275
564	Causes and prognostic factors of remission induction failure in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and idarubicin. <i>Blood</i> , 2008 , 111, 3395-402	2.2	258
563	Risk-adapted treatment of acute promyelocytic leukemia based on all-trans retinoic acid and anthracycline with addition of cytarabine in consolidation therapy for high-risk patients: further improvements in treatment outcome. <i>Blood</i> , 2010 , 115, 5137-46	2.2	234
562	Differentiation syndrome in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline chemotherapy: characteristics, outcome, and prognostic factors. <i>Blood</i> , 2009 , 113, 775-83	2.2	232

561	Management of acute promyelocytic leukemia: updated recommendations from an expert panel of the European LeukemiaNet. <i>Blood</i> , 2019 , 133, 1630-1643	2.2	219
560	Comparison of the results of the treatment of adolescents and young adults with standard-risk acute lymphoblastic leukemia with the Programa Español de Tratamiento en Hematología pediatric-based protocol ALL-96. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1843-9	2.2	209
559	Standardized, unrelated donor cord blood transplantation in adults with hematologic malignancies. <i>Blood</i> , 2001 , 98, 2332-8	2.2	202
558	Modern approaches to treating acute promyelocytic leukemia. <i>Journal of Clinical Oncology</i> , 2011 , 29, 495-503	2.2	188
557	Very long-term outcome of acute promyelocytic leukemia after treatment with all-trans retinoic acid and chemotherapy: the European APL Group experience. <i>Blood</i> , 2010 , 115, 1690-6	2.2	186
556	Therapy-related acute promyelocytic leukemia. <i>Journal of Clinical Oncology</i> , 2003 , 21, 2123-37	2.2	184
555	Deep infections caused by <i>Scedosporium prolificans</i> . A report on 16 cases in Spain and a review of the literature. <i>Scedosporium Prolificans Spanish Study Group. Medicine (United States)</i> , 1997 , 76, 256-65	1.8	157
554	Tumor lysis syndrome in patients with acute myeloid leukemia: identification of risk factors and development of a predictive model. <i>Haematologica</i> , 2008 , 93, 67-74	6.6	148
553	Long-term follow-up confirms the benefit of all-trans retinoic acid in acute promyelocytic leukemia. European APL group. <i>Leukemia</i> , 2000 , 14, 1371-7	10.7	137
552	Extramedullary relapse in acute promyelocytic leukemia treated with all-trans retinoic acid and chemotherapy. <i>Leukemia</i> , 2006 , 20, 35-41	10.7	136
551	Treatment of newly diagnosed acute promyelocytic leukemia (APL): a comparison of French-Belgian-Swiss and PETHEMA results. <i>Blood</i> , 2008 , 111, 1078-84	2.2	135
550	Risk-adapted treatment of acute promyelocytic leukemia with all-trans retinoic acid and anthracycline monochemotherapy: long-term outcome of the LPA 99 multicenter study by the PETHEMA Group. <i>Blood</i> , 2008 , 112, 3130-4	2.2	129
549	Outcome of childhood acute promyelocytic leukemia with all-trans-retinoic acid and chemotherapy. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1404-12	2.2	118
548	Prognostic implication of FLT3 and Ras gene mutations in patients with acute promyelocytic leukemia (APL): a retrospective study from the European APL Group. <i>Leukemia</i> , 2005 , 19, 1153-60	10.7	117
547	Incidence and prognostic value of FLT3 internal tandem duplication and D835 mutations in acute myeloid leukemia. <i>Haematologica</i> , 2003 , 88, 19-24	6.6	117
546	Rasburicase (recombinant urate oxidase) for the management of hyperuricemia in patients with cancer: report of an international compassionate use study. <i>Cancer</i> , 2003 , 98, 1048-54	6.4	115
545	Single-unit umbilical cord blood transplantation from unrelated donors in patients with hematological malignancy using busulfan, thiotepa, fludarabine and ATG as myeloablative conditioning regimen. <i>Bone Marrow Transplantation</i> , 2012 , 47, 1287-93	4.4	112
544	The number of donor CD3(+) cells is the most important factor for graft failure after allogeneic transplantation of CD34(+) selected cells from peripheral blood from HLA-identical siblings. <i>Blood</i> , 2001 , 97, 383-7	2.2	112

543	Treatment with all-trans retinoic acid and anthracycline monochemotherapy for children with acute promyelocytic leukemia: a multicenter study by the PETHEMA Group. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7632-40	2.2	111
542	Outcome of patients with acute promyelocytic leukemia failing to front-line treatment with all-trans retinoic acid and anthracycline-based chemotherapy (PETHEMA protocols LPA96 and LPA99): benefit of an early intervention. <i>Leukemia</i> , 2007 , 21, 446-52	10.7	110
541	The t(4;22)(q12;q11) in atypical chronic myeloid leukaemia fuses BCR to PDGFRA. <i>Human Molecular Genetics</i> , 2002 , 11, 1391-7	5.6	109
540	Acute promyelocytic leukemia. Therapy results and prognostic factors. <i>Cancer</i> , 1988 , 61, 7-13	6.4	106
539	Treatment of chronic lymphocytic leukemia in advanced stages. A randomized trial comparing chlorambucil plus prednisone versus cyclophosphamide, vincristine, and prednisone. <i>Cancer</i> , 1985 , 56, 2369-75	6.4	106
538	Successful treatment of severe intra-abdominal bleeding associated with disseminated intravascular coagulation using recombinant activated factor VII. <i>British Journal of Haematology</i> , 2001 , 114, 174-6	4.5	104
537	Additional chromosomal abnormalities in patients with acute promyelocytic leukaemia (APL) do not confer poor prognosis: results of APL 93 trial. <i>British Journal of Haematology</i> , 2000 , 111, 801-6	4.5	104
536	Comparison of intensive chemotherapy, allogeneic or autologous stem cell transplantation as post-remission treatment for adult patients with high-risk acute lymphoblastic leukemia. Results of the PETHEMA ALL-93 trial. <i>Haematologica</i> , 2005 , 90, 1346-56	6.6	104
535	Autologous and allogeneic stem-cell transplantation as salvage treatment of acute promyelocytic leukemia initially treated with all-trans-retinoic acid: a retrospective analysis of the European acute promyelocytic leukemia group. <i>Journal of Clinical Oncology</i> , 2005 , 23, 120-6	2.2	103
534	Wnt signaling pathway is epigenetically regulated by methylation of Wnt antagonists in acute myeloid leukemia. <i>Leukemia</i> , 2009 , 23, 1658-66	10.7	101
533	Tricks of the trade for the appropriate management of newly diagnosed acute promyelocytic leukemia. <i>Blood</i> , 2005 , 105, 3019-25	2.2	101
532	Absence of platelet response after eradication of <i>Helicobacter pylori</i> infection in patients with chronic idiopathic thrombocytopenic purpura. <i>British Journal of Haematology</i> , 2001 , 115, 1002-3	4.5	100
531	Therapy-related acute promyelocytic leukemia: a report on 16 cases. <i>Journal of Clinical Oncology</i> , 1992 , 10, 1430-5	2.2	100
530	Impact of adjunct cytogenetic abnormalities for prognostic stratification in patients with myelodysplastic syndrome and deletion 5q. <i>Leukemia</i> , 2011 , 25, 110-20	10.7	98
529	Clinical significance of CD56 expression in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline-based regimens. <i>Blood</i> , 2011 , 117, 1799-805	2.2	95
528	The Multi-Kinase Inhibitor Midostaurin (M) Prolongs Survival Compared with Placebo (P) in Combination with Daunorubicin (D)/Cytarabine (C) Induction (ind), High-Dose C Consolidation (consol), and As Maintenance (maint) Therapy in Newly Diagnosed Acute Myeloid Leukemia (AML) Patients (n = 121) with FLT3 Mutation (mut) and/or Deletion 5q. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1200-10	2.2	93
527	Early prediction of treatment outcome in acute myeloid leukemia by measurement of WT1 transcript levels in peripheral blood samples collected after chemotherapy. <i>Haematologica</i> , 2008 , 93, 921-4	6.6	90
526	Prospective study of amphotericin B formulations in immunocompromised patients in 4 European countries. <i>Clinical Infectious Diseases</i> , 2006 , 43, e29-38	11.6	90

525	Early infections in adult patients undergoing unrelated donor cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2002 , 30, 937-43	4.4	87
524	How we prevent and treat differentiation syndrome in patients with acute promyelocytic leukemia. <i>Blood</i> , 2014 , 123, 2777-82	2.2	86
523	Prognostic implications of Wilms' tumor gene (WT1) expression in patients with de novo acute myeloid leukemia. <i>Haematologica</i> , 2004 , 89, 926-33	6.6	86
522	All-trans retinoic acid and anthracycline monochemotherapy for the treatment of elderly patients with acute promyelocytic leukemia. <i>Blood</i> , 2004 , 104, 3490-3	2.2	85
521	Influence of genetic polymorphisms on the risk of developing leukemia and on disease progression. <i>Leukemia Research</i> , 2006 , 30, 1471-91	2.7	84
520	Outcomes and prognostic factors of adults with acute lymphoblastic leukemia who relapse after allogeneic hematopoietic cell transplantation. An analysis on behalf of the Acute Leukemia Working Party of EBMT. <i>Leukemia</i> , 2012 , 26, 1211-7	10.7	83
519	Pregnancy outcome in hematologic malignancies. <i>Cancer</i> , 1991 , 67, 703-9	6.4	81
518	Autoimmune hemolytic anemia following allogeneic hematopoietic stem cell transplantation in adult patients. <i>Bone Marrow Transplantation</i> , 2007 , 39, 555-61	4.4	79
517	Improved outcome of acute promyelocytic leukemia with high WBC counts over the last 15 years: the European APL Group experience. <i>Journal of Clinical Oncology</i> , 2009 , 27, 2668-76	2.2	78
516	Central nervous system involvement at first relapse in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline monochemotherapy without intrathecal prophylaxis. <i>Haematologica</i> , 2009 , 94, 1242-9	6.6	78
515	Improving acute promyelocytic leukemia (APL) outcome in developing countries through networking, results of the International Consortium on APL. <i>Blood</i> , 2013 , 121, 1935-43	2.2	77
514	Analysis of factors associated with low peripheral blood progenitor cell collection in normal donors. <i>Transfusion</i> , 2002 , 42, 4-9	2.9	77
513	Bone marrow-derived cells from male donors do not contribute to the endometrial side population of the recipient. <i>PLoS ONE</i> , 2012 , 7, e30260	3.7	76
512	Cord blood transplantation from unrelated donors in adults with high-risk acute myeloid leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, 86-94	4.7	74
511	Lack of RPS14 promoter aberrant methylation supports the haploinsufficiency model for the 5q-syndrome. <i>Blood</i> , 2008 , 112, 918	2.2	73
510	Additional chromosome abnormalities in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and chemotherapy. <i>Haematologica</i> , 2010 , 95, 424-31	6.6	72
509	Molecular analysis of t(15;17) genomic breakpoints in secondary acute promyelocytic leukemia arising after treatment of multiple sclerosis. <i>Blood</i> , 2008 , 112, 3383-90	2.2	68
508	Busulfan plus cyclophosphamide followed by autologous blood stem-cell transplantation for patients with acute myeloblastic leukemia in first complete remission: a report from a single institution. <i>Journal of Clinical Oncology</i> , 1993 , 11, 1661-7	2.2	66

507	Bone marrow biopsy in myelodysplastic syndromes: morphological characteristics and contribution to the study of prognostic factors. <i>British Journal of Haematology</i> , 1990 , 75, 26-33	4.5	66
506	DNA methylation profiles and their relationship with cytogenetic status in adult acute myeloid leukemia. <i>PLoS ONE</i> , 2010 , 5, e12197	3.7	66
505	Profile of polymorphisms of drug-metabolising enzymes and the risk of therapy-related leukaemia. <i>British Journal of Haematology</i> , 2007 , 136, 590-6	4.5	63
504	Risk factors for acute graft-versus-host disease in patients undergoing transplantation with CD34+ selected blood cells from HLA-identical siblings. <i>Blood</i> , 2002 , 100, 724-7	2.2	63
503	Myelodysplastic syndrome after acute promyelocytic leukemia: the European APL group experience. <i>Leukemia</i> , 2003 , 17, 1600-4	10.7	62
502	The potential effect of gender in combination with common genetic polymorphisms of drug-metabolizing enzymes on the risk of developing acute leukemia. <i>Haematologica</i> , 2007 , 92, 308-14	6.6	61
501	Role of methylene blue-treated or fresh-frozen plasma in the response to plasma exchange in patients with thrombotic thrombocytopenic purpura. <i>British Journal of Haematology</i> , 2001 , 114, 721-3	4.5	61
500	Bleeding and thrombosis in acute leukemia: what does the future of therapy look like?. <i>Thrombosis Research</i> , 2007 , 120 Suppl 2, S99-106	8.2	60
499	Early onset of chemotherapy can reduce the incidence of ATRA syndrome in newly diagnosed acute promyelocytic leukemia (APL) with low white blood cell counts: results from APL 93 trial. <i>Leukemia</i> , 2003 , 17, 339-42	10.7	60
498	Therapy-related myeloid neoplasms in patients with acute promyelocytic leukemia treated with all-trans-retinoic Acid and anthracycline-based chemotherapy. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3872-9	2.2	59
497	The differentiation syndrome in patients with acute promyelocytic leukemia: experience of the pethema group and review of the literature. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2011 , 3, e2011059	3.2	59
496	Outcome of acute promyelocytic leukemia treated with all trans retinoic acid and chemotherapy in elderly patients: the European group experience. <i>Leukemia</i> , 2005 , 19, 230-3	10.7	59
495	Autologous stem cell transplantation for clinically aggressive non-Hodgkin's lymphoma: the role of preparative regimens. <i>Bone Marrow Transplantation</i> , 2001 , 27, 405-12	4.4	59
494	Reduced-intensity conditioning with fludarabine and busulfan versus fludarabine and melphalan for patients with acute myeloid leukemia: a report from the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Cancer</i> , 2015 , 121, 1048-55	6.4	56
493	Acute promyelocytic leukemia: recent advances in diagnosis and management. <i>Seminars in Oncology</i> , 2008 , 35, 401-9	5.5	56
492	Problematic WHO reclassification of myelodysplastic syndromes. Members of the International MDS Study Group. <i>Journal of Clinical Oncology</i> , 2000 , 18, 3447-52	2.2	56
491	Salvage regimens using conventional chemotherapy agents for relapsed/refractory adult AML patients: a systematic literature review. <i>Annals of Hematology</i> , 2018 , 97, 1115-1153	3	55
490	EBV-associated post-transplant lymphoproliferative disorder after umbilical cord blood transplantation in adults with hematological diseases. <i>Bone Marrow Transplantation</i> , 2014 , 49, 397-402	4.4	54

489	A novel NUP98/RARG gene fusion in acute myeloid leukemia resembling acute promyelocytic leukemia. <i>Blood</i> , 2011 , 117, 242-5	2.2	54
488	Follow-up of healthy donors receiving granulocyte colony-stimulating factor for peripheral blood progenitor cell mobilization and collection. Results of the Spanish Donor Registry. <i>Haematologica</i> , 2008 , 93, 735-40	6.6	54
487	Morbidity and transplant-related mortality of CBV and BEAM preparative regimens for patients with lymphoid malignancies undergoing autologous stem-cell transplantation. <i>Leukemia and Lymphoma</i> , 2006 , 47, 1488-94	1.9	54
486	Arsenic trioxide-based therapy of relapsed acute promyelocytic leukemia: registry results from the European LeukemiaNet. <i>Leukemia</i> , 2015 , 29, 1084-91	10.7	53
485	Impact of NPM1/FLT3-ITD genotypes defined by the 2017 European LeukemiaNet in patients with acute myeloid leukemia. <i>Blood</i> , 2020 , 135, 371-380	2.2	53
484	Open issues on bleeding and thrombosis in acute promyelocytic leukemia. <i>Thrombosis Research</i> , 2010 , 125 Suppl 2, S51-4	8.2	52
483	Treatment of acute promyelocytic leukemia. <i>Hematology American Society of Hematology Education Program</i> , 2006 , 2006, 147-55	3.1	52
482	Intravenous busulfan and melphalan as a conditioning regimen for autologous stem cell transplantation in patients with newly diagnosed multiple myeloma: a matched comparison to a melphalan-only approach. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 69-74	4.7	50
481	Revision of the risk of secondary leukaemia after mitoxantrone in multiple sclerosis populations is required. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 1303-10	5	50
480	Chronic lymphocytic leukaemia: prognostic value of lymphocyte morphological subtypes. A multivariate survival analysis in 146 patients. <i>British Journal of Haematology</i> , 1991 , 77, 478-85	4.5	50
479	Prognostic value of FLT3 mutations in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline monochemotherapy. <i>Haematologica</i> , 2011 , 96, 1470-7	6.6	48
478	A phase II clinical trial of carboplatin infusion in high-risk acute nonlymphoblastic leukemia. <i>Journal of Clinical Oncology</i> , 1991 , 9, 39-43	2.2	48
477	Interfacial domains in Sindbis virus 6K protein. Detection and functional characterization. <i>Journal of Biological Chemistry</i> , 2003 , 278, 2051-7	5.4	47
476	Arsenic trioxide in the treatment of acute promyelocytic leukemia. A review of current evidence. <i>Haematologica</i> , 2005 , 90, 1231-5	6.6	47
475	Efficacy and safety of rituximab in adult patients with idiopathic relapsing or refractory thrombotic thrombocytopenic purpura: results of a Spanish multicenter study. <i>Transfusion and Apheresis Science</i> , 2010 , 43, 299-303	2.4	46
474	Results of the PETHEMA ALL-96 trial in elderly patients with Philadelphia chromosome-negative acute lymphoblastic leukemia. <i>European Journal of Haematology</i> , 2007 , 78, 102-10	3.8	46
473	Incidence, risk factors, and outcome of cytomegalovirus infection and disease in patients receiving prophylaxis with oral valganciclovir or intravenous ganciclovir after umbilical cord blood transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 730-40	4.7	45
472	Hematopoietic stem cell transplantation for adults with acute promyelocytic leukemia in the ATRA era: a survey of the European Cooperative Group for Blood and Marrow Transplantation. <i>Bone Marrow Transplantation</i> , 2007 , 39, 461-9	4.4	45

471	Donor age-related differences in PBPC mobilization with rHuG-CSF. <i>Transfusion</i> , 2001 , 41, 201-5	2.9	45
470	Prognostic factors in myelodysplastic syndromes. <i>Leukemia Research</i> , 1992 , 16, 77-86	2.7	45
469	Pretreatment characteristics and clinical outcome of acute promyelocytic leukaemia patients according to the PML-RAR alpha isoforms: a study of the PETHEMA group. <i>British Journal of Haematology</i> , 2001 , 114, 99-103	4.5	44
468	Sindbis virus variant with a deletion in the 6K gene shows defects in glycoprotein processing and trafficking: lack of complementation by a wild-type 6K gene in trans. <i>Journal of Virology</i> , 2001 , 75, 7778-84	6.6	44
467	Administration of recombinant human granulocyte colony-stimulating factor to normal donors: results of the Spanish National Donor Registry. Spanish Group of Allo-PBT. <i>Bone Marrow Transplantation</i> , 1999 , 24, 723-8	4.4	44
466	FLT3 inhibition as a targeted therapy for acute myeloid leukemia. <i>Current Opinion in Oncology</i> , 2009 , 21, 594-600	4.2	43
465	Cord-blood transplantation in patients with leukemia--a real alternative for adults. <i>New England Journal of Medicine</i> , 2004 , 351, 2328-30	59.2	42
464	Unrelated donor umbilical cord blood transplantation in adults. <i>Leukemia</i> , 2002 , 16, 1984-91	10.7	42
463	Cefepime plus amikacin versus piperacillin-tazobactam plus amikacin for initial antibiotic therapy in haematology patients with febrile neutropenia: results of an open, randomized, multicentre trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2002 , 50, 79-88	5.1	41
462	Internal tandem duplication of the FLT3 gene confers poor overall survival in patients with acute promyelocytic leukemia treated with all-trans retinoic acid and anthracycline-based chemotherapy: an International Consortium on Acute Promyelocytic Leukemia study. <i>Annals of Hematology</i> , 2014 , 93, 2001-10	3	40
461	Dual mechanism for the translation of subgenomic mRNA from Sindbis virus in infected and uninfected cells. <i>PLoS ONE</i> , 2009 , 4, e4772	3.7	40
460	Down-regulation of EVI1 is associated with epigenetic alterations and good prognosis in patients with acute myeloid leukemia. <i>Haematologica</i> , 2011 , 96, 1448-56	6.6	39
459	Outcome of acute promyelocytic leukemia (APL) in children and adolescents: an analysis in two consecutive trials of the European APL Group. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1641-6	2.2	39
458	Use of arsenic trioxide in haematological malignancies: insight into the clinical development of a novel agent. <i>Current Medical Research and Opinion</i> , 2005 , 21, 403-11	2.5	39
457	A convergent approach to midpacamide and dispacamide pyrrole-imidazole marine alkaloids. <i>Tetrahedron Letters</i> , 2001 , 42, 851-854	2	39
456	Autologous blood cell vs marrow transplantation for acute myeloid leukemia in complete remission: an EBMT retrospective analysis. <i>Bone Marrow Transplantation</i> , 2000 , 25, 1115-9	4.4	39
455	Impact on Outcomes of Human Leukocyte Antigen Matching by Allele-Level Typing in Adults with Acute Myeloid Leukemia Undergoing Umbilical Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 106-110	4.7	38
454	FLAG-IDA regimen (fludarabine, cytarabine, idarubicin and G-CSF) in the treatment of patients with high-risk myeloid malignancies. <i>Leukemia Research</i> , 2002 , 26, 725-30	2.7	38

453	Factors influencing the collection of peripheral blood stem cells in patients with acute myeloblastic leukemia and non-myeloid malignancies. <i>Leukemia Research</i> , 2003 , 27, 5-12	2.7	38
452	Epigenetic regulation of the non-canonical Wnt pathway in acute myeloid leukemia. <i>Cancer Science</i> , 2010 , 101, 425-32	6.9	37
451	Translation of Sindbis virus 26S mRNA does not require intact eukariotic initiation factor 4G. <i>Journal of Molecular Biology</i> , 2006 , 355, 942-56	6.5	37
450	A role for 3AB protein in poliovirus genome replication. <i>Journal of Biological Chemistry</i> , 1995 , 270, 14430-4	5.4	37
449	Prognostic factors in chronic myelodysplastic syndromes: a multivariate analysis in 107 cases. <i>American Journal of Hematology</i> , 1988 , 27, 163-8	7.1	37
448	A prognostic model for survival after salvage treatment with FLAG-Ida +/- gemtuzumab-ozogamicine in adult patients with refractory/relapsed acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2016 , 174, 700-10	4.5	36
447	Unrelated donor cord blood transplantation in adults with chronic myelogenous leukemia: results in nine patients from a single institution. <i>Bone Marrow Transplantation</i> , 2001 , 27, 693-701	4.4	35
446	Molecular remission as a therapeutic objective in acute promyelocytic leukemia. <i>Leukemia</i> , 2018 , 32, 1671-1678	10.7	34
445	Viral translation is coupled to transcription in Sindbis virus-infected cells. <i>Journal of Virology</i> , 2007 , 81, 7061-8	6.6	34
444	The GST deletions and NQO1*2 polymorphism confers interindividual variability of response to treatment in patients with acute myeloid leukemia. <i>Leukemia Research</i> , 2007 , 31, 947-53	2.7	33
443	Development of non-ABO RBC alloantibodies in patients undergoing allogeneic HPC transplantation. Is ABO incompatibility a predisposing factor?. <i>Transfusion</i> , 2001 , 41, 106-10	2.9	33
442	Post-transplant cyclophosphamide-based haplo-identical transplantation as alternative to matched sibling or unrelated donor transplantation for non-Hodgkin lymphoma: a registry study by the European society for blood and marrow transplantation. <i>Leukemia</i> , 2016 , 30, 2086-2089	10.7	33
441	A phase I-II study of plerixafor in combination with fludarabine, idarubicin, cytarabine, and G-CSF (PLERIFLAG regimen) for the treatment of patients with the first early-relapsed or refractory acute myeloid leukemia. <i>Annals of Hematology</i> , 2018 , 97, 763-772	3	32
440	Outcome of Second Allogeneic Hematopoietic Cell Transplantation after Relapse of Myeloid Malignancies Following Allogeneic Hematopoietic Cell Transplantation: A Retrospective Cohort on Behalf of the Grupo Español de Trasplante Hematopoyetico. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 584-9	4.7	32
439	Genetic markers for doubled haploid response in barley. <i>Euphytica</i> , 2007 , 158, 287-294	2.1	32
438	Factors influencing hematopoietic recovery after autologous blood stem cell transplantation in patients with acute myeloblastic leukemia and with non-myeloid malignancies. <i>Bone Marrow Transplantation</i> , 2002 , 29, 825-32	4.4	32
437	Use of reverse-transcriptase polymerase chain reaction (RT-PCR) for carcinoembryonic antigen, cytokeratin 19, and maspin in the detection of tumor cells in leukapheresis products from patients with breast cancer: comparison with immunocytochemistry. <i>Stem Cells and Development</i> , 1999 , 8, 53-61		32
436	Incidence, risk factors, and outcome of bacteremia following autologous hematopoietic stem cell transplantation in 720 adult patients. <i>Annals of Hematology</i> , 2014 , 93, 299-307	3	31

435	Eculizumab for the treatment of pregnancy-related atypical hemolytic uremic syndrome. <i>Annals of Hematology</i> , 2014 , 93, 1421-2	3	31
434	Myeloablative cord blood transplantation in adults with acute leukemia: comparison of two different transplant platforms. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1725-30	4.7	30
433	Activity and safety of lenalidomide and dexamethasone in patients with multiple myeloma requiring dialysis: a Spanish multicenter retrospective study. <i>European Journal of Haematology</i> , 2010 , 85, 363-5	3.8	30
432	Prognostic value of karyotypic analysis in children and adults with high-risk acute lymphoblastic leukemia included in the PETHEMA ALL-93 trial. <i>Haematologica</i> , 2002 , 87, 154-66	6.6	30
431	Lack of influence of human immunodeficiency virus infection status in the response to therapy and survival of adult patients with mature B-cell lymphoma or leukemia. Results of the PETHEMA-LAL3/97 study. <i>Haematologica</i> , 2003 , 88, 445-53	6.6	30
430	Acute Promyelocytic Leukemia: A Constellation of Molecular Events around a Single Fusion Gene. <i>Cancers</i> , 2020 , 12,	6.6	29
429	Adverse prognostic value of MYBL2 overexpression and association with microRNA-30 family in acute myeloid leukemia patients. <i>Leukemia Research</i> , 2013 , 37, 1690-6	2.7	29
428	The impact of graft-versus-host disease prophylaxis in reduced-intensity conditioning allogeneic stem cell transplant in acute myeloid leukemia: a study from the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Haematologica</i> , 2015 , 100, 683-9	6.6	29
427	Does microgranular variant morphology of acute promyelocytic leukemia independently predict a less favorable outcome compared with classical M3 APL? A joint study of the North American Intergroup and the PETHEMA Group. <i>Blood</i> , 2010 , 116, 5650-9	2.2	29
426	Analysis of t(15;17) chromosomal breakpoint sequences in therapy-related versus de novo acute promyelocytic leukemia: association of DNA breaks with specific DNA motifs at PML and RARA loci. <i>Genes Chromosomes and Cancer</i> , 2010 , 49, 726-32	5	29
425	Minimal residual disease detection in acute myeloid leukemia by mutant nucleophosmin (NPM1): comparison with WT1 gene expression. <i>Clinica Chimica Acta</i> , 2008 , 395, 120-3	6.2	29
424	Prognostic value of CD34 expression in de novo acute myeloblastic leukaemia. <i>British Journal of Haematology</i> , 1991 , 79, 533-4	4.5	29
423	Unrelated transplantation for poor-prognosis adult acute lymphoblastic leukemia: long-term outcome analysis and study of the impact of hematopoietic graft source. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, 957-66	4.7	28
422	Single-unit umbilical cord blood transplantation from unrelated donors in adult patients with chronic myelogenous leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, 1589-95	4.7	28
421	Positive selection for CD34+ reduces the incidence and severity of veno-occlusive disease of the liver after HLA-identical sibling allogeneic peripheral blood stem cell transplantation. <i>Experimental Hematology</i> , 2003 , 31, 545-50	3.1	28
420	CYP2C8 gene polymorphism and bisphosphonate-related osteonecrosis of the jaw in patients with multiple myeloma. <i>Haematologica</i> , 2011 , 96, 1557-9	6.6	27
419	Autologous hematopoietic stem cell transplantation in relapsing-remitting multiple sclerosis: comparison with secondary progressive multiple sclerosis. <i>Neurological Sciences</i> , 2017 , 38, 1213-1221	3.5	26
418	Challenges in Clinical Metaproteomics Highlighted by the Analysis of Acute Leukemia Patients with Gut Colonization by Multidrug-Resistant Enterobacteriaceae. <i>Proteomes</i> , 2019 , 7,	4.6	26

417	Bloodstream infections in adult patients undergoing cord blood transplantation from unrelated donors after myeloablative conditioning regimen. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 755-60	4.7	26
416	Incidence and risk factors of post-engraftment invasive fungal disease in adult allogeneic hematopoietic stem cell transplant recipients receiving oral azoles prophylaxis. <i>Bone Marrow Transplantation</i> , 2015 , 50, 1465-72	4.4	26
415	Tamibarotene in patients with acute promyelocytic leukaemia relapsing after treatment with all-trans retinoic acid and arsenic trioxide. <i>British Journal of Haematology</i> , 2015 , 171, 471-7	4.5	26
414	Autoimmune cytopenias after umbilical cord blood transplantation in adults with hematological malignancies: a single-center experience. <i>Bone Marrow Transplantation</i> , 2014 , 49, 1084-8	4.4	26
413	Impact of hematopoietic chimerism at day +14 on engraftment after unrelated donor umbilical cord blood transplantation for hematologic malignancies. <i>Haematologica</i> , 2009 , 94, 827-32	6.6	26
412	Infectious complications in patients undergoing unrelated donor bone marrow transplantation: experience from a single institution. <i>Clinical Microbiology and Infection</i> , 2002 , 8, 725-33	9.5	26
411	Imatinib mesylate as treatment for blastic transformation of Philadelphia chromosome positive chronic myelogenous leukemia. <i>Haematologica</i> , 2003 , 88, 1213-20	6.6	26
410	Impact of in vivo T cell depletion in HLA-identical allogeneic stem cell transplantation for acute myeloid leukemia in first complete remission conditioned with a fludarabine iv-busulfan myeloablative regimen: a report from the EBMT Acute Leukemia Working Party. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 31	22.4	25
409	T-cell-replete haploidentical transplantation versus autologous stem cell transplantation in adult acute leukemia: a matched pair analysis. <i>Haematologica</i> , 2015 , 100, 558-64	6.6	25
408	Intravenous busulfan for autologous stem cell transplantation in adult patients with acute myeloid leukemia: a survey of 952 patients on behalf of the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Haematologica</i> , 2014 , 99, 1380-6	6.6	25
407	Requirements for eIF4A and eIF2 during translation of Sindbis virus subgenomic mRNA in vertebrate and invertebrate host cells. <i>Cellular Microbiology</i> , 2013 , 15, 823-40	3.9	25
406	Preliminary experience in external quality control of RT-PCR PML-RAR alpha detection in promyelocytic leukemia. <i>Leukemia</i> , 1998 , 12, 2024-8	10.7	25
405	Association between antifungal prophylaxis and rate of documented bacteremia in febrile neutropenic cancer patients. <i>Clinical Infectious Diseases</i> , 2001 , 32, 1532-7	11.6	25
404	Marked reduction in the incidence of hepatic veno-occlusive disease after allogeneic hematopoietic stem cell transplantation with CD34(+) positive selection. <i>Bone Marrow Transplantation</i> , 2001 , 27, 983-8	4.4	25
403	Graft-versus-tumour effect in non-small-cell lung cancer after allogeneic peripheral blood stem cell transplantation. <i>British Journal of Haematology</i> , 2000 , 111, 708-10	4.5	25
402	Factors predicting peripheral blood progenitor cell collection from pediatric donors for allogeneic transplantation. <i>Haematologica</i> , 2003 , 88, 919-22	6.6	25
401	All-trans retinoic acid with daunorubicin or idarubicin for risk-adapted treatment of acute promyelocytic leukaemia: a matched-pair analysis of the PETHEMA LPA-2005 and IC-APL studies. <i>Annals of Hematology</i> , 2015 , 94, 1347-56	3	24
400	Pharmacological profiles of acute myeloid leukemia treatments in patient samples by automated flow cytometry: a bridge to individualized medicine. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014 , 14, 305-18	2	24

399	Economic evaluation of posaconazole vs fluconazole in the prevention of invasive fungal infections in patients with GVHD following haematopoietic SCT. <i>Bone Marrow Transplantation</i> , 2010 , 45, 925-32	4.4	24
398	Choice of chemotherapy in induction, consolidation and maintenance in acute promyelocytic leukaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2003 , 16, 433-51	4.2	24
397	Predictors of thrombohemorrhagic early death in children and adolescents with t(15;17)-positive acute promyelocytic leukemia treated with ATRA and chemotherapy. <i>Annals of Hematology</i> , 2017 , 96, 1449-1456	3	23
396	Impact of ABC single nucleotide polymorphisms upon the efficacy and toxicity of induction chemotherapy in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1197-1206	1.9	23
395	Panobinostat as part of induction and maintenance for elderly patients with newly diagnosed acute myeloid leukemia: phase Ib/II panobidara study. <i>Haematologica</i> , 2015 , 100, 1294-300	6.6	23
394	Prolonged molecular remission after PML/RAR alpha-positive autologous peripheral blood stem cell transplantation in acute promyelocytic leukemia: is relevant pretransplant minimal residual disease in the graft?. <i>Leukemia</i> , 1998 , 12, 992-5	10.7	23
393	Treatment of newly diagnosed acute promyelocytic leukemia (APL) by all transretinoic acid (ATRA) combined with chemotherapy: The European experience. European APL Group. <i>Leukemia and Lymphoma</i> , 1995 , 16, 431-7	1.9	23
392	Post-transplant lymphoproliferative disorders after solid organ and hematopoietic stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2019 , 60, 142-150	1.9	22
391	High Np73/TAp73 ratio is associated with poor prognosis in acute promyelocytic leukemia. <i>Blood</i> , 2015 , 126, 2302-6	2.2	22
390	Translation without eIF2 promoted by poliovirus 2A protease. <i>PLoS ONE</i> , 2011 , 6, e25699	3.7	22
389	Single daily dose of intravenous busulfan and melphalan as a conditioning regimen for patients with multiple myeloma undergoing autologous stem cell transplantation: a phase II trial. <i>Leukemia and Lymphoma</i> , 2009 , 50, 216-22	1.9	22
388	Long-term survival data from a phase 3 study of Filgrastim as an adjunct to chemotherapy in adults with de novo acute myeloid leukemia. <i>Leukemia</i> , 2006 , 20, 404-9	10.7	22
387	Transplant-related mortality in patients older than 60 years undergoing autologous hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2001 , 27, 21-5	4.4	22
386	Valorization of Carob's Germ and Seed Peel as Natural Antioxidant Ingredients in Gluten-Free Crackers. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e12770	2.1	21
385	Infections of the Central Nervous System after Unrelated Donor Umbilical Cord Blood Transplantation or Human Leukocyte Antigen-Matched Sibling Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 134-139	4.7	21
384	Analysis of EQ-5D scores from two phase 3 clinical trials of romiplostim in the treatment of immune thrombocytopenia (ITP). <i>Value in Health</i> , 2011 , 14, 90-6	3.3	21
383	Presenting features and treatment outcome of acute promyelocytic leukemia arising after multiple sclerosis. <i>Haematologica</i> , 2011 , 96, 621-5	6.6	21
382	De novo erythroleukemia chromosome features include multiple rearrangements, with special involvement of chromosomes 11 and 19. <i>Genes Chromosomes and Cancer</i> , 2003 , 36, 406-12	5	21

381	Acute myeloblastic leukemia with minimal myeloid differentiation (FAB AML-M0): a study of eleven cases. <i>Leukemia and Lymphoma</i> , 1993 , 12, 103-8	1.9	21
380	Translation directed by hepatitis A virus IRES in the absence of active eIF4F complex and eIF2. <i>PLoS ONE</i> , 2012 , 7, e52065	3.7	21
379	Impact of graft-versus-host disease prophylaxis on outcomes after myeloablative single-unit umbilical cord blood transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1387-92	4.7	20
378	Translation of viral mRNA without active eIF2: the case of picornaviruses. <i>PLoS ONE</i> , 2011 , 6, e22230	3.7	20
377	Central nervous system involvement at first relapse in patients with acute myeloid leukemia. <i>Haematologica</i> , 2011 , 96, 1375-9	6.6	20
376	Rapid detection of KIT mutations in core-binding factor acute myeloid leukemia using high-resolution melting analysis. <i>Journal of Molecular Diagnostics</i> , 2009 , 11, 458-63	5.1	20
375	Rapid detection of the major Mediterranean beta-thalassaemia mutations by real-time polymerase chain reaction using fluorophore-labelled hybridization probes. <i>British Journal of Haematology</i> , 2002 , 119, 554-7	4.5	20
374	Prior and concurrent administration of recombinant human megakaryocyte growth and development factor in patients receiving consolidation chemotherapy for de novo acute myeloid leukemia—a randomized, placebo-controlled, double-blind safety and efficacy study. <i>Annals of Hematology</i> , 2007 , 86, 117-23	3	20
373	Prospective Randomized Study Comparing Myeloablative Unrelated Umbilical Cord Blood Transplantation versus HLA-Haploidentical Related Stem Cell Transplantation for Adults with Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 358-366	4.7	20
372	Influence of ABCB1 polymorphisms upon the effectiveness of standard treatment for acute myeloid leukemia: a systematic review and meta-analysis of observational studies. <i>Pharmacogenomics Journal</i> , 2015 , 15, 109-18	3.5	19
371	Autoimmune hemolytic anemia (AIHA) following allogeneic hematopoietic stem cell transplantation (HSCT): A retrospective analysis and a proposal of treatment on behalf of the Grupo Español De Trasplante de Medula Osea en Niños (GETMON) and the Grupo Español de Trasplante Hematopoyetico (GETH). <i>Transfusion Medicine Reviews</i> , 2018 , 32, 179-179	7.4	19
370	A scoring system to predict the risk of death during induction with anthracycline plus cytarabine-based chemotherapy in patients with de novo acute myeloid leukemia. <i>Cancer</i> , 2012 , 118, 410-7	6.4	19
369	Translation driven by picornavirus IRES is hampered from Sindbis virus replicons: rescue by poliovirus 2A protease. <i>Journal of Molecular Biology</i> , 2010 , 402, 101-17	6.5	19
368	Immunofluorescent analysis with the anti-PML monoclonal antibody PG-M3 for rapid and accurate genetic diagnosis of acute promyelocytic leukemia. <i>Annals of Hematology</i> , 2004 , 83, 687-90	3	19
367	SHP1 expression in bone marrow biopsies of myelodysplastic syndrome patients: a new prognostic factor. <i>British Journal of Haematology</i> , 2005 , 129, 791-4	4.5	19
366	The Mutational Landscape of Acute Promyelocytic Leukemia Reveals an Interacting Network of Co-Occurrences and Recurrent Mutations. <i>PLoS ONE</i> , 2016 , 11, e0148346	3.7	19
365	Low transplant related mortality in older patients with hematologic malignancies undergoing autologous stem cell transplantation. <i>Haematologica</i> , 2003 , 88, 300-5	6.6	19
364	Long-term outcome of older patients with newly diagnosed de novo acute promyelocytic leukemia treated with ATRA plus anthracycline-based therapy. <i>Leukemia</i> , 2018 , 32, 21-29	10.7	18

363	Post-transplant Burkitt's leukemia or lymphoma. Study of five cases treated with specific intensive therapy (PETHEMA ALL-3/97 trial). <i>Leukemia and Lymphoma</i> , 2003 , 44, 1541-3	1.9	18
362	All-trans-retinoic acid in acute promyelocytic leukemia. <i>New England Journal of Medicine</i> , 1998 , 338, 393-402	4.2	18
361	Umbilical cord blood transplantation in adults with advanced hodgkin's disease: high incidence of post-transplant lymphoproliferative disease. <i>European Journal of Haematology</i> , 2016 , 96, 128-35	3.8	17
360	Noninfectious Neurologic Complications after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1818-1824	4.7	17
359	Maternal and fetal outcomes in pregnant women with acute promyelocytic leukemia. <i>Annals of Hematology</i> , 2015 , 94, 1357-61	3	17
358	In vitro all-trans retinoic acid sensitivity of acute myeloid leukemia blasts with NUP98/RARG fusion gene. <i>Annals of Hematology</i> , 2014 , 93, 1931-3	3	17
357	Cross-sectional validation study of patient-reported outcomes in patients with paroxysmal nocturnal haemoglobinuria. <i>Internal Medicine Journal</i> , 2013 , 43, 298-307	1.6	17
356	Reduced corticosteroid use in adult patients with primary immune thrombocytopenia receiving romiplostim. <i>Hematology</i> , 2011 , 16, 274-7	2.2	17
355	Identification of two atypical PML-RAR(alpha) transcripts in two patients with acute promyelocytic leukemia. <i>Leukemia Research</i> , 2002 , 26, 439-42	2.7	17
354	Practice points, consensus, and controversial issues in the management of patients with newly diagnosed acute promyelocytic leukemia. <i>Oncologist</i> , 2005 , 10, 806-14	5.7	17
353	Quantitative detection of AML1-ETO rearrangement by real-time RT-PCR using fluorescently labeled probes. <i>Leukemia and Lymphoma</i> , 2001 , 42, 747-56	1.9	17
352	Pharmacogenomics and the treatment of acute myeloid leukemia. <i>Pharmacogenomics</i> , 2016 , 17, 1245-1278	2.8	17
351	Pharmacogenetics of Metabolic Genes of Anthracyclines in Acute Myeloid Leukemia. <i>Current Drug Metabolism</i> , 2018 , 19, 55-74	3.5	16
350	Combining gene mutation with gene expression analysis improves outcome prediction in acute promyelocytic leukemia. <i>Blood</i> , 2019 , 134, 951-959	2.2	16
349	Effect of CD8+ cell content on umbilical cord blood transplantation in adults with hematological malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1744-50	4.7	16
348	Caspofungin for the treatment of invasive fungal disease in hematological patients (ProCAS Study). <i>Medical Mycology</i> , 2013 , 51, 150-4	3.9	16
347	Analysis of mutational status, SNP rs16754, and expression levels of Wilms tumor 1 (WT1) gene in acute promyelocytic leukemia. <i>Annals of Hematology</i> , 2012 , 91, 1855-60	3	16
346	Results of a preoperative autologous blood donation program for patients undergoing elective major spine surgery. <i>Transfusion and Apheresis Science</i> , 2013 , 49, 345-8	2.4	15

345	CIP2A high expression is a poor prognostic factor in normal karyotype acute myeloid leukemia. <i>Haematologica</i> , 2015 , 100, e183-5	6.6	15
344	Characteristics of and risk factors for pneumonia in patients with hematological malignancies developing fever after autologous blood stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2007 , 48, 2367-74	1.9	15
343	A study of incidence and characteristics of infections in 476 patients from a single center undergoing autologous blood stem cell transplantation. <i>International Journal of Hematology</i> , 2007 , 86, 186-92	2.3	15
342	Platelet transfusion and thrombotic thrombocytopenic purpura. <i>Transfusion</i> , 2002 , 42, 1384-5	2.9	15
341	Second mobilization and collection of peripheral blood progenitor cells in healthy donors is associated with lower CD34(+) cell yields. <i>Journal of Hematotherapy and Stem Cell Research</i> , 2002 , 11, 705-9		15
340	Response to plasma exchange and steroids as combined therapy for patients with thrombotic thrombocytopenic purpura. <i>Acta Haematologica</i> , 1999 , 102, 12-6	2.7	15
339	Disseminated Blastoschizomyces capitatus infection in acute myeloblastic leukaemia. Report of three cases. <i>Supportive Care in Cancer</i> , 1996 , 4, 291-3	3.9	15
338	Midostaurin reduces relapse in FLT3-mutant acute myeloid leukemia: the Alliance CALGB 10603/RATIFY trial. <i>Leukemia</i> , 2021 , 35, 2539-2551	10.7	15
337	Clinical Utility of a Next-Generation Sequencing Panel for Acute Myeloid Leukemia Diagnostics. <i>Journal of Molecular Diagnostics</i> , 2019 , 21, 228-240	5.1	15
336	Transfusion management and immunohematologic complications in liver transplantation: experience of a single institution. <i>Transfusion Medicine and Hemotherapy</i> , 2015 , 42, 8-14	4.2	14
335	Umbilical cord blood transplantation from unrelated donors in patients with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Haematologica</i> , 2014 , 99, 378-84	6.6	14
334	T cell-depleted related HLA-mismatched peripheral blood stem cell transplantation as salvage therapy for graft failure after single unit unrelated donor umbilical cord blood transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1060-3	4.7	14
333	MLL amplification in acute myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2007 , 174, 127-31		14
332	Late first relapses in APL treated with all-trans-retinoic acid- and anthracycline- based chemotherapy: the European APL group experience (APL 91 and APL 93 trials). <i>Leukemia</i> , 2006 , 20, 905-7	10.7	14
331	Imipenem/cilastatin versus piperacillin/tazobactam plus amikacin for empirical therapy in febrile neutropenic patients: results of the COSTINE study. <i>Current Medical Research and Opinion</i> , 2005 , 21, 645-55	2.5	14
330	Myelodysplastic syndromes. <i>Critical Reviews in Oncology/Hematology</i> , 1996 , 23, 57-93	7	14
329	Passenger lymphocyte syndrome in liver transplant recipients: a description of 12 cases. <i>Blood Transfusion</i> , 2015 , 13, 423-8	3.6	14
328	Obesity is a risk factor for acute promyelocytic leukemia: evidence from population and cross-sectional studies and correlation with FLT3 mutations and polyunsaturated fatty acid metabolism. <i>Haematologica</i> , 2020 , 105, 1559-1566	6.6	14

327	Incidence and outcome of invasive fungal disease after front-line intensive chemotherapy in patients with acute myeloid leukemia: impact of antifungal prophylaxis. <i>Annals of Hematology</i> , 2019 , 98, 2081-2088	3	13
326	Outcome of older (≥70 years) APL patients frontline treated with or without arsenic trioxide-an International Collaborative Study. <i>Leukemia</i> , 2020 , 34, 2333-2341	10.7	13
325	Phase II trial to assess the safety and efficacy of clofarabine in combination with low-dose cytarabine in elderly patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2014 , 93, 43-6	3	13
324	Cost-effectiveness of posaconazole versus fluconazole or itraconazole in the prevention of invasive fungal infections among high-risk neutropenic patients in Spain. <i>BMC Infectious Diseases</i> , 2012 , 12, 83	4	13
323	Correction of systematic set-up error in breast and head and neck irradiation through a no-action level (NAL) protocol. <i>Clinical and Translational Oncology</i> , 2011 , 13, 34-42	3.6	13
322	Incidence and Risk Factors for Thrombosis in Patients with Acute Promyelocytic Leukemia. Experience of the PETHEMA LPA96 and LPA99 Protocols.. <i>Blood</i> , 2006 , 108, 1503-1503	2.2	13
321	Midostaurin in patients with acute myeloid leukemia and FLT3-TKD mutations: a subanalysis from the RATIFY trial. <i>Blood Advances</i> , 2020 , 4, 4945-4954	7.8	13
320	Detection of plasmid-mediated colistin resistance, mcr-1 gene, in Escherichia coli isolated from high-risk patients with acute leukemia in Spain. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 605-609 ^{2.2}		12
319	Real life experience with frontline azacitidine in a large series of older adults with acute myeloid leukemia stratified by MRC/LRF score: results from the expanded international E-ALMA series (E-ALMA+). <i>Leukemia and Lymphoma</i> , 2018 , 59, 1113-1120	1.9	12
318	Fragment length analysis screening for detection of CEBPA mutations in intermediate-risk karyotype acute myeloid leukemia. <i>Annals of Hematology</i> , 2012 , 91, 1-7	3	12
317	Negative impact on clinical outcome of the mutational co-occurrence of SF3B1 and DNMT3A in refractory anemia with ring sideroblasts (RARS). <i>Leukemia and Lymphoma</i> , 2017 , 58, 1686-1693	1.9	12
316	Biology and management of therapy-related acute promyelocytic leukemia. <i>Current Opinion in Oncology</i> , 2013 , 25, 695-700	4.2	12
315	The European LeukemiaNet: achievements and perspectives. <i>Haematologica</i> , 2011 , 96, 156-62	6.6	12
314	Complex Variant t(9;22) Chromosome Translocations in Five Cases of Chronic Myeloid Leukemia. <i>Advances in Hematology</i> , 2009 , 2009, 187125	1.5	12
313	Outcome of Antifungal Combination Therapy for Invasive Mold Infections in Hematological Patients is Independent of the Chosen Combination. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2012 , 4, e2012011	3.2	12
312	Etiopathogeny, prognosis and therapy of myelodysplastic syndromes. <i>Hematology and Cell Therapy</i> , 1997 , 39, 277-94		12
311	An iminophosphorane-based approach for the synthesis of spiropyrrrolidineimidazole derivatives. <i>Tetrahedron</i> , 2007 , 63, 1849-1856	2.4	12
310	Liver disease as primary manifestation of multiple myeloma in a young man. <i>Leukemia Research</i> , 1999 , 23, 403-5	2.7	12

309	Emerging strategies for the treatment of older patients with acute myeloid leukemia. <i>Annals of Hematology</i> , 2016 , 95, 1583-93	3	12
308	Factors influencing platelet transfusion refractoriness in patients undergoing allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2018 , 97, 161-167	3	12
307	Uniform graft-versus-host disease prophylaxis with posttransplant cyclophosphamide, sirolimus, and mycophenolate mofetil following hematopoietic stem cell transplantation from haploidentical, matched sibling and unrelated donors. <i>Bone Marrow Transplantation</i> , 2020 , 55, 2147-2159	4.4	11
306	Impact of NADPH oxidase functional polymorphisms in acute myeloid leukemia induction chemotherapy. <i>Pharmacogenomics Journal</i> , 2018 , 18, 301-307	3.5	11
305	The Initiation Factors eIF2, eIF2A, eIF2D, eIF4A, and eIF4G Are Not Involved in Translation Driven by Hepatitis C Virus IRES in Human Cells. <i>Frontiers in Microbiology</i> , 2018 , 9, 207	5.7	11
304	Rapid screening of ASXL1, IDH1, IDH2, and c-CBL mutations in de novo acute myeloid leukemia by high-resolution melting. <i>Journal of Molecular Diagnostics</i> , 2012 , 14, 594-601	5.1	11
303	Phosphorylation of eIF2 β s responsible for the failure of the picornavirus internal ribosome entry site to direct translation from Sindbis virus replicons. <i>Journal of General Virology</i> , 2013 , 94, 796-806	4.9	11
302	Influence of storage conditions on the sensory quality of a high acid apple. <i>International Journal of Food Science and Technology</i> , 2010 , 45, 2352-2357	3.8	11
301	Unrelated-donor cord blood transplantation for adult hematological malignancies. <i>Leukemia and Lymphoma</i> , 2004 , 45, 11-8	1.9	11
300	Results From a Randomized Trial of Salvage Chemotherapy Followed by Lestaurtinib for FLT3 Mutant AML Patients in First Relapse.. <i>Blood</i> , 2009 , 114, 788-788	2.2	11
299	Basal CD34(+) cell count predicts peripheral blood progenitor cell mobilization and collection in healthy donors after administration of granulocyte colony-stimulating factor. <i>Haematologica</i> , 2004 , 89, 1530-2	6.6	11
298	Prognostic impact of KMT2E transcript levels on outcome of patients with acute promyelocytic leukaemia treated with all-trans retinoic acid and anthracycline-based chemotherapy: an International Consortium on Acute Promyelocytic Leukaemia study. <i>British Journal of Haematology</i> , 2011 , 146, 510-8	4.5	10
297	The role of SWRO Barcelona-Llobregat Plant in the water supply system of Barcelona Area. <i>Desalination and Water Treatment</i> , 2013 , 51, 111-123		10
296	Membrane-permeabilizing motif in Semliki forest virus E1 glycoprotein. <i>FEBS Letters</i> , 2004 , 576, 417-22	3.8	10
295	Recent improvements in outcome for elderly patients with de novo acute myeloblastic leukemia. <i>Leukemia Research</i> , 2001 , 25, 685-92	2.7	10
294	Immunophenotyping of AML and MDS and detection of residual disease. <i>Best Practice and Research: Clinical Haematology</i> , 1996 , 9, 35-55		10
293	PLZF-RAR, NPM1-RAR, and Other Acute Promyelocytic Leukemia Variants: The PETHEMA Registry Experience and Systematic Literature Review. <i>Cancers</i> , 2020 , 12,	6.6	10
292	Advances in the management of coagulopathy in acute promyelocytic leukemia. <i>Thrombosis Research</i> , 2020 , 191 Suppl 1, S63-S67	8.2	10

291	Impact on outcomes of human leukocyte antigen matching by allele-level typing in adults with acute myeloid leukemia undergoing umbilical cord blood transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 106-10	4.7	10
290	Initiation codon selection is accomplished by a scanning mechanism without crucial initiation factors in Sindbis virus subgenomic mRNA. <i>Rna</i> , 2015 , 21, 93-112	5.8	9
289	Analysis of relapse after transplantation in acute leukemia: A comparative on second allogeneic hematopoietic cell transplantation and donor lymphocyte infusions. <i>Experimental Hematology</i> , 2018 , 62, 24-32	3.1	9
288	Prognostic impact of gene mutations in myelodysplastic syndromes with ring sideroblasts. <i>Blood Cancer Journal</i> , 2017 , 7, 630	7	9
287	Treatment of patients with acute promyelocytic leukemia: a consensus statement on risk-adapted approaches to therapy. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2010 , 10 Suppl 3, S122-6	2	9
286	A t(17;20)(q21;q12) masking a variant t(15;17)(q22;q21) in a patient with acute promyelocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 168, 73-6		9
285	High-level amplification of the RUNX1 gene in two cases of childhood acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 170, 171-4		9
284	Lack of association of CYP3A4-V polymorphism with the risk of treatment-related leukemia. <i>Leukemia Research</i> , 2005 , 29, 595-7	2.7	9
283	Successful pregnancy during chemotherapy for acute promyelocytic leukemia. <i>New England Journal of Medicine</i> , 1982 , 306, 939	59.2	9
282	A Randomized, Double-Blind, Placebo-Controlled, Phase III Study of Filgrastim in Remission Induction and Consolidation Therapy for Adults With De Novo Acute Myeloid Leukemia. <i>Blood</i> , 1997 , 90, 4710-4718	2.2	9
281	Advances in haploidentical stem cell transplantation for hematologic malignancies. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1766-75	1.9	9
280	A precision medicine test predicts clinical response after idarubicin and cytarabine induction therapy in AML patients. <i>Leukemia Research</i> , 2019 , 76, 1-10	2.7	9
279	Influence of cytarabine metabolic pathway polymorphisms in acute myeloid leukemia induction treatment. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2880-2894	1.9	8
278	Study of the S427G polymorphism and of MYBL2 variants in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2016 , 57, 429-435	1.9	8
277	Novel real-time polymerase chain reaction assay for simultaneous detection of recurrent fusion genes in acute myeloid leukemia. <i>Journal of Molecular Diagnostics</i> , 2013 , 15, 678-86	5.1	8
276	Acute promyelocytic leukemia: do we have a new front-line standard of treatment?. <i>Current Oncology Reports</i> , 2013 , 15, 445-9	6.3	8
275	WT1 isoform expression pattern in acute myeloid leukemia. <i>Leukemia Research</i> , 2013 , 37, 1744-9	2.7	8
274	Clinical impact of expression in high-risk acute promyelocytic leukemia. <i>Blood Advances</i> , 2017 , 1, 1807-1814	7.4	8

273	Analysis of SNP rs16754 of WT1 gene in a series of de novo acute myeloid leukemia patients. <i>Annals of Hematology</i> , 2012 , 91, 1845-53	3	8
272	Long-term management of chronic immune thrombocytopenic purpura in adults. <i>International Journal of General Medicine</i> , 2010 , 3, 305-11	2.3	8
271	Transplantation of CD34+ selected peripheral blood to HLA-identical sibling patients with aplastic anaemia: results from a single institution. <i>Bone Marrow Transplantation</i> , 2005 , 36, 325-9	4.4	8
270	Additional chromosomal abnormalities in patients with acute promyelocytic leukaemia (APL) do not confer poor prognosis: results of APL 93 trial. <i>British Journal of Haematology</i> , 2000 , 111, 801-806	4.5	8
269	Two types of acquired idiopathic sideroblastic anaemia. <i>British Journal of Haematology</i> , 1990 , 75, 633-4	4.5	8
268	Monosomy 7 and acute mixed leukemia. <i>British Journal of Haematology</i> , 1986 , 64, 842-4	4.5	8
267	Essential thrombocythemia and pregnancy. <i>American Journal of Hematology</i> , 1988 , 28, 66	7.1	8
266	A Randomized Comparison of All Transretinoic Acid (ATRA) Followed by Chemotherapy and ATRA Plus Chemotherapy and the Role of Maintenance Therapy in Newly Diagnosed Acute Promyelocytic Leukemia. <i>Blood</i> , 1999 , 94, 1192-1200	2.2	8
265	Impact of measurable residual disease by decentralized flow cytometry: a PETHEMA real-world study in 1076 patients with acute myeloid leukemia. <i>Leukemia</i> , 2021 , 35, 2358-2370	10.7	8
264	Standard practice and controversial issues in front-line therapy of acute promyelocytic leukemia. <i>Haematologica</i> , 2005 , 90, 840-5	6.6	8
263	Assessment of late cardiomyopathy by magnetic resonance imaging in patients with acute promyelocytic leukaemia treated with all-trans retinoic acid and idarubicin. <i>Annals of Hematology</i> , 2017 , 96, 1077-1084	3	7
262	Bortezomib-based induction therapy followed by intravenous busulfan-melphalan as conditioning regimen for patients with newly diagnosed multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015 , 56, 415-9 ^{1.9}	1.9	7
261	Inhibition of host protein synthesis by Sindbis virus: correlation with viral RNA replication and release of nuclear proteins to the cytoplasm. <i>Cellular Microbiology</i> , 2015 , 17, 520-41	3.9	7
260	Genotypic and Phenotypic Characteristics of Acute Promyelocytic Leukemia Translocation Variants. <i>Hematology/Oncology and Stem Cell Therapy</i> , 2020 , 13, 189-201	2.7	7
259	Clonal genetic evolution at relapse of favorable-risk acute myeloid leukemia with mutation is associated with phenotypic changes and worse outcomes. <i>Haematologica</i> , 2018 , 103, e400-e403	6.6	7
258	A systematic review and meta-analysis of the impact of WT1 polymorphism rs16754 in the effectiveness of standard chemotherapy in patients with acute myeloid leukemia. <i>Pharmacogenomics Journal</i> , 2016 , 16, 30-40	3.5	7
257	ABO incompatibility does not influence transfusion requirements in patients undergoing single-unit umbilical cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2017 , 52, 394-399	4.4	7
256	Aberrant methylation of tumor suppressor genes in patients with refractory anemia with ring sideroblasts. <i>Leukemia Research</i> , 2011 , 35, 479-83	2.7	7

255	A novel approach to the evaluation of bleeding-related episodes in patients with chronic immune thrombocytopenia. <i>Current Medical Research and Opinion</i> , 2012 , 28, 789-96	2.5	7
254	Arsenic Trioxide. <i>American Journal of Cancer</i> , 2006 , 5, 183-191		7
253	Quantitative assessment of PML-RARa and BCR-ABL by two real-time PCR instruments: multiinstitutional laboratory trial. <i>Clinical Chemistry</i> , 2004 , 50, 1088-92	5.5	7
252	Locked nucleic acid-enhanced detection of 1100delC*CHEK2 germ-line mutation in Spanish patients with hematologic malignancies. <i>Clinical Chemistry</i> , 2004 , 50, 2201-4	5.5	7
251	CsA-based post-graft immunosuppression: the main factor for improving outcome of allografted patients with acquired aplastic anemia. A retrospective survey by the Spanish Group of Hematopoietic Transplantation. <i>Bone Marrow Transplantation</i> , 2002 , 29, 205-11	4.4	7
250	Autologous peripheral blood stem cell transplantation for acute leukaemias. <i>Best Practice and Research in Clinical Haematology</i> , 1999 , 12, 139-50	4.2	7
249	Improving the Treatment Outcome of Acute Promyelocytic Leukemia in Developing Countries through International Cooperative Network. Report On the International Consortium On Acute Promyelocytic Leukemia Study Group.. <i>Blood</i> , 2009 , 114, 6-6	2.2	7
248	An analysis of the impact of CD56 expression in de novo acute promyelocytic leukemia patients treated with upfront all-trans retinoic acid and anthracycline-based regimens. <i>Leukemia and Lymphoma</i> , 2019 , 60, 1030-1035	1.9	7
247	Evolving treatment patterns and outcomes in older patients (≥80 years) with AML: changing everything to change nothing?. <i>Leukemia</i> , 2021 , 35, 1571-1585	10.7	7
246	Hematopoietic stem cell transplantation for adults with relapsed acute promyelocytic leukemia in second complete remission. <i>Bone Marrow Transplantation</i> , 2021 , 56, 1272-1280	4.4	7
245	Rapid quantitative detection of TEL-AML1 fusion transcripts in pediatric acute lymphoblastic leukemia by real-time reverse transcription polymerase chain reaction using fluorescently labeled probes. <i>Haematologica</i> , 2002 , 87, 23-32	6.6	7
244	Daunorubicin and cytarabine for certain types of poor-prognosis acute myeloid leukemia: a systematic literature review. <i>Expert Review of Clinical Pharmacology</i> , 2019 , 12, 197-218	3.8	6
243	The clinical benefit of instituting a prospective clinical community-acquired respiratory virus surveillance program in allogeneic hematopoietic stem cell transplantation. <i>Journal of Infection</i> , 2020 , 80, 333-341	18.9	6
242	Anti-D Alloimmunization after RhD-Positive Platelet Transfusion in RhD-Negative Women under 55 Years Diagnosed with Acute Leukemia: Results of a Retrospective Study. <i>Transfusion Medicine and Hemotherapy</i> , 2018 , 45, 162-166	4.2	6
241	Allogeneic hematopoietic cell transplantation in an adult patient with Glanzmann thrombasthenia. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 1887-1890	0.7	6
240	Single umbilical cord blood with or without CD34 cells from a third-party donor in adults with leukemia. <i>Blood Advances</i> , 2017 , 1, 1047-1055	7.8	6
239	Single-nucleotide polymorphism array-based karyotyping of acute promyelocytic leukemia. <i>PLoS ONE</i> , 2014 , 9, e100245	3.7	6
238	Significance of increased blastic-appearing cells in bone marrow following myeloablative unrelated cord blood transplantation in adult patients. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 388-95	4.7	6

237	Effect of cultivar and roasting technique on sensory quality of Bierzo roasted pepper. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 2426-30	4.3	6
236	Imipenem/cilastatin with or without glycopeptide as initial antibiotic therapy for recipients of autologous stem cell transplantation: results of a Spanish multicenter study. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 512-6	4.7	6
235	Carboplatin plus cytarabine in the treatment of high-risk acute myeloblastic leukemia. <i>Leukemia</i> , 1999 , 13, 161-5	10.7	6
234	Transfusion of ABO non-identical platelets does not influence the clinical outcome of patients undergoing autologous haematopoietic stem cell transplantation. <i>Blood Transfusion</i> , 2015 , 13, 411-6	3.6	6
233	Post-transplant Burkitt's Leukemia or Lymphoma. Study of Five Cases Treated with Specific Intensive Therapy (PETHEMA ALL-3/97 Trial). <i>Leukemia and Lymphoma</i> , 2003 , 44, 1541-1543	1.9	6
232	and Polymorphisms Improve the Prognostic Value of Status on Overall Survival in Neuroblastoma Patients. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
231	Acute myeloid leukemia with inv(3)(q21.3q26.2)/t(3;3)(q21.3;q26.2): Study of 61 patients treated with intensive protocols. <i>European Journal of Haematology</i> , 2020 , 105, 138-147	3.8	5
230	Positive impact of ABCB1 polymorphisms in overall survival and complete remission in acute myeloid leukemia: a systematic review and meta-analysis. <i>Pharmacogenomics Journal</i> , 2016 , 16, 1-2	3.5	5
229	Dexamethasone does not prevent malignant cell reintroduction in leukemia patients undergoing ovarian transplant: risk assessment of leukemic cell transmission by a xenograft model. <i>Human Reproduction</i> , 2019 , 34, 1485-1493	5.7	5
228	Update on management and progress of novel therapeutics for R/R AML: an Iberian expert panel consensus. <i>Annals of Hematology</i> , 2019 , 98, 2467-2483	3	5
227	Prognostic value of cytogenetics in adult patients with Philadelphia-negative acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2012 , 91, 19-25	3	5
226	Bone marrow assessment in B-cell chronic lymphocytic leukaemia: aspirate or biopsy?. <i>British Journal of Haematology</i> , 1996 , 95, 754-5	4.5	5
225	Additional Chromosome Abnormalities Have No Prognostic Value in Acute Promyelocytic Leukemia Patients Treated with Simultaneous ATRA and Anthracycline-Based Chemotherapy: An Update of the APL96 and APL99 Pethema Protocols.. <i>Blood</i> , 2004 , 104, 2019-2019	2.2	5
224	Evaluation of AMG 531 Efficacy in Nonsplenectomized Patients with Chronic Immune Thrombocytopenic Purpura (ITP) in a Randomized Placebo-Controlled Phase 3 Study.. <i>Blood</i> , 2007 , 110, 565-565	2.2	5
223	, an independent good prognostic factor in intermediate-risk acute myeloid leukemia patients. <i>Oncotarget</i> , 2017 , 8, 76003-76014	3.3	5
222	Networking for advanced molecular diagnosis in acute myeloid leukemia patients is possible: the PETHEMA NGS-AML project. <i>Haematologica</i> , 2021 , 106, 3079-3089	6.6	5
221	Characteristics, clinical outcomes, and risk factors of SARS-COV-2 infection in adult acute myeloid leukemia patients: experience of the PETHEMA group. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2928-2938	1.9	5
220	A phase 3 trial of azacitidine versus a semi-intensive fludarabine and cytarabine schedule in older patients with untreated acute myeloid leukemia. <i>Cancer</i> , 2021 , 127, 2003-2014	6.4	5

219	Focal Adhesion Genes Refine the Intermediate-Risk Cytogenetic Classification of Acute Myeloid Leukemia. <i>Cancers</i> , 2018 , 10,	6.6	5
218	A viral RNA motif involved in signaling the initiation of translation on non-AUG codons. <i>Rna</i> , 2019 , 25, 431-452	5.8	4
217	RNA Sequencing Analysis for the Identification of a PCM1/PDGFRB Fusion Gene Responsive to Imatinib. <i>Acta Haematologica</i> , 2019 , 142, 92-97	2.7	4
216	Screening for IDH mutations in chronic myelomonocytic leukemia. <i>Leukemia and Lymphoma</i> , 2013 , 54, 406-7	1.9	4
215	Effect of storage conditions on sensory properties of Bierzo roasted pepper. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 80-4	4.3	4
214	Risk-adapted treatment for low- and intermediate-risk acute promyelocytic leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2010 , 10 Suppl 3, S130-4	2	4
213	All-trans retinoic acid and low-dose chemotherapy for acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2000 , 109, 896-7	4.5	4
212	Microgranular Variant (M3V) of Acute Promyelocytic Leukemia (APL) Does Not Have a Worse Prognosis than Classical APL in the Atr Era: A Report of 153 Patients Treated on Intergroup 0129 and Pethema LPA96 and LPA99.. <i>Blood</i> , 2004 , 104, 394-394	2.2	4
211	Long-Term Safety Profile of Romiplostim in Patients with Chronic Immune Thrombocytopenia (ITP).. <i>Blood</i> , 2008 , 112, 3415-3415	2.2	4
210	Activity and Safety of Lenalidomide and Dexamethasone in Multiple Myeloma Patients with Advanced Renal Failure: a Spanish Multicenter Retrospective Study.. <i>Blood</i> , 2009 , 114, 1886-1886	2.2	4
209	Genotype and environment effects on sensory, nutritional, and physical traits in chickpea (<i>Cicer arietinum</i> L.). <i>Spanish Journal of Agricultural Research</i> , 2016 , 14, e0709	1.1	4
208	Adoptive transfer of ex vivo expanded SARS-CoV-2-specific cytotoxic lymphocytes: A viable strategy for COVID-19 immunosuppressed patients?. <i>Transplant Infectious Disease</i> , 2021 , 23, e13602	2.7	4
207	Clinical significance of complex karyotype at diagnosis in pediatric and adult patients with de novo acute promyelocytic leukemia treated with ATRA and chemotherapy. <i>Leukemia and Lymphoma</i> , 2019 , 60, 1146-1155	1.9	4
206	Invasive fungal disease in patients undergoing umbilical cord blood transplantation after myeloablative conditioning regimen. <i>European Journal of Haematology</i> , 2019 , 102, 331-340	3.8	4
205	Molecular landscape and prognostic impact of FLT3-ITD insertion site in acute myeloid leukemia: RATIFY study results. <i>Leukemia</i> , 2021 ,	10.7	4
204	Recurrent bacteremia caused by <i>Rhodococcus equi</i> in a non-neutropenic patient with acute myeloid leukemia in complete remission. <i>Haematologica</i> , 2002 , 87, ECR03	6.6	4
203	Isohaemagglutinin production after minor ABO incompatible umbilical cord blood transplantation. <i>Transfusion Medicine</i> , 2017 , 27, 147-149	1.3	3
202	Characteristics and management of primary and other immune thrombocytopenias: Spanish registry study. <i>Hematology</i> , 2017 , 22, 484-492	2.2	3

201	Comparison of transfusion requirements in adult patients undergoing Haploidentical or single-unit umbilical cord blood stem cell transplantation. <i>European Journal of Haematology</i> , 2019 , 103, 172-177	3.8	3
200	Differences in Chemosensitivity to Anthracyclines in First Line Acute Myeloid Leukemia. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2019 , 11, e2019016	3.2	3
199	Treatment of invasive fungal disease using anidulafungin alone or in combination for hematologic patients with concomitant hepatic or renal impairment. <i>Revista Iberoamericana De Micologia</i> , 2015 , 32, 185-9	1.6	3
198	NTAL is associated with treatment outcome, cell proliferation and differentiation in acute promyelocytic leukemia. <i>Scientific Reports</i> , 2020 , 10, 10315	4.9	3
197	A retrospective audit of platelet transfusion in a hematology service of a tertiary-care hospital: effectiveness of training to improve compliance with standards. <i>Transfusion and Apheresis Science</i> , 2014 , 50, 228-9	2.4	3
196	Conventional induction and post-remission therapy in APL: have we arrived?. <i>Best Practice and Research in Clinical Haematology</i> , 2014 , 27, 33-8	4.2	3
195	A new reliable fluorescence in situ hybridization method for identifying multiple specific cytogenetic abnormalities in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2010 , 51, 680-5	1.9	3
194	Classifying chronic myelomonocytic leukemia. <i>Journal of Clinical Oncology</i> , 2001 , 19, 3790-2	2.2	3
193	n-th roots of a non-negative operator. Conditions for uniqueness. <i>Manuscripta Mathematica</i> , 1989 , 64, 403-417	0.5	3
192	Long-term survival in chronic neutrophilic leukemia. <i>American Journal of Clinical Pathology</i> , 1980 , 74, 717	1.9	3
191	Prognostic Impact of Insertion Site in Acute Myeloid Leukemia (AML) with FLT3 Internal Tandem Duplication: Results from the Ratify Study (Alliance 10603). <i>Blood</i> , 2018 , 132, 435-435	2.2	3
190	Incidence, Outcome and Risk Factors of Pseudotumor Cerebri after All- Trans Retinoic Acid and Anthracycline-Based Chemotherapy in Patients with Acute Promyelocytic Leukemia. <i>Blood</i> , 2008 , 112, 2992-2992	2.2	3
189	Treatment of Molecular and Clinical Relapse of Acute Promyelocytic Leukemia (APL) with Arsenic Trioxide: Results of the European Registry of Relapsed APL. <i>Blood</i> , 2010 , 116, 15-15	2.2	3
188	Alternative Donors (Umbilical Cord Blood and Haploidentical Donors) for Allogeneic Stem Cell Transplantation in Relapsed / Refractory Hodgkin Lymphoma: A Retrospective Analysis of the EBMT Lymphoma Working Party and the Spanish Group of Stem Cell Transplantation (GETH). <i>Blood</i> , 2017 , 129, 1333-1333	2.2	3
187	Obesity As a Risk Factor for Acute Promyelocytic Leukemia. Results from Population and Case-Control Studies Across Western Countries and Correlation with Gene Expression in the TCGA. <i>Blood</i> , 2016 , 128, 448-448	2.2	3
186	Treatment patterns and outcomes of 2310 patients with secondary acute myeloid leukemia: a PETHEMA registry study. <i>Blood Advances</i> , 2021 ,	7.8	3
185	Revealing the mutational landscape of acute promyelocytic leukemia. <i>Translational Cancer Research</i> , 2017 , 6, S127-S130	0.3	3
184	Acute Myeloid Leukemia in Adults 2019 , 507-521		3

183	Reduced SLIT2 is Associated with Increased Cell Proliferation and Arsenic Trioxide Resistance in Acute Promyelocytic Leukemia. <i>Cancers</i> , 2020 , 12,	6.6	3
182	Genomic characterization of strains coproducing OXA-48 and VIM-1 carbapenemase enzymes isolated in leukemic patient in Spain. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 167	6.2	3
181	Measurable residual disease in elderly acute myeloid leukemia: results from the PETHEMA-FLUGAZA phase 3 clinical trial. <i>Blood Advances</i> , 2021 , 5, 760-770	7.8	3
180	The modular network structure of the mutational landscape of Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2018 , 13, e0202926	3.7	3
179	Guidelines of the Spanish ITP Group for the diagnosis, treatment and follow-up of patients with immune thrombopenia. <i>Medicina Clínica</i> , 2021 , 157, 191-198	1	3
178	Real life outcomes of patients aged ≥ 75 years old with acute promyelocytic leukemia: experience of the PETHEMA registry. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2720-2732	1.9	2
177	Risk of Rh (D) alloimmunisation after Rh (D) positive platelet transfusions in patients undergoing haematopoietic stem cell transplantation. <i>Transfusion Medicine</i> , 2015 , 25, 49-50	1.3	2
176	Community acquired respiratory virus infections in adult patients undergoing umbilical cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 2261-2269	4.4	2
175	Analysis of SNP Array Abnormalities in Patients with DE NOVO Acute Myeloid Leukemia with Normal Karyotype. <i>Scientific Reports</i> , 2020 , 10, 5904	4.9	2
174	Acute Promyelocytic Leukemia during Pregnancy: A Systematic Review of the Literature. <i>Cancers</i> , 2020 , 12,	6.6	2
173	The experience of the International Consortium on Acute Promyelocytic Leukemia in monitoring minimal residual disease in acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2018 , 180, 915-918	4.5	2
172	Impact of Myeloablative and Reduced Intensity Conditioning on Outcomes After Unrelated Cord Blood Transplantation for Adults with Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, S127	4.7	2
171	Whole-genome sequencing and acute promyelocytic leukemia. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 610; author reply 610-1	27.4	2
170	Treatment of multiple myeloma in the elderly: realities and hopes. <i>Leukemia and Lymphoma</i> , 2011 , 52, 9-14	1.9	2
169	Absence of mutations in the tyrosine kinase and juxtamembrane domains of C-FMS gene in chronic myelomonocytic leukemia (CMML). <i>Leukemia Research</i> , 2009 , 33, e162-3	2.7	2
168	The impact of medical education and networking on the outcome of leukemia treatment in developing countries. The experience of International Consortium on Acute Promyelocytic Leukemia (IC-APL). <i>Hematology</i> , 2012 , 17 Suppl 1, S36-8	2.2	2
167	Could ATRA/Idarubicin treatment of acute promyelocytic leukemia induce the appearance of new clonal cytogenetic abnormalities in patients in complete remission?. <i>Leukemia Research</i> , 2007 , 31, 1315-7	7.7	2
166	Molecular detection of Spanish deltabeta-thalassemia associated with beta-thalassemia identified during prenatal diagnosis. <i>Clinica Chimica Acta</i> , 2006 , 368, 195-8	6.2	2

165	Uncertain role of increased intensity chemotherapy with high-dose cytarabine in acute promyelocytic leukemia. <i>Leukemia</i> , 2001 , 15, 1999-2002	10.7	2
164	Acute Promyelocytic Leukaemia. Relationship of Cytochemical Pattern with Clinical, Morphologic and Immunological Characteristics, and Outcome. <i>Leukemia and Lymphoma</i> , 1990 , 2, 85-92	1.9	2
163	Role of Measurable Residual Disease (MRD) in Redefining Complete Response (CR) in Elderly Patients with Acute Myeloid Leukemia (AML): Results from the Pethema-Flugaza Phase III Clinical Trial. <i>Blood</i> , 2018 , 132, 433-433	2.2	2
162	Outcome and Prognostic Factors after Unrelated Donor Umbilical Cord Blood Transplantation in Adult Patients with Hematologic Malignancies Transplanted in Early Disease Stages.. <i>Blood</i> , 2004 , 104, 2149-2149	2.2	2
161	Low Transplant-Related Mortality in Patients with Hematologic Malignancies Undergoing Umbilical Cord Blood Transplantation (UCBT) with Thiotepea (TT), Once-Daily Intravenous (IV) Busulfan (BU), Fludarabine (FLU) and Anti-Thymocyte Globulin (ATG).. <i>Blood</i> , 2007 , 110, 618-618	2.2	2
160	Impact of ATRA Duration during the Induction Treatment of Newly Diagnosed APL. <i>Blood</i> , 2008 , 112, 139-139	2.2	2
159	Treatment of High-Risk (HR) Philadelphia Chromosome-Negative (Ph-) Adult Acute Lymphoblastic Leukemia (ALL) According to Baseline Risk Factors and Minimal Residual Disease (MRD). Results of the PETHEMA ALL-AR-03 Trial Including the Use of Propensity Score (PS) Method to Reduce Assignment Bias.. <i>Blood</i> , 2009 , 114, 322-322	2.2	2
158	Intensive (2+5) Or Semi-Intensive (FLUGA) Chemotherapy For Patients With Acute Myeloid Leukemia Who Are 70 Years Of Age Or Older. <i>Blood</i> , 2013 , 122, 2687-2687	2.2	2
157	Treatment With Leukapheresis In Patients Diagnosed With Hyperleukocytic Acute Myeloid Leukemia. <i>Blood</i> , 2013 , 122, 5046-5046	2.2	2
156	Azacitidine in Older Patients with Acute Myeloid Leukemia (AML). Results from the Expanded International E-Alma Series (E-ALMA+) According to the MRC Risk Index Score. <i>Blood</i> , 2015 , 126, 2554-2554	2.2	2
155	Bolous of methylprednisolone for aplastic anemia. <i>Annals of Internal Medicine</i> , 1982 , 96, 124	8	2
154	Prognostic significance of FLT3-ITD length in AML patients treated with intensive regimens. <i>Scientific Reports</i> , 2021 , 11, 20745	4.9	2
153	Genome-wide association study identifies susceptibility loci for acute myeloid leukemia. <i>Nature Communications</i> , 2021 , 12, 6233	17.4	2
152	Evaluation of Bleeding-Related Episodes in Patients with Chronic Immune Thrombocytopenia (ITP) Treated with Romiplostim in Two Phase 3 Placebo-Controlled Clinical Trials.. <i>Blood</i> , 2009 , 114, 891-891	2.2	2
151	Characteristics and outcome of adult patients with acute promyelocytic leukemia and increased body mass index treated with the PETHEMA Protocols. <i>European Journal of Haematology</i> , 2020 , 104, 162-169	3.8	2
150	Role of Hematopoietic Stem Cell Transplantation in Acute Promyelocytic Leukemia. <i>Frontiers in Oncology</i> , 2021 , 11, 614215	5.3	2
149	A phase I trial of selinexor plus FLAG-Ida for the treatment of refractory/relapsed adult acute myeloid leukemia patients. <i>Annals of Hematology</i> , 2021 , 100, 1497-1508	3	2
148	Extracorporeal photopheresis vs standard therapies for steroid-refractory chronic graft-vs-host disease: Pharmacoeconomic assessment of hospital resource use in Spain. <i>Journal of Clinical Apheresis</i> , 2021 , 36, 612-620	3.2	2

147	Validation of a multivariable prediction model for post-engraftment invasive fungal disease in 465 adult allogeneic hematopoietic stem cell transplant recipients. <i>Mycoses</i> , 2019 , 62, 418-427	5.2	2
146	History of Acute Promyelocytic Leukemia.. <i>Clinical Hematology International</i> , 2021 , 3, 142-152	1.8	2
145	Recent advances in the treatment of APL. <i>Clinical Advances in Hematology and Oncology</i> , 2006 , 4, 727-9	0.6	2
144	Impact of novel polymorphisms related to cytotoxicity of cytarabine in the induction treatment of acute myeloid leukemia. <i>Pharmacogenetics and Genomics</i> , 2017 , 27, 270-274	1.9	1
143	Quality of thawed plasma inactivated with methylene blue after 48-hour storage. <i>Transfusion and Apheresis Science</i> , 2015 , 52, 141-2	2.4	1
142	Immunohaematological events related to changes in haematic and seric ABO group in patients undergoing haematopoietic stem cell transplantation with major ABO mismatch. <i>Transfusion Medicine</i> , 2019 , 29, 136-137	1.3	1
141	Update on bacteraemia in oncology and hematology. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2011 , 29 Suppl 4, 48-53	0.9	1
140	Comparison of two reverse transcription-polymerase chain reaction methods for detection of AML1/ETO rearrangement in the M2 subtype of acute myeloid leukaemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998 , 36, 137-42	5.9	1
139	On the fractional integral of Weyl in L p. <i>Mathematische Zeitschrift</i> , 1994 , 215, 209-221	0.7	1
138	Azacitidine Vs. Decitabine in Unfit Newly Diagnosed Acute Myeloid Leukemia Patients: Results from the Pethema Registry. <i>Blood</i> , 2020 , 136, 25-27	2.2	1
137	Causes of Induction Failure in Newly Diagnosed Acute Promyelocytic Leukemia Patients Treated with Simultaneous ATRA and Idarubicin (AIDA).. <i>Blood</i> , 2004 , 104, 887-887	2.2	1
136	Identification of Risk Factors for Tumour Lysis Syndrome in Patients with Acute Myeloid Leukaemia: Development of a Prognostic Score.. <i>Blood</i> , 2005 , 106, 1843-1843	2.2	1
135	Secondary Acute Myeloid Leukemia and Myelodysplastic Syndromes Following ATRA and Anthracycline Monochemotherapy Treatment for Acute Promyelocytic Leukemia.. <i>Blood</i> , 2007 , 110, 1838-1838 ¹	2.2	1
134	The Prognostic Significance of Complex Karyotype in Philadelphia Chromosome-Negative (Ph ⁻) Acute Lymphoblastic Leukemia (ALL) in Adults Is Related with Risk Group.. <i>Blood</i> , 2007 , 110, 3501-3501	2.2	1
133	Incidence and Prognostic Factors for Infectious and Hemorrhagic Death in Patients with Acute Myeloid Leukemia: A Single-Centre Study.. <i>Blood</i> , 2007 , 110, 4300-4300	2.2	1
132	Risk-Adapted Treatment of Acute Promyelocytic Leukemia: Updated Results of the Spanish PETHEMA LPA99 Trial Using ATRA and Anthracycline Monochemotherapy.. <i>Blood</i> , 2007 , 110, 590-590	2.2	1
131	Central Nervous System Relapse in Patients with Acute Promyelocytic Leukemia Treated with All-Trans Retinoic Acid and Reinforced Anthracycline Monochemotherapy.. <i>Blood</i> , 2007 , 110, 592-592	2.2	1
130	Risk-Adapted Treatment of Acute Promyelocytic Leukemia: Results of the PETHEMA LPA2005 Trial Using All-Trans Retinoic Acid and Anthracycline with Cytarabine for High-Risk Patients. <i>Blood</i> , 2008 , 112, 138-138	2.2	1

129	Treatment of High-Risk (HR) Philadelphia Chromosome-Negative (Ph-) Adult Acute Lymphoblastic Leukemia (ALL) According to Baseline Risk Factors and Minimal Residual Disease (MRD). Results of the PETHEMA ALL-AR-03 Trial.. <i>Blood</i> , 2008 , 112, 3291-3291	2.2	1
128	CD34+ Cell Dose Is the Major Cell Dose Determinant of Myeloid Engraftment After Single Umbilical Cord Blood Transplantation (sUCBT) for Adult Patients with High-Risk Hematologic Malignancies. <i>Blood</i> , 2010 , 116, 1339-1339	2.2	1
127	Outcomes In Patients with Multiple Myeloma Following Autologous Stem Cell Transplantation Using Intravenous Busulfan and Melphalan: A Matched Comparison to a Double Autologous Transplant Strategy. <i>Blood</i> , 2010 , 116, 3560-3560	2.2	1
126	Outcome of APL In Young Children and Adolescents In Two Consecutive Trials of the European APL Group,. <i>Blood</i> , 2010 , 116, 507-507	2.2	1
125	Gene Microdeletions in Adult and Pediatric Acute Lymphoblastic Leukemia,. <i>Blood</i> , 2011 , 118, 3539-3539	2.2	1
124	Arsenic Trioxide-Based Therapy Of Relapsed Acute Promyelocytic Leukemia: Updated Results Of The European Registry Of Relapsed APL (PROMYSE). <i>Blood</i> , 2013 , 122, 1406-1406	2.2	1
123	A Prognostic Index for Patients with Refractory or in First Relapsed Acute Myeloid Leukemia Treated with FLAG-Ida or Flago-Ida. <i>Blood</i> , 2014 , 124, 1049-1049	2.2	1
122	Prognostic Impact of Anthracycline Metabolism Gene Polymorphisms in Newly Diagnosed Acute Myeloid Leukemia Adults. <i>Blood</i> , 2014 , 124, 2237-2237	2.2	1
121	Haplotransplants Versus Other Alternative Donors for Allogeneic Stem Cell Transplantation in Non Hodgkin Lymphoma (NHL): A Retrospective Analysis of the EBMT Lymphoma Working Party. <i>Blood</i> , 2014 , 124, 2573-2573	2.2	1
120	Single Agent Tamibarotene Has Activity in Acute Promyelocytic Leukemia Patients Previously Treated with ATRA and Arsenic Trioxide, but Does Not Produce Durable Responses. <i>Blood</i> , 2014 , 124, 3751-3751	2.2	1
119	RIC Allo-SCT with Flu/Bu in Comparison to Flu/Mel for AML Results in Similar Overall Survival: A Report from the ALWP of the EBMT. <i>Blood</i> , 2014 , 124, 545-545	2.2	1
118	Impact of Transporter Genes Polymorphisms in Standard Induction of Acute Myeloid Leukemia. <i>Blood</i> , 2015 , 126, 4842-4842	2.2	1
117	Influence of Single Nucleotide Polymorphisms in Anthracycline Metabolism Pathway in Standard Induction of Acute Myeloid Leukemia. <i>Blood</i> , 2015 , 126, 4845-4845	2.2	1
116	Characteristics and outcome of acute myeloid leukemia with uncommon retinoic acid receptor-alpha (RARA) fusion variants. <i>Blood Cancer Journal</i> , 2021 , 11, 167	7	1
115	A Randomized, Double-Blind, Placebo-Controlled Study With Pegylated Recombinant Human Megakaryocyte Growth and Development Factor (PEG-rHuMGDF) as an Adjunct to Chemotherapy for Adults With De Novo Acute Myeloid Leukemia. <i>Blood</i> , 1999 , 94, 3694-3701	2.2	1
114	Predictors of Early Death in Childhood Acute Promyelocytic Leukemia: Results of an International Retrospective Study. <i>Blood</i> , 2015 , 126, 172-172	2.2	1
113	Specific Chemotherapy and Rituximab In HIV-Infected Patients with Burkitt's Leukemia or Lymphoma. Results of a German-Spanish Study and Analysis of Prognostic Factors. <i>Blood</i> , 2010 , 116, 3944-3944	2.2	1
112	Intravenous Busulfan (IV Bu)-Based Conditioning Regimen Before Allogeneic Stem Cell Transplantation (allo-SCT) for Adults with Acute Lymphoid Leukemia (ALL): A Survey From the Acute Leukemia Working Party of EBMT. <i>Blood</i> , 2011 , 118, 3005-3005	2.2	1

111	Influence of polymorphisms in anthracyclines metabolism genes in the standard induction chemotherapy of acute myeloid leukemia. <i>Pharmacogenetics and Genomics</i> , 2021 , 31, 133-139	1.9	1
110	Sirolimus versus cyclosporine in haploidentical stem cell transplantation with posttransplant cyclophosphamide and mycophenolate mofetil as graft-versus-host disease prophylaxis. <i>EJHaem</i> , 2021 , 2, 236-248	0.9	1
109	The Mutational Landscape of Acute Myeloid Leukaemia Predicts Responses and Outcomes in Elderly Patients from the PETHEMA-FLUGAZA Phase 3 Clinical Trial. <i>Cancers</i> , 2021 , 13,	6.6	1
108	Time and Cost of Hospitalisation for Salvage Therapy in Adults with Philadelphia Chromosome-Negative B Cell Precursor Relapsed or Refractory Acute Lymphoblastic Leukaemia in Spain. <i>PharmacoEconomics - Open</i> , 2019 , 3, 229-235	2.1	1
107	Outcome of a Real-Life Population of Patients With Acute Promyelocytic Leukemia Treated According to the PETHEMA Guidelines: The Polish Adult Leukemia Group (PALG) Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 105-113	2	1
106	Partial T Cell-Depleted Peripheral Blood Stem Cell Transplantation from HLA-Identical Sibling Donors for Patients with Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 83-87	4.7	1
105	Ex vivo T-cell depletion vs post-transplant cyclophosphamide, sirolimus, and mycophenolate mofetil as graft-vs-host disease prophylaxis for allogeneic hematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2021 , 106, 114-125	3.8	1
104	Impact of combinations of single-nucleotide polymorphisms of anthracycline transporter genes upon the efficacy and toxicity of induction chemotherapy in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021 , 62, 659-668	1.9	1
103	Adjunctive Volasertib in Patients With Acute Myeloid Leukemia not Eligible for Standard Induction Therapy: A Randomized, Phase 3 Trial. <i>HemaSphere</i> , 2021 , 5, e617	0.3	1
102	Post-transplant cyclophosphamide and sirolimus based graft-versus-host disease prophylaxis after allogeneic stem cell transplantation for acute myeloid leukemia. <i>Bone Marrow Transplantation</i> ,	4.4	1
101	Peripheral blood stem cell collection after intermediate-dose cytarabine in adult patients with acute myeloblastic leukemia undergoing autologous blood stem cell transplantation in first complete remission. <i>International Journal of Hematology</i> , 2004 , 80, 168-73	2.3	0
100	Adding arabinosylcytosine to idarubicin induction therapy may not improve survival for people with newly diagnosed acute promyelocytic leukaemia. <i>Cancer Treatment Reviews</i> , 2003 , 29, 143-6	14.4	0
99	A Predictive Model for Early Death after Frontline Hypomethylating Agents in Elderly Unfit Acute Myeloid Leukemia Patients: Results from the Pethema Group. <i>Blood</i> , 2019 , 134, 648-648	2.2	0
98	Long Term Discontinuation of Eltrombopag after Remission in Primary Immune Thrombocytopenia: 8-Year Follow-up Data from 15 Spanish Centers. <i>Blood</i> , 2019 , 134, 2352-2352	2.2	0
97	Hematology oncology practice in the Asia-Pacific APHCON survey results from the 6th international hematologic malignancies conference: bridging the gap 2015, Beijing, China. <i>Oncotarget</i> , 2017 , 8, 41620-41630 ⁰	3.3	0
96	Healthcare resource utilization in adult patients with relapsed/refractory FLT3 mutated acute myeloid leukemia: A retrospective chart review from Spain. <i>European Journal of Haematology</i> , 2021 , 106, 724-733	3.8	0
95	Long-Term Outcomes After Autologous Versus Allogeneic Stem Cell Transplantation in Molecularly-Stratified Patients With Intermediate Cytogenetic Risk Acute Myeloid Leukemia: A PETHEMA Study. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 311.e1-311.e10		0
94	Hematopoietic Stem Cell Transplantation in APL 2018 , 171-177		

93 Prognostic Factors in APL **2018**, 87-98

92 Special Situations in APL **2018**, 203-210

91 Absence of mutations in the activation loop and juxtamembrane domains of VEGFR-1 and VEGFR-2 gene in chronic myelomonocytic leukemia (CMML). *Leukemia Research*, **2012**, 36, e50-1 2.7

90 High efficacy and low toxicity of APL induction with concurrent idarubicin/ATRA followed by a novel and simplified outpatient post-remission therapy using single doses of idarubicin and intermittent ATRA. *Medical Oncology*, **2010**, 27, 702-7 3.7

89 Update on pulmonary infections in patients with hematologic malignancies and hematopoietic stem cell recipients. *Enfermedades Infecciosas Y Microbiología Clínica*, **2008**, 26, 58-71 0.9

88 PROGNOSTIC IRRELEVANCE OF CD34 IN ACUTE MYELOID LEUKAEMIA. *British Journal of Haematology*, **1992**, 82, 480-480 4.5

87 Validation of survival-predictive models in myelodysplastic syndromes. *American Journal of Hematology*, **1989**, 30, 44 7.1

86 Use of Venetoclax in Patients with Relapsed or Refractory Acute Myeloid Leukemia: The Pethema Registry Experience. *Blood*, **2020**, 136, 2-3 2.2

85 Validation of the High-Risk Prognostic Score Defined By the Presence of Mutations in NRAS or TP53 in a Cohort of 497 Patients with Acute Myeloid Leukemia. *Blood*, **2020**, 136, 4-5 2.2

84 Effect of Sustainable Preharvest and Postharvest Techniques on Quality and Storability of High-Acidity Beinette du Canada Apple. *Horticulturae*, **2022**, 8, 86 2.5

83 Nationwide Laboratory Network for AML Cross-Validated NGS Studies: Results from a Real-Life Cohort of the Pethema Group. *Blood*, **2021**, 138, 1302-1302 2.2

82 Patterns of Salvage Therapy in Patients with Acute Myeloid Leukemia Treated Upfront with Azacitidine or Decitabine: Results from the Pethema AML Registry. *Blood*, **2021**, 138, 1255-1255 2.2

81 Venetoclax Therapy in a Heavily Treated Cohort of Patients with Relapsed or Refractory Acute Myeloid Leukemia: Update of the Pethema Registry Experience. *Blood*, **2021**, 138, 2325-2325 2.2

80 Impact of Sociodemographic and Clinical Factors on the Survival of Patients with Acute Myeloid Leukemia: A Multicenter Experience in Colombia, on Behalf of Acho's Renhoc-Pethema Investigators. *Blood*, **2021**, 138, 3374-3374 2.2

79 Integrated Multidimensional Flow Cytometry (MFC) and Next-Generation Sequencing (NGS) to Reconstruct Evolutionary Patterns from Dysplasia to Acute Myeloid Leukemia (AML). *Blood*, **2021**, 138, 520-520 2.2

78 Long-Term Subgroup Analyses from Azacitidine Vs. Decitabine in Unfit Newly Diagnosed Acute Myeloid Leukemia Patients: Results from the Pethema Registry. *Blood*, **2021**, 138, 1256-1256 2.2

77 Real-Time Quantification of the AML Rearrangements, AML1-ETO and TEL-AML1, in Acute Leukemia **2004**, 141-155

76 PML/RAR β Mediates Resistance to Apoptosis and Down-Regulation of the NF- κ B Pathway in Acute Promyelocytic Leukemia. *Blood*, **2004**, 104, 4283-4283 2.2

- 75 Comparison of Intensive Chemotherapy (CHT), Allogeneic (ALLO) or Autologous (AUTO) Stem Cell Transplantation (SCT) as Post-Remission Treatment for Adult Patients with High-Risk Acute Lymphoblastic Leukemia (HR-ALL). Final Results of the PETHEMA ALL-93 Trial.. *Blood*, **2004**, 104, 2731-2731 2.2
- 74 Patterns of Expression of SHP-1 and JAK-2p in Myelodysplastic Syndromes: A Potential New Prognostic Factor.. *Blood*, **2004**, 104, 3430-3430 2.2
- 73 Long-Term Follow up of Healthy Donors Receiving G-CSF for Peripheral Blood Progenitor Cell Mobilization and Collection.. *Blood*, **2005**, 106, 1975-1975 2.2
- 72 Prophylaxis of Cytomegalovirus (CMV) Infection and Disease after Unrelated-Donor Umbilical Cord-Blood Transplantation (UCBT) with Intravenous Ganciclovir or Oral Valganciclovir.. *Blood*, **2005**, 106, 5460-5460 2.2
- 71 Treatment of High-Risk (HR) Philadelphia Chromosome-Negative (Ph-) Adult Acute Lymphoblastic Leukemia (ALL) According to Classical Risk Factors and Minimal Residual Disease (MRD). Interim Results of the PETHEMA ALL-AR-03 Trial.. *Blood*, **2006**, 108, 1872-1872 2.2
- 70 Incidence and Risk Factors for Central Nervous System Relapse in Adult Patients with Acute Myeloid Leukemia: A Single Center Experience.. *Blood*, **2006**, 108, 4579-4579 2.2
- 69 SHP-1 (PTPN6) Gene Suppression by FLT3/ITD Defines an Aggressive Subgroup of Myeloid Malignancies.. *Blood*, **2006**, 108, 1907-1907 2.2
- 68 Clinico-Biological Characteristics and Prognosis of Non-M3 Acute Myeloid Leukemia with High Percentage of Myeloperoxidase Positive Blasts. Single Center Experience.. *Blood*, **2006**, 108, 4462-4462 2.2
- 67 Prognostic Value of Immunophenotype Analysis in Patients with Acute Promyelocytic Leukemia (APL) Treated with All-Transretinoic Acid and Anthracyclin Monochemotherapy.. *Blood*, **2006**, 108, 2345-2345 2.2
- 66 Rituximab Monotherapy for Cold Agglutinin Disease. Report on 16 Patients from a Single Institution.. *Blood*, **2006**, 108, 965-965 2.2
- 65 FLT3 Mutations in a Large Series of Patients with Acute Promyelocytic Leukemia Treated with All-Trans Retinoic Acid and Anthracycline Monochemotherapy.. *Blood*, **2006**, 108, 2348-2348 2.2
- 64 Incidence and Risk Factors for Hemorrhagic Cystitis in Adult Patients Undergoing Allogeneic Stem-Cell Transplantation.. *Blood*, **2006**, 108, 2964-2964 2.2
- 63 Long-Term Outcome and Prognostic Factors after Single-Unit Umbilical Cord-Blood Transplantation (UCBT) for Adults with Hematologic Malignancies.. *Blood*, **2006**, 108, 3129-3129 2.2
- 62 Outcome of Patients with Primary Refractory Acute Myeloid Leukemia (AML) Undergoing Myeloablative Allogeneic Stem-Cell Transplantation (alloSCT) from HLA-Identical Sibling: Favorable Outcome in a Subset of Patients.. *Blood*, **2006**, 108, 3022-3022 2.2
- 61 Retinoic Acid Syndrome in Patients with Acute Promyelocytic Leukemia Treated with All-Trans Retinoic Acid and Anthracycline Monochemotherapy.. *Blood*, **2006**, 108, 2010-2010 2.2
- 60 Toxicity and Early Response after Single Daily Dose of Intravenous Busulfan and Melphalan as Conditioning Regimen for Autologous Stem Cell Transplantation in Patients with Multiple Myeloma.. *Blood*, **2007**, 110, 4928-4928 2.2
- 59 FLAG-IDA Regimen (Fludarabine, Cytarabine, Idarubicin and G-CSF) in the Treatment of Patients with High-Risk Acute Myeloid Leukemia and Myelodysplastic Syndromes.. *Blood*, **2007**, 110, 2866-2866 2.2
- 58 Incidence and Characteristics of Acute Promyelocytic Leukemia in Adult Patients. A Single Centre Registry Study.. *Blood*, **2007**, 110, 4301-4301 2.2

- 57 Unrelated Donor Umbilical Cord Blood Transplantation (UD-UCBT) for Adult Patients with High-Risk Acute Lymphoblastic Leukemia (ALL).. *Blood*, **2007**, 110, 2024-2024 2.2
- 56 Prognostic Value of Immunophenotype in Patients with Non-Promyelocytic Acute Myeloid Leukemia Treated with Intensive Chemotherapy. A Single Centre Study.. *Blood*, **2007**, 110, 2391-2391 2.2
- 55 Characteristics and Outcome of Older Patients with Acute Promyelocytic Leukemia Front-Line Treated with or without Arsenic Trioxide in an International Collaborative Study. *Blood*, **2018**, 132, 80-80 2.2
- 54 Long Term Survival Analysis of Multiple Myeloma Patients Receiving Induction Therapy+ Autologous STEM CELL Trasplantation, Comparing Velcade-Dexametasone to Alkylating Polichemotherapy As Induction Therapy. *Blood*, **2018**, 132, 5764-5764 2.2
- 53 Slit-Robo Pathway Is Clinically Relevant and May Represent a Potential Target in Acute Promyelocytic Leukemia. *Blood*, **2018**, 132, 1533-1533 2.2
- 52 Metformintreatment Overcomes ATRA-Resistance in Acute Promyelocytic Leukemia and Increases FOXO3A Expression. *Blood*, **2018**, 132, 1532-1532 2.2
- 51 Molecular Genetics of Acute Promyelocytic Leukaemia1-8
- 50 Outcomes after Plerixafor Plus FLAG-IDA (PLERIFLAG) Versus FLAG-IDA +/- Gentuzumab for Adult Patients with First Relapsed/Refractory AML: A Propensity Score Analysis from the Pethema Registry. *Blood*, **2019**, 134, 1321-1321 2.2
- 49 Clinical and Functional Studies Reveal That TP73 Isoforms Levels Are Associated with Prognosis and RA-Resistance in Acute Promyelocytic Leukemia. *Blood*, **2019**, 134, 2719-2719 2.2
- 48 Mutational Profiling Predicts Clinical Outcomes to Azacytidine and Low Dose Cytarabine Plus Fludarabine (FLUGA) in Elderly Acute Myeloid Leukemia Patients Enrolled in the Pethema Phase III Flugaza Trial. *Blood*, **2019**, 134, 3891-3891 2.2
- 47 Arsenic Trioxide Abrogate MN1 Mediated RA-Resistance in Acute Promyelocytic Leukemia. *Blood*, **2019**, 134, 5166-5166 2.2
- 46 The Interaction Between Collagen-Activated Platelets and Erythrocytes Selectively Increases the Release of Subsets of Platelet Granules Containing Pro-Angiogenic Substances. *Blood*, **2014**, 124, 4171-4171 2.2
- 45 Novel Assay for Ex Vivo Evaluation of Antiproliferative Effect of Hypomethylating Agents 5-Azacytidine and Decitabine in AML Patient Samples. *Blood*, **2014**, 124, 5311-5311 2.2
- 44 Prognostic Impact of Cytarabine Pathway Gene Polymorphisms in Acute Myeloid Leukemia Adults Undergoing Induction Chemotherapy. *Blood*, **2014**, 124, 5223-5223 2.2
- 43 Validation of a Next-Generation Sequencing Panel for AML Routine Diagnosis. *Blood*, **2015**, 126, 1403-1403 2.2
- 42 Usefulness of Eltrombopag in Secondary ITP Patients in Clinical Practice. *Blood*, **2015**, 126, 2263-2263 2.2
- 41 Efficacy and Safety of Eltrombopag in Persistent and Newly Diagnosed ITP. *Blood*, **2015**, 126, 4657-4657 2.2
- 40 High Correlation Clinical Responses to 1st Line Acute Myeloid Leukemia Treatment with an Ex Vivo Native Environment Precision Medicine Test. *Blood*, **2015**, 126, 4837-4837 2.2

39	Comparative Study of Post-Transplant Lymphoproliferative Disorders after Solid Organ Transplantation Versus Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015 , 126, 4358-4358	2.2
38	Infusion of Haploidentical Stem Cell after Consolidation in Younger Patients with Acute Myeloid Leukemia: Preliminary Results of a Phase I-II Study. <i>Blood</i> , 2016 , 128, 1614-1614	2.2
37	NCCN-IPI in Patients with Diffuse Large B CELL Lymphoma Treated with DA-R-EPOCH. Retrospective Analysis. <i>Blood</i> , 2016 , 128, 5401-5401	2.2
36	Clonal Hematopoiesis Landscape in Patients with De Novo Acute Myeloid Leukemia By Deep Sequencing. <i>Blood</i> , 2016 , 128, 598-598	2.2
35	Influence of Cytarabine Metabolic Pathway Polymorphisms in Acute Myeloid Leukemia Induction Treatment. <i>Blood</i> , 2016 , 128, 5130-5130	2.2
34	Individualized Prophylactic Treatment with Recombinant Factor VIII in Severe or Moderate Haemophilia a Patients. Association Between Pharmacokinetic Parameters and Clinical Variables. <i>Blood</i> , 2016 , 128, 3802-3802	2.2
33	Preliminary Results of the Flugaza Trial: A Phase III Randomized, Open Label Study Comparing Azacytidine Versus Fludarabine and Cytarabine (FLUGA Scheme) in Elderly Patients with Newly Diagnosed Acute Myeloid Leukemia. <i>Blood</i> , 2016 , 128, 4036-4036	2.2
32	Unrelated Donor Umbilical Cord Blood Transplantation (UD-UCBT) for Adult Patients with High-Risk Acute Myeloid Leukemia (AML). <i>Blood</i> , 2008 , 112, 4401-4401	2.2
31	Unrelated Transplants for Poor Prognosis Adult Acute Lymphoblastic Leukemia: Long-Term Comparative Analysis Based on the Hematopoietic Progenitor Source.. <i>Blood</i> , 2008 , 112, 969-969	2.2
30	Treatment with All-Trans Retinoic Acid and Anthracycline Monochemotherapy in Children with Acute Promyelocytic Leukemia: Analysis of Three Sequential Multicenter Trials of the PETHEMA Group. <i>Blood</i> , 2008 , 112, 137-137	2.2
29	Prognostic Impact of Additional Chromosomal Aberrations (ACA) to 5q- in Patients with primary Myelodysplastic Syndrome.. <i>Blood</i> , 2008 , 112, 1649-1649	2.2
28	Salvage Therapy with Chemotherapy- or Arsenic Trioxide-Based Regimens for Acute Promyelocytic Leukemia in First Relapse.. <i>Blood</i> , 2009 , 114, 1062-1062	2.2
27	A Methylation Profile of Tumor Suppressor Genes Predicts a Poorer Survival in Patients with Refractory Anemia with Ringed Sideroblasts.. <i>Blood</i> , 2009 , 114, 2780-2780	2.2
26	Epigenomic Analysis of Acute Myeloid Leukemia Identifies Specific Patterns and Markes with Clinical and Biological Relevance.. <i>Blood</i> , 2009 , 114, 2394-2394	2.2
25	One Year Reinductions with Vincristine, Asparaginase and Prednisone as Post-Remission Therapy Improves Outcome in Children with Intermediate Risk (IR) Acute Lymphoblastic Leukemia (ALL).. <i>Blood</i> , 2009 , 114, 2026-2026	2.2
24	A Phase II Study of Oral Tamibarotene in Acute Promyelocytic Leukemia (APL) Patients (PTS) Who Have Received Prior Therapy with All-Trans Retinoic Acid and Arsenic Trioxide (STAR-1 trial).. <i>Blood</i> , 2009 , 114, 2050-2050	2.2
23	Treatment of Newly Diagnosed Acute Promyelocytic Leukemia (APL) in the Elderly: A Joint Analysis of the French -Belgian-Swiss and PETHEMA Groups.. <i>Blood</i> , 2009 , 114, 845-845	2.2
22	Assessment of Safety and Efficacy of a New Intravenous Immunoglobulin (IGIV3I 10% Grifols) In Subjects with Chronic Immune Thrombocytopenia. <i>Blood</i> , 2010 , 116, 4669-4669	2.2

21	The Presence of An Internal Tandem Duplicate of FLT3 Receptor (ITD) Is An Unfavorable Prognostic Factor on the Outcome of Adult Patients with Acute Myeloid Leukemia (AML) Autografted in First Remission (CR1) Only in the Absence of An NPM1 Mutation,. <i>Blood</i> , 2011 , 118, 4139-4139	2.2
20	Outcome of Second Allogeneic SCT Following Relapse of Hematological Malignancies After a First Allogeneic SCT. <i>Blood</i> , 2011 , 118, 3056-3056	2.2
19	Comparison Between RT-PCR and RQ-PCR for Minimal Residual Disease Detection in Acute Promyelocytic Leukemia: The International Consortium on Acute Promyelocytic Leukemia (IC-APL) Experience,. <i>Blood</i> , 2011 , 118, 3552-3552	2.2
18	Flp73/TAp73 Expression Ratio Is Associated with Poor Outcome in Acute Promyelocytic Leukemia,. <i>Blood</i> , 2011 , 118, 3536-3536	2.2
17	Comparison of Short-Term Outcomes Between CSTIBES02 and ALL Ph08 Trials for Young Patients with Philadelphia Chromosome-Positive ALL (Ph+ALL) Differing In Imatinib Dose and Amount of Chemotherapy Before Stem Cell Transplantation. <i>Blood</i> , 2011 , 118, 2582-2582	2.2
16	Quantitative Expression Analysis of WT1 Main Isoforms in AML. <i>Blood</i> , 2011 , 118, 1469-1469	2.2
15	Analysis of ASXL1, IDH1, IDH2, c-CBL, and WT1 Mutations in De Novo Acute Myeloid Leukaemia. <i>Blood</i> , 2011 , 118, 1450-1450	2.2
14	Aberrant Expression of the MLL5, BAALC, ID1, and WT1 Genes Is Associated with Higher Induction Mortality and Poorer Overall Survival in Acute Promyelocytic Leukemia Patients Treated with ATRA and Anthracycline-Based Chemotherapy: An International Consortium On Acute Promyelocytic Leukemia Study. <i>Blood</i> , 2012 , 120, 1407-1407	2.2
13	Impact of Myeloablative and Reduced Intensity Conditioning On Outcomes After Unrelated Cord Blood Transplantation for Adults with Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2012 , 120, 3117-3117	2.2
12	Prognostic Value of Complex Karyotype and Monosomal Karyotype in Patients with Adult Acute Lymphoblastic Leukemia Treated with Risk-Adapted Protocols. <i>Blood</i> , 2012 , 120, 4785-4785	2.2
11	Initial Results of the Phase I/II Panobidara Study of Panobinostat in Combination with Idarubicin and Cytarabine in Patients Aged 65 Years or Older with Newly Diagnosed Acute Myeloblastic Leukaemia (AML). <i>Blood</i> , 2012 , 120, 1512-1512	2.2
10	Outcome Of Patients With Abnl(17p) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 303-303	2.2
9	Pharmacological Profile Of Cytarabine and Idarubicin In Patient Samples (ex vivo) With Newly Diagnosed Acute Myeloid Leukemia Identifies Responders Vs Non Responders. <i>Blood</i> , 2013 , 122, 3923-3923	2.2
8	Personalizing Therapies With Ex Vivo Pharmacological Responses May Uncover The Differences Between IDA-DNR-MIT Among European AML Protocols. <i>Blood</i> , 2013 , 122, 1294-1294	2.2
7	Long-Term Outcome Of 151 Patients With Relapsed APL Receiving Second-Line With Chemotherapy Or Arsenic Trioxide-Based Regimens. <i>Blood</i> , 2013 , 122, 3922-3922	2.2
6	Prognostic Impact Of MLL5 transcript Levels On Outcome Of Patients With Acute Promyelocytic Leukemia Treated With All-Trans Retinoic Acid and Anthracycline-Based Chemotherapy: An International Consortium On Acute Promyelocytic Leukemia Study. <i>Blood</i> , 2013 , 122, 2586-2586	2.2
5	Population Pharmacological Profiles Of AML Treatments In Patient Samples By Automated Flow Cytometry; A Bridge To Individualized Medicine. <i>Blood</i> , 2013 , 122, 1347-1347	2.2
4	Evolving patterns of care and outcomes in relapsed/refractory FLT3 mutated acute myeloid leukemia adult patients. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2727-2736	1.9

- 3 Central Nervous System Involvement in Epstein-Barr Virus-Related Post-Transplant Lymphoproliferative Disorders after Allogeneic Hematopoietic Stem Cell Transplantation. *Transplantation and Cellular Therapy*, **2021**, 27, 261.e1-261.e7
- 2 Guidelines of the Spanish ITP Group for the diagnosis, treatment and follow-up of patients with immune thrombocytopenia. *Medicina Clínica (English Edition)*, **2021**, 157, 191-198 0.3
- 1 Effect of Fruit Weight and Fruit Locule Number in Bell Pepper on Industrial Waste and Quality of Roasted Pepper. *Horticulturae*, **2022**, 8, 455 2.5