

Radim Becvr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7191781/radim-becvar-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

3,529
citations

13
h-index

37
g-index

37
ext. papers

5,893
ext. citations

3.4
avg, IF

6.35
L-index

#	Paper	IF	Citations
30	Inhibition of Hsp90 Counteracts the Established Experimental Dermal Fibrosis Induced by Bleomycin. <i>Biomedicines</i> , 2021 , 9,	4.8	1
29	Plasma Hsp90 levels in patients with systemic sclerosis and relation to lung and skin involvement: a cross-sectional and longitudinal study. <i>Scientific Reports</i> , 2021 , 11, 1	4.9	2785
28	Riociguat in patients with early diffuse cutaneous systemic sclerosis (RISE-SSc): randomised, double-blind, placebo-controlled multicentre trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 618-625	2.4	30
27	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1553-1570	9.5	31
26	S100A11 (calgizzarin) is released by circulating mononuclear cells and its elevated plasma levels distinguish systemic lupus erythematosus patients from healthy individuals. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 338-339	2.2	1
25	Mapping and predicting mortality from systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1897-1905	2.4	230
24	AB0632 Association between Interstitial Pulmonary Involvement and Microvaculature Changes in Systemic Sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1120.3-1120	2.4	
23	Tribbles homologue 3 stimulates canonical TGF- β signalling to regulate fibroblast activation and tissue fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 609-16	2.4	24
22	Interleukin-35 is upregulated in systemic sclerosis and its serum levels are associated with early disease. <i>Rheumatology</i> , 2015 , 54, 2273-82	3.9	14
21	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. <i>Microvascular Research</i> , 2015 , 102, 19-24	3.7	11
20	S100A4 amplifies TGF- β -induced fibroblast activation in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1748-55	2.4	34
19	A3.10 Plasma levels of heat shock protein 90 correlate with disease activity, lung involvement and skin fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, A35.1-A35	2.4	1
18	Heat shock protein 90 (Hsp90) inhibition targets canonical TGF- β signalling to prevent fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1215-22	2.4	60
17	A3.16 Serum S100A4 correlates with skin fibrosis, lung involvement and disease activity in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A48.1-A48	2.4	1
16	AB0203 S100A4 Serum Levels Correlate with Disease Activity, Skin Fibrosis and Lung Involvement in Systemic Sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 871.1-871	2.4	1
15	Nailfold capillaroscopy in systemic sclerosis: data from the EULAR scleroderma trials and research (EUSTAR) database. <i>Microvascular Research</i> , 2013 , 89, 122-8	3.7	73
14	A8.3 Deficit of S100A4 Prevents Joint Destruction and Systemic Bone Loss in hTNFtg Mouse Model. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A58.1-A58	2.4	

13	Pulmonary arterial hypertension associated with systemic sclerosis in the Czech Republic. <i>Clinical Rheumatology</i> , 2012 , 31, 557-61	3.9	12
12	Adiponectin relation to skin changes and dyslipidemia in systemic sclerosis. <i>Cytokine</i> , 2012 , 58, 165-8	4	25
11	Polymorphism of the extrapituitary prolactin promoter and systemic sclerosis. <i>Rheumatology International</i> , 2010 , 30, 1691-3	3.6	9
10	Prevalence of antinucleosome antibodies by enzyme-linked immunosorbent assays in patients with systemic lupus erythematosus and other autoimmune systemic diseases. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1109, 275-86	6.5	12
9	Clinical correlations of potential activity markers in systemic sclerosis. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1051, 404-12	6.5	13
8	Verrucous form of chilblain lupus erythematosus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001 , 15, 448-51	4.6	10
7	European multicentre study to define disease activity criteria for systemic sclerosis. I. Clinical and epidemiological features of 290 patients from 19 centres. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 585-91	2.4	65
6	Nabumetone induces less gastrointestinal mucosal changes than diclofenac retard. <i>Clinical Rheumatology</i> , 1999 , 18, 273-8	3.9	3
5	Cytokines and adhesion molecules in renal vasculitis and lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 1998 , 13, 1662-7	4.3	53
4	von Willebrand factor antigen and adhesive molecules in Wegener's granulomatosis and microscopic polyangiitis. <i>Clinical Rheumatology</i> , 1997 , 16, 324-5	3.9	2
3	Glycosaminoglycan polysulfuric acid (GAGPS) in osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 1995 , 3, 15-23	6.2	19
2	Markers of collagen metabolism in sera of patients with various rheumatic diseases. <i>Clinica Chimica Acta</i> , 1989 , 183, 243-52	6.2	6
1	Anticollagen antibodies in patients with juvenile chronic arthritis. <i>Clinical Rheumatology</i> , 1988 , 7, 378-83	3.9	3