Shou-Qin Sun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7191923/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Changes of soil phosphorus speciation along a 120-year soil chronosequence in the Hailuogou Glacier retreat area (Gongga Mountain, SW China). Geoderma, 2013, 195-196, 251-259.	5.1	68
2	Bryophyte Species Richness and Composition along an Altitudinal Gradient in Gongga Mountain, China. PLoS ONE, 2013, 8, e58131.	2.5	67
3	Atmospheric deposition of lead in remote high mountain of eastern Tibetan Plateau, China. Atmospheric Environment, 2014, 99, 425-435.	4.1	55
4	Response mechanisms of antioxidants in bryophyte (Hypnum plumaeforme) under the stress of single or combined Pb and/or Ni. Environmental Monitoring and Assessment, 2009, 149, 291-302.	2.7	47
5	Soil warming and nitrogen deposition alter soil respiration, microbial community structure and organic carbon composition in a coniferous forest on eastern Tibetan Plateau. Geoderma, 2019, 353, 283-292.	5.1	42
6	Antioxidative responses related to H2O2 depletion in Hypnum plumaeforme under the combined stress induced by Pb and Ni. Environmental Monitoring and Assessment, 2010, 163, 303-312.	2.7	41
7	Variations in soil phosphorus biogeochemistry across six vegetation types along an altitudinal gradient in SW China. Catena, 2016, 142, 102-111.	5.0	39
8	Drought differentially affects autotrophic and heterotrophic soil respiration rates and their temperature sensitivity. Biology and Fertility of Soils, 2019, 55, 275-283.	4.3	33
9	Monitoring of atmospheric heavy metal deposition in Chongqing, China—based on moss bag technique. Environmental Monitoring and Assessment, 2009, 148, 1-9.	2.7	30
10	Atmospheric deposition of Cd accumulated in the montane soil, Gongga Mt., China. Journal of Soils and Sediments, 2011, 11, 940-946.	3.0	30
11	Heavy metals in different moss species in alpine ecosystems of Mountain Gongga, China: Geochemical characteristics and controlling factors. Environmental Pollution, 2021, 272, 115991.	7.5	25
12	Sample storage-induced changes in the quantity and quality of soil labile organic carbon. Scientific Reports, 2015, 5, 17496.	3.3	23
13	Bryophyte cover and richness decline after 18 years of experimental warming in alpine Sweden. AoB PLANTS, 2020, 12, plaa061.	2.3	22
14	Phosphorus biogeochemical cycle research in mountainous ecosystems. Journal of Mountain Science, 2013, 10, 43-53.	2.0	21
15	Soil phosphorus bioavailability assessed by XANES and Hedley sequential fractionation technique in a glacier foreland chronosequence in Gongga Mountain, Southwestern China. Science China Earth Sciences, 2014, 57, 1860-1868.	5.2	21
16	Effect of the behavior and availability of heavy metals on the characteristics of the coastal soils developed from alluvial deposits. Environmental Monitoring and Assessment, 2009, 156, 91-98.	2.7	19
17	Comparison of element concentrations in fir and rhododendron leaves and twigs along an altitudinal gradient. Environmental Toxicology and Chemistry, 2011, 30, 2608-2619.	4.3	19
18	Effects of Pb and Ni stress on oxidative stress parameters in three moss species. Ecotoxicology and Environmental Safety, 2011, 74, 1630-1635.	6.0	18

SHOU-QIN SUN

#	Article	IF	CITATIONS
19	Ground bryophytes regulate net soil carbon efflux: evidence from two subalpine ecosystems on the east edge of the Tibet Plateau. Plant and Soil, 2017, 417, 363-375.	3.7	18
20	Lead distribution and possible sources along vertical zone spectrum of typical ecosystems in the Gongga Mountain, eastern Tibetan Plateau. Atmospheric Environment, 2015, 115, 132-140.	4.1	16
21	Warming and nitrogen addition effects on bryophytes are species―and plant communityâ€specific on the eastern slope of the Tibetan Plateau. Journal of Vegetation Science, 2017, 28, 128-138.	2.2	16
22	Effect of an Anionic Surfactant on Hydraulic Conductivities of Sodium- and Calcium-Saturated Soils. Pedosphere, 2006, 16, 673-680.	4.0	14
23	Heavy metalâ€induced physiological alterations and oxidative stress in the moss <i>Brachythecium piligerum</i> chad. Environmental Toxicology, 2011, 26, 453-458.	4.0	14
24	Retention capacities of several bryophytes for Hg(II) with special reference to the elevation and morphology of moss growth. Environmental Monitoring and Assessment, 2007, 133, 399-406.	2.7	12
25	Differences of soil CO2 flux in two contrasting subalpine ecosystems on the eastern edge of the Qinghai-Tibetan Plateau: A four-year study. Atmospheric Environment, 2019, 198, 166-174.	4.1	12
26	An improved open-top chamber warming system for global change research. Silva Fennica, 2013, 47, .	1.3	12
27	Stand Age and Productivity Control Soil Carbon Dioxide Efflux and Organic Carbon Dynamics in Poplar Plantations. Soil Science Society of America Journal, 2015, 79, 1638-1649.	2.2	11
28	Spatial distribution and temporal trends of mercury and arsenic in remote timberline coniferous forests, eastern of the Tibet Plateau, China. Environmental Science and Pollution Research, 2015, 22, 11658-11668.	5.3	11
29	Heavy metal concentrations in timberline trees of eastern Tibetan Plateau. Ecotoxicology, 2014, 23, 1086-1098.	2.4	10
30	Evidence of endophytic nitrogen fixation as a potential mechanism supporting colonization of non-nodulating pioneer plants on a glacial foreland. Biology and Fertility of Soils, 2022, 58, 527-539.	4.3	9
31	Biogeochemical stoichiometry of soil and plant functional groups along a primary successional gradient following glacial retreat on the eastern Tibetan plateau. Global Ecology and Conservation, 2021, 26, e01491.	2.1	7
32	Bryophytes impact the fluxes of soil non-carbon dioxide greenhouse gases in a subalpine coniferous forest. Biology and Fertility of Soils, 2020, 56, 1151-1163.	4.3	4
33	Long-term decomposition dynamics of broadleaf litters across a climatic gradient on the Qinghai-Tibetan Plateau, China. Plant and Soil, 2021, 465, 403-414.	3.7	3