

Ana P Mucha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7192912/ana-p-mucha-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

2,129
citations

26
h-index

43
g-index

87
ext. papers

2,455
ext. citations

5.8
avg, IF

5.09
L-index

#	Paper	IF	Citations
84	Revisiting pesticide pollution: The case of fluorinated pesticides. <i>Environmental Pollution</i> , 2022 , 292, 118315	9.3	1
83	Bioremediation of Petroleum Hydrocarbons in Seawater: Prospects of Using Lyophilized Native Hydrocarbon-Degrading Bacteria. <i>Microorganisms</i> , 2021 , 9,	4.9	1
82	Diversity and Hydrocarbon-Degrading Potential of Deep-Sea Microbial Community from the Mid-Atlantic Ridge, South of the Azores (North Atlantic Ocean). <i>Microorganisms</i> , 2021 , 9,	4.9	1
81	Optimization of an Autochthonous Bacterial Consortium Obtained from Beach Sediments for Bioremediation of Petroleum Hydrocarbons. <i>Water (Switzerland)</i> , 2021 , 13, 66	3	8
80	Atlas of the microbial degradation of fluorinated pesticides. <i>Critical Reviews in Biotechnology</i> , 2021 , 1-19, 4		
79	Pharmaceutical Compounds in Aquatic Environments-Occurrence, Fate and Bioremediation Prospective. <i>Toxics</i> , 2021 , 9,	4.7	9
78	Combining Culture-Dependent and Independent Approaches for the Optimization of Epoxiconazole and Fludioxonil-Degrading Bacterial Consortia. <i>Microorganisms</i> , 2021 , 9,	4.9	1
77	Harnessing the Potential of Native Microbial Communities for Bioremediation of Oil Spills in the Iberian Peninsula NW Coast. <i>Frontiers in Microbiology</i> , 2021 , 12, 633659	5.7	5
76	Microbial community dynamics in a hatchery recirculating aquaculture system (RAS) of sole (<i>Solea senegalensis</i>). <i>Aquaculture</i> , 2021 , 539, 736592	4.4	2
75	Emerging investigator series: prompt response of estuarine denitrifying bacterial communities to copper nanoparticles at relevant environmental concentrations. <i>Environmental Science: Nano</i> , 2021 , 8, 913-926	7.1	
74	Alkylphenols and Chlorophenols Remediation in Vertical Flow Constructed Wetlands: Removal Efficiency and Microbial Community Response. <i>Water (Switzerland)</i> , 2021 , 13, 715	3	1
73	SARS-CoV-2 RNA detected in urban wastewater from Porto, Portugal: Method optimization and continuous 25-week monitoring. <i>Science of the Total Environment</i> , 2021 , 792, 148467	10.2	10
72	Diversity and Bioactive Potential of Actinobacteria Isolated from a Coastal Marine Sediment in Northern Portugal. <i>Microorganisms</i> , 2020 , 8,	4.9	5
71	Potential of bacterial consortia obtained from different environments for bioremediation of paroxetine and bezafibrate. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 103881	6.8	6
70	Microbial degradation of two highly persistent fluorinated fungicides - epoxiconazole and fludioxonil. <i>Journal of Hazardous Materials</i> , 2020 , 394, 122545	12.8	18
69	Livestock Wastewater Treatment in Constructed Wetlands for Agriculture Reuse. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
68	Floating Wetland Islands Implementation and Biodiversity Assessment in a Port Marina. <i>Water (Switzerland)</i> , 2020 , 12, 3273	3	4

67	Potential of constructed wetland for the removal of antibiotics and antibiotic resistant bacteria from livestock wastewater. <i>Ecological Engineering</i> , 2019 , 129, 45-53	3.9	30
66	Development of an autonomous biosampler to capture in situ aquatic microbiomes. <i>PLoS ONE</i> , 2019 , 14, e0216882	3.7	7
65	Biodegradation of oxytetracycline and enrofloxacin by autochthonous microbial communities from estuarine sediments. <i>Science of the Total Environment</i> , 2019 , 648, 962-972	10.2	37
64	Deltamethrin impact in a cabbage planted soil: Degradation and effect on microbial community structure. <i>Chemosphere</i> , 2019 , 220, 1179-1186	8.4	23
63	Bioremediation of bezafibrate and paroxetine by microorganisms from estuarine sediment and activated sludge of an associated wastewater treatment plant. <i>Science of the Total Environment</i> , 2019 , 655, 796-806	10.2	12
62	Removal of veterinary antibiotics in constructed wetland microcosms - Response of bacterial communities. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 169, 894-901	7	35
61	Biodegradation of enrofloxacin by microbial consortia obtained from rhizosediments of two estuarine plants. <i>Journal of Environmental Management</i> , 2019 , 231, 1145-1153	7.9	13
60	Sandy Beaches as Biogeochemical Hotspots: The Metabolic Role of Macroalgal Wrack on Low-productive Shores. <i>Ecosystems</i> , 2019 , 22, 49-63	3.9	8
59	Potential of dissimilatory nitrate reduction pathways in polycyclic aromatic hydrocarbon degradation. <i>Chemosphere</i> , 2018 , 199, 54-67	8.4	27
58	Biodegradation of the Antibiotics Oxytetracycline and Enrofloxacin by Microbial Communities from Douro Estuary (Portugal) Sediments. <i>Advances in Science, Technology and Innovation</i> , 2018 , 595-596	0.3	
57	Indigenous microbial communities along the NW Portuguese Coast: Potential for hydrocarbons degradation and relation with sediment contamination. <i>Marine Pollution Bulletin</i> , 2018 , 131, 620-632	6.7	18
56	Biodegradation of the veterinary antibiotics enrofloxacin and ceftiofur and associated microbial community dynamics. <i>Science of the Total Environment</i> , 2017 , 581-582, 359-368	10.2	87
55	Response of microbial communities colonizing salt marsh plants rhizosphere to copper oxide nanoparticles contamination and its implications for phytoremediation processes. <i>Science of the Total Environment</i> , 2017 , 581-582, 801-810	10.2	23
54	Can veterinary antibiotics affect constructed wetlands performance during treatment of livestock wastewater?. <i>Ecological Engineering</i> , 2017 , 102, 583-588	3.9	19
53	Anaerobic Biodegradation of Ethylic and Methylic Biodiesel and Their Impact on Benzene Degradation. <i>Clean - Soil, Air, Water</i> , 2017 , 45, 1600264	1.6	1
52	Silver nanoparticles uptake by salt marsh plants - Implications for phytoremediation processes and effects in microbial community dynamics. <i>Marine Pollution Bulletin</i> , 2017 , 119, 176-183	6.7	37
51	Constructed wetlands for the removal of metals from livestock wastewater - Can the presence of veterinary antibiotics affect removals?. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 137, 143-148	7	20
50	Bacterial community dynamic associated with autochthonous bioaugmentation for enhanced Cu phytoremediation of salt-marsh sediments. <i>Marine Environmental Research</i> , 2017 , 132, 68-78	3.3	6

49	MarinEye  A tool for marine monitoring 2016 ,		1
48	Potential of Constructed Wetlands for Removal of Antibiotics from Saline Aquaculture Effluents. <i>Water (Switzerland)</i> , 2016 , 8, 465	3	24
47	Differential effects of crude oil on denitrification and anammox, and the impact on N ₂ O production. <i>Environmental Pollution</i> , 2016 , 216, 391-399	9.3	13
46	Constructed Wetlands for Livestock Wastewater Treatment: Antibiotics Removal and Effects on CWs Performance 2016 , 267-281		1
45	Response of a salt marsh microbial community to antibiotic contamination. <i>Science of the Total Environment</i> , 2015 , 532, 301-8	10.2	16
44	Interactions between salt marsh plants and Cu nanoparticles - Effects on metal uptake and phytoremediation processes. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 120, 303-9	7	35
43	Response of two salt marsh plants to short- and long-term contamination of sediment with cadmium. <i>Journal of Soils and Sediments</i> , 2015 , 15, 722-731	3.4	8
42	Disentangling the effects of solar radiation, wrack macroalgae and beach macrofauna on associated bacterial assemblages. <i>Marine Environmental Research</i> , 2015 , 112, 104-12	3.3	2
41	Salt Marsh Plants  Potential for the Remediation of Hydrocarbon-Contaminated Environments 2015 , 323-331		1
40	Salt marsh sediment characteristics as key regulators on the efficiency of hydrocarbons bioremediation by <i>Juncus maritimus</i> rhizospheric bacterial community. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 450-62	5.1	9
39	Microbial community dynamics associated with veterinary antibiotics removal in constructed wetlands microcosms. <i>Bioresource Technology</i> , 2015 , 182, 26-33	11	78
38	Bioremediation potential of microorganisms from a sandy beach affected by a major oil spill. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 3634-45	5.1	11
37	A strategy to potentiate Cd phytoremediation by saltmarsh plants - autochthonous bioaugmentation. <i>Journal of Environmental Management</i> , 2014 , 134, 136-44	7.9	24
36	Potential of phytoremediation for the removal of petroleum hydrocarbons in contaminated salt marsh sediments. <i>Journal of Environmental Management</i> , 2014 , 137, 10-5	7.9	25
35	Development of autochthonous microbial consortia for enhanced phytoremediation of salt-marsh sediments contaminated with cadmium. <i>Science of the Total Environment</i> , 2014 , 493, 757-65	10.2	24
34	Evaluation of the ability of two plants for the phytoremediation of Cd in salt marshes. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 141, 78-84	2.9	21
33	Salt marsh plants as key mediators on the level of cadmium impact on microbial denitrification. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 10270-8	5.1	3
32	The effect of sand composition on the degradation of buried oil. <i>Marine Pollution Bulletin</i> , 2014 , 86, 391-401	4.0	1

31	Influence of different salt marsh plants on hydrocarbon degrading microorganisms abundance throughout a phenological cycle. <i>International Journal of Phytoremediation</i> , 2013 , 15, 715-28	3.9	12
30	Evaluation of the Potential of Salt Marsh Plants for Metal Phytoremediation in Estuarine Environment 2013 , 225-239		
29	Potential of the microbial community present in an unimpacted beach sediment to remediate petroleum hydrocarbons. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 3176-84	5.1	24
28	Potential of constructed wetlands microcosms for the removal of veterinary pharmaceuticals from livestock wastewater. <i>Bioresource Technology</i> , 2013 , 134, 412-6	11	70
27	Potential of bioremediation for buried oil removal in beaches after an oil spill. <i>Marine Pollution Bulletin</i> , 2013 , 76, 258-65	6.7	26
26	Biodegradation of petroleum hydrocarbons in estuarine sediments: metal influence. <i>Biodegradation</i> , 2013 , 24, 111-23	4.1	22
25	Response of a salt marsh microbial community to metal contamination. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 130, 81-88	2.9	21
24	Applicability of ecological assessment tools for management decision-making: A case study from the Lima estuary (NW Portugal). <i>Ocean and Coastal Management</i> , 2013 , 72, 54-63	3.9	14
23	Influence of natural rhizosediments characteristics on hydrocarbons degradation potential of microorganisms associated to <i>Juncus maritimus</i> roots. <i>International Biodeterioration and Biodegradation</i> , 2013 , 84, 86-96	4.8	16
22	Bacterial community response to petroleum contamination and nutrient addition in sediments from a temperate salt marsh. <i>Science of the Total Environment</i> , 2013 , 458-460, 568-76	10.2	49
21	Microbial communities within saltmarsh sediments: Composition, abundance and pollution constraints. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 99, 145-152	2.9	11
20	Role of different salt marsh plants on metal retention in an urban estuary (Lima estuary, NW Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2011 , 91, 243-249	2.9	74
19	Hydrocarbon degradation potential of salt marsh plant-microorganisms associations. <i>Biodegradation</i> , 2011 , 22, 729-39	4.1	28
18	Salt marsh plant-microorganism interaction in the presence of mixed contamination. <i>International Biodeterioration and Biodegradation</i> , 2011 , 65, 326-333	4.8	23
17	LMWOA (low molecular weight organic acid) exudation by salt marsh plants: Natural variation and response to Cu contamination. <i>Estuarine, Coastal and Shelf Science</i> , 2010 , 88, 63-70	2.9	38
16	Study of the influence of different organic pollutants on Cu accumulation by <i>Halimione portulacoides</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2009 , 85, 627-632	2.9	20
15	Influence of surfactants on the Cu phytoremediation potential of a salt marsh plant. <i>Chemosphere</i> , 2009 , 75, 135-40	8.4	34
14	Salt marsh plants (<i>Juncus maritimus</i> and <i>Scirpus maritimus</i>) as sources of strong complexing ligands. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 77, 104-112	2.9	32

13	Influence of a salt marsh plant (<i>Halimione portulacoides</i>) on the concentrations and potential mobility of metals in sediments. <i>Science of the Total Environment</i> , 2008 , 403, 188-95	10.2	33
12	Can PAHs influence Cu accumulation by salt marsh plants?. <i>Marine Environmental Research</i> , 2008 , 66, 311-8	3.3	64
11	Comparison of the role of the sea club-rush <i>Scirpus maritimus</i> and the sea rush <i>Juncus maritimus</i> in terms of concentration, speciation and bioaccumulation of metals in the estuarine sediment. <i>Environmental Pollution</i> , 2006 , 142, 151-9	9.3	76
10	Variability of metal contents in the sea rush <i>Juncus maritimus</i> -estuarine sediment system through one year of plant's life. <i>Marine Environmental Research</i> , 2006 , 61, 424-38	3.3	36
9	Spatial and seasonal variations of the macrobenthic community and metal contamination in the Douro estuary (Portugal). <i>Marine Environmental Research</i> , 2005 , 60, 531-50	3.3	44
8	The role of a salt marsh plant on trace metal bioavailability in sediments. Estimation by different chemical approaches. <i>Environmental Science and Pollution Research</i> , 2005 , 12, 271-7	5.1	21
7	Exudation of organic acids by a marsh plant and implications on trace metal availability in the rhizosphere of estuarine sediments. <i>Estuarine, Coastal and Shelf Science</i> , 2005 , 65, 191-198	2.9	71
6	Vertical distribution of the macrobenthic community and its relationships to trace metals and natural sediment characteristics in the lower Douro estuary, Portugal. <i>Estuarine, Coastal and Shelf Science</i> , 2004 , 59, 663-673	2.9	54
5	Sediment quality in the Douro river estuary based on trace metal contents, macrobenthic community and elutriate sediment toxicity test (ESTT). <i>Journal of Environmental Monitoring</i> , 2004 , 6, 585-92		30
4	Influence of the sea rush <i>Juncus maritimus</i> on metal concentration and speciation in estuarine sediment colonized by the plant. <i>Environmental Science & Technology</i> , 2004 , 38, 3112-8	10.3	107
3	Comparison of the response of three microalgae species exposed to elutriates of estuarine sediments based on growth and chemical speciation. <i>Environmental Toxicology and Chemistry</i> , 2003 , 22, 576-585	3.8	22
2	Macrobenthic community in the Douro estuary: relations with trace metals and natural sediment characteristics. <i>Environmental Pollution</i> , 2003 , 121, 169-80	9.3	246
1	Macrozoobenthic community structure in two Portuguese estuaries: Relationship with organic enrichment and nutrient gradients. <i>Acta Oecologica</i> , 1999 , 20, 363-376	1.7	30