## Qingping Wu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/719323/publications.pdf

Version: 2024-02-01

76196 149479 5,768 254 40 56 citations h-index g-index papers 257 257 257 4529 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Whole-plant foods and their macromolecules: untapped approaches to modulate neuroinflammation in Alzheimer's disease. Critical Reviews in Food Science and Nutrition, 2023, 63, 2388-2406.	5.4	5
2	Food Safety Risks and Contributing Factors of Cronobacter spp Engineering, 2022, 12, 128-138.	3.2	13
3	Protein hydrolysates from <i>Pleurotus geesteranus</i> obtained by simulated gastrointestinal digestion exhibit neuroprotective effects in H <sub>2</sub> O <sub>2</sub> â€injured PC12 cells. Journal of Food Biochemistry, 2022, 46, e13879.	1.2	5
4	Novel species-specific targets for real-time PCR detection of four common pathogenic Staphylococcus spp Food Control, 2022, 131, 108478.	2.8	21
5	Occurrence, serovars and antibiotic resistance of Salmonella spp. in retail ready-to-eat food products in some Chinese provinces. LWT - Food Science and Technology, 2022, 154, 112699.	2.5	8
6	CRISPR/Cas12a based fluorescence-enhanced lateral flow biosensor for detection of Staphylococcus aureus. Sensors and Actuators B: Chemical, 2022, 351, 130906.	4.0	51
7	Characterization and genome analysis of a novel Vibrio parahaemolyticus phage vB_VpP_DE17. Virus Research, 2022, 307, 198580.	1.1	15
8	Whole genome sequencing of an edible and medicinal mushroom, Russula griseocarnosa, and its association with mycorrhizal characteristics. Gene, 2022, 808, 145996.	1.0	4
9	The discovery of multidrug resistant Staphylococcus aureus harboring novel SaRI isolated from retail foods. Food Control, 2022, 135, 108739.	2.8	3
10	Development of a high resolution melting method based on a novel molecular target for discrimination between Bacillus cereus and Bacillus thuringiensis. Food Research International, 2022, 151, 110845.	2.9	10
11	Presence and characterization of methicillin-resistant Staphylococcus aureus co-carrying the multidrug resistance genes cfr and Isa(E) in retail food in China. International Journal of Food Microbiology, 2022, 363, 109512.	2.1	12
12	A Salmonella serogroup rapid identification system for food safety based on high throughput microfluidic chip combined with recombinase aided amplification. Sensors and Actuators B: Chemical, 2022, 357, 131402.	4.0	17
13	Cascade amplification based on PEI-functionalized metal–organic framework supported gold nanoparticles/nitrogen–doped graphene quantum dots for amperometric biosensing applications. Electrochimica Acta, 2022, 405, 139803.	2.6	16
14	Advances in nanomaterial-based microfluidic platforms for on-site detection of foodborne bacteria. TrAC - Trends in Analytical Chemistry, 2022, 147, 116509.	5 <b>.</b> 8	51
15	A polysaccharide isolated from Ganoderma lucidum ameliorates hyperglycemia through modulating gut microbiota in type 2 diabetic mice. International Journal of Biological Macromolecules, 2022, 197, 23-38.	3.6	28
16	Structural characterization and hepatoprotective activity of an acidic polysaccharide from Ganoderma lucidum. Food Chemistry: X, 2022, 13, 100204.	1.8	16
17	Characterization of the Novel Phage vB_VpaP_FE11 and Its Potential Role in Controlling Vibrio parahaemolyticus Biofilms. Viruses, 2022, 14, 264.	1.5	12
18	Pseudomonas protegens FJKB0103 Isolated from Rhizosphere Exhibits Anti-Methicillin-Resistant Staphylococcus aureus Activity. Microorganisms, 2022, 10, 315.	1.6	2

#	Article	IF	Citations
19	Whole <i>Agrocybe cylindracea</i> Prevented Obesity Linking with Modification of Gut Microbiota and Associated Fecal Metabolites in Highâ€Fat Dietâ€Fed Mice. Molecular Nutrition and Food Research, 2022, 66, e2100897.	1.5	7
20	Comparative transcriptome analysis of genes and metabolic pathways involved in sporulation in <i>Ganoderma lingzhi</i> . G3: Genes, Genomes, Genetics, 2022, 12, .	0.8	5
21	A novel multiplex PCR method for simultaneous identification of hypervirulent Listeria monocytogenes clonal complex 87 and CC88 strains in China. International Journal of Food Microbiology, 2022, 366, 109558.	2.1	6
22	High-throughput microfluidic strategy based on RAA-CRISPR/Cas13a dual signal amplification for accurate identification of pathogenic Listeria. Sensors and Actuators B: Chemical, 2022, 358, 131517.	4.0	22
23	Preparation, chemical structure, and immunostimulatory activity of a water-soluble heteropolysaccharide from Suillus granulatus fruiting bodies. Food Chemistry: X, 2022, 13, 100211.	1.8	2
24	Novel multiplex PCR assays for rapid identification of <i>Salmonella</i> serogroups B, C1, C2, D, E, <i>S. enteritidis</i> , and <i>S. typhimurium</i> . Analytical Methods, 2022, 14, 1445-1453.	1.3	4
25	Exploration of the molecular mechanisms underlying the antibiotic resistance of <i>Helicobacter pylori</i> : A wholeâ€genome sequencingâ€based study in Southern China. Helicobacter, 2022, 27, e12879.	1.6	7
26	Pseudotargeted Metabolomic Fingerprinting and Deep Learning for Identification and Visualization of Common Pathogens. Frontiers in Microbiology, 2022, 13, 830832.	1.5	2
27	Novel Selenium Peptides Obtained from Selenium-Enriched <i>Cordyceps militaris</i> Alleviate Neuroinflammation and Gut Microbiota Dysbacteriosis in LPS-Injured Mice. Journal of Agricultural and Food Chemistry, 2022, 70, 3194-3206.	2.4	21
28	Determination of Antiviral Mechanism of Centenarian Gut-Derived Limosilactobacillus fermentum Against Norovirus. Frontiers in Nutrition, 2022, 9, 812623.	1.6	4
29	Advances in improvement strategies of digital nucleic acid amplification for pathogen detection. TrAC - Trends in Analytical Chemistry, 2022, 149, 116568.	5.8	11
30	A microfluidic genoserotyping strategy for fast and objective identification of common Salmonella serotypes isolated from retail food samples in China. Analytica Chimica Acta, 2022, 1201, 339657.	2.6	8
31	A novel Bacillus cereus bacteriophage DLn1 and its endolysin as biocontrol agents against Bacillus cereus in milk. International Journal of Food Microbiology, 2022, 369, 109615.	2.1	14
32	Controlled PAH-mediated method with enhanced optical properties for simple, stable immunochromatographic assays. Biosensors and Bioelectronics, 2022, 206, 114150.	5.3	6
33	Transcription factor GlbHLH regulates hyphal growth, stress resistance, and polysaccharide biosynthesis in <i>Ganoderma lucidum</i> . Journal of Basic Microbiology, 2022, 62, 82-91.	1.8	6
34	Integrated Multi-Omics for Novel Aging Biomarkers and Antiaging Targets. Biomolecules, 2022, 12, 39.	1.8	20
35	Microbial Communities and Physiochemical Properties of Four Distinctive Traditionally Fermented Vegetables from North China and Their Influence on Quality and Safety. Foods, 2022, 11, 21.	1.9	8
36	Polysaccharide from Agrocybe cylindracea prevents diet-induced obesity through inhibiting inflammation mediated by gut microbiota and associated metabolites. International Journal of Biological Macromolecules, 2022, 209, 1430-1438.	3.6	36

#	Article	IF	CITATIONS
37	Binding Interaction of Betulinic Acid to $\hat{l}$ ±-Glucosidase and Its Alleviation on Postprandial Hyperglycemia. Molecules, 2022, 27, 2517.	1.7	7
38	Differentiation of Bacillus cereus and Bacillus thuringiensis Using Genome-Guided MALDI-TOF MS Based on Variations in Ribosomal Proteins. Microorganisms, 2022, 10, 918.	1.6	4
39	Exploration of the Molecular Mechanisms Underlying the Anti-Photoaging Effect of Limosilactobacillus fermentum XJC60. Frontiers in Cellular and Infection Microbiology, 2022, 12, 838060.	1.8	9
40	Immunoregulatory activity of a low-molecular-weight heteropolysaccharide from Ganoderma leucocontextum fruiting bodies in vitro and in vivo. Food Chemistry: X, 2022, 14, 100321.	1.8	3
41	Multiplex PCR identification of the major Pseudomonas aeruginosa serogroups using specific novel target genes. LWT - Food Science and Technology, 2022, 163, 113567.	2.5	3
42	Emergence of extensive multidrug-resistant Staphylococcus aureus carrying novel Sa-MRRlsa(E) in retail food. Journal of Global Antimicrobial Resistance, 2022, 30, 205-213.	0.9	1
43	Cloning, Expression, Purification, and Characterization of $\hat{l}^2$ -Galactosidase from Bifidobacterium longum and Bifidobacterium pseudocatenulatum. Molecules, 2022, 27, 4497.	1.7	3
44	Probiotics supplementation improves hyperglycemia, hypercholesterolemia, and hypertension in type 2 diabetes mellitus: An update of meta-analysis. Critical Reviews in Food Science and Nutrition, 2021, 61, 1670-1688.	5.4	47
45	Bioinformatic identification of key pathways, hub genes, and microbiota for therapeutic intervention in <i>Helicobacter pylori</i> infection. Journal of Cellular Physiology, 2021, 236, 1158-1183.	2.0	4
46	PCR identification of Salmonella serovars for the E serogroup based on novel specific targets obtained by pan-genome analysis. LWT - Food Science and Technology, 2021, 145, 110535.	2.5	7
47	Real-time PCR identification of Listeria monocytogenes serotype 4c using primers for novel target genes obtained by comparative genomic analysis. LWT - Food Science and Technology, 2021, 138, 110774.	2.5	10
48	Mining of novel target genes through pan-genome analysis for multiplex PCR differentiation of the major Listeria monocytogenes serotypes. International Journal of Food Microbiology, 2021, 339, 109026.	2.1	8
49	Library Preparation Based on Transposase Assisted RNA/DNA Hybrid Co-Tagmentation for Next-Generation Sequencing of Human Noroviruses. Viruses, 2021, 13, 65.	1.5	3
50	Bioactive peptides and gut microbiota: Candidates for a novel strategy for reduction and control of neurodegenerative diseases. Trends in Food Science and Technology, 2021, 108, 164-176.	7.8	66
51	Grifola frondosa GF5000 improves insulin resistance by modulation the composition of gut microbiota in diabetic rats. Journal of Functional Foods, 2021, 77, 104313.	1.6	8
52	Isolation and characterization of a novel Escherichia coli Kayfunavirus phage DY1. Virus Research, 2021, 293, 198274.	1.1	16
53	Transcriptional Dynamics of Genes Purportedly Involved in the Control of Meiosis, Carbohydrate, and Secondary Metabolism during Sporulation in Ganoderma lucidum. Genes, 2021, 12, 504.	1.0	6
54	Identification of Novel Sensitive and Reliable Serovar-Specific Targets for PCR Detection of Salmonella Serovars Hadar and Albany by Pan-Genome Analysis. Frontiers in Microbiology, 2021, 12, 605984.	1.5	8

#	Article	IF	CITATIONS
55	Isolation and characterization of new phage vB_CtuP_A24 and application to control Cronobacter spp. in infant milk formula and lettuce. Food Research International, 2021, 141, 110109.	2.9	20
56	Cas12aFDet: A CRISPR/Cas12a-based fluorescence platform for sensitive and specific detection of Listeria monocytogenes serotype 4c. Analytica Chimica Acta, 2021, 1151, 338248.	2.6	44
57	Role of fliC on biofilm formation, adhesion, and cell motility in Cronobacter malonaticus and regulation of luxS. Food and Chemical Toxicology, 2021, 149, 111940.	1.8	15
58	Development of a recombinase-aided amplification assay for rapid detection of human norovirus GII.4. BMC Infectious Diseases, 2021, 21, 248.	1.3	17
59	Mining and evaluating novel serovar-specific Salmonella C1 serogroup genes by polymerase chain reaction analysis. LWT - Food Science and Technology, 2021, 141, 110821.	2.5	5
60	Incidence, toxin gene profiling, antimicrobial susceptibility, and genetic diversity of Bacillus cereus isolated from quick-frozen food in China. LWT - Food Science and Technology, 2021, 140, 110824.	2.5	15
61	Evolutionary Mechanism of Immunological Cross-Reactivity Between Different GII.17 Variants. Frontiers in Microbiology, 2021, 12, 653719.	1.5	1
62	Selective Isolation of Bifidobacterium From Human Faeces Using Pangenomics, Metagenomics, and Enzymology. Frontiers in Microbiology, 2021, 12, 649698.	1.5	10
63	A Novel Gene vp0610 Negatively Regulates Biofilm Formation in Vibrio parahaemolyticus. Frontiers in Microbiology, 2021, 12, 656380.	1.5	4
64	Development of a novel RAA-based microfluidic chip for absolute quantitative detection of human norovirus. Microchemical Journal, 2021, 164, 106050.	2.3	12
65	Prevalence, antibiotic susceptibility and genetic diversity of Campylobacter jejuni isolated from retail food in China. LWT - Food Science and Technology, 2021, 143, 111098.	2.5	5
66	Long-Term Administration of Triterpenoids From Ganoderma lucidum Mitigates Age-Associated Brain Physiological Decline via Regulating Sphingolipid Metabolism and Enhancing Autophagy in Mice. Frontiers in Aging Neuroscience, 2021, 13, 628860.	1.7	9
67	Role of the multiple efflux pump protein TolC on growth, morphology, and biofilm formation under nitric oxide stress in Cronobacter malonaticus. JDS Communications, 2021, 2, 98-103.	0.5	4
68	An ultrasensitive CRISPR/Cas12a based electrochemical biosensor for Listeria monocytogenes detection. Biosensors and Bioelectronics, 2021, 179, 113073.	5.3	151
69	Novel phage vB_CtuP_B1 for controlling Cronobacter malonaticus and Cronobacter turicensis in ready-to-eat lettuce and powered infant formula. Food Research International, 2021, 143, 110255.	2.9	14
70	An Investigation on the Occurrence and Molecular Characterization of <i>Bacillus cereus</i> in Meat and Meat Products in China. Foodborne Pathogens and Disease, 2021, 18, 306-314.	0.8	21
71	Bacterial community and composition of different traditional fermented dairy products in China, South Africa, and Sri Lanka by high-throughput sequencing of 16S rRNA genes. LWT - Food Science and Technology, 2021, 144, 111209.	2.5	12
72	Isolation and Characterization of a Novel Salmonella Phage vB_SalP_TR2. Frontiers in Microbiology, 2021, 12, 664810.	1.5	35

#	Article	IF	CITATIONS
73	Evaluation of the Cholesterol-Lowering Mechanism of Enterococcus faecium Strain 132 and Lactobacillus paracasei Strain 201 in Hypercholesterolemia Rats. Nutrients, 2021, 13, 1982.	1.7	16
74	Identification of new serovar-specific detection targets against salmonella B serogroup using large-scale comparative genomics. Food Control, 2021, 124, 107862.	2.8	5
75	Proteomics analysis mediated by quorum sensing luxS involved in oxidative stress in Cronobacter malonaticus. LWT - Food Science and Technology, 2021, 147, 111576.	2.5	4
76	Genetic Diversity and Population Structure of Vibrio parahaemolyticus Isolated From Clinical and Food Sources. Frontiers in Microbiology, 2021, 12, 708795.	1.5	6
77	Development of a High-Efficiency Immunomagnetic Enrichment Method for Detection of Human Norovirus via PAMAM Dendrimer/SA-Biotin Mediated Cascade-Amplification. Frontiers in Microbiology, 2021, 12, 673872.	1.5	4
78	Purification, Physicochemical Properties, and Antioxidant Activities of Two Low-Molecular-Weight Polysaccharides from Ganoderma leucocontextum Fruiting Bodies. Antioxidants, 2021, 10, 1145.	2.2	15
79	Genomic Analysis and Stability Evaluation of the Phenol-Degrading Bacterium Acinetobacter sp. DW-1 During Water Treatment. Frontiers in Microbiology, 2021, 12, 687511.	1.5	6
80	Oyster Heat Shock Protein 70 Plays a Role in Binding of Human Noroviruses. Applied and Environmental Microbiology, 2021, 87, e0079021.	1.4	6
81	Genetic diversity and main functional composition of Lingzhi strains from main producing areas in China. AMB Express, 2021, 11, 119.	1.4	3
82	Washed Microbiota Transplantation Lowers Blood Pressure in Patients With Hypertension. Frontiers in Cellular and Infection Microbiology, 2021, 11, 679624.	1.8	34
83	Microbial Communities and Physicochemical Characteristics of Traditional Dajiang and Sufu in North China Revealed by High-Throughput Sequencing of 16S rRNA. Frontiers in Microbiology, 2021, 12, 665243.	1.5	6
84	Amplified electrochemical antibiotic aptasensing based on electrochemically deposited AuNPs coordinated with PEI-functionalized Fe-based metal-organic framework. Mikrochimica Acta, 2021, 188, 286.	2.5	19
85	Metagenomics-Based Analysis of the Age-Related Cumulative Effect of Antibiotic Resistance Genes in Gut Microbiota. Antibiotics, 2021, 10, 1006.	1.5	12
86	Bacterial Diversity and Community in Regional Water Microbiota between Different Towns in World's Longevity Township Jiaoling, China. Diversity, 2021, 13, 361.	0.7	2
87	Highly efficient removal of Sb(V) from water by franklinite-containing nano-FeZn composites. Scientific Reports, 2021, 11, 17113.	1.6	2
88	Antigenic Diversity of Human Norovirus Capsid Proteins Based on the Cross-Reactivities of Their Antisera. Pathogens, 2021, 10, 986.	1.2	3
89	Recent Advances in Glycosidase Probes Used in Escherichia Coli Detection. Current Medicinal Chemistry, 2021, 28, 5386-5410.	1.2	2
90	Whole-genome assembly of <i>Ganoderma leucocontextum </i> (Ganodermataceae, Fungi) discovered from the Tibetan Plateau of China. G3: Genes, Genomes, Genetics, 2021, 11, .	0.8	11

#	Article	IF	Citations
91	Imported human norovirus in travelers, Shanghai port, China 2018: An epidemiological and whole genome sequencing study. Travel Medicine and Infectious Disease, 2021, 43, 102140.	1.5	5
92	Development and Application of a Novel Rapid and Throughput Method for Broad-Spectrum Anti-Foodborne Norovirus Antibody Testing. Frontiers in Microbiology, 2021, 12, 670488.	1.5	3
93	First report of the optrA-carrying multidrug resistance genomic island in Campylobacter jejuni isolated from pigeon meat. International Journal of Food Microbiology, 2021, 354, 109320.	2.1	12
94	Distribution, contamination routes, and seasonal influence of persistent Listeria monocytogenes in a commercial fresh Hypsizigus marmoreus production facility. Food Control, 2021, 127, 108118.	2.8	10
95	Effects of tolC on tolerance to bile salts and biofilm formation in Cronobacter malonaticus. Journal of Dairy Science, 2021, 104, 9521-9531.	1.4	5
96	Quantitative detection of aflatoxin B1 using quantum dots-based immunoassay in a recyclable gravity-driven microfluidic chip. Biosensors and Bioelectronics, 2021, 190, 113394.	5.3	22
97	Molecular characterisation of antimicrobial resistance determinants and class 1 integrons of Salmonella enterica subsp. enterica serotype Enteritidis strains from retail food in China. Food Control, 2021, 128, 108191.	2.8	8
98	High prevalence of multidrug-resistant Escherichia coli and first detection of IncHI2/IncX4-plasmid carrying mcr-1 E. coli in retail ready-to-eat foods in China. International Journal of Food Microbiology, 2021, 355, 109349.	2.1	15
99	Occurrence, molecular characterization, and antimicrobial susceptibility of Yersinia enterocolitica isolated from retail food samples in China. LWT - Food Science and Technology, 2021, 150, 111876.	2.5	11
100	Protective effect of <i>Ganoderma lucidum</i> spore extract in trimethylamineâ€ <i>N</i> â€oxideâ€induced cardiac dysfunction in rats. Journal of Food Science, 2021, 86, 546-562.	1.5	20
101	Receptor profile and immunogenicity of the non-epidemic norovirus GII.8 variant. Virus Research, 2021, 306, 198603.	1.1	2
102	Lysozyme-like Protein Produced by Bifidobacterium longum Regulates Human Gut Microbiota Using In Vitro Models. Molecules, 2021, 26, 6480.	1.7	5
103	Evolutionary Divergence of the Novel Staphylococcal Species Staphylococcus argenteus. Frontiers in Microbiology, 2021, 12, 769642.	1.5	4
104	Pediococcus pentosaceus IM96 Exerts Protective Effects against Enterohemorrhagic Escherichia coli O157:H7 Infection In Vivo. Foods, 2021, 10, 2945.	1.9	9
105	Imbalanced Dermic Microbiome Aggravates Inflammation in Toenail Paronychia. Frontiers in Cellular and Infection Microbiology, 2021, 11, 781927.	1.8	1
106	Characteristics of Antibiotic Resistance Genes and Antibiotic-Resistant Bacteria in Full-Scale Drinking Water Treatment System Using Metagenomics and Culturing. Frontiers in Microbiology, 2021, 12, 798442.	1.5	12
107	Molecular Characterization of Rifampicin-Resistant Staphylococcus aureus Isolates from Retail Foods in China. Antibiotics, 2021, 10, 1487.	1.5	1
108	Prevalence and characterization of Salmonella isolated from raw vegetables in China. Food Control, 2020, 109, 106915.	2.8	41

#	Article	IF	CITATIONS
109	Off-on fluorogenic substrate harnessing ESIPT and AIE features for in situ and long-term tracking of $\hat{l}^2$ -glucuronidase in Escherichia coli. Sensors and Actuators B: Chemical, 2020, 304, 127242.	4.0	27
110	Prevalence, abundance, serovars and antimicrobial resistance of Salmonella isolated from retail raw poultry meat in China. Science of the Total Environment, 2020, 713, 136385.	3.9	63
111	Characterization of a Histo-Blood Group Antigen-like Substance in Romaine Lettuce That Contributes to Human Norovirus Attachment. Journal of Agricultural and Food Chemistry, 2020, 68, 1207-1212.	2.4	12
112	Nitrogen removal characteristics of a versatile heterotrophic nitrifying-aerobic denitrifying bacterium, Pseudomonas bauzanensis DN13-1, isolated from deep-sea sediment. Bioresource Technology, 2020, 305, 122626.	4.8	59
113	Development of a high-efficient concentrated pretreatment method for noroviruses detection in independent oysters: An extension of the ISO/TS $15216-2:2013$ standard method. Food Control, $2020, 111, 107032$ .	2.8	10
114	Characterization of class 1 integrons harboring blaVEB-1 in Vibrio parahaemolyticus isolated from ready-to-eat foods in China. International Journal of Food Microbiology, 2020, 318, 108473.	2.1	6
115	Prevalence, virulence, antimicrobial resistance, and molecular characterization of fluoroquinolone resistance of Vibrio parahaemolyticus from different types of food samples in China. International Journal of Food Microbiology, 2020, 317, 108461.	2.1	33
116	Culturable bacteria resident on lettuce might contribute to accumulation of human noroviruses. International Journal of Food Microbiology, 2020, 317, 108492.	2.1	11
117	Assessment and molecular characterization of Bacillus cereus isolated from edible fungi in China. BMC Microbiology, 2020, 20, 310.	1.3	11
118	A database for risk assessment and comparative genomic analysis of foodborne Vibrio parahaemolyticus in China. Scientific Data, 2020, 7, 321.	2.4	8
119	Cronobacter spp. isolated from aquatic products in China: Incidence, antibiotic resistance, molecular characteristic and CRISPR diversity. International Journal of Food Microbiology, 2020, 335, 108857.	2.1	19
120	Preparation of Antioxidant Protein Hydrolysates from Pleurotus geesteranus and Their Protective Effects on H2O2 Oxidative Damaged PC12 Cells. Molecules, 2020, 25, 5408.	1.7	24
121	Evaluation of the Antibacterial Activity and Probiotic Potential of Lactobacillus plantarum Isolated from Chinese Homemade Pickles. Canadian Journal of Infectious Diseases and Medical Microbiology, 2020, 2020, 1-11.	0.7	13
122	Prevalence, Virulence, Antimicrobial Resistance, and Molecular Characterization of Pseudomonas aeruginosa Isolates From Drinking Water in China. Frontiers in Microbiology, 2020, 11, 544653.	1.5	17
123	Genome- and Proteome-Wide Analysis of Lysine Acetylation in Vibrio vulnificus Vv180806 Reveals Its Regulatory Roles in Virulence and Antibiotic Resistance. Frontiers in Microbiology, 2020, 11, 591287.	1.5	11
124	Fingerprinting of human noroviruses co-infections in a possible foodborne outbreak by metagenomics. International Journal of Food Microbiology, 2020, 333, 108787.	2.1	11
125	Food-Borne Vibrio parahaemolyticus in China: Prevalence, Antibiotic Susceptibility, and Genetic Characterization. Frontiers in Microbiology, 2020, 11, 1670.	1.5	31
126	Isolation and Characterization of Bacillus cereus Phage vB_BceP-DLc1 Reveals the Largest Member of the $\hat{l}^{\dagger}_{1}$ 29-Like Phages. Microorganisms, 2020, 8, 1750.	1.6	15

#	Article	IF	Citations
127	Isolation and Characterization of the Novel Phages vB_VpS_BA3 and vB_VpS_CA8 for Lysing Vibrio parahaemolyticus. Frontiers in Microbiology, 2020, 11, 259.	1.5	65
128	Campylobacter jejuni Biofilm Formation Under Aerobic Conditions and Inhibition by ZnO Nanoparticles. Frontiers in Microbiology, 2020, 11, 207.	1.5	31
129	Abundant and Diverse RNA Viruses in Insects Revealed by RNA-Seq Analysis: Ecological and Evolutionary Implications. MSystems, 2020, 5, .	1.7	66
130	Prevalence, genetic analysis and CRISPR typing of Cronobacter spp. isolated from meat and meat products in China. International Journal of Food Microbiology, 2020, 321, 108549.	2.1	21
131	Occurrence and Characterization of Fungi and Mycotoxins in Contaminated Medicinal Herbs. Toxins, 2020, 12, 30.	1.5	32
132	A review on mushroom-derived bioactive peptides: Preparation and biological activities. Food Research International, 2020, 134, 109230.	2.9	67
133	Heterogeneity, Characteristics, and Public Health Implications of Listeria monocytogenes in Ready-to-Eat Foods and Pasteurized Milk in China. Frontiers in Microbiology, 2020, 11, 642.	1.5	28
134	Staphylococcus argenteus isolated from retail foods in China: Incidence, antibiotic resistance, biofilm formation and toxin gene profile. Food Microbiology, 2020, 91, 103531.	2.1	20
135	The Genomic Context for the Evolution and Transmission of Community-Associated Staphylococcus aureus ST59 Through the Food Chain. Frontiers in Microbiology, 2020, 11, 422.	1.5	21
136	Presence and Characterization of a Novel cfr-Carrying Tn558 Transposon Derivative in Staphylococcus delphini Isolated From Retail Food. Frontiers in Microbiology, 2020, 11, 598990.	1.5	3
137	Multiplex PCR for the Identification of Pathogenic Listeria in Flammulina velutipes Plant Based on Novel Specific Targets Revealed by Pan-Genome Analysis. Frontiers in Microbiology, 2020, 11, 634255.	1.5	9
138	Marinobacter denitrificans sp. nov., isolated from marine sediment of southern Scott Coast, Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 2918-2924.	0.8	12
139	The effect of Ganoderma lucidum spore oil in early skin wound healing: interactions of skin microbiota and inflammation. Aging, 2020, 12, 14125-14140.	1.4	18
140	Isolation and Characterization of Non-O157 Shiga Toxin–Producing Escherichia coli in Foods Sold at Retail Markets in China. Journal of Food Protection, 2020, 83, 460-466.	0.8	1
141	The resurgence of the norovirus GII.4 variant associated with sporadic gastroenteritis in the post-GII.17 period in South China, 2015 to 2017. BMC Infectious Diseases, 2019, 19, 696.	1.3	25
142	Genome characterization of the novel lytic Vibrio parahaemolyticus phage vB_VpP_BA6. Archives of Virology, 2019, 164, 2627-2630.	0.9	8
143	Prevalence, Bacterial Load, and Antimicrobial Resistance of Salmonella Serovars Isolated From Retail Meat and Meat Products in China. Frontiers in Microbiology, 2019, 10, 2121.	1.5	63
144	Vibrio parahaemolyticus cqsA controls production of quorum sensing signal molecule 3-hydroxyundecan-4-one and regulates colony morphology. Journal of Microbiology, 2019, 57, 1105-1114.	1.3	10

#	Article	IF	CITATIONS
145	First detection of the plasmid-mediated colistin resistance gene mcr-1 in virulent Vibrio parahaemolyticus. International Journal of Food Microbiology, 2019, 308, 108290.	2.1	28
146	Rapid detection of Listeria monocytogenes sequence type 121 strains using a novel multiplex PCR assay. LWT - Food Science and Technology, 2019, 116, 108474.	2.5	11
147	Cronobacter sakazakii, Cronobacter malonaticus, and Cronobacter dublinensis Genotyping Based on CRISPR Locus Diversity. Frontiers in Microbiology, 2019, 10, 1989.	1.5	10
148	Ganoderiol F purified from <i>Ganoderma leucocontextum</i> retards cell cycle progression by inhibiting CDK4/CDK6. Cell Cycle, 2019, 18, 3030-3043.	1.3	15
149	Genetic characteristics and virulence of Listeria monocytogenes isolated from fresh vegetables in China. BMC Microbiology, 2019, 19, 119.	1.3	31
150	Prevalence and genetic diversity of human sapovirus associated with sporadic acute gastroenteritis in South China from 2013 to 2017. Journal of Medical Virology, 2019, 91, 1759-1764.	2.5	5
151	Bacillus cereus Isolated From Vegetables in China: Incidence, Genetic Diversity, Virulence Genes, and Antimicrobial Resistance. Frontiers in Microbiology, 2019, 10, 948.	1.5	66
152	Genome characteristics and molecular evolution of the human sapovirus variant GII.8. Infection, Genetics and Evolution, 2019, 73, 362-367.	1.0	9
153	Isolation, Potential Virulence, and Population Diversity of Listeria monocytogenes From Meat and Meat Products in China. Frontiers in Microbiology, 2019, 10, 946.	1.5	57
154	Phenotypic and genotypic characterization of PVL-positive Staphylococcus aureus isolated from retail foods in China. International Journal of Food Microbiology, 2019, 304, 119-126.	2.1	26
155	Genome sequencing and characterization of three Bacillus cereus-specific phages, DK1, DK2, and DK3. Archives of Virology, 2019, 164, 1927-1929.	0.9	8
156	Prevalence and Characterization of Staphylococcus aureus Isolated From Pasteurized Milk in China. Frontiers in Microbiology, 2019, 10, 641.	1.5	78
157	Chromium ion removal from raw water by magnetic iron composites and Shewanella oneidensis MR-1. Scientific Reports, 2019, 9, 3687.	1.6	9
158	Prevalence, Antibiotic Susceptibility, and Molecular Characterization of Cronobacter spp. Isolated From Edible Mushrooms in China. Frontiers in Microbiology, 2019, 10, 283.	1.5	35
159	Random Mutagenesis Applied to Reveal Factors Involved in Oxidative Tolerance and Biofilm Formation in Foodborne Cronobacter malonaticus. Frontiers in Microbiology, 2019, 10, 877.	1.5	4
160	Comparative Genomic Analysis Reveals the Potential Risk of Vibrio parahaemolyticus Isolated From Ready-To-Eat Foods in China. Frontiers in Microbiology, 2019, 10, 186.	1.5	25
161	Prevalence and Characterization of Food-Related Methicillin-Resistant Staphylococcus aureus (MRSA) in China. Frontiers in Microbiology, 2019, 10, 304.	1.5	74
162	Genome characterization and temporal evolution analysis of a non-epidemic norovirus variant GII.8. Infection, Genetics and Evolution, 2019, 70, 15-23.	1.0	5

#	Article	IF	CITATIONS
163	Complete genome analysis of a novel phage GW1 lysing Cronobacter. Archives of Virology, 2019, 164, 625-628.	0.9	10
164	Short communication: Roles of outer membrane protein W on survival, cellular morphology, and biofilm formation of Cronobacter sakazakii in response to oxidative stress. Journal of Dairy Science, 2019, 102, 2017-2021.	1.4	14
165	Exploration of factors in response to low acid tolerance using random mutagenesis in Cronobacter malonaticus. Food Research International, 2019, 116, 994-999.	2.9	5
166	Development and evaluation of a novel in situ target-capture approach for aptamer selection of human noroviruses. Talanta, 2019, 193, 199-205.	2.9	20
167	Identification of the Potential Biological Preservative Tetramycin A-Producing Strain and Enhancing Its Production. Frontiers in Microbiology, 2019, 10, 2925.	1.5	6
168	A Study on Prevalence and Characterization of Bacillus cereus in Ready-to-Eat Foods in China. Frontiers in Microbiology, 2019, 10, 3043.	1.5	84
169	Magnetic-assisted aptamer-based fluorescent assay for allergen detection in food matrix. Sensors and Actuators B: Chemical, 2018, 263, 43-49.	4.0	49
170	Genes involved in tolerance to osmotic stress by random mutagenesis in Cronobacter malonaticus. Journal of Dairy Science, 2018, 101, 3851-3858.	1.4	12
171	Roles of outer membrane protein W (OmpW) on survival, morphology, and biofilm formation under NaCl stresses in Cronobacter sakazakii. Journal of Dairy Science, 2018, 101, 3844-3850.	1.4	30
172	Short communication: Roles of outer membrane protein W (OmpW) on survival and biofilm formation of Cronobacter sakazakii under neomycin sulfate stress. Journal of Dairy Science, 2018, 101, 2927-2931.	1.4	7
173	Reconstituting the History of Cronobacter Evolution Driven by Differentiated CRISPR Activity. Applied and Environmental Microbiology, 2018, 84, .	1.4	20
174	Inactivation of Cronobacter malonaticus cells and inhibition of its biofilm formation exposed to hydrogen peroxide stress. Journal of Dairy Science, 2018, 101, 66-74.	1.4	8
175	Hypoglycemic mechanisms of <i> Ganoderma lucidum </i> polysaccharides F31 in db/db mice <i> via </i> RNA-seq and iTRAQ. Food and Function, 2018, 9, 6495-6507.	2.1	22
176	Anti-breast Cancer Enhancement of a Polysaccharide From Spore of Ganoderma lucidum With Paclitaxel: Suppression on Tumor Metabolism With Gut Microbiota Reshaping. Frontiers in Microbiology, 2018, 9, 3099.	1.5	56
177	Staphylococcus aureus Isolated From Retail Meat and Meat Products in China: Incidence, Antibiotic Resistance and Genetic Diversity. Frontiers in Microbiology, 2018, 9, 2767.	1.5	142
178	Occurrence, Antibiotic Resistance, and Population Diversity of Listeria monocytogenes Isolated From Fresh Aquatic Products in China. Frontiers in Microbiology, 2018, 9, 2215.	1.5	51
179	Novel Multidrug-Resistant <i>Cronobacter sakazakii</i> Emerging Infectious Diseases, 2018, 24, 2121-2124.	2.0	37
180	Prevalence, Potential Virulence, and Genetic Diversity of Listeria monocytogenes Isolates From Edible Mushrooms in Chinese Markets. Frontiers in Microbiology, 2018, 9, 1711.	1.5	48

#	Article	IF	CITATIONS
181	The Glutaredoxin Gene, grxB, Affects Acid Tolerance, Surface Hydrophobicity, Auto-Aggregation, and Biofilm Formation in Cronobacter sakazakii. Frontiers in Microbiology, 2018, 9, 133.	1.5	36
182	Multilocus Sequence Typing and Virulence-Associated Gene Profile Analysis of Staphylococcus aureus Isolates From Retail Ready-to-Eat Food in China. Frontiers in Microbiology, 2018, 9, 197.	1.5	26
183	Prevalence, Virulence Genes, Antimicrobial Susceptibility, and Genetic Diversity of Bacillus cereus Isolated From Pasteurized Milk in China. Frontiers in Microbiology, 2018, 9, 533.	1.5	112
184	Prevalence and Molecular and Antimicrobial Characteristics of Cronobacter spp. Isolated From Raw Vegetables in China. Frontiers in Microbiology, 2018, 9, 1149.	1.5	49
185	Prevalence and Characterization of Staphylococcus aureus Isolated From Retail Vegetables in China. Frontiers in Microbiology, 2018, 9, 1263.	1.5	45
186	Inhibitory effects of chitosan on Cronobacter malonaticus cells and biofilm formation. LWT - Food Science and Technology, 2018, 97, 302-307.	2.5	4
187	Characterization of Extended-Spectrum $\hat{l}^2$ -Lactamase-Producing Enterobacteriaceae From Retail Food in China. Frontiers in Microbiology, 2018, 9, 1709.	1.5	65
188	The driving force of prophages and CRISPR-Cas system in the evolution of Cronobacter sakazakii. Scientific Reports, 2017, 7, 40206.	1.6	43
189	Short communication: Effects of vacuum freeze-drying on inactivation of Cronobacter sakazakii ATCC29544 in liquid media with different initial inoculum levels. Journal of Dairy Science, 2017, 100, 1674-1678.	1.4	4
190	Antidiabetic activity of Ganoderma lucidum polysaccharides F31 down-regulated hepatic glucose regulatory enzymes in diabetic mice. Journal of Ethnopharmacology, 2017, 196, 47-57.	2.0	99
191	DNA aptamer for use in a fluorescent assay for the shrimp allergenÂtropomyosin. Mikrochimica Acta, 2017, 184, 633-639.	2.5	30
192	Potential factors involved in virulence of Cronobacter sakazakii isolates by comparative transcriptome analysis. Journal of Dairy Science, 2017, 100, 8826-8837.	1.4	13
193	Acinetobacter sp. DW-1 immobilized on polyhedron hollow polypropylene balls and analysis of transcriptome and proteome of the bacterium during phenol biodegradation process. Scientific Reports, 2017, 7, 4863.	1.6	15
194	Comparative phylogenetic analyses of recombinant noroviruses based on different protein-encoding regions show the recombination-associated evolution pattern. Scientific Reports, 2017, 7, 4976.	1.6	7
195	Synthesis of precipitating chromogenic/fluorogenic $\hat{l}^2$ -glucosidase/ $\hat{l}^2$ -galactosidase substrates by a new method and their application in the visual detection of foodborne pathogenic bacteria. Chemical Communications, 2017, 53, 103-106.	2.2	16
196	Comparison of Vibrio parahaemolyticus isolates from aquatic products and clinical by antibiotic susceptibility, virulence, and molecular characterisation. Food Control, 2017, 71, 315-321.	2.8	70
197	In Situ Capture RT-qPCR: A New Simple and Sensitive Method to Detect Human Norovirus in Oysters. Frontiers in Microbiology, 2017, 8, 554.	1.5	12
198	Prevalence, Virulence Genes, Antimicrobial Susceptibility, and Genetic Diversity of Staphylococcus aureus from Retail Aquatic Products in China. Frontiers in Microbiology, 2017, 8, 714.	1.5	81

#	Article	IF	Citations
199	Prevalence and Genetic Diversity of Enterococcus faecalis Isolates from Mineral Water and Spring Water in China. Frontiers in Microbiology, 2017, 8, 1109.	1.5	27
200	A Bacterial Surface Display System Expressing Cleavable Capsid Proteins of Human Norovirus: A Novel System to Discover Candidate Receptors. Frontiers in Microbiology, 2017, 8, 2405.	1.5	10
201	Analysis of Multilocus Sequence Typing and Virulence Characterization of Listeria monocytogenes Isolates from Chinese Retail Ready-to-Eat Food. Frontiers in Microbiology, 2016, 7, 168.	1.5	<b>7</b> 5
202	Community Analysis and Recovery of Phenol-degrading Bacteria from Drinking Water Biofilters. Frontiers in Microbiology, 2016, 7, 495.	1.5	26
203	Prevalence, Molecular Characterization, and Antibiotic Susceptibility of Vibrio parahaemolyticus from Ready-to-Eat Foods in China. Frontiers in Microbiology, 2016, 7, 549.	1.5	52
204	Prevalence of Staphylococcus aureus and Methicillin-Resistant Staphylococcus aureus in Retail Ready-to-Eat Foods in China. Frontiers in Microbiology, 2016, 7, 816.	1.5	70
205	Ergosterol peroxide activates Foxo3-mediated cell death signaling by inhibiting AKT and c-Myc in human hepatocellular carcinoma cells. Oncotarget, 2016, 7, 33948-33959.	0.8	62
206	Classification and fatty acid composition analysis of Cronobacter spp. isolated from powdered infant formula in China. Food Science and Biotechnology, 2016, 25, 1109-1113.	1.2	5
207	Prevalence, genetic diversity, and antibiotic resistance of enterotoxigenic Escherichia coli in retail ready-to-eat foods in China. Food Control, 2016, 68, 236-243.	2.8	24
208	Prevalence, characterization, and antibiotic susceptibility of Vibrio parahaemolyticus isolated from retail aquatic products in North China. BMC Microbiology, 2016, 16, 32.	1.3	63
209	Comparative genome analysis of a norovirus GII.4 strain GZ2013-L10 isolated from South China. Virus Genes, 2016, 52, 14-21.	0.7	6
210	Prevalence and genetic characterization of Pseudomonas aeruginosa in drinking water in Guangdong Province of China. LWT - Food Science and Technology, 2016, 69, 24-31.	2.5	13
211	Molecular epidemiology of noroviruses associated with sporadic gastroenteritis in Guangzhou, China, 2013-2015. Archives of Virology, 2016, 161, 1377-1384.	0.9	19
212	Development of a sensitive method for directly sequencing GII.4 norovirus genome. Diagnostic Microbiology and Infectious Disease, 2016, 84, 200-202.	0.8	4
213	Molecular characterization of new emerging Gll.17 norovirus strains from South China. Infection, Genetics and Evolution, 2016, 40, 1-7.	1.0	21
214	Proteins involved in responses to biofilm and planktonic modes in Cronobacter sakazakii. LWT - Food Science and Technology, 2016, 65, 1093-1099.	2.5	26
215	Identification of potential virulence factors of Cronobacter sakazakii isolates by comparative proteomic analysis. International Journal of Food Microbiology, 2016, 217, 182-188.	2.1	31
216	Prevalence, genetic diversity and antimicrobial susceptibility of Campylobacter jejuni isolated from retail food in China. Food Control, 2016, 62, 10-15.	2.8	21

#	Article	IF	CITATIONS
217	Prevalence, antimicrobial resistance and genetic diversity of Salmonella isolated from retail ready-to-eat foods in China. Food Control, 2016, 60, 50-56.	2.8	68
218	Cd-Resistant Strains of B. cereus S5 with Endurance Capacity and Their Capacities for Cadmium Removal from Cadmium-Polluted Water. PLoS ONE, 2016, 11, e0151479.	1.1	23
219	Comparison of Direct Culture, Immunomagnetic Separation/culture, and Multiplex PCR Methods for Detection of <i>Salmonella</i> in Food. Food Science and Technology Research, 2015, 21, 671-675.	0.3	5
220	Detection of C ronobacter on glu B Gene and Differentiation of Four C ronobacter Species by Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Typing. Journal of Food Safety, 2015, 35, 422-427.	1.1	3
221	An Improved Helferich Method for the $\hat{l}\pm/\hat{l}^2$ -Stereoselective Synthesis of 4-Methylumbelliferyl Glycosides for the Detection of Microorganisms. Molecules, 2015, 20, 21681-21699.	1.7	5
222	Prevalence, enumeration, and pheno- and genotypic characteristics of Listeria monocytogenes isolated from raw foods in South China. Frontiers in Microbiology, 2015, 6, 1026.	1.5	43
223	The Membrane Proteins Involved in Virulence of Cronobacter sakazakii Virulent G362 and Attenuated L3101 Isolates. Frontiers in Microbiology, 2015, 6, 1238.	1.5	33
224	Inhibitory effects of d-tryptophan on biofilm development by the foodborne Cronobacter sakazakii. International Dairy Journal, 2015, 49, 125-129.	1.5	24
225	Prevalence, antimicrobial resistance and genetic diversity of <i>Yersinia enterocolitica </i> isolated from retail frozen foods in China. FEMS Microbiology Letters, 2015, 362, fnv197.	0.7	17
226	Genome characterization of a GII.6 norovirus strain identified in China. Infection, Genetics and Evolution, 2015, 31, 110-117.	1.0	20
227	Prevalence and characterization of Escherichia coli O157 and O157:H7 in retail fresh raw meat in South China. Annals of Microbiology, 2015, 65, 1993-1999.	1.1	15
228	Prevalence, molecular characterization, and antibiotic susceptibility of Cronobacter spp. in Chinese ready-to-eat foods. International Journal of Food Microbiology, 2015, 204, 17-23.	2.1	74
229	Prevalence, enumeration, and characterization of Salmonella isolated from aquatic food products from retail markets in China. Food Control, 2015, 57, 308-313.	2.8	44
230	Prevalence and population analysis of Vibrio parahaemolyticusin aquatic products from South China markets. FEMS Microbiology Letters, 2015, 362, fnv178.	0.7	33
231	A Novel Procedure on Vancomycin, Cephalothin and Sucrose for Isolation of <scp><i>C</i></scp> <i>ronobacter</i> spp. from Powdered Infant Formula. Journal of Food Safety, 2015, 35, 257-262.	1.1	0
232	Hypoglycemic effects of Grifola frondosa (Maitake) polysaccharides F2 and F3 through improvement of insulin resistance in diabetic rats. Food and Function, 2015, 6, 3567-3575.	2.1	56
233	Listeria monocytogenes Prevalence and Characteristics in Retail Raw Foods in China. PLoS ONE, 2015, 10, e0136682.	1.1	81
234	Prevalence and Characterization of Monophasic Salmonella Serovar 1,4,[5],12:i:- of Food Origin in China. PLoS ONE, 2015, 10, e0137967.	1.1	43

#	Article	IF	CITATIONS
235	Ergosterol purified from medicinal mushroom <i>Amauroderma rude</i> inhibits cancer growth <i>in vitro</i> and <i>in vivo</i> by up-regulating multiple tumor suppressors. Oncotarget, 2015, 6, 17832-17846.	0.8	80
236	Prevalence, pathogenicity, and serotypes of Vibrio parahaemolyticus in shrimp from Chinese retail markets. Food Control, 2014, 46, 81-85.	2.8	70
237	Development and Application of a Loopâ€Mediated Isothermal Amplification ( <scp>LAMP</scp> ) Method for Rapid and Sensitive Detection of <scp><i>E</i></scp> <i>nterococcus faecalis</i> Water. Journal of Food Safety, 2014, 34, 103-110.	1.1	7
238	Prevalence and characterization of Listeria monocytogenes isolated from retail-level ready-to-eat foods in South China. Food Control, 2014, 38, 1-7.	2.8	69
239	Isolation and Phenotypic Characterization of <i>Cronobacter</i> from Dried Edible Macrofungi Samples. Journal of Food Science, 2014, 79, M1382-6.	1.5	22
240	The <i><scp>C</scp>ronobacter</i> sp. in milk and dairy products: Detection and typing. International Journal of Dairy Technology, 2014, 67, 167-175.	1.3	20
241	Prevalence and Contamination Patterns of <i>Listeria monocytogenes</i> in <i>Flammulina velutipes</i> Plants. Foodborne Pathogens and Disease, 2014, 11, 620-627.	0.8	27
242	Occurrence and Characterization of <i>Cronobacter &lt; /i&gt; spp. in Powdered Formula from Chinese Retail Markets. Foodborne Pathogens and Disease, 2014, 11, 307-312.</i>	0.8	31
243	Development and application of a loop-mediated isothermal amplification assay on rapid and sensitive detection of rotavirus in fecal samples and artificially seeded oysters. Food Control, 2014, 41, 151-157.	2.8	4
244	Complete genome analysis of a novel norovirus GII.4 variant identified in China. Virus Genes, 2013, 47, 228-234.	0.7	10
245	Genetic Analysis of Noroviruses Associated with Sporadic Gastroenteritis During Winter in Guangzhou, China. Foodborne Pathogens and Disease, 2013, 10, 888-895.	0.8	13
246	The Characterization and Comparison of <i>Staphylococcus aureus</i> by Antibiotic Susceptibility Testing, Enterobacterial Repetitive Intergenic Consensus–Polymerase Chain Reaction, and Random Amplified Polymorphic DNA–Polymerase Chain Reaction. Foodborne Pathogens and Disease, 2012, 9, 168-171.	0.8	18
247	A Comparison of Polymerase Chain Reaction and International Organization for Standardization Methods for Determination of <i>Enterobacter sakazakii</i> Contamination of Infant Formulas from Chinese Mainland Markets. Foodborne Pathogens and Disease, 2009, 6, 1229-1234.	0.8	10
248	Analysis of a consensus fragment in ERIC-PCR fingerprinting of Enterobacter sakazakii. International Journal of Food Microbiology, 2009, 132, 172-175.	2.1	18
249	Development of an immobilization and detection method of Enterobacter sakazakii from powdered infant formula. Food Microbiology, 2008, 25, 648-652.	2.1	28
250	Analysis of major band of Enterobacter sakazakii by ERIC-PCR and development of a species-specific PCR for detection of Ent. sakazakii in dry food samples. Journal of Microbiological Methods, 2008, 75, 392-397.	0.7	16
251	Simultaneous detection of norovirus and rotavirus in oysters by multiplex RT–PCR. Food Control, 2008, 19, 722-726.	2.8	25
252	Sensitive and Selective Detection of <i>Enterococcus faecalis</i> Using a New Turnâ $\in$ on Fluorogenic $\hat{l}^2$ â $\in$ glucosidase Substrate Combined with a Modified Selective Broth. Photochemistry and Photobiology, 0, , .	1.3	0

#	Article	IF	CITATIONS
253	Detection of Pseudomonas aeruginosa Serogroup G Using Real-Time PCR for Novel Target Genes Identified Through Comparative Genomics. Frontiers in Microbiology, 0, 13, .	1.5	O
254	Comparative analysis of the efficacies of probiotic supplementation and glucose-lowering drugs for the treatment of type 2 diabetes: A systematic review and meta-analysis. Frontiers in Nutrition, 0, 9, .	1.6	3