

Teresa Head-Gordon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7193491/teresa-head-gordon-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177
papers

11,859
citations

49
h-index

105
g-index

194
ext. papers

13,819
ext. citations

6.9
avg, IF

6.66
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 177 | Can electric fields drive chemistry for an aqueous microdroplet?. <i>Nature Communications</i> , 2022 , 13, 280 | 17.4 | 17 |
| 176 | Optimizing the Solvent Reorganization Free Energy by Metal Substitution for Nanocage Catalysis. <i>ACS Catalysis</i> , 2022 , 12, 3782-3788 | 13.1 | 2 |
| 175 | A benchmark dataset for Hydrogen Combustion.. <i>Scientific Data</i> , 2022 , 9, 215 | 8.2 | 0 |
| 174 | Optimized Pseudopotentials and Basis Sets for Semiempirical Density Functional Theory for Electrocatalysis Applications. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 10304-10309 | 6.4 | 3 |
| 173 | Configurational Entropy of Folded Proteins and Its Importance for Intrinsically Disordered Proteins. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 2 |
| 172 | From Intermolecular Interaction Energies and Observable Shifts to Component Contributions and Back Again: A Tale of Variational Energy Decomposition Analysis. <i>Annual Review of Physical Chemistry</i> , 2021 , 72, 641-666 | 15.7 | 21 |
| 171 | Recent Advances for Improving the Accuracy, Transferability, and Efficiency of Reactive Force Fields. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 3237-3251 | 6.4 | 17 |
| 170 | Catalytic Principles from Natural Enzymes and Translational Design Strategies for Synthetic Catalysts. <i>ACS Central Science</i> , 2021 , 7, 72-80 | 16.8 | 17 |
| 169 | Challenges for density functional theory: calculation of CO adsorption on electrocatalytically relevant metals. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 9394-9406 | 3.6 | 8 |
| 168 | AutoDetect-mNP: An Unsupervised Machine Learning Algorithm for Automated Analysis of Transmission Electron Microscope Images of Metal Nanoparticles. <i>Jacs Au</i> , 2021 , 1, 316-327 | | 16 |
| 167 | Critical Role of Thermal Fluctuations for CO Binding on Electrocatalytic Metal Surfaces. <i>Jacs Au</i> , 2021 , 1, 1708-1718 | | 5 |
| 166 | Software for the frontiers of quantum chemistry: An overview of developments in the Q-Chem 5 package. <i>Journal of Chemical Physics</i> , 2021 , 155, 084801 | 3.9 | 115 |
| 165 | Proton Traffic Jam: Effect of Nanoconfinement and Acid Concentration on Proton Hopping Mechanism. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25419-25427 | 16.4 | 1 |
| 164 | Molecular Properties and Chemical Transformations Near Interfaces. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 9037-9051 | 3.4 | 5 |
| 163 | Convergence of stochastic-extended Lagrangian molecular dynamics method for polarizable force field simulation. <i>Journal of Computational Physics</i> , 2021 , 438, 110338 | 4.1 | 3 |
| 162 | Protein C-GeM: A Coarse-Grained Electron Model for Fast and Accurate Protein Electrostatics Prediction. <i>Journal of Chemical Information and Modeling</i> , 2021 , 61, 4357-4369 | 6.1 | 3 |
| 161 | PED in 2021: a major update of the protein ensemble database for intrinsically disordered proteins. <i>Nucleic Acids Research</i> , 2021 , 49, D404-D411 | 20.1 | 31 |

| | | | |
|-----|---|------|----|
| 160 | Linear Combination of Atomic Dipoles to Calculate the Bond and Molecular Dipole Moments of Molecules and Molecular Liquids.. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 12360-12369 | 6.4 | 1 |
| 159 | Extended Experimental Inferential Structure Determination Method in Determining the Structural Ensembles of Disordered Protein States. <i>Communications Chemistry</i> , 2020 , 3, | 6.3 | 21 |
| 158 | Learning to Make Chemical Predictions: the Interplay of Feature Representation, Data, and Machine Learning Methods. <i>CheM</i> , 2020 , 6, 1527-1542 | 16.2 | 28 |
| 157 | Accurate prediction of chemical shifts for aqueous protein structure on "Real World" data. <i>Chemical Science</i> , 2020 , 11, 3180-3191 | 9.4 | 11 |
| 156 | Interplay of water and a supramolecular capsule for catalysis of reductive elimination reaction from gold. <i>Nature Communications</i> , 2020 , 11, 415 | 17.4 | 23 |
| 155 | Strong Anisotropy in Liquid Water upon Librational Excitation Using Terahertz Laser Fields. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 4989-5001 | 3.4 | 11 |
| 154 | An isolated water droplet in the aqueous solution of a supramolecular tetrahedral cage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 32954-32961 | 11.5 | 8 |
| 153 | Electronic structure calculations permit identification of the driving forces behind frequency shifts in transition metal monocarbonyls. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 781-798 | 3.6 | 15 |
| 152 | Diels-Alder Reactions in Water Are Determined by Microsolvation. <i>Nano Letters</i> , 2020 , 20, 606-611 | 11.5 | 17 |
| 151 | Stochastic Constrained Extended System Dynamics for Solving Charge Equilibration Models. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 5991-5998 | 6.4 | 3 |
| 150 | A Reactive Force Field with Coarse-Grained Electrons for Liquid Water. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 9240-9247 | 6.4 | 9 |
| 149 | Conformational Ensembles of an Intrinsically Disordered Protein Consistent with NMR, SAXS, and Single-Molecule FRET. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15697-15710 | 16.4 | 41 |
| 148 | The combined force field-sampling problem in simulations of disordered amyloid- β peptides. <i>Journal of Chemical Physics</i> , 2019 , 150, 104108 | 3.9 | 25 |
| 147 | Mutually polarizable QM/MM model with in situ optimized localized basis functions. <i>Journal of Chemical Physics</i> , 2019 , 150, 074103 | 3.9 | 14 |
| 146 | Combining Iteration-Free Polarization with Large Time Step Stochastic-Isokinetic Integration. <i>Journal of Chemical Theory and Computation</i> , 2019 , 15, 2195-2205 | 6.4 | 10 |
| 145 | Inertial extended-Lagrangian scheme for solving charge equilibration models. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 18652-18659 | 3.6 | 11 |
| 144 | Development of an Advanced Force Field for Water Using Variational Energy Decomposition Analysis. <i>Journal of Chemical Theory and Computation</i> , 2019 , 15, 5001-5013 | 6.4 | 27 |
| 143 | Fluctuations of Electric Fields in the Active Site of the Enzyme Ketosteroid Isomerase. <i>Journal of the American Chemical Society</i> , 2019 , 141, 12487-12492 | 16.4 | 29 |

| | | | |
|-----|---|------|-----|
| 142 | Multiresolution 3D-DenseNet for Chemical Shift Prediction in NMR Crystallography. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 4558-4565 | 6.4 | 17 |
| 141 | Systematic Optimization of Water Models Using Liquid/Vapor Surface Tension Data. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 7061-7073 | 3.4 | 18 |
| 140 | Water is not a dynamic polydisperse branched polymer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 13169-13170 | 11.5 | 7 |
| 139 | Energy Decomposition Analysis for Interactions of Radicals: Theory and Implementation at the MP2 Level with Application to Hydration of Halogenated Benzene Cations and Complexes between CO ₂ and Pyridine and Imidazole. <i>Journal of Physical Chemistry A</i> , 2019 , 123, 9621-9633 | 2.8 | 8 |
| 138 | C-GeM: Coarse-Grained Electron Model for Predicting the Electrostatic Potential in Molecules. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 6820-6826 | 6.4 | 11 |
| 137 | Computational Design of Synthetic Enzymes. <i>Chemical Reviews</i> , 2019 , 119, 6613-6630 | 68.1 | 79 |
| 136 | A structural coarse-grained model for clays using simple iterative Boltzmann inversion. <i>Journal of Chemical Physics</i> , 2018 , 148, 222809 | 3.9 | 7 |
| 135 | New developments in force fields for biomolecular simulations. <i>Current Opinion in Structural Biology</i> , 2018 , 49, 129-138 | 8.1 | 118 |
| 134 | Higher-Order Extended Lagrangian Born-Oppenheimer Molecular Dynamics for Classical Polarizable Models. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 499-511 | 6.4 | 9 |
| 133 | Dynamical inversion of the energy landscape promotes non-equilibrium self-assembly of binary mixtures. <i>Chemical Science</i> , 2018 , 9, 1640-1646 | 9.4 | 1 |
| 132 | Improvements to the APBS biomolecular solvation software suite. <i>Protein Science</i> , 2018 , 27, 112-128 | 6.3 | 577 |
| 131 | Solvent Entropy Contributions to Catalytic Activity in Designed and Optimized Kemp Eliminases. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 5300-5307 | 3.4 | 10 |
| 130 | Electrostatics Generated by a Supramolecular Capsule Stabilizes the Transition State for Carbon-Carbon Reductive Elimination from Gold(III) Complex. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 3814-3818 | 6.4 | 23 |
| 129 | The Quest for Accurate Liquid Water Properties from First Principles. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 5009-5016 | 6.4 | 44 |
| 128 | Advanced models for water simulations. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2018 , 8, e1355 | 7.9 | 30 |
| 127 | Coexistence of Multilayered Phases of Confined Water: The Importance of Flexible Confining Surfaces. <i>ACS Nano</i> , 2018 , 12, 448-454 | 16.7 | 33 |
| 126 | Computational Optimization of Electric Fields for Improving Catalysis of a Designed Kemp Eliminate. <i>ACS Catalysis</i> , 2018 , 8, 219-227 | 13.1 | 38 |
| 125 | Improvements to the AMOEBA Force Field by Introducing Anisotropic Atomic Polarizability of the Water Molecule. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 6722-6733 | 6.4 | 18 |

| | | | |
|-----|---|------|-----|
| 124 | Perspective: Computational chemistry software and its advancement as illustrated through three grand challenge cases for molecular science. <i>Journal of Chemical Physics</i> , 2018 , 149, 180901 | 3.9 | 49 |
| 123 | Computational optimization of electric fields for better catalysis design. <i>Nature Catalysis</i> , 2018 , 1, 649-655 | 5.5 | 93 |
| 122 | Mode specific THz spectra of solvated amino acids using the AMOEBA polarizable force field. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 5579-5590 | 3.6 | 15 |
| 121 | molecular dynamics simulations of liquid water using high quality meta-GGA functionals. <i>Chemical Science</i> , 2017 , 8, 3554-3565 | 9.4 | 60 |
| 120 | Performance of the AMOEBA Water Model in the Vicinity of QM Solutes: A Diagnosis Using Energy Decomposition Analysis. <i>Journal of Chemical Theory and Computation</i> , 2017 , 13, 1963-1979 | 6.4 | 22 |
| 119 | Performance of extended Lagrangian schemes for molecular dynamics simulations with classical polarizable force fields and density functional theory. <i>Journal of Chemical Physics</i> , 2017 , 146, 124115 | 3.9 | 22 |
| 118 | Accurate Classical Polarization Solution with No Self-Consistent Field Iterations. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 1714-1723 | 6.4 | 30 |
| 117 | The Importance of the Scaffold for de Novo Enzymes: A Case Study with Kemp Eliminase. <i>Journal of the American Chemical Society</i> , 2017 , 139, 5793-5800 | 16.4 | 37 |
| 116 | Effect of Hydrophobic Core Topology and Composition on the Structure and Kinetics of Star Polymers: A Molecular Dynamics Study. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 2902-2918 | 3.4 | 5 |
| 115 | Studying Solvation of Small Biomolecules via Molecular Dynamics using a Polarizable Force Field. <i>Biophysical Journal</i> , 2017 , 112, 497a | 2.9 | 2 |
| 114 | Building a More Predictive Protein Force Field: A Systematic and Reproducible Route to AMBER-FB15. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 4023-4039 | 3.4 | 147 |
| 113 | Use of the rVV10 Nonlocal Correlation Functional in the B97M-V Density Functional: Defining B97M-rV and Related Functionals. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 35-40 | 6.4 | 62 |
| 112 | Direct Exchange Mechanism for Interlayer Ions in Non-Swelling Clays. <i>Environmental Science & Technology</i> , 2017 , 51, 393-400 | 10.3 | 26 |
| 111 | A New Method for Treating Drude Polarization in Classical Molecular Simulation. <i>Journal of Chemical Theory and Computation</i> , 2017 , 13, 5207-5216 | 6.4 | 19 |
| 110 | Effect of a Paramagnetic Spin Label on the Intrinsically Disordered Peptide Ensemble of Amyloid- β . <i>Biophysical Journal</i> , 2017 , 113, 1002-1011 | 2.9 | 13 |
| 109 | PB-AM: An open-source, fully analytical linear poisson-boltzmann solver. <i>Journal of Computational Chemistry</i> , 2017 , 38, 1275-1282 | 3.5 | 8 |
| 108 | Assessing many-body contributions to intermolecular interactions of the AMOEBA force field using energy decomposition analysis of electronic structure calculations. <i>Journal of Chemical Physics</i> , 2017 , 147, 161721 | 3.9 | 31 |
| 107 | Structural transition of nanogel star polymers with pH by controlling PEGMA interactions with acid or base copolymers. <i>Molecular Physics</i> , 2016 , 114, 3221-3231 | 1.7 | 8 |

| | | | |
|-----|---|------|-----|
| 106 | Convergence of the Many-Body Expansion for Energy and Forces for Classical Polarizable Models in the Condensed Phase. <i>Journal of Chemical Theory and Computation</i> , 2016 , 12, 3884-93 | 6.4 | 13 |
| 105 | Mechanism of Nucleation and Growth of A β 0 Fibrils from All-Atom and Coarse-Grained Simulations. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 12088-12097 | 3.4 | 16 |
| 104 | Experimental Inferential Structure Determination of Ensembles for Intrinsically Disordered Proteins. <i>Journal of the American Chemical Society</i> , 2016 , 138, 4530-8 | 16.4 | 52 |
| 103 | Finding Our Way in the Dark Proteome. <i>Journal of the American Chemical Society</i> , 2016 , 138, 9730-42 | 16.4 | 93 |
| 102 | The role of side chain entropy and mutual information for improving the de novo design of Kemp eliminases KE07 and KE70. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 19386-96 | 3.6 | 19 |
| 101 | TINKTEP: A fully self-consistent, mutually polarizable QM/MM approach based on the AMOEBA force field. <i>Journal of Chemical Physics</i> , 2016 , 145, 124106 | 3.9 | 38 |
| 100 | Comparing generalized ensemble methods for sampling of systems with many degrees of freedom. <i>Journal of Chemical Physics</i> , 2016 , 145, 174107 | 3.9 | 10 |
| 99 | Approaching the basis set limit for DFT calculations using an environment-adapted minimal basis with perturbation theory: Formulation, proof of concept, and a pilot implementation. <i>Journal of Chemical Physics</i> , 2016 , 145, 044109 | 3.9 | 12 |
| 98 | Parallel implementation of approximate atomistic models of the AMOEBA polarizable model. <i>Chemical Physics Letters</i> , 2016 , 664, 191-198 | 2.5 | |
| 97 | Assessing Ion-Water Interactions in the AMOEBA Force Field Using Energy Decomposition Analysis of Electronic Structure Calculations. <i>Journal of Chemical Theory and Computation</i> , 2016 , 12, 5422-5437 | 6.4 | 62 |
| 96 | Advanced Potential Energy Surfaces for Molecular Simulation. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 9811-32 | 3.4 | 66 |
| 95 | Family of Oxygen-Oxygen Radial Distribution Functions for Water. <i>Journal of Physical Chemistry Letters</i> , 2015 , 6, 2938-43 | 6.4 | 24 |
| 94 | A facile method for expression and purification of (15)N isotope-labeled human Alzheimer β amyloid peptides from E. coli for NMR-based structural analysis. <i>Protein Expression and Purification</i> , 2015 , 116, 82-9 | 2 | 7 |
| 93 | An efficient and stable hybrid extended Lagrangian/self-consistent field scheme for solving classical mutual induction. <i>Journal of Chemical Physics</i> , 2015 , 143, 174104 | 3.9 | 45 |
| 92 | A monte carlo method for generating side chain structural ensembles. <i>Structure</i> , 2015 , 23, 44-55 | 5.2 | 15 |
| 91 | Role of hydrophilicity and length of diblock arms for determining star polymer physical properties. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 944-57 | 3.4 | 9 |
| 90 | Revised Parameters for the AMOEBA Polarizable Atomic Multipole Water Model. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 9423-9437 | 3.4 | 149 |
| 89 | Disordered structural ensembles of vasopressin and oxytocin and their mutants. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 896-905 | 3.4 | 28 |

| | | | |
|----|--|------|-----|
| 88 | Advanced potential energy surfaces for condensed phase simulation. <i>Annual Review of Physical Chemistry</i> , 2014 , 65, 149-74 | 15.7 | 50 |
| 87 | Tribute to William C. Swope. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 6357-9 | 3.4 | |
| 86 | Comparison of structure determination methods for intrinsically disordered amyloid- β peptides. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 6405-16 | 3.4 | 44 |
| 85 | Efficient derivation of cortical glutamatergic neurons from human pluripotent stem cells: a model system to study neurotoxicity in Alzheimer's disease. <i>Neurobiology of Disease</i> , 2014 , 62, 62-72 | 7.5 | 65 |
| 84 | Systematic improvement of a classical molecular model of water. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 9956-72 | 3.4 | 235 |
| 83 | Calculating the Bimolecular Rate of Protein-Protein Association with Interacting Crowders. <i>Journal of Chemical Theory and Computation</i> , 2013 , 9, 2481-9 | 6.4 | 11 |
| 82 | Embedding A β 2 in heterogeneous membranes depends on cholesterol asymmetries. <i>Biophysical Journal</i> , 2013 , 105, 899-910 | 2.9 | 14 |
| 81 | Differences in β -strand populations of monomeric A β 0 and A β 2. <i>Biophysical Journal</i> , 2013 , 104, 2714-24 | 2.9 | 114 |
| 80 | Optimizing solute-water van der Waals interactions to reproduce solvation free energies. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 4524-34 | 3.4 | 116 |
| 79 | Evolution of the potential energy landscape with static pulling force for two model proteins. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 8394-411 | 3.4 | 29 |
| 78 | Optimizing Protein-Solvent Force Fields to Reproduce Intrinsic Conformational Preferences of Model Peptides. <i>Journal of Chemical Theory and Computation</i> , 2011 , 7, 1220-30 | 6.4 | 127 |
| 77 | Reliable protein structure refinement using a physical energy function. <i>Journal of Computational Chemistry</i> , 2011 , 32, 709-17 | 3.5 | 17 |
| 76 | Homogeneous and heterogeneous tertiary structure ensembles of amyloid- β peptides. <i>Biochemistry</i> , 2011 , 50, 7612-28 | 3.2 | 114 |
| 75 | Exploring the rich energy landscape of sulfate-water clusters SO ₄ (²⁻)(H ₂ O)(n=3-7): an electronic structure approach. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 11438-54 | 2.8 | 35 |
| 74 | Simulated photoelectron spectra of the cyanide-water anion via quasiclassical molecular dynamics. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 5928-35 | 2.8 | 14 |
| 73 | The dynamical mechanism of auto-inhibition of AMP-activated protein kinase. <i>PLoS Computational Biology</i> , 2011 , 7, e1002082 | 5 | 10 |
| 72 | Small-angle scattering and the structure of ambient liquid water. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14003-7 | 11.5 | 153 |
| 71 | Evidence of functional protein dynamics from X-ray crystallographic ensembles. <i>PLoS Computational Biology</i> , 2010 , 6, e1000911 | 5 | 31 |

| | | | |
|----|--|------|-----|
| 70 | The structure of ambient water. <i>Molecular Physics</i> , 2010 , 108, 1415-1433 | 1.7 | 183 |
| 69 | Instantaneous normal modes as an unforced reaction coordinate for protein conformational transitions. <i>Biophysical Journal</i> , 2010 , 98, 2356-64 | 2.9 | 27 |
| 68 | Driving forces for transmembrane alpha-helix oligomerization. <i>Biophysical Journal</i> , 2010 , 99, 227-37 | 2.9 | 6 |
| 67 | Current status of the AMOEBA polarizable force field. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 2549-64 | 3.4 | 914 |
| 66 | A New and Efficient Poisson-Boltzmann Solver for Interaction of Multiple Proteins. <i>Journal of Chemical Theory and Computation</i> , 2010 , 6, 2214-2224 | 6.4 | 22 |
| 65 | Effects of co-solvents on peptide hydration water structure and dynamics. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 393-405 | 3.6 | 45 |
| 64 | Structure and water dynamics of aqueous peptide solutions in the presence of co-solvents. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 382-92 | 3.6 | 27 |
| 63 | How hot? Systematic convergence of the replica exchange method using multiple reservoirs. <i>Journal of Computational Chemistry</i> , 2010 , 31, 620-7 | 3.5 | 18 |
| 62 | Assessing thermodynamic-dynamic relationships for waterlike liquids. <i>Journal of Chemical Physics</i> , 2009 , 130, 214510 | 3.9 | 31 |
| 61 | Hydration water dynamics near biological interfaces. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 4082-92 | 3.4 | 51 |
| 60 | The influence of protein dynamics on the success of computational enzyme design. <i>Journal of the American Chemical Society</i> , 2009 , 131, 14111-5 | 16.4 | 52 |
| 59 | FROM MONOMER STRUCTURE TO FIBRIL POLYMORPHISM: COMPUTATIONAL AND EXPERIMENTAL STUDIES OF THE ALZHEIMER β ABETA PEPTIDE. <i>FASEB Journal</i> , 2009 , 23, 423.2 | 0.9 | |
| 58 | Protofibril assemblies of the arctic, Dutch, and Flemish mutants of the Alzheimer β Abeta1-40 peptide. <i>Biophysical Journal</i> , 2008 , 94, 2007-16 | 2.9 | 50 |
| 57 | Aqueous peptides as experimental models for hydration water dynamics near protein surfaces. <i>Physical Chemistry Chemical Physics</i> , 2008 , 10, 4903-8 | 3.6 | 36 |
| 56 | Dielectric relaxation of aqueous solutions of hydrophilic versus amphiphilic peptides. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 179-86 | 3.4 | 35 |
| 55 | Improved Energy Selection of Nativelike Protein Loops from Loop Decoys. <i>Journal of Chemical Theory and Computation</i> , 2008 , 4, 515-21 | 6.4 | 10 |
| 54 | Structure and dynamics of the Abeta(21-30) peptide from the interplay of NMR experiments and molecular simulations. <i>Journal of the American Chemical Society</i> , 2008 , 130, 6145-58 | 16.4 | 142 |
| 53 | Contrasting disease and nondisease protein aggregation by molecular simulation. <i>Accounts of Chemical Research</i> , 2008 , 41, 1037-47 | 24.3 | 31 |

| | | | |
|----|--|------|------|
| 52 | Hydrophobic solvation of Gay-Berne particles in modified water models. <i>Journal of Chemical Physics</i> , 2008 , 128, 104506 | 3.9 | 8 |
| 51 | A coarse-grained alpha-carbon protein model with anisotropic hydrogen-bonding. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 70, 626-38 | 4.2 | 43 |
| 50 | Separable cooperative and localized translational motions of water confined by a chemically heterogeneous environment. <i>Physical Chemistry Chemical Physics</i> , 2007 , 9, 1962-71 | 3.6 | 22 |
| 49 | Consequences of chain networks on thermodynamic, dielectric and structural properties for liquid water. <i>Physical Chemistry Chemical Physics</i> , 2007 , 9, 83-91 | 3.6 | 34 |
| 48 | Hydrophobic potential of mean force as a solvation function for protein structure prediction. <i>Structure</i> , 2007 , 15, 727-40 | 5.2 | 41 |
| 47 | Determining the critical nucleus and mechanism of fibril elongation of the Alzheimer's Aβ(1-40) peptide. <i>Journal of Molecular Biology</i> , 2007 , 365, 535-50 | 6.5 | 81 |
| 46 | Representability problems for coarse-grained water potentials. <i>Journal of Chemical Physics</i> , 2007 , 126, 144509 | 3.9 | 172 |
| 45 | An Analytical Electrostatic Model for Salt Screened Interactions between Multiple Proteins. <i>Journal of Chemical Theory and Computation</i> , 2006 , 2, 541-55 | 6.4 | 25 |
| 44 | Tetrahedral structure or chains for liquid water. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 7973-7 | 11.5 | 201 |
| 43 | Solvation in modified water models: towards understanding hydrophobic effects. <i>Molecular Physics</i> , 2006 , 104, 3593-3605 | 1.7 | 44 |
| 42 | Molecular view of water dynamics near model peptides. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 12966-75 | 6.75 | 114 |
| 41 | Influence of denatured and intermediate states of folding on protein aggregation. <i>Protein Science</i> , 2005 , 14, 993-1003 | 6.3 | 42 |
| 40 | Protein folding by distributed computing and the denatured state ensemble. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16684-9 | 11.5 | 20 |
| 39 | An optimization approach to the problem of protein structure prediction. <i>Mathematical Programming</i> , 2004 , 101, 497-514 | 2.1 | 5 |
| 38 | Evidence for Anomalous Hydration Dynamics near a Model Hydrophobic Peptide. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 19885-19893 | 3.4 | 51 |
| 37 | Intermediates and the folding of proteins L and G. <i>Protein Science</i> , 2004 , 13, 958-70 | 6.3 | 41 |
| 36 | Development of an improved four-site water model for biomolecular simulations: TIP4P-Ew. <i>Journal of Chemical Physics</i> , 2004 , 120, 9665-78 | 3.9 | 1424 |
| 35 | Hydration dynamics near a model protein surface. <i>Biophysical Journal</i> , 2004 , 86, 1852-62 | 2.9 | 160 |

| | | | |
|----|--|------|-----|
| 34 | Coarse-grained sequences for protein folding and design. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 10712-7 | 11.5 | 102 |
| 33 | Minimalist models for protein folding and design. <i>Current Opinion in Structural Biology</i> , 2003 , 13, 160-7 | 8.1 | 116 |
| 32 | Cool walking: a new Markov chain Monte Carlo sampling method. <i>Journal of Computational Chemistry</i> , 2003 , 24, 68-76 | 3.5 | 49 |
| 31 | Water structure as a function of temperature from X-ray scattering experiments and ab initio molecular dynamics. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 1981 | 3.6 | 173 |
| 30 | Toward minimalist models of larger proteins: A ubiquitin-like protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002 , 46, 368-379 | 4.2 | 44 |
| 29 | Protein engineering study of protein L by simulation. <i>Journal of Computational Biology</i> , 2002 , 9, 35-54 | 1.7 | 25 |
| 28 | Water structure from scattering experiments and simulation. <i>Chemical Reviews</i> , 2002 , 102, 2651-70 | 68.1 | 435 |
| 27 | A physical approach to protein structure prediction. <i>Biophysical Journal</i> , 2002 , 82, 36-49 | 2.9 | 25 |
| 26 | Toward minimalist models of larger proteins: a ubiquitin-like protein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002 , 46, 368-79 | 4.2 | 13 |
| 25 | Excitation energy transfer in condensed media. <i>Journal of Chemical Physics</i> , 2001 , 114, 3065-3072 | 3.9 | 166 |
| 24 | A global optimization strategy for predicting alpha-helical protein tertiary structure. <i>Computers & Chemistry</i> , 2000 , 24, 489-97 | | 12 |
| 23 | Matching simulation and experiment: a new simplified model for simulating protein folding. <i>Journal of Computational Biology</i> , 2000 , 7, 469-81 | 1.7 | 44 |
| 22 | A high-quality x-ray scattering experiment on liquid water at ambient conditions. <i>Journal of Chemical Physics</i> , 2000 , 113, 9140-9148 | 3.9 | 258 |
| 21 | What can x-ray scattering tell us about the radial distribution functions of water?. <i>Journal of Chemical Physics</i> , 2000 , 113, 9149-9161 | 3.9 | 351 |
| 20 | Reaction field cavity optimization: A born-again Born model for ionic hydration. <i>Journal of Chemical Physics</i> , 1999 , 111, 9700-9704 | 3.9 | 9 |
| 19 | Solution X-ray scattering as a probe of hydration-dependent structuring of aqueous solutions. <i>Journal of Computer - Aided Molecular Design</i> , 1999 , 17, 97-118 | | 28 |
| 18 | Redesigning the hydrophobic core of a model beta-sheet protein: destabilizing traps through a threading approach. <i>Proteins: Structure, Function and Bioinformatics</i> , 1999 , 37, 582-91 | 4.2 | 22 |
| 17 | Determining the Role of Hydration Forces in Protein Folding. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 5413-5426 | 3.4 | 86 |

| | | | |
|----|--|------|-----------------|
| 16 | Electronic reaction field cavity optimization: Extension to solvation of molecules 1999 , | | 1 |
| 15 | The importance of hydration for the kinetics and thermodynamics of protein folding: simplified lattice models. <i>Folding & Design</i> , 1998 , 3, 523-34 | | 28 |
| 14 | Neural-network design applied to protein-secondary-structure predictions. <i>Physical Review E</i> , 1995 , 51, 3619-3627 | 2.4 | 4 |
| 13 | A New Solvent Model for Hydrophobic Association in Water I. Thermodynamics. <i>Journal of the American Chemical Society</i> , 1995 , 117, 501-507 | 16.4 | 31 |
| 12 | Collective aspects of protein folding illustrated by a toy model. <i>Physical Review E</i> , 1995 , 52, 2872-2877 | 2.4 | 90 |
| 11 | Analytic MP2 frequencies without fifth-order storage. Theory and application to bifurcated hydrogen bonds in the water hexamer. <i>Chemical Physics Letters</i> , 1994 , 220, 122-128 | 2.5 | 75 ^o |
| 10 | An efficient solvent model for study of hydrophobic phenomena. <i>Chemical Physics Letters</i> , 1994 , 227, 215-220 | 2.5 | 25 |
| 9 | Stabilization of Helixes in Glycine and Alanine Dipeptides in a Reaction Field Model of Solvent. <i>Journal of the American Chemical Society</i> , 1994 , 116, 1528-1532 | 16.4 | 76 |
| 8 | Perturbational view of inherent structures in water. <i>Physical Review E</i> , 1993 , 47, 2484-2490 | 2.4 | 36 |
| 7 | Toy model for protein folding. <i>Physical Review E</i> , 1993 , 48, 1469-1477 | 2.4 | 156 |
| 6 | Optimal neural networks for protein-structure prediction. <i>Physical Review E</i> , 1993 , 48, 1502-1515 | 2.4 | 14 |
| 5 | Theoretical study of blocked glycine and alanine peptide analogs. <i>Journal of the American Chemical Society</i> , 1991 , 113, 5989-5997 | 16.4 | 329 |
| 4 | Evaluation of simple model descriptions of the diffusional association rate for enzyme-ligand systems. <i>The Journal of Physical Chemistry</i> , 1989 , 93, 490-494 | | 3 |
| 3 | The role of electrostatics in the binding of small ligands to enzymes. <i>The Journal of Physical Chemistry</i> , 1987 , 91, 3342-3349 | | 35 |
| 2 | Development of an improved four-site water model for biomolecular simulations: TIP4P-Ew | | 1 |
| 1 | NewtonNet: a Newtonian message passing network for deep learning of interatomic potentials and forces | | 5 |