

Christophe Pecheyran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/719384/publications.pdf>

Version: 2024-02-01

116
papers

3,015
citations

168829

31
h-index

232693

48
g-index

121
all docs

121
docs citations

121
times ranked

3051
citing authors

#	ARTICLE	IF	CITATIONS
1	Scallop shells as geochemical archives of phytoplankton-related ecological processes in a temperate coastal ecosystem. <i>Limnology and Oceanography</i> , 2022, 67, 187-202.	1.6	6
2	Isotopic Imaging Using fsLA Single-Collector ICP-SFMS for Direct U/Th Dating of Small Archaeological Carbonates. <i>Analytical Chemistry</i> , 2022, 94, 3046-3055.	3.2	5
3	Isotope imaging of ultra-traces by LA-fs HR-ICP-MS for U-series dating (U/Th) of archaeological biominerals: how far can we go?. <i>Journal of Physics: Conference Series</i> , 2022, 2204, 012017.	0.3	0
4	Microscale chemical and physical patterns in an interface of hydrothermal dolomitization reveals the governing transport mechanisms in nature: Case of the Layens anticline, Pyrenees, France. <i>Sedimentology</i> , 2021, 68, 834-854.	1.6	10
5	Determination of Cu in blood via direct analysis of dried blood spots using high-resolution continuum source graphite furnace atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 1666-1677.	1.6	6
6	Laser ablation of microdroplets for copper isotopic analysis via MC-ICP-MS. Analysis of serum microsamples for the diagnosis and follow-up treatment of Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 968-980.	1.6	13
7	Direct U-Pb dating of carbonates from micron-scale femtosecond laser ablation inductively coupled plasma mass spectrometry images using robust regression. <i>Geochronology</i> , 2021, 3, 67-87.	1.0	15
8	Otolith chemical fingerprints of skipjack tuna (<i>Katsuwonus pelamis</i>) in the Indian Ocean: First insights into stock structure delineation. <i>PLoS ONE</i> , 2021, 16, e0249327.	1.1	5
9	Middle Pleistocene <i>Homo</i> behavior and culture at 140,000 to 120,000 years ago and interactions with <i>Homo sapiens</i> . <i>Science</i> , 2021, 372, 1429-1433.	6.0	14
10	Spawning areas and migration patterns in the early life history of <i>Squalius cephalus</i> (Linnaeus). <i>Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2772-2787.	0.9	9
11	Dating folding beyond folding, from layer-parallel shortening to fold tightening, using mesostructures: lessons from the Apennines, Pyrenees, and Rocky Mountains. <i>Solid Earth</i> , 2021, 12, 2145-2157.	1.2	15
12	Discrimination of yellowfin tuna <i>Thunnus albacares</i> between nursery areas in the Indian Ocean using otolith chemistry. <i>Marine Ecology - Progress Series</i> , 2021, 673, 165-181.	0.9	5
13	Time-absorbance profile ratio background correction: introducing TAP to correct for spectral overlap in high-resolution continuum source graphite furnace atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 2370-2382.	1.6	6
14	Evaluation of electrothermal vaporization for sample introduction aiming at Cu isotopic analysis via multicollector-inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021, 185, 106306.	1.5	2
15	1980s population-specific compositions of two related anadromous shad species during the oceanic phase determined by microchemistry of archived otoliths. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2020, 77, 164-176.	0.7	12
16	Detection of full and limited amphidromous migratory dynamics of fish in Caribbean rivers. <i>Ecology of Freshwater Fish</i> , 2020, 29, 132-144.	0.7	4
17	Direct non-invasive molecular analysis of packaging label to assist wine-bottle authentication. <i>Microchemical Journal</i> , 2020, 154, 104564.	2.3	3
18	Unmasking continental natal homing in goliath catfish from the upper Amazon. <i>Freshwater Biology</i> , 2020, 65, 325-336.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Strontium isotopes ($^{87}\text{Sr}/^{86}\text{Sr}$) reveal the life history of freshwater migratory fishes in the La Plata Basin. <i>River Research and Applications</i> , 2020, 36, 1985-2000.	0.7	13
20	Ancient armour provenance by LA-ICP-MS analysis of microscopic slag inclusions. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 2582-2593.	1.6	11
21	Does trace element composition of bivalve shells record ultra-high frequency environmental variations?. <i>Marine Environmental Research</i> , 2020, 158, 104943.	1.1	11
22	Imaging Differential Mercury Species Bioaccumulation in Glass Eels Using Isotopic Tracers and Laser Ablation Inductively Coupled Plasma Mass Spectrometry. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2463.	1.3	5
23	Regional-scale paleofluid system across the Tuscan Nappe "Umbria" Marche Apennine Ridge (northern Tj ETQq1 1 0.784314 rgBT (C Earth, 2020, 11, 1617-1641.	1.2	23
24	Differential uses of coral reef habitats by a poorly known cryptic fish predator. <i>Journal of Fish Biology</i> , 2019, 94, 53-61.	0.7	1
25	Commercial traceability of <i>Arapaima</i> spp. fisheries in the Amazon basin: can biogeochemical tags be useful?. <i>Biogeosciences</i> , 2019, 16, 1781-1797.	1.3	13
26	Shedding light on the migratory patterns of the Amazonian goliath catfish, <i>Brachyplatystoma platynemum</i> , using otolith $^{87}\text{Sr}/^{86}\text{Sr}$ analyses. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 397-408.	0.9	13
27	In vivo bioconcentration of a metal mixture by <i>Danio rerio</i> eleutheroembryos. <i>Chemosphere</i> , 2018, 196, 87-94.	4.2	3
28	Site fidelity and movements of an amphidromous goby revealed by otolith multi-elemental signatures along a tropical watershed. <i>Ecology of Freshwater Fish</i> , 2018, 27, 834-846.	0.7	16
29	Quantifying exchanges of Allis shads between river catchments by combining otolith microchemistry and abundance indices in a Bayesian model. <i>ICES Journal of Marine Science</i> , 2018, 75, 9-21.	1.2	11
30	Otolith fingerprints as natural tags to identify juvenile fish life in ports. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 212, 210-218.	0.9	20
31	Specific gravity and migratory patterns of amphidromous gobioid fish from Okinawa Island, Japan. <i>Journal of Experimental Marine Biology and Ecology</i> , 2017, 486, 160-169.	0.7	11
32	Synthesis of amino-functionalized silica nanoparticles for preparation of new laboratory standards. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2017, 138, 1-7.	1.5	9
33	Direct Online Determination of Laser-Induced Particle Size Distribution by ICPMS. <i>Analytical Chemistry</i> , 2017, 89, 8791-8799.	3.2	6
34	Determination of the isotopic composition of micrometric uranium particles by UV femtosecond laser ablation coupled with sector-field single-collector ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 96-106.	1.6	18
35	Photocatalytic air purifiers for indoor air: European standard and pilot room experiments. <i>Environmental Science and Pollution Research</i> , 2017, 24, 12538-12546.	2.7	11
36	Trans-Amazonian natal homing in giant catfish. <i>Journal of Applied Ecology</i> , 2016, 53, 1511-1520.	1.9	67

#	ARTICLE	IF	CITATIONS
37	Can analysis of <i>Platichthys flesus</i> otoliths provide relevant data on historical metal pollution in estuaries? Experimental and in situ approaches. <i>Science of the Total Environment</i> , 2016, 557-558, 20-30.	3.9	21
38	Improving Precision and Accuracy of Isotope Ratios from Short Transient Laser Ablation-Multicollector-Inductively Coupled Plasma Mass Spectrometry Signals: Application to Micrometer-Size Uranium Particles. <i>Analytical Chemistry</i> , 2016, 88, 4375-4382.	3.2	22
39	Dosimetric study of sediments at the beta dose rate scale: Characterization and modelization with the DosiVox software. <i>Radiation Measurements</i> , 2015, 81, 134-141.	0.7	27
40	Life history of the Small Sandeel, <i>Ammodytes tobianus</i> , inferred from otolith microchemistry. A methodological approach. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 165, 237-246.	0.9	14
41	How to qualify LGT crystal for acoustic devices?. , 2015, , .		1
42	Efficiency and harmfulness of air-purifying photocatalytic commercial devices: From standardized chamber tests to nanoparticles release. <i>Catalysis Today</i> , 2015, 252, 35-40.	2.2	20
43	Direct analysis of dried blood spots by femtosecond-laser ablation-inductively coupled plasma-mass spectrometry. Feasibility of split-flow laser ablation for simultaneous trace element and isotopic analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 296-309.	1.6	43
44	Dispersal capacities of anadromous Allis shad population inferred from a coupled genetic and otolith approach. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2015, 72, 991-1003.	0.7	33
45	Determination of relative rare earth element distributions in very small quantities of uranium ore concentrates using femtosecond UV laser ablation α SF-ICP-MS coupling. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 2420-2428.	1.6	15
46	The Great Melting Pot. Common Sole Population Connectivity Assessed by Otolith and Water Fingerprints. <i>PLoS ONE</i> , 2014, 9, e86585.	1.1	19
47	Method for isotope ratio drift correction by internal amplifier signal synchronization in MC-ICPMS transient signals. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 1607-1617.	1.6	30
48	Offshore \rightarrow onshore linkages in the larval life history of sole in the Gulf of Lions (NW-Mediterranean). <i>Estuarine, Coastal and Shelf Science</i> , 2014, 149, 194-202.	0.9	9
49	Measurement of the isotopic composition of uranium micrometer-size particles by femtosecond laser ablation-inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 93, 52-60.	1.5	27
50	Towards silicon speciation in light petroleum products using gas chromatography coupled to inductively coupled plasma mass spectrometry equipped with a dynamic reaction cell. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 97, 49-56.	1.5	21
51	Amphidromy and marine larval phase of ancestral gobioids <i>Rhyacichthys guilberti</i> and <i>Protogobius attiti</i> (Teleostei: Rhyacichthyidae). <i>Marine and Freshwater Research</i> , 2014, 65, 776.	0.7	8
52	New LGT crystal for ultra-stable resonators. , 2014, , .		3
53	Persistence of a southern Atlantic salmon population: diversity of natal origins from otolith elemental and Sr isotopic signatures. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2013, 70, 182-197.	0.7	28
54	Direct determination of Cu isotope ratios in dried urine spots by means of fs-LA-MC-ICPMS. Potential to diagnose Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 98-106.	1.6	54

#	ARTICLE	IF	CITATIONS
55	Spatial and temporal variations in otolith chemistry and relationships with water chemistry: a useful tool to distinguish Atlantic salmon (<i>Salmo salar</i>) parr from different natal streams. <i>Journal of Fish Biology</i> , 2013, 82, 1556-1581.	0.7	43
56	Different approaches of crude oil mineralisation for trace metal analysis by ICPMS. <i>Microchemical Journal</i> , 2013, 106, 250-254.	2.3	21
57	Plasticity of European flounder life history patterns discloses alternatives to catadromy. <i>Marine Ecology - Progress Series</i> , 2012, 465, 267-280.	0.9	29
58	Diadromous life cycle and behavioural plasticity in freshwater and estuarine Kuhlidae species (Teleostei) revealed by otolith microchemistry. <i>Aquatic Biology</i> , 2012, 15, 195-204.	0.5	17
59	Detection of selenoproteins in human cell extracts by laser ablation-ICP MS after separation by polyacrylamide gel electrophoresis and blotting. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 25-32.	1.6	17
60	Accumulation of Mn, Co, Zn, Rb, Cd, Sn, Ba, Sr, and Pb in the otoliths and tissues of eel (<i>Anguilla</i>). <i>Environment</i> , 2012, 437, 323-330.	3.9	12
61	Fast and Precise Method for Pb Isotope Ratio Determination in Complex Matrices using GC-MC-ICPMS: Application to Crude Oil, Kerogen, and Asphaltene Samples. <i>Analytical Chemistry</i> , 2012, 84, 7874-7880.	3.2	13
62	A fit-for purpose procedure for lead isotopic ratio determination in crude oil, asphaltene and kerogen samples by MC-ICPMS. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 1447.	1.6	18
63	Species-specific stable isotope analysis by the hyphenation of chromatographic techniques with MC-ICPMS. <i>Mass Spectrometry Reviews</i> , 2012, 31, 504-521.	2.8	33
64	Specific pathways for the incorporation of dissolved barium and molybdenum into the bivalve shell: An isotopic tracer approach in the juvenile Great Scallop (<i>Pecten maximus</i>). <i>Marine Environmental Research</i> , 2012, 78, 15-25.	1.1	21
65	Development of matrix-matching hydroxyapatite calibration standards for quantitative multi-element LA-ICP-MS analysis: application to the dorsal spine of fish. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1421.	1.6	25
66	Bioinspired Material Based on Femtosecond Laser Machining of Cast Sheet Micromolding as a Pattern Transfer Process. <i>Langmuir</i> , 2011, 27, 3174-3179.	1.6	7
67	Coupling genetic and otolith trace element analyses to identify river-born fish with hatchery pedigrees in stocked Atlantic salmon (<i>Salmo salar</i>) populations. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011, 68, 977-987.	0.7	19
68	Colonisation tactics of three temperate catadromous species, eel (<i>Anguilla anguilla</i>), mullet (<i>Liza ramada</i>) and flounder (<i>Plathychtys flesus</i>) revealed by Bayesian multielemental otolith microchemistry approach. <i>Ecology of Freshwater Fish</i> , 2011, 20, 42-51.	0.7	37
69	Evidence of diadromy in the French Polynesian <i>Kuhlia</i> (<i>Kuhlia</i>) (Teleostei: Percoidei) inferred from otolith microchemistry analysis. <i>Ecology of Freshwater Fish</i> , 2011, 20, 636-645.	0.7	12
70	Femtosecond laser ablation ICP-MS measurement of otolith Sr:Ca and Ba:Ca composition reveal differential use of freshwater habitats for three amphidromous <i>Sicyopterus</i> (Teleostei). <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1421.	1.6	12
71	Direct analysis of trace elements in crude oils by high-repetition-rate femtosecond laser ablation coupled to ICPMS detection. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2153-2165.	1.9	27
72	Otolith microchemistry in <i>Sicydium punctatum</i> : indices of environmental condition changes after recruitment. <i>Aquatic Living Resources</i> , 2011, 24, 369-378.	0.5	25

#	ARTICLE	IF	CITATIONS
73	An otolith microchemistry study of possible relationships between the origins of leptocephali of European eels in the Sargasso Sea and the continental destinations and relative migration success of glass eels. <i>Ecology of Freshwater Fish</i> , 2010, 19, 627-637.	0.7	11
74	Spring molybdenum enrichment in scallop shells: a potential tracer of diatom productivity in temperate coastal environments (Brittany, NW France). <i>Biogeosciences</i> , 2010, 7, 233-245.	1.3	15
75	Approach to Measure Isotopic Ratios in Species Using Multicollector-ICPMS Coupled with Chromatography. <i>Analytical Chemistry</i> , 2010, 82, 5652-5662.	3.2	76
76	Simultaneous use of strontium:calcium and barium:calcium ratios in otoliths as markers of habitat: Application to the European eel (<i>Anguilla anguilla</i>) in the Adour basin, South West France. <i>Marine Environmental Research</i> , 2010, 70, 35-45.	1.1	125
77	High frequency Barium profiles in shells of the Great Scallop <i>Pecten maximus</i>; a methodical long-term and multi-site survey in Western Europe. <i>Biogeosciences</i> , 2009, 6, 157-170.	1.3	33
78	Characterization of the aerosol produced by infrared femtosecond laser ablation of polyacrylamide gels for the sensitive inductively coupled plasma mass spectrometry detection of selenoproteins. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 649-658.	1.5	15
79	A novel microelectrode array combining screen-printing and femtosecond laser ablation technologies: Development, characterization and application to cadmium detection. <i>Sensors and Actuators B: Chemical</i> , 2009, 143, 158-163.	4.0	40
80	The effect of glow discharge sputtering on the analysis of metal oxide films. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 155-166.	1.5	22
81	Elemental fractionation effects in high repetition rate IR femtosecond laser ablation ICP-MS analysis of glasses. <i>Journal of Analytical Atomic Spectrometry</i> , 2009, 24, 891.	1.6	50
82	Barium and molybdenum records in bivalve shells: Geochemical proxies for phytoplankton dynamics in coastal environments?. <i>Limnology and Oceanography</i> , 2009, 54, 1002-1014.	1.6	97
83	New volatile selenium and tellurium species in fermentation gases produced by composting duck manure. <i>Atmospheric Environment</i> , 2008, 42, 7786-7794.	1.9	26
84	Solid-spiking isotope dilution laser ablation ICP-MS for the direct and simultaneous determination of trace elements in soils and sediments. <i>Journal of Analytical Atomic Spectrometry</i> , 2008, 23, 367-377.	1.6	43
85	High-Frequency Archives of Manganese Inputs To Coastal Waters (Bay of Seine, France) Resolved by the LA-ICP-MS Analysis of Calcitic Growth Layers along Scallop Shells (<i>Pecten maximus</i>). <i>Environmental Science & Technology</i> , 2008, 42, 86-92.	4.6	33
86	Direct Determination of Trace Elements in Powdered Samples by In-Cell Isotope Dilution Femtosecond Laser Ablation ICPMS. <i>Analytical Chemistry</i> , 2008, 80, 6981-6994.	3.2	47
87	Compact, high performance femtosecond laser ablation system for trace element analysis. , 2007, , .		0
88	Compact, high performance femtosecond laser ablation system for trace element analysis. , 2007, , .		0
89	Trace Metal Analysis in Petroleum Products: Sample Introduction Evaluation in ICP-OES and Comparison with an ICP-MS Approach. <i>Oil and Gas Science and Technology</i> , 2007, 62, 69-77.	1.4	48
90	Determination of lead isotope ratios in crude oils with Q-ICP/MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 351-360.	1.6	30

#	ARTICLE	IF	CITATIONS
91	Sensitive Detection of Selenoproteins in Gel Electrophoresis by High Repetition Rate Femtosecond Laser Ablation-Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 6874-6880.	3.2	56
92	High repetition rate and low energy femtosecond laser ablation coupled to ICPMS detection: a new analytical approach for trace element determination in solid samples. <i>Journal of Physics: Conference Series</i> , 2007, 59, 112-117.	0.3	15
93	Multimode detection (LA-ICP-MS, MALDI-MS and nanoHPLC-ESI-MS2) in 1D and 2D gel electrophoresis for selenium-containing proteins. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 183-190.	5.8	35
94	Direct analysis of solid samples by fs-LA-ICP-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2007, 26, 951-966.	5.8	181
95	Matrix-matched quantitative analysis of trace-elements in calcium carbonate shells by laser-ablation ICP-MS: application to the determination of daily scale profiles in scallop shell (<i>Pecten maximus</i>). <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1131-1140.	1.9	67
96	Collision Cell ICP-MS as Tool for the Determination of Palladium. , 2006, , 111-118.		1
97	New approach of solid-phase microextraction improving the extraction yield of butyl and phenyltin compounds by combining the effects of pressure and type of agitation. <i>Journal of Chromatography A</i> , 2005, 1072, 19-27.	1.8	38
98	Biosynthesis, purification and analysis of selenomethionyl calmodulin by gel electrophoresis-laser ablation-ICP-MS and capillary HPLC-ICP-MS peptide mapping following in-gel tryptic digestion. <i>Journal of Analytical Atomic Spectrometry</i> , 2005, 20, 493.	1.6	34
99	Nickel and vanadium contamination of benthic invertebrates following the "Erika" wreck. <i>Aquatic Living Resources</i> , 2004, 17, 273-280.	0.5	38
100	Precise isotope-ratio determination by CGC hyphenated to ICP-MS for speciation of trace amounts of gaseous sulfur, with SF6 as example compound. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 250-255.	1.9	38
101	Partitioning of Metal Species during an Enriched Fuel Combustion Experiment. <i>Speciation in the Gaseous and Particulate Phases. Environmental Science & Technology</i> , 2004, 38, 2252-2263.	4.6	37
102	Validation, using a chemometric approach, of gas chromatography-inductively coupled plasma-atomic emission spectrometry (GC-ICP-AES) for organotin determination. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 226-235.	1.9	19
103	Cryogenic trapping for speciation analysis. <i>Comprehensive Analytical Chemistry</i> , 2003, 41, 495-531.	0.7	3
104	Phosphine emission measurements from a tobacco factory using cryogenic sampling and GC-ICP-MS analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 323-329.	1.6	7
105	Biogeochemical cycle and speciation of As and Cr in an acid mine environment : The case of Carnoul's Creek, France. <i>European Physical Journal Special Topics</i> , 2003, 107, 735-738.	0.2	5
106	Volatile Metal Species in Coal Combustion Flue Gas. <i>Environmental Science & Technology</i> , 2002, 36, 1561-1573.	4.6	71
107	Optimisation of the hyphenation between solid-phase microextraction, capillary gas chromatography and inductively coupled plasma atomic emission spectrometry for the routine speciation of organotin compounds in the environment. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 1429-1433.	1.6	41
108	Precise isotope-ratio measurements of lead species by capillary gas chromatography hyphenated to hexapole Multicollector ICP-MS. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 370, 573-580.	1.5	41

#	ARTICLE	IF	CITATIONS
109	Isotopic precision for a lead species (PbEt ₄) using capillary gas chromatography coupled to inductively coupled plasma-multicollector mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2001, 56, 1233-1240.	1.5	41
110	Formation of volatile selenium species in synthetic seawater under light and dark experimental conditions. <i>Applied Organometallic Chemistry</i> , 2000, 14, 236-244.	1.7	33
111	Chapter 13 Trends in speciation analysis for routine and new environmental issues. <i>Comprehensive Analytical Chemistry</i> , 2000, , 451-500.	0.7	1
112	Volatile Metal and Metalloid Species (Pb, Hg, Se) in a European Urban Atmosphere (Bordeaux, France). <i>Environmental Science & Technology</i> , 2000, 34, 27-32.	4.6	45
113	Cryofocusing for on-line metal and metalloid speciation in the environment. <i>Analytical Spectroscopy Library</i> , 1999, 9, 375-406.	0.1	5
114	Sampling and probing volatile metal(loid) species in natural waters by in-situ purge and cryogenic trapping followed by gas chromatography and inductively coupled plasma mass spectrometry (P-CTâ€“GCâ€“ICP/MS). <i>Analytica Chimica Acta</i> , 1998, 377, 241-254.	2.6	93
115	Field determination of volatile selenium species at ultra trace levels in environmental waters by on-line purging, cryofocusing and detection by atomic fluorescence spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 1998, 13, 615-621.	1.6	37
116	Simultaneous Determination of Volatile Metal (Pb, Hg, Sn, In, Ga) and Nonmetal Species (Se, P, As) in Different Atmospheres by Cryofocusing and Detection by ICPMS. <i>Analytical Chemistry</i> , 1998, 70, 2639-2645.	3.2	101