

Brian Buijsse

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7194018/brian-buijsse-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

3,257
citations

33
h-index

55
g-index

55
ext. papers

3,595
ext. citations

5.7
avg, IF

4.46
L-index

#	Paper	IF	Citations
54	Gaussian Graphical Models Identify Networks of Dietary Intake in a German Adult Population. <i>Journal of Nutrition</i> , 2016 , 146, 646-52	4.1	15
53	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
52	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0159025	3.7	58
51	Vitamin D for prevention of type 2 diabetes: a clouded forecast for the sunshine vitamin. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 5-6	18.1	3
50	Plasma fibroblast growth factor 23 and risk of cardiovascular disease: results from the EPIC-Germany case-cohort study. <i>European Journal of Epidemiology</i> , 2015 , 30, 131-41	12.1	33
49	Untargeted metabolic profiling identifies altered serum metabolites of type 2 diabetes mellitus in a prospective, nested case control study. <i>Clinical Chemistry</i> , 2015 , 61, 487-97	5.5	94
48	Potential Predictors of Plasma Fibroblast Growth Factor 23 Concentrations: Cross-Sectional Analysis in the EPIC-Germany Study. <i>PLoS ONE</i> , 2015 , 10, e0133580	3.7	33
47	Fruit and Vegetable Consumption and Changes in Anthropometric Variables in Adult Populations: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. <i>PLoS ONE</i> , 2015 , 10, e0140846	3.7	122
46	Plasma Ascorbic Acid, A Priori Diet Quality Score, and Incident Hypertension: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0144920	3.7	20
45	Plasma fibroblast growth factor 23, parathyroid hormone, 25-hydroxyvitamin D3, and risk of heart failure: a prospective, case-cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 947-55	5.6	40
44	Nutrient patterns and their food sources in an International Study Setting: report from the EPIC study. <i>PLoS ONE</i> , 2014 , 9, e98647	3.7	37
43	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
42	Adiponectin and risk of stroke: prospective study and meta-analysis. <i>Stroke</i> , 2014 , 45, 10-7	6.7	31
41	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: a nested case-control study. <i>Hepatology</i> , 2014 , 60, 1222-30	11.2	75
40	Relationship between N-terminal pro-brain natriuretic peptide, obesity and the risk of heart failure in middle-aged German adults. <i>PLoS ONE</i> , 2014 , 9, e113710	3.7	12
39	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013 , 8, 549-60	4.3	33
38	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013 , 49, 3526-36	7.5	47

37	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
36	Liver enzymes and stroke risk in middle-aged German adults. <i>Atherosclerosis</i> , 2013 , 228, 508-14	3.1	16
35	Plasma 25-hydroxyvitamin D and its genetic determinants in relation to incident type 2 diabetes: a prospective case-cohort study. <i>European Journal of Epidemiology</i> , 2013 , 28, 743-52	12.1	31
34	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29
33	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
32	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700	7.5	44
31	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
30	Habitual chocolate consumption may increase body weight in a dose-response manner. <i>PLoS ONE</i> , 2013 , 8, e70271	3.7	33
29	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
28	Plasma 25-hydroxyvitamin D and its genetic determinants in relation to incident myocardial infarction and stroke in the European prospective investigation into cancer and nutrition (EPIC)-Germany study. <i>PLoS ONE</i> , 2013 , 8, e69080	3.7	37
27	Telomere length, oxidative stress, and antioxidant status in elderly men in Zutphen and Crete. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 373-7	5.6	22
26	Significant associations of the rs2943634 (2q36.3) genetic polymorphism with adiponectin, high density lipoprotein cholesterol and ischemic stroke. <i>Gene</i> , 2012 , 494, 190-5	3.8	7
25	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184-93	7	69
24	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
23	Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012 , 108, 924-31	3.6	15
22	Low serum glutathione peroxidase activity is associated with increased cardiovascular mortality in individuals with low HDLc. <i>PLoS ONE</i> , 2012 , 7, e38901	3.7	38
21	Heterogeneity of the Stearoyl-CoA desaturase-1 (SCD1) gene and metabolic risk factors in the EPIC-Potsdam study. <i>PLoS ONE</i> , 2012 , 7, e48338	3.7	9
20	Risk assessment tools for identifying individuals at risk of developing type 2 diabetes. <i>Epidemiologic Reviews</i> , 2011 , 33, 46-62	4.1	196

19	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 767-78	4	19
18	Adherence to recommendations of the German food pyramid and risk of chronic diseases: results from the EPIC-Potsdam study. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 1251-9	5.2	25
17	Plasma gamma-glutamyltransferase, cysteinyl-glycine, and oxidized low-density lipoprotein: a pathway associated with myocardial infarction risk?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2053-8	9.4	17
16	Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 329-36	7	240
15	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
14	Chocolate consumption in relation to blood pressure and risk of cardiovascular disease in German adults. <i>European Heart Journal</i> , 2010 , 31, 1616-23	9.5	177
13	Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339	3.7	52
12	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 202-9	7	100
11	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-41	7	58
10	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009 , 33, 1280-8	5.5	51
9	Association between serum gamma-glutamyltransferase and cardiovascular mortality varies by age: the Minnesota Heart Survey. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 16-20		45
8	Both alpha- and beta-carotene, but not tocopherols and vitamin C, are inversely related to 15-year cardiovascular mortality in Dutch elderly men. <i>Journal of Nutrition</i> , 2008 , 138, 344-50	4.1	65
7	Coffee consumption is inversely associated with cognitive decline in elderly European men: the FINE Study. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 226-32	5.2	159
6	Oxidative stress, and iron and antioxidant status in elderly men: differences between the Mediterranean south (Crete) and northern Europe (Zutphen). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 495-500		38
5	Lifestyle and dietary correlates of dispositional optimism in men: The Zutphen Elderly Study. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 483-90	4.1	142
4	Cocoa intake, blood pressure, and cardiovascular mortality: the Zutphen Elderly Study. <i>Archives of Internal Medicine</i> , 2006 , 166, 411-7		101
3	The State of Antioxidant Affairs. <i>Nutrition Today</i> , 2006 , 41, 244-250	1.6	22
2	Plasma carotene and alpha-tocopherol in relation to 10-y all-cause and cause-specific mortality in European elderly: the Survey in Europe on Nutrition and the Elderly, a Concerted Action (SENECA). <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 879-86	7	85

- 1 Dietary intake of folate and riboflavin, MTHFR C677T genotype, and colorectal adenoma risk: a Dutch case-control study. *Cancer Epidemiology Biomarkers and Prevention*, **2005**, 14, 1562-6 4 56