

Iria Vazquez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7194368/publications.pdf>

Version: 2024-02-01

21
papers

713
citations

687335

13
h-index

839512

18
g-index

22
all docs

22
docs citations

22
times ranked

2004
citing authors

#	ARTICLE	IF	CITATIONS
1	Spanish Guidelines for the use of targeted deep sequencing in myelodysplastic syndromes and chronic myelomonocytic leukaemia. <i>British Journal of Haematology</i> , 2020, 188, 605-622.	2.5	25
2	Assessment of Minimal Residual Disease by Next Generation Sequencing in Peripheral Blood as a Complementary Tool for Personalized Transplant Monitoring in Myeloid Neoplasms. <i>Journal of Clinical Medicine</i> , 2020, 9, 3818.	2.4	9
3	Assessment of the clinical utility of four NGS panels in myeloid malignancies. Suggestions for NGS panel choice or design. <i>PLoS ONE</i> , 2020, 15, e0227986.	2.5	33
4	Biological and clinical significance of dysplastic hematopoiesis in patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2020, 135, 2375-2387.	1.4	24
5	The MDS and EVI1 complex locus (MECOM) isoforms regulate their own transcription and have different roles in the transformation of hematopoietic stem and progenitor cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2017, 1860, 721-729.	1.9	16
6	Loss of Chromosome 8p Governs Tumor Progression and Drug Response by Altering Lipid Metabolism. <i>Cancer Cell</i> , 2016, 29, 751-766.	16.8	145
7	The Presence of MDS-like Phenotypic Abnormalities (MDS-PA) Identifies Newly Diagnosed Multiple Myeloma (MM) Patients with MDS/AML-Related Somatic Mutations and Inferior Survival. <i>Blood</i> , 2016, 128, 375-375.	1.4	1
8	p16INK4a Impairs Homologous Recombination-Mediated DNA Repair in Human Papillomavirus-Positive Head and Neck Tumors. <i>Cancer Research</i> , 2014, 74, 1739-1751.	0.9	99
9	The tyrosine phosphatase PTPRO sensitizes colon cancer cells to anti-EGFR therapy through activation of SRC-mediated EGFR signaling. <i>Oncotarget</i> , 2014, 5, 10070-10083.	1.8	26
10	Functional characterization of the promoter region of the human EVI1 gene in acute myeloid leukemia: RUNX1 and ELK1 directly regulate its transcription. <i>Oncogene</i> , 2013, 32, 2069-2078.	5.9	23
11	Overexpression of GATA2 predicts an adverse prognosis for patients with acute myeloid leukemia and it is associated with distinct molecular abnormalities. <i>Leukemia</i> , 2012, 26, 550-554.	7.2	64
12	Loss of PPP2R2A Inhibits Homologous Recombination DNA Repair and Predicts Tumor Sensitivity to PARP Inhibition. <i>Cancer Research</i> , 2012, 72, 6414-6424.	0.9	105
13	Functional Analysis of the GATA2 Promoter Shows That Mutations of GATA2 Impair Its Own Transcriptional Regulation. <i>Blood</i> , 2012, 120, 1233-1233.	1.4	5
14	Abstract 2205: The EVI1 human protein regulates its own transcription. Role of the different isoforms. , 2012, , .		0
15	Abstract 85: RUNX1 and ELK1 directly regulate the transcription of EVI1 during megakaryocytic differentiation. , 2012, , .		0
16	Down-regulation of EVI1 is associated with epigenetic alterations and good prognosis in patients with acute myeloid leukemia. <i>Haematologica</i> , 2011, 96, 1448-1456.	3.5	45
17	Silencing of hsa-miR-124 by EVI1 in cell lines and patients with acute myeloid leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, E167-8; author reply E169-70.	7.1	30
18	MYB Overexpression Is Directly Involved in Acute Myeloid Leukemia Pathogenesis and Could Constitute a New Therapeutic Target for Patients with Aberrant Expression of This Gene.. <i>Blood</i> , 2009, 114, 2402-2402.	1.4	4

#	ARTICLE	IF	CITATIONS
19	Prevalence of EVI1 Overexpression and Its Impact on Diagnosis and Prognosis in Acute Myeloid Leukemia: A Study of 490 Patients from the Spanish Group of Myeloid Malignancies of the RTICC.. Blood, 2008, 112, 1515-1515.	1.4	13
20	GATA2 May Contribute with EVI1 to the Leukemogenic Mechanism in Patients with 3q21q26 Rearrangements.. Blood, 2005, 106, 2852-2852.	1.4	0
21	Molecular heterogeneity in AML/MDS patients with 3q21q26 rearrangements. Genes Chromosomes and Cancer, 2004, 40, 179-189.	2.8	46