
Andrew Baird

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7194546/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Traumatic Brain Injury and Intestinal Dysfunction: Uncovering the Neuro-Enteric Axis. Journal of Neurotrauma, 2009, 26, 1353-1359.	3.4	597
2	Effects of Transforming Growth Factor β1, on Scar Production in the Injured Central Nervous System of the Rat. European Journal of Neuroscience, 1994, 6, 355-363.	2.6	293
3	Enhanced expression of transforming growth factor \hat{l}^21 in the rat brain after a localized cerebral injury. Brain Research, 1992, 587, 216-225.	2.2	221
4	Gene transfer to mammalian cells using genetically targeted filamentous bacteriophage. FASEB Journal, 1999, 13, 727-734.	0.5	128
5	Vagal nerve stimulation protects against burn-induced intestinal injury through activation of enteric glia cells. American Journal of Physiology - Renal Physiology, 2010, 299, G1308-G1318.	3.4	124
6	Enhanced Prospects for Drug Delivery and Brain Targeting by the Choroid Plexus–CSF Route. Pharmaceutical Research, 2005, 22, 1011-1037.	3.5	122
7	Targeting Bacteriophage to Mammalian Cell Surface Receptors for Gene Delivery. Human Gene Therapy, 1998, 9, 2393-2399.	2.7	110
8	Human Choroid Plexus Growth Factors: What Are the Implications for CSF Dynamics in Alzheimer's Disease?. Experimental Neurology, 2001, 167, 40-47.	4.1	100
9	Traumatic brain injury and recovery mechanisms: peptide modulation of periventricular neurogenic regions by the choroid plexus–CSF nexus. Journal of Neural Transmission, 2011, 118, 115-133.	2.8	100
10	BURN-INDUCED GUT BARRIER INJURY IS ATTENUATED BY PHOSPHODIESTERASE INHIBITION. Shock, 2009, 31, 416-422.	2.1	86
11	Evolving Phage Vectors for Cell Targeted Gene Delivery. Current Pharmaceutical Biotechnology, 2002, 3, 45-57.	1.6	84
12	Sustained Effects of Gene-Activated Matrices after CNS Injury. Molecular and Cellular Neurosciences, 2001, 17, 706-716.	2.2	83
13	Receptor-Targeted Gene Delivery Using Multivalent Phagemid Particles. Molecular Therapy, 2001, 3, 476-484.	8.2	80
14	Exosomes in postshock mesenteric lymph are key mediators of acute lung injury triggering the macrophage activation via Tollâ€like receptor 4. FASEB Journal, 2018, 32, 97-110.	0.5	74
15	Genetic Selection of Phage Engineered for Receptor-Mediated Gene Transfer to Mammalian Cells. Biochemical and Biophysical Research Communications, 1999, 264, 921-928.	2.1	73
16	Efferent Vagal Nerve Stimulation Attenuates Gut Barrier Injury After Burn: Modulation of Intestinal Occludin Expression. Journal of Trauma, 2010, 68, 1349-1356.	2.3	68
17	Stimulating the Central Nervous System to Prevent Intestinal Dysfunction After Traumatic Brain Injury. Journal of Trauma, 2010, 68, 1059-1064.	2.3	65
18	Vagal Stimulation Modulates Inflammation through a Ghrelin Mediated Mechanism in Traumatic Brain Injury. Inflammation, 2012, 35, 214-220.	3.8	62

ANDREW BAIRD

#	Article	IF	CITATIONS
19	Ecrg4 expression and its product augurin in the choroid plexus: impact on fetal brain development, cerebrospinal fluid homeostasis and neuroprogenitor cell response to CNS injury. Fluids and Barriers of the CNS, 2011, 8, 6.	5.0	59
20	Preclinical Models of Wound Healing: Is Man the Model? Proceedings of the Wound Healing Society Symposium. Advances in Wound Care, 2013, 2, 1-4.	5.1	59
21	Choroid plexus genes for CSF production and brain homeostasis are altered in Alzheimer's disease. Fluids and Barriers of the CNS, 2018, 15, 34.	5.0	58
22	Fibroblast Growth Factor Inhibits Luteinizing Hormone-Stimulated Androgen Production by Cultured Rat Testicular Cells*. Endocrinology, 1988, 123, 2935-2941.	2.8	56
23	The Hormone Ghrelin Prevents Traumatic Brain Injury Induced Intestinal Dysfunction. Journal of Neurotrauma, 2010, 27, 2255-2260.	3.4	50
24	Translocation of FGF2 to the cell surface without release into conditioned media. Journal of Cellular Physiology, 2000, 185, 260-268.	4.1	49
25	Phosphodiesterase inhibition attenuates alterations to the tight junction proteins occludin and ZO-1 in immunostimulated Caco-2 intestinal monolayers. Life Sciences, 2009, 84, 18-22.	4.3	48
26	CHRFAM7A, a human-specific and partially duplicated <i>α</i> 7-nicotinic acetylcholine receptor gene with the potential to specify a human-specific inflammatory response to injury. Journal of Leukocyte Biology, 2015, 97, 247-257.	3.3	45
27	Receptor-mediated gene transfer by phage-display vectors: applications in functional genomics and gene therapy. Drug Discovery Today, 2001, 6, 793-801.	6.4	44
28	Esophageal Cancer Related Gene-4 Is a Choroid Plexus-Derived Injury Response Gene: Evidence for a Biphasic Response in Early and Late Brain Injury. PLoS ONE, 2011, 6, e24609.	2.5	42
29	Real-time analysis of the kinetics of angiogenesis and vascular permeability in an animal model of wound healing. Burns, 2009, 35, 811-817.	1.9	40
30	Enhanced phagemid particle gene transfer in camptothecin-treated carcinoma cells. Cancer Research, 2002, 62, 977-81.	0.9	37
31	Phage display of cDNA libraries: enrichment of cDNA expression using open reading frame selection. BioTechniques, 2004, 36, 1018-1029.	1.8	35
32	A Human-Specific α7-Nicotinic Acetylcholine Receptor Gene in Human Leukocytes: Identification, Regulation and the Consequences of CHRFAM7A Expression. Molecular Medicine, 2015, 21, 323-336.	4.4	34
33	Ecrg4 Attenuates the Inflammatory Proliferative Response of Mucosal Epithelial Cells to Infection. PLoS ONE, 2013, 8, e61394.	2.5	33
34	Cell-specific processing and release of the hormone-like precursor and candidate tumor suppressor gene product, Ecrg4. Cell and Tissue Research, 2012, 348, 505-514.	2.9	32
35	Thrombin-processed Ecrg4 recruits myeloid cells and induces antitumorigenic inflammation. Neuro-Oncology, 2015, 17, 685-696.	1.2	31
36	Cell surface localization and release of the candidate tumor suppressor Ecrg4 from polymorphonuclear cells and monocytes activate macrophages. Journal of Leukocyte Biology, 2012, 91, 773-781.	3.3	30

ANDREW BAIRD

#	Article	IF	CITATIONS
37	Uniquely human CHRFAM7A gene increases the hematopoietic stem cell reservoir in mice and amplifies their inflammatory response. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 7932-7940.	7.1	29
38	Targeting choroid plexus epithelia and ventricular ependyma for drug delivery to the central nervous system. BMC Neuroscience, 2011, 12, 4.	1.9	28
39	The candidate tumor suppressor gene Ecrg4 as a wound terminating factor in cutaneous injury. Archives of Dermatological Research, 2013, 305, 141-149.	1.9	28
40	CHRFAM7A: a humanâ€specific α7â€nicotinic acetylcholine receptor gene shows differential responsiveness of human intestinal epithelial cells to LPS. FASEB Journal, 2015, 29, 2292-2302.	0.5	27
41	Targeting the gut barrier: Identification of a homing peptide sequence for delivery into the injured intestinal epithelial cell. Surgery, 2009, 146, 206-212.	1.9	25
42	Discovery of a Biological Mechanism of Active Transport through the Tympanic Membrane to the Middle Ear. Scientific Reports, 2016, 6, 22663.	3.3	25
43	Up-regulation of the human-specific CHRFAM7A gene in inflammatory bowel disease. BBA Clinical, 2016, 5, 66-71.	4.1	24
44	ECRG4 regulates neutrophil recruitment and CD44 expression during the inflammatory response to injury. Science Advances, 2020, 6, eaay0518.	10.3	23
45	Esophageal cancer-related gene 4 at the interface of injury, inflammation, infection, and malignancy. Gastrointestinal Cancer: Targets and Therapy, 2014, 2014, 131.	5.5	21
46	A Mouse Model of Otitis Media Identifies HB-EGF as a Mediator of Inflammation-Induced Mucosal Proliferation. PLoS ONE, 2014, 9, e102739.	2.5	20
47	Esophageal cancer-related gene-4 (ECRG4) interactions with the innate immunity receptor complex. Inflammation Research, 2015, 64, 107-118.	4.0	20
48	Selection of Internalizing Ligand-Display Phage Using Rolling Circle Amplification for Phage Recovery. DNA and Cell Biology, 2004, 23, 457-462.	1.9	19
49	Understanding the rules of the road: proteomic approaches to interrogate the blood brain barrier. Frontiers in Neuroscience, 2015, 9, 70.	2.8	18
50	Injury, inflammation and the emergence of humanâ€specific genes. Wound Repair and Regeneration, 2016, 24, 602-606.	3.0	16
51	TBC1D3 regulates the payload and biological activity of extracellular vesicles that mediate tissue repair. FASEB Journal, 2019, 33, 6129-6139.	0.5	16
52	CHRFAM7A alters binding to the neuronal alpha-7 nicotinic acetylcholine receptor. Neuroscience Letters, 2019, 690, 126-131.	2.1	16
53	The noninvasive, quantitative, in vivo assessment of adenoviral-mediated gene delivery in skin wound biomaterials. Biomaterials, 2009, 30, 6788-6793.	11.4	14
54	Mice engrafted with human hematopoietic stem cells support a human myeloid cell inflammatory response in vivo. Wound Repair and Regeneration, 2016, 24, 1004-1014.	3.0	14

ANDREW BAIRD

#	Article	IF	CITATIONS
55	CHRFAM7A reduces monocyte/macrophage migration and colony formation in vitro. Inflammation Research, 2020, 69, 631-633.	4.0	13
56	Gene Transfer Using Targeted Filamentous Bacteriophage. , 2002, 185, 393-401.		11
57	Matrix-mediated gene transfer to brain cortex and dorsal root ganglion neurones by retrograde axonal transport after dorsal column lesion. Journal of Gene Medicine, 2006, 8, 901-909.	2.8	11
58	Epidermal growth factor targeting of bacteriophage to the choroid plexus for gene delivery to the central nervous system via cerebrospinal fluid. Brain Research, 2010, 1359, 1-13.	2.2	11
59	Pulmonary preconditioning, injury, and inflammation modulate expression of the candidate tumor suppressor gene <i>ECRG4</i> in lung. Experimental Lung Research, 2015, 41, 162-172.	1.2	11
60	The deployment of adenovirusâ€containing gene activated matrices onto severed axons after central nervous system injury leads to transgene expression in target neuronal cell bodies. Journal of Gene Medicine, 2009, 11, 679-688.	2.8	10
61	Vagus nerve stimulation blocks vascular permeability following burn in both local and distal sites. Burns, 2013, 39, 68-75.	1.9	10
62	Counter regulation of ECRG4 gene expression by hypermethylation-dependent inhibition and the Sp1 transcription factor-dependent stimulation of the c2orf40 promoter. Gene, 2017, 636, 103-111.	2.2	10
63	Targeting the Choroid Plexus-CSF-Brain Nexus Using Peptides Identified by Phage Display. Methods in Molecular Biology, 2011, 686, 483-498.	0.9	9
64	The Response to Burn Injury in Mice With Human Hematolymphoid Systems. Annals of Surgery, 2016, 263, 199-204.	4.2	8
65	A phage-targeting strategy for the design of spatiotemporal drug delivery from grafted matrices. Fibrogenesis and Tissue Repair, 2011, 4, 7.	3.4	7
66	Monitoring Neutrophil-Expressed Cell Surface Esophageal Cancer Related Gene-4 after Severe Burn Injury. Surgical Infections, 2015, 16, 669-674.	1.4	6
67	Open reading frame mining identifies a TLR4 binding domain in the primary sequence of ECRG4. Cellular and Molecular Life Sciences, 2019, 76, 5027-5039.	5.4	5
68	The Orphan C2orf40 Gene is a Neuroimmune Factor in Alzheimer's Disease. JSM Alzheimer's Disease and Related Dementia, 2016, 3, .	0.0	5
69	Lost your nerve? Modulating the parasympathetic nervous system to treat inflammatory bowel disease. Journal of Physiology, 2016, 594, 4097-4098.	2.9	2
70	Augurin and Ecrg4-derived Neuropeptides. , 2013, , 1655-1666.		0
71	844 The alpha-7 Nicotinic Acetylcholine Receptor Mediates a Uniquely Human Response to Burn Injury. Journal of Burn Care and Research, 2020, 41, S261-S261.	0.4	0
72	In vitro evidence that peptides derived from the candidate tumor suppressor gene Esophageal Cancerâ€Related Gene 4 (Ecrg4) internalize into cells through the innate immunity receptor complex. FASEB Journal, 2012, 26, 998.2.	0.5	0

#	Article	IF	CITATIONS
73	The Candidate Tumor Suppressor Gene Ecrg4 Inhibits Proliferation of the Inflammed Mucosal Epithelium. FASEB Journal, 2012, 26, 655.3.	0.5	0