Natividad Neri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7194759/publications.pdf

Version: 2024-02-01

331259 276539 1,799 62 21 41 citations h-index g-index papers 65 65 65 1652 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Hematological Malignancies and Pregnancy: A Final Report of 84 Children Who Received Chemotherapy In Utero. Clinical Lymphoma and Myeloma, 2001, 2, 173-177.	2.1	375
2	The Role of Surgery in Primary Gastric Lymphoma. Annals of Surgery, 2004, 240, 44-50.	2.1	148
3	Primary Breast Lymphoma: Results of a Controlled Clinical Trial. Oncology, 2005, 69, 256-260.	0.9	140
4	Antitumor effect of zoledronic acid in previously untreated patients with multiple myeloma. Medical Oncology, 2007, 24, 227-230.	1.2	106
5	Mucosa-Associated Lymphoid Tissue (MALT) Lymphoma of the Stomach: Results of a Controlled Clinical Trial. Medical Oncology, 2005, 22, 057-062.	1.2	82
6	Hematological malignancies and pregnancy: Treat or no treat during first trimester. International Journal of Cancer, 2012, 131, 2678-2683.	2.3	55
7	Rituximab and dose dense chemotherapy in primary breast lymphoma. Haematologica, 2007, 92, 1147-1148.	1.7	51
8	Late cardiac toxicity secondary to treatment in Hodgkin's disease. A study comparing doxorubicin, epirubicin and mitoxantrone in combined therapy. Leukemia and Lymphoma, 2005, 46, 1023-1028.	0.6	50
9	Residual Disease After Chemotherapy in Aggressive Malignant Lymphoma: The Role of Radiotherapy. Medical Oncology, 2005, 22, 383-388.	1.2	41
10	Diffuse large Bâ€eell lymphoma primary of lung. Hematology, 2011, 16, 110-112.	0.7	40
11	The Role of Genotype in 104 Cases of Diffuse Large B-Cell Lymphoma Primary of Breast. American Journal of Clinical Oncology: Cancer Clinical Trials, 2012, 35, 126-129.	0.6	34
12	Nasal NK/T-Cell Lymphoma with Disseminated Disease Treated with Aggressive Combined Therapy. Medical Oncology, 2003, 20, 13-18.	1.2	33
13	Interferon and Low Dose Methotrexate Improve Outcome in Refractory Mycosis Fungoides/Sézary Syndrome. Cancer Biotherapy and Radiopharmaceuticals, 2007, 22, 836-840.	0.7	33
14	Large bowel lymphoma: An analysis of prognostic factors and therapy in 53 patients. Journal of Surgical Oncology, 2002, 80, 111-115.	0.8	32
15	Rituximab and Chemotherapy in Primary Gastric Lymphoma. Cancer Biotherapy and Radiopharmaceuticals, 2009, 24, 25-28.	0.7	30
16	Testicular Lymphoma: Organ-Specific Treatment Did Not Improve Outcome. Oncology, 2004, 67, 211-214.	0.9	29
17	Addition of a Short Course of Chemotherapy Did Not Improve Outcome in Patients with Localized Marginal B-Cell Lymphoma of the Orbit. Oncology, 2006, 70, 173-176.	0.9	25
18	Interferon and low doses of methotrexate versus interferon and retinoids in the treatment of refractory/relapsed cutaneous T-cell lymphoma. Hematology, 2015, 20, 538-542.	0.7	25

#	Article	IF	CITATIONS
19	Rituximab and Dose-Dense Chemotherapy in Primary Testicular Lymphoma. Clinical Lymphoma and Myeloma, 2009, 9, 386-389.	1.4	24
20	Combined therapy in untreated patients improves outcome in Nasal NK/T lymphoma: results of a clinical trial. Medical Oncology, 2013, 30, 637.	1.2	24
21	ESHAP Versus Rituximab-ESHAP in Frail Patients With Refractory Diffuse Large B-Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2010, 10, 125-128.	0.2	21
22	Combined therapy in advanced stages (III and IV) of follicular lymphoma increases the possibility of cure: results of a large controlled clinical trial. European Journal of Haematology, 2002, 68, 144-149.	1,1	20
23	Pegylated Liposomal Doxorubicin in Combination Chemotherapy in the Treatment of Previously Untreated Aggressive Diffuse Large-B-Cell Lymphoma. Medical Oncology, 2002, 19, 55-58.	1.2	20
24	Gemcitabine and Cisplatin in Refractory Malignant Lymphoma. Oncology, 2004, 66, 197-200.	0.9	19
25	Dose dense (CEOP-14) vs dose dense and rituximab (CEOP-14+R) in high-risk diffuse large cell lymphoma. Medical Oncology, 2007, 24, 85-89.	1.2	18
26	Interferon Alpha 2b as Maintenance Therapy Improves Outcome In Follicular Lymphoma. Leukemia and Lymphoma, 2004, 45, 2247-2251.	0.6	17
27	Multiple myeloma and pregnancy. American Journal of Hematology, 2011, 86, 81-82.	2.0	16
28	Central nervous system prophylaxis in patients with aggressive diffuse large B cell lymphoma: An analysis of 3,258 patients in a single center. Medical Oncology, 2013, 30, 520.	1.2	16
29	Second Lethal Events Associated with Treatment for Hodgkin's Disease: A Review of 2980 Patients Treated in a Single Mexican Institute. Leukemia and Lymphoma, 2000, 39, 311-319.	0.6	15
30	Spinal Cord Compression as a Primary Manifestation of Aggressive Malignant Lymphomas: Long-term Analysis of Treatments with Radiotherapy, Chemotherapy or Combined Therapy. Leukemia and Lymphoma, 2002, 43, 355-359.	0.6	15
31	Surgery and Chemotherapy versus Chemotherapy as Treatment of High-Grade MALT Gastric Lymphoma. Medical Oncology, 2006, 23, 295-300.	1.2	14
32	Rituximab and Escalated Chemotherapy in Elderly Patients with Aggressive Diffuse Large-Cell Lymphoma: A Controlled Clinical Trial. Cancer Biotherapy and Radiopharmaceuticals, 2007, 22, 194-199.	0.7	14
33	TREATMENT OF EARLY STAGES HODGKIN LYMPHOMA DURING PREGNANCY. Mediterranean Journal of Hematology and Infectious Diseases, 2017, 10, 2018006.	0.5	13
34	Interferon alfa 2b as maintenance therapy in poor risk diffuse large B-cell lymphoma in complete remission after intensive CHOP-BLEO regimens. European Journal of Haematology, 2001, 66, 94-99.	1.1	13
35	Results of a phase III clinical trial: CHOP versus CMED in peripheral T-cell lymphoma unspecified. Medical Oncology, 2008, 25, 360-364.	1.2	12
36	Rituximab in the Treatment of Refractory Follicular Lymphoma - Six Doses Are Better Than Four. Journal of Hematotherapy and Stem Cell Research, 2001, 10, 313-316.	1.8	11

#	Article	IF	Citations
37	No Association Between Lymphoma and Hepatitis C Virus. Medical Oncology, 2003, 20, 165-168.	1.2	10
38	Late Lethal Events in Patients with Diffuse Large B Cell Lymphoma: a Review of 714 Patients Treated in a Single Centre. Leukemia and Lymphoma, 2001, 42, 631-637.	0.6	9
39	Prolonged Use of Zoledronic Acid (4 Years) Did Not Improve Outcome in Multiple Myeloma Patients. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 207-210.	0.2	9
40	Rituximab in the treatment of diffuse large B-cell lymphoma primary of the lung. Hematology, 2013, 18, 81-84.	0.7	8
41	Chemotherapy Plus Interferon-î±2b Versus Chemotherapy in the Treatment of Follicular Lymphoma. Journal of Hematotherapy and Stem Cell Research, 2001, 10, 669-674.	1.8	7
42	Novel therapy in multiple myeloma. Investigational New Drugs, 2005, 23, 411-415.	1.2	7
43	Lack of Prognostic Factors in Follicular Lymphoma. Leukemia and Lymphoma, 2003, 44, 143-147.	0.6	6
44	Intensive Chemotherapy in the Treatment of Aggressive Diffuse Large B-Cell Lymphoma: Malignant Lymphoma. Medical Oncology, 2004, 21, 269-272.	1.2	6
45	In VitroProliferation and Expansion of Hematopoietic Progenitors from Patients with Diffuse Large B-Cell Lymphoma Before and After Chemotherapy. Leukemia and Lymphoma, 2004, 45, 1247-1254.	0.6	6
46	Speckle-Tracking Echocardiography to Detect Cardiac Toxicity in Children Who Received Anthracyclines During Pregnancy. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 1-4.	0.2	6
47	Treatment of Refractory Hodgkin's Disease with Modified Stanford V Program. Medical Oncology, 2001, 18, 261-268.	1.2	5
48	Evaluation on a Six-Dose Treatment of Anti CD 20 Monoclonal Antibody in Patients with Refractory Follicular Lymphoma. Cancer Biotherapy and Radiopharmaceuticals, 2001, 16, 159-162.	0.7	5
49	Treatment of Advanced Hodgkin's Disease: EBVD versus Intensive Brief Chemotherapy. Leukemia and Lymphoma, 2003, 44, 1361-1365.	0.6	5
50	Maintenance Therapy with Interferon- \hat{l} \pm 2b, Cyclophosphamide, and Prednisone in Aggressive Diffuse Large Cell Lymphoma. Stem Cells and Development, 2004, 13, 205-209.	1.1	5
51	Interferon as Maintenance Therapy in Refractory Malignant Lymphoma. Stem Cells and Development, 1999, 8, 263-267.	1.0	4
52	Author's reply: Chemotherapy during first trimester of pregnancy. International Journal of Cancer, 2013, 132, 1729-1729.	2.3	4
53	Role of radiotherapy in diffuse large Bâ€cell lymphoma in advanced stages on complete response after administration of cyclophosphamide, doxorubicin, vincristine, prednisone, and rituximab. Precision Radiation Oncology, 2019, 3, 100-104.	0.4	3
54	Radiotherapy after immunochemotherapy improves outcomes in patients with primary mediastinal large Bâ€cell lymphoma. Precision Radiation Oncology, 2019, 3, 145-148.	0.4	3

#	Article	IF	CITATIONS
55	Primary gastric diffuse large B-cell lymphoma: The role of dose-dense chemotherapy. Journal of Oncology Pharmacy Practice, 2019, 25, 1682-1686.	0.5	3
56	Expression of ice, bcl-2, c-myc and p53 in different bone marrow cell populations from patients with diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2006, 47, 665-673.	0.6	2
57	In Vitro Hematopoiesis in Patients with Malignant Lymphoma During Active Disease and at Complete Clinical Remission After Chemotherapy. Leukemia and Lymphoma, 2000, 39, 613-624.	0.6	1
58	Randomized Clinical Trial to Evaluate Maintenance Therapy in Diffuse Large Cell Lymphoma Treated with Intensive Chemotherapy. Hematology, 2001, 5, 435-440.	0.7	1
59	Lymphoma and pregnancy. Japanese Journal of Clinical Oncology, 2017, 47, 467-468.	0.6	1
60	Aggressive chemotherapy in frail patients with diffuse large B-cell lymphoma: The role of pegylated liposomal doxorubicin. Journal of Hematological Malignancies, 2012, 2, .	0.0	0
61	Rituximab as Consolidation Therapy Did Not Improve Outcome in Patients with Diffuse Large B-Cell Lymphoma at Complete Response After Dose-Dense Chemotherapy (CHOP-14). Cancer Biotherapy and Radiopharmaceuticals, 2015, 30, 107-110.	0.7	0
62	Lymphoma and Pregnancy. JAMA Oncology, 2017, 3, 566.	3.4	0