

Shohei Yamamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/719575/publications.pdf>

Version: 2024-02-01

30
papers

370
citations

840728

11
h-index

940516

16
g-index

39
all docs

39
docs citations

39
times ranked

313
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Associations between kidney function and outcomes of comprehensive cardiac rehabilitation in patients with heart failure. <i>Clinical Research in Cardiology</i> , 2022, 111, 253-263. | 3.3 | 2 |
| 2 | Association between eating balanced meals and depressive symptoms in Japanese hospital workers during the COVID-19 pandemic. <i>Neuropsychopharmacology Reports</i> , 2022, , . | 2.3 | 4 |
| 3 | Green tea consumption and SARS-CoV-2 infection among staff of a referral hospital in Japan. <i>Clinical Nutrition Open Science</i> , 2022, 42, 1-5. | 1.3 | 10 |
| 4 | Coronavirus Disease 2019 (COVID-19) Breakthrough Infection and Post-Vaccination Neutralizing Antibodies Among Healthcare Workers in a Referral Hospital in Tokyo: A Case-Control Matching Study. <i>Clinical Infectious Diseases</i> , 2022, 75, e683-e691. | 5.8 | 48 |
| 5 | Sex-associated differences between BMI and SARS-CoV-2 antibody titers following the BNT162b2 vaccine. <i>Obesity</i> , 2022, 30, 999-1003. | 3.0 | 43 |
| 6 | Comparison of the association between six different frailty scales and clinical events in patients on hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2022, , . | 0.7 | 8 |
| 7 | Association between reactogenicity and SARS-CoV-2 antibodies after the second dose of the BNT162b2 COVID-19 vaccine. <i>Vaccine</i> , 2022, 40, 1924-1927. | 3.8 | 20 |
| 8 | An Association Study of HLA with the Kinetics of SARS-CoV-2 Spike Specific IgG Antibody Responses to BNT162b2 mRNA Vaccine. <i>Vaccines</i> , 2022, 10, 563. | 4.4 | 3 |
| 9 | Association between chronic physical conditions and depressive symptoms among hospital workers in a national medical institution designated for COVID-19 in Japan. <i>PLoS ONE</i> , 2022, 17, e0266260. | 2.5 | 1 |
| 10 | Impact of Physical Activity on Dialysis and Nondialysis Days and Clinical Outcomes Among Patients on Hemodialysis. , 2021, 31, 380-388. | | 8 |
| 11 | The clinical applicability of ultrasound technique for diagnosis of sarcopenia in hemodialysis patients. <i>Clinical Nutrition</i> , 2021, 40, 1161-1167. | 5.0 | 22 |
| 12 | Association between living with others and depressive symptoms in Japanese hospital workers during the COVID-19 pandemic. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 148-149. | 1.8 | 4 |
| 13 | Seroprevalence of antibodies against SARS-CoV-2 in a large national hospital and affiliated facility in Tokyo, Japan. <i>Journal of Infection</i> , 2021, 82, e1-e3. | 3.3 | 22 |
| 14 | Association between engagement in COVID-19-related work and depressive symptoms among hospital workers in a designated COVID-19 hospital in Japan: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e049996. | 1.9 | 9 |
| 15 | Modified Creatinine Index and Clinical Outcomes of Hemodialysis Patients: An Indicator of Sarcopenia?. , 2021, 31, 370-379. | | 16 |
| 16 | Seroprevalence of SARS-CoV-2 antibodies in a national hospital and affiliated facility after the second epidemic wave of Japan. <i>Journal of Infection</i> , 2021, 83, 237-279. | 3.3 | 16 |
| 17 | The effects of amino acid/protein supplementation in patients undergoing hemodialysis: A systematic review and meta-analysis of randomized controlled trials. <i>Clinical Nutrition ESPEN</i> , 2021, 44, 114-121. | 1.2 | 6 |
| 18 | Is there an association between ABO blood types and depressive symptoms among Japanese healthcare workers during the COVID-19 pandemic?. <i>PLoS ONE</i> , 2021, 16, e0256441. | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Determinants of Health-Related Quality of Life and Physical Performance-Based Components of Frailty in Patients Undergoing Hemodialysis. , 2021, 31, 529-536. | | 5 |
| 20 | Comparative Analysis of Simplified, Objective Nutrition-Associated Markers in Patients Undergoing Hemodialysis. , 2021, , . | | 2 |
| 21 | Trajectory of Lean Body Mass Assessed Using the Modified Creatinine Index and Mortality in Hemodialysis Patients. American Journal of Kidney Diseases, 2020, 75, 195-203. | 1.9 | 16 |
| 22 | Preoperative skeletal muscle density is associated with postoperative mortality in patients with cardiovascular disease. Interactive Cardiovascular and Thoracic Surgery, 2020, 30, 515-522. | 1.1 | 12 |
| 23 | Depressive symptoms in students during school closure due to <scp>COVID</scp>â€19 in <scp>Shanghai</scp>. Psychiatry and Clinical Neurosciences, 2020, 74, 664-666. | 1.8 | 16 |
| 24 | Efficacy of Exercise Therapy Initiated in the Early Phase After Kidney Transplantation: A Pilot Study. , 2020, 30, 518-525. | | 5 |
| 25 | Prognostic value of pupil area for allâ€cause mortality in patients with heart failure. ESC Heart Failure, 2020, 7, 3067-3074. | 3.1 | 5 |
| 26 | The effects of amino acid/protein supplementation in hemodialysis patients: study protocol for a systematic review and meta-analysis. Renal Replacement Therapy, 2020, 6, . | 0.7 | 1 |
| 27 | Changes in Respiratory Muscle Strength Following Cardiac Rehabilitation for Prognosis in Patients with Heart Failure. Journal of Clinical Medicine, 2020, 9, 952. | 2.4 | 14 |
| 28 | SP424Exercise Therapy in the Early Stage After Kidney Transplantation Is Effective for Improving Physical Performance: A Prospective Cohort Study with Historical Control. Nephrology Dialysis Transplantation, 2019, 34, . | 0.7 | 0 |
| 29 | Effects of electrical muscle stimulation in frail elderly patients during haemodialysis (DIAL): rationale and protocol for a crossover randomised controlled trial. BMJ Open, 2019, 9, e025389. | 1.9 | 3 |
| 30 | Utility of Regular Management of Physical Activity and Physical Function in Hemodialysis Patients. Kidney and Blood Pressure Research, 2018, 43, 1505-1515. | 2.0 | 25 |