

Efstratios M Kolibianakis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7196453/efstratios-m-kolibianakis-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,218
citations

39
h-index

69
g-index

137
ext. papers

5,896
ext. citations

3.8
avg, IF

5.3
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 132 | Effects of Different Drug Therapies and COVID-19 mRNA Vaccination on Semen Quality in a Man with Ankylosing Spondylitis: A Case Report.. <i>Medicina (Lithuania)</i> , 2022 , 58, | 3.1 | 2 |
| 131 | Diabetes Mellitus and Infertility 2022 , 377-393 | | |
| 130 | Pituitary Suppression Using GnRH Agonist for IVF Is Outdated 2021 , 216-218 | | |
| 129 | Higher ovulation rate with letrozole as compared with clomiphene citrate in infertile women with polycystic ovary syndrome: a systematic review and meta-analysis. <i>Hormones</i> , 2021 , 20, 449-461 | 3.1 | 3 |
| 128 | Decline in anti-Müllerian hormone concentrations following radioactive iodine treatment in women with differentiated thyroid cancer: A systematic review and meta-analysis. <i>Maturitas</i> , 2021 , 148, 40-45 | 5 | 2 |
| 127 | The Maribor consensus: report of an expert meeting on the development of performance indicators for clinical practice in ART. <i>Human Reproduction Open</i> , 2021 , 2021, hoab022 | 6.1 | 8 |
| 126 | Is there an optimal number of oocytes retrieved at which live birth rates or cumulative live birth rates per aspiration are maximized after ART? A systematic review. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 83-104 | 4 | 5 |
| 125 | How frequent is severe ovarian hyperstimulation syndrome after GnRH agonist triggering in high-risk women? A systematic review and meta-analysis. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 635-650 | 4 | 6 |
| 124 | Expression of genes that regulate follicle development and maturation during ovarian stimulation in poor responders. <i>Reproductive BioMedicine Online</i> , 2021 , 42, 248-259 | 4 | 3 |
| 123 | Female Infertility and Cardiovascular Risk - A Hype or an Underestimated Reality?. <i>Current Pharmaceutical Design</i> , 2020 , 26, 5551-5555 | 3.3 | 0 |
| 122 | Risk of gestational diabetes mellitus in women achieving singleton pregnancy spontaneously or after ART: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2020 , 26, 514-544 | 15.8 | 16 |
| 121 | Association between vitamin D and endometriosis: a systematic review. <i>Hormones</i> , 2020 , 19, 109-121 | 3.1 | 9 |
| 120 | Ovarian tissue cryopreservation and transplantation to delay menopause: facts and fiction. <i>Maturitas</i> , 2020 , 142, 64-67 | 5 | 3 |
| 119 | Follicle inhibition at the primordial stage without increasing apoptosis, with a combination of everolimus, verapamil. <i>Molecular Biology Reports</i> , 2020 , 47, 8711-8726 | 2.8 | 3 |
| 118 | Association between body mass index and oocyte maturation in patients triggered with GnRH agonist who are at high risk for severe ovarian hyperstimulation syndrome: an observational cohort study. <i>Reproductive BioMedicine Online</i> , 2020 , 40, 168-175 | 4 | 4 |
| 117 | Spindle and chromosome configuration analysis of human biopsied versus non-biopsied embryos by confocal laser scanning microscopy following vitrification. <i>Zygote</i> , 2019 , 27, 153-159 | 1.6 | 1 |
| 116 | Egg freezing and late motherhood. <i>Maturitas</i> , 2019 , 125, 1-4 | 5 | 5 |

115 GnRH Agonists and Antagonists **2019**, 59-68

114 Ovarian Hyperstimulation Syndrome **2019**, 581-587

113 Addition of procyanidine to semen preserves progressive sperm motility up to three hours of incubation. *Reproductive Biology*, **2019**, 19, 255-260 2.3 0

112 Vitamin D and Obesity: Two Interacting Players in the Field of Infertility. *Nutrients*, **2019**, 11, 6.7 18

111 GnRH antagonists vs. long GnRH agonists in IVF: significant flaws in a meta-analysis lead to invalid conclusions. *Human Reproduction Update*, **2018**, 24, 242-243 15.8 6

110 Complex chromosomal aberrations in a fetus originating from oocytes with smooth endoplasmic reticulum (SER) aggregates. *Systems Biology in Reproductive Medicine*, **2018**, 64, 283-290 2.9 4

109 Role of Agonists and Antagonists in COS **2018**, 16-19 1

108 Testicular versus ejaculated spermatozoa for ICSI in patients without azoospermia: A systematic review. *Reproductive BioMedicine Online*, **2018**, 37, 573-580 4 11

107 Thyroid function and autoimmunity during ovarian stimulation for intracytoplasmic sperm injection. *Reproduction, Fertility and Development*, **2017**, 29, 603-608 1.8 4

106 Blastocyst Development in a Single Medium Compared to Sequential Media: A Prospective Study With Sibling Oocytes. *Reproductive Sciences*, **2017**, 24, 1312-1318 3 10

105 Effects of vitrification on blastomere viability and cytoskeletal integrity in mouse embryos. *Zygote*, **2017**, 25, 75-84 1.6 5

104 Blastocyst utilization rates after continuous culture in two commercial single-step media: a prospective randomized study with sibling oocytes. *Journal of Assisted Reproduction and Genetics*, **2017**, 34, 1377-1383 3.4 11

103 Basal serum progesterone and history of elevated progesterone on the day of hCG administration are significant predictors of late follicular progesterone elevation in GnRH antagonist IVF cycles. *Human Reproduction*, **2016**, 31, 1859-65 5.7 26

102 Regimen of ovarian stimulation affects oocyte and therefore embryo quality. *Fertility and Sterility*, **2016**, 105, 560-570 4.8 52

101 Transdermal testosterone pretreatment in poor responders undergoing ICSI: a randomized clinical trial. *Human Reproduction*, **2016**, 31, 977-85 5.7 37

100 Thyroid function and IVF outcome: when to investigate and when to intervene?. *Current Opinion in Obstetrics and Gynecology*, **2016**, 28, 191-7 2.4 14

99 Reply: Modified natural cycles for poor responders: addressing misconceptions and fallacies. *Human Reproduction*, **2016**, 31, 222-3 5.7

98 Live birth rates using conventional in vitro fertilization compared to intracytoplasmic sperm injection in Bologna poor responders with a single oocyte retrieved. *Journal of Assisted Reproduction and Genetics*, **2015**, 32, 691-7 3.4 27

| | | | |
|----|---|-----|----|
| 97 | Is the time interval between HCG administration and oocyte retrieval associated with oocyte retrieval rate?. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 625-32 | 4 | 8 |
| 96 | Propofol versus thiopental sodium as anaesthetic agents for oocyte retrieval: a randomized controlled trial. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 752-9 | 4 | 11 |
| 95 | Live birth rates after modified natural cycle compared with high-dose FSH stimulation using GnRH antagonists in poor responders. <i>Human Reproduction</i> , 2015 , 30, 2321-30 | 5.7 | 47 |
| 94 | Corifollitropin alfa compared with follitropin beta in poor responders undergoing ICSI: a randomized controlled trial. <i>Human Reproduction</i> , 2015 , 30, 432-40 | 5.7 | 32 |
| 93 | Estimating the net effect of progesterone elevation on the day of hCG on live birth rates after IVF: a cohort analysis of 3296 IVF cycles. <i>Human Reproduction</i> , 2015 , 30, 684-91 | 5.7 | 90 |
| 92 | Is assessment of anti-Müllerian hormone and/or antral follicle count useful in the prediction of ovarian response in expected normal responders treated with a fixed dose of recombinant FSH and GnRH antagonists? A prospective observational study. <i>Gynecological Endocrinology</i> , 2014 , 30, 817-21 | 2.4 | 5 |
| 91 | Recombinant human follicle-stimulating hormone (r-hFSH) plus recombinant luteinizing hormone versus r-hFSH alone for ovarian stimulation during assisted reproductive technology: systematic review and meta-analysis. <i>Reproductive Biology and Endocrinology</i> , 2014 , 12, 17 | 5 | 86 |
| 90 | Reply of the authors. <i>Fertility and Sterility</i> , 2014 , 101, e5-6 | 4.8 | 1 |
| 89 | Association of the CYP2B6 c.516G>T polymorphism with high blood propofol concentrations in women from northern Greece. <i>Drug Metabolism and Pharmacokinetics</i> , 2014 , 29, 215-8 | 2.2 | 23 |
| 88 | Serum vascular endothelial growth factor levels following luteal gonadotrophin-releasing hormone antagonist administration in women with severe early ovarian hyperstimulation syndrome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 848-55 | 3.7 | 22 |
| 87 | Association of TSH concentrations and thyroid autoimmunity with IVF outcome in women with TSH concentrations within normal adult range. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 84-8 | 2.5 | 22 |
| 86 | EMAS position statement: Late parenthood. <i>Maturitas</i> , 2013 , 76, 200-4 | 5 | 6 |
| 85 | Progesterone elevation does not compromise pregnancy rates in high responders: a pooled analysis of in vitro fertilization patients treated with recombinant follicle-stimulating hormone/gonadotropin-releasing hormone antagonist in six trials. <i>Fertility and Sterility</i> , 2013 , 100, 1622-8.e1-3 | 4.8 | 91 |
| 84 | Is it possible to reduce the incidence of weekend oocyte retrievals in GnRH antagonist protocols?. <i>Reproductive BioMedicine Online</i> , 2013 , 26, 50-8 | 4 | 11 |
| 83 | Spontaneous triggering of ovulation versus HCG administration in patients undergoing IUI: a prospective randomized study. <i>Reproductive BioMedicine Online</i> , 2012 , 25, 278-83 | 4 | 25 |
| 82 | Outpatient management of severe early OHSS by administration of GnRH antagonist in the luteal phase: an observational cohort study. <i>Reproductive Biology and Endocrinology</i> , 2012 , 10, 69 | 5 | 33 |
| 81 | GnRH-antagonists in ovarian stimulation for IVF 2012 , 124-130 | | 2 |
| 80 | Significantly lower pregnancy rates in the presence of progesterone elevation in patients treated with GnRH antagonists and gonadotrophins: a systematic review and meta-analysis. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 464-70 | 2.6 | 81 |

| | | | |
|----|--|-----|-----|
| 79 | Intravenous albumin administration for the prevention of severe ovarian hyperstimulation syndrome: a systematic review and metaanalysis. <i>Fertility and Sterility</i> , 2011 , 95, 188-96, 196.e1-3 | 4.8 | 29 |
| 78 | Fixed versus flexible gonadotropin-releasing hormone antagonist administration in in vitro fertilization: a randomized controlled trial. <i>Fertility and Sterility</i> , 2011 , 95, 558-62 | 4.8 | 39 |
| 77 | Thyroid function during ovarian stimulation: a systematic review. <i>Fertility and Sterility</i> , 2011 , 96, 780-5 | 4.8 | 39 |
| 76 | High exposure to progesterone between the end of menstruation and the day of triggering final oocyte maturation is associated with a decreased probability of pregnancy in patients treated by in vitro fertilization and intracytoplasmic sperm injection. <i>Fertility and Sterility</i> , 2011 , 96, 884-8 | 4.8 | 25 |
| 75 | Barriers to conducting clinical research in reproductive medicine: Greece. <i>Fertility and Sterility</i> , 2011 , 96, 807-8 | 4.8 | |
| 74 | No association between endogenous LH and pregnancy in a GnRH antagonist protocol: part II, recombinant FSH. <i>Reproductive BioMedicine Online</i> , 2011 , 23, 457-65 | 4 | 33 |
| 73 | Is earlier administration of human chorionic gonadotropin (hCG) associated with the probability of pregnancy in cycles stimulated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone (GnRH) antagonists? A prospective randomized trial. <i>Fertility and Sterility</i> , 2011 , 96, 1112-5 | 4.8 | 43 |
| 72 | DHEA administration in poor responders. <i>Human Reproduction</i> , 2011 , 26, 730-1; author reply 731 | 5.7 | 19 |
| 71 | Ovulation Induction and Assisted Reproduction 2010 , 2407-2416 | | |
| 70 | Risk of spontaneous miscarriage in euthyroid women with thyroid autoimmunity undergoing IVF: a meta-analysis. <i>European Journal of Endocrinology</i> , 2010 , 162, 643-52 | 6.5 | 114 |
| 69 | Flexible GnRH antagonist protocol versus GnRH agonist long protocol in patients with polycystic ovary syndrome treated for IVF: a prospective randomised controlled trial (RCT). <i>Human Reproduction</i> , 2010 , 25, 683-9 | 5.7 | 106 |
| 68 | Is the use of donor sperm associated with a higher incidence of preeclampsia in women who achieve pregnancy after intrauterine insemination?. <i>Fertility and Sterility</i> , 2010 , 93, 1124-7 | 4.8 | 43 |
| 67 | Monozygotic twinning is not increased after single blastocyst transfer compared with single cleavage-stage embryo transfer. <i>Fertility and Sterility</i> , 2010 , 93, 592-7 | 4.8 | 55 |
| 66 | Evidence-based management of poor ovarian response. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1205, 199-206 | 6.5 | 27 |
| 65 | A case of Adams-Oliver syndrome following in vitro fertilization. <i>Human Reproduction</i> , 2009 , 24, 1529-30 | 5.7 | 2 |
| 64 | Progesterone rise on the day of human chorionic gonadotropin administration impairs pregnancy outcome in day 3 single-embryo transfer, while has no effect on day 5 single blastocyst transfer. <i>Fertility and Sterility</i> , 2009 , 91, 949-52 | 4.8 | 110 |
| 63 | How to improve the probability of pregnancy in poor responders undergoing in vitro fertilization: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2009 , 91, 749-66 | 4.8 | 165 |
| 62 | Risk of gestational diabetes mellitus in women with polycystic ovary syndrome: a systematic review and a meta-analysis. <i>Fertility and Sterility</i> , 2009 , 92, 667-77 | 4.8 | 87 |

| | | | |
|----|---|------|-----|
| 61 | Thyroid autoimmunity and miscarriages: the corpus luteum hypothesis. <i>Medical Hypotheses</i> , 2009 , 73, 1060-2 | 3.8 | 17 |
| 60 | Role of the endocrine profile for the achievement of pregnancy with IVF. <i>Reproductive BioMedicine Online</i> , 2009 , 18 Suppl 2, 37-43 | 4 | 8 |
| 59 | Addition of growth hormone to gonadotrophins in ovarian stimulation of poor responders treated by in-vitro fertilization: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2009 , 15, 613-22 | 15.8 | 122 |
| 58 | Cryopreservation of human embryos by vitrification or slow freezing: which one is better?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2009 , 21, 270-4 | 2.4 | 71 |
| 57 | Improving the patient's experience of IVF/ICSI: a proposal for an ovarian stimulation protocol with GnRH antagonist co-treatment. <i>Human Reproduction</i> , 2009 , 24, 764-74 | 5.7 | 97 |
| 56 | Live birth rates after transfer of equal number of blastocysts or cleavage-stage embryos in IVF. A systematic review and meta-analysis. <i>Human Reproduction</i> , 2008 , 23, 91-9 | 5.7 | 209 |
| 55 | Cryopreservation of human embryos by vitrification or slow freezing: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2008 , 90, 186-93 | 4.8 | 278 |
| 54 | Effects and clinical significance of GnRH antagonist administration for IUI timing in FSH superovulated cycles: a meta-analysis. <i>Fertility and Sterility</i> , 2008 , 90, 367-72 | 4.8 | 34 |
| 53 | Oral contraceptive pill pretreatment in ovarian stimulation with GnRH antagonists for IVF: a systematic review and meta-analysis. <i>Fertility and Sterility</i> , 2008 , 90, 1055-63 | 4.8 | 78 |
| 52 | Flexible GnRH antagonist versus flare-up GnRH agonist protocol in poor responders treated by IVF: a randomized controlled trial. <i>Human Reproduction</i> , 2008 , 23, 1355-8 | 5.7 | 52 |
| 51 | Does hyaluronan improve embryo implantation?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2008 , 20, 305-7 | 2.4 | 7 |
| 50 | Initiation of GnRH antagonist on Day 1 of stimulation as compared to the long agonist protocol in PCOS patients. A randomized controlled trial: effect on hormonal levels and follicular development. <i>Human Reproduction</i> , 2007 , 22, 1540-6 | 5.7 | 33 |
| 49 | The effect of oral contraceptives on assisted reproductive technology [corrected] cycles. <i>Current Opinion in Obstetrics and Gynecology</i> , 2007 , 19, 244-7 | 2.4 | 0 |
| 48 | The luteal phase of recombinant follicle-stimulating hormone/gonadotropin-releasing hormone antagonist in vitro fertilization cycles during supplementation with progesterone or progesterone and estradiol. <i>Fertility and Sterility</i> , 2007 , 87, 504-8 | 4.8 | 28 |
| 47 | Human chorionic gonadotropin administration vs. luteinizing monitoring for intrauterine insemination timing, after administration of clomiphene citrate: a meta-analysis. <i>Fertility and Sterility</i> , 2007 , 87, 607-12 | 4.8 | 71 |
| 46 | Triggering final oocyte maturation using different doses of human chorionic gonadotropin: a randomized pilot study in patients with polycystic ovary syndrome treated with gonadotropin-releasing hormone antagonists and recombinant follicle-stimulating hormone. <i>Fertility and Sterility</i> , 2007 , 88, 1382-8 | 4.8 | 47 |
| 45 | Menstruation-free interval and ongoing pregnancy in IVF using GnRH antagonists. <i>Human Reproduction</i> , 2006 , 21, 1012-7 | 5.7 | 4 |
| 44 | Aromatase inhibitors in ovarian stimulation for IVF/ICSI: a pilot study. <i>Reproductive BioMedicine Online</i> , 2006 , 13, 166-72 | 4 | 57 |

| | | | |
|----|---|------|-----|
| 43 | Effect of oral contraceptive pill pretreatment on ongoing pregnancy rates in patients stimulated with GnRH antagonists and recombinant FSH for IVF. A randomized controlled trial. <i>Human Reproduction</i> , 2006 , 21, 352-7 | 5.7 | 78 |
| 42 | In vitro fertilization with single blastocyst-stage versus single cleavage-stage embryos. <i>New England Journal of Medicine</i> , 2006 , 354, 1139-46 | 59.2 | 298 |
| 41 | Incidence and prediction of ovarian hyperstimulation syndrome in women undergoing gonadotropin-releasing hormone antagonist in vitro fertilization cycles. <i>Fertility and Sterility</i> , 2006 , 85, 112-20 | 4.8 | 233 |
| 40 | In Vitro Fertilization With Single Blastocyst-Stage versus Single Cleavage-Stage Embryos. <i>Obstetrical and Gynecological Survey</i> , 2006 , 61, 523-525 | 2.4 | 3 |
| 39 | Steroid receptor expression in late follicular phase endometrium in GnRH antagonist IVF cycles is already altered, indicating initiation of early luteal phase transformation in the absence of secretory changes. <i>Human Reproduction</i> , 2005 , 20, 1541-7 | 5.7 | 116 |
| 38 | GnRH antagonists in IVF. <i>Reproductive BioMedicine Online</i> , 2005 , 10, 705-12 | 4 | 34 |
| 37 | Achievement of pregnancy three times in the same patient during luteal GnRH agonist administration. <i>Reproductive BioMedicine Online</i> , 2005 , 10, 347-9 | 4 | 9 |
| 36 | Reply: Modified natural cycle IVF for poor responders. <i>Human Reproduction</i> , 2005 , 20, 2661-2662 | 5.7 | |
| 35 | Estrogen and folliculogenesis: is one necessary for the other?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2005 , 17, 249-53 | 2.4 | 25 |
| 34 | Prolongation of follicular phase by delaying hCG administration results in a higher incidence of endometrial advancement on the day of oocyte retrieval in GnRH antagonist cycles. <i>Human Reproduction</i> , 2005 , 20, 2453-6 | 5.7 | 66 |
| 33 | Emerging drugs in assisted reproduction. <i>Expert Opinion on Emerging Drugs</i> , 2005 , 10, 425-40 | 3.7 | 18 |
| 32 | Quintuplet pregnancy following transfer of two blastocysts: Case report. <i>Human Reproduction</i> , 2004 , 19, 325-7 | 5.7 | 20 |
| 31 | No decrease occurs in the number of COCs retrieved with repeated IVF cycles. <i>Human Reproduction</i> , 2004 , 19, 1927-8 | 5.7 | 5 |
| 30 | Association of estradiol levels on the day of hCG administration and pregnancy achievement in IVF: a systematic review. <i>Human Reproduction</i> , 2004 , 19, 2446-53 | 5.7 | 72 |
| 29 | GnRH antagonists in poor responders. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004 , 83, 1216-7 | 3.8 | 9 |
| 28 | Ovarian stimulation for in vitro fertilization in patients with endometriosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004 , 83, 651-5 | 3.8 | 15 |
| 27 | Cumulative live birth rates after transfer of cryopreserved ICSI embryos. <i>Reproductive BioMedicine Online</i> , 2004 , 8, 344-8 | 4 | 8 |
| 26 | Live delivery rates in subfertile women with Asherman's syndrome after hysteroscopic adhesiolysis using the resectoscope or the Versapoint system. <i>Reproductive BioMedicine Online</i> , 2004 , 8, 720-5 | 4 | 84 |

| | | | |
|----|--|-----|-----|
| 25 | Duration of gonadotropin-releasing hormone antagonist administration does not affect the outcome of subsequent frozen-thawed cycles. <i>Fertility and Sterility</i> , 2004 , 81, 473-5 | 4.8 | 21 |
| 24 | Administration of gonadotropin-releasing hormone antagonist from day 1 of stimulation in in vitro fertilization. <i>Fertility and Sterility</i> , 2004 , 82, 223-6 | 4.8 | 18 |
| 23 | Prolongation of the follicular phase in in vitro fertilization results in a lower ongoing pregnancy rate in cycles stimulated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone antagonists. <i>Fertility and Sterility</i> , 2004 , 82, 102-7 | 4.8 | 119 |
| 22 | Is addressing the needs of its membership an easy task for the American Society for Reproductive Medicine?. <i>Fertility and Sterility</i> , 2004 , 82, 555-6 | 4.8 | |
| 21 | Limits of agreement?. <i>Fertility and Sterility</i> , 2004 , 82, 1475-6; author reply 1476-7 | 4.8 | |
| 20 | Modified natural cycle for IVF does not offer a realistic chance of parenthood in poor responders with high day 3 FSH levels, as a last resort prior to oocyte donation. <i>Human Reproduction</i> , 2004 , 19, 2545-9 | 5.7 | 60 |
| 19 | GnRH antagonists in poor responders 2004 , 83, 1216 | | 7 |
| 18 | Initiation of gonadotropin-releasing hormone antagonist on day 1 as compared to day 6 of stimulation: effect on hormonal levels and follicular development in in vitro fertilization cycles. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5632-7 | 5.6 | 52 |
| 17 | Cumulative delivery rates after ICSI treatment cycles with freshly retrieved testicular sperm: a 7-year follow-up study. <i>Human Reproduction</i> , 2003 , 18, 1836-40 | 5.7 | 31 |
| 16 | Outcome for donors and recipients in two egg-sharing policies. <i>Fertility and Sterility</i> , 2003 , 79, 69-73 | 4.8 | 15 |
| 15 | Prenatal genetic testing by amniocentesis appears to result in a lower risk of fetal loss than chorionic villus sampling in singleton pregnancies achieved by intracytoplasmic sperm injection. <i>Fertility and Sterility</i> , 2003 , 79, 374-8 | 4.8 | 3 |
| 14 | Exposure to high levels of luteinizing hormone and estradiol in the early follicular phase of gonadotropin-releasing hormone antagonist cycles is associated with a reduced chance of pregnancy. <i>Fertility and Sterility</i> , 2003 , 79, 873-80 | 4.8 | 128 |
| 13 | Abnormal endometrial development occurs during the luteal phase of nonsupplemented donor cycles treated with recombinant follicle-stimulating hormone and gonadotropin-releasing hormone antagonists. <i>Fertility and Sterility</i> , 2003 , 80, 464-6 | 4.8 | 82 |
| 12 | Relationship between LH and oestradiol in IVF cycles before GnRH antagonist initiation. <i>Reproductive BioMedicine Online</i> , 2003 , 7, 190-3 | 4 | 9 |
| 11 | Reproductive outcome of polycystic ovarian syndrome patients treated with GnRH antagonists and recombinant FSH for IVF/ICSI. <i>Reproductive BioMedicine Online</i> , 2003 , 7, 313-8 | 4 | 22 |
| 10 | Hysteroscopic septum resection using the Versapoint system in subfertile women. <i>Reproductive BioMedicine Online</i> , 2003 , 7, 365-7 | 4 | 14 |
| 9 | Cumulative delivery rates after ICSI in women aged >37 years. <i>Human Reproduction</i> , 2002 , 17, 940-4 | 5.7 | 26 |
| 8 | Effect of repeated assisted reproductive technology cycles on ovarian response. <i>Fertility and Sterility</i> , 2002 , 77, 967-70 | 4.8 | 29 |

| | | | |
|---|---|-----|-----|
| 7 | Spontaneous pregnancies in couples who discontinued intracytoplasmic sperm injection treatment: a 5-year follow-up study. <i>Fertility and Sterility</i> , 2002 , 78, 550-6 | 4.8 | 34 |
| 6 | Effect of ovarian stimulation with recombinant follicle-stimulating hormone, gonadotropin releasing hormone antagonists, and human chorionic gonadotropin on endometrial maturation on the day of oocyte pick-up. <i>Fertility and Sterility</i> , 2002 , 78, 1025-9 | 4.8 | 275 |
| 5 | Blastocyst culture: facts and fiction. <i>Reproductive BioMedicine Online</i> , 2002 , 5, 285-93 | 4 | 34 |
| 4 | The luteal phase after ovarian stimulation. <i>Reproductive BioMedicine Online</i> , 2002 , 5 Suppl 1, 26-35 | 4 | 87 |
| 3 | Elimination of OHSS by GnRH Agonist and Freezing Embryos149-163 | | 4 |
| 2 | GnRH antagonists in ART73-79 | | |
| 1 | Triggering of final oocyte maturation in ovarian stimulation233-243 | | |