

Fabrizio Ferrari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/719872/publications.pdf>

Version: 2024-02-01

110
papers

5,130
citations

101496

36
h-index

91828

69
g-index

111
all docs

111
docs citations

111
times ranked

3883
citing authors

#	ARTICLE	IF	CITATIONS
1	Fentanyl analgesia in asphyxiated newborns treated with therapeutic hypothermia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2024, 35, 7764-7770.	0.7	4
2	Transient structural MRI patterns correlate with the motor functions in preterm infants. <i>Brain and Development</i> , 2021, 43, 363-371.	0.6	5
3	Subtle impairment of neurodevelopment in infants with late fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-8.	0.7	2
4	Clinical Implications of the General Movement Optimality Score: Beyond the Classes of Rasch Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 1069.	1.0	3
5	Consensus protocol for EEG and amplitude-integrated EEG assessment and monitoring in neonates. <i>Clinical Neurophysiology</i> , 2021, 132, 886-903.	0.7	27
6	The ontogeny of limbs movements towards midline in healthy infants born at term. <i>Early Human Development</i> , 2021, 155, 105324.	0.8	3
7	Effects of Early Vocal Contact in the Neonatal Intensive Care Unit: Study Protocol for a Multi-Centre, Randomised Clinical Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3915.	1.2	8
8	Neuroprem 2: An Italian Study of Neurodevelopmental Outcomes of Very Low Birth Weight Infants. <i>Frontiers in Pediatrics</i> , 2021, 9, 697100.	0.9	11
9	Surveying family access: kangaroo mother care and breastfeeding policies across NICUs in Italy. <i>Italian Journal of Pediatrics</i> , 2021, 47, 231.	1.0	4
10	Foot-to-Foot Contact Among Initial Goal-Directed Movements Supports the Prognostic Value of Fidgety Movements in HIE-Cooled Infants. <i>Frontiers in Pediatrics</i> , 2021, 9, 731021.	0.9	3
11	Brain cooling reduces the risk of postneonatal epilepsy in newborns affected by moderate to severe hypoxic-ischemic encephalopathy. <i>Minerva Pediatrics</i> , 2021, 73, 150-158.	0.2	5
12	Neuroprem: the Neuro-developmental outcome of very low birth weight infants in an Italian region. <i>Italian Journal of Pediatrics</i> , 2020, 46, 26.	1.0	14
13	Motor and Postural Patterns Concomitant with General Movements Are Associated with Cerebral Palsy at Term and Fidgety Age in Preterm Infants. <i>Journal of Clinical Medicine</i> , 2019, 8, 1189.	1.0	15
14	Further Delineation of Pyridoxine-Responsive Pyridoxine Phosphate Oxidase Deficiency Epilepsy: Report of a New Case and Review of the Literature With Genotype-Phenotype Correlation. <i>Journal of Child Neurology</i> , 2019, 34, 937-943.	0.7	6
15	Cerebral Palsy: Early Markers of Clinical Phenotype and Functional Outcome. <i>Journal of Clinical Medicine</i> , 2019, 8, 1616.	1.0	116
16	Monitoring the effectiveness of hypothermia in perinatal asphyxia infants by urinary S100B levels. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1017-1025.	1.4	5
17	Two Overlapping Clusters of Group B Streptococcus Late-onset Disease in a Neonatal Intensive Care Unit. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 1160-1164.	1.1	9
18	Persistent intestinal bleeding due to severe CMV-related thrombocytopenia in a preterm newborn. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1246-1249.	0.7	2

#	ARTICLE	IF	CITATIONS
19	Are postnatal ampicillin levels actually related to the duration of intrapartum antibiotic prophylaxis prior to delivery? A pharmacokinetic study in 120 neonates. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F152-F156.	1.4	11
20	Brain-derived neurotrophic factor and epilepsy: a systematic review. Neuropeptides, 2018, 72, 23-29.	0.9	90
21	Neurological Examination of the Newborn Infant. , 2018, , 2055-2080.		0
22	Shifting of the body center of gravity in low-risk preterm infants: A video-pedoscope study. Early Human Development, 2018, 124, 33-37.	0.8	2
23	Early Markers of Poor Outcome in Neonatal Medicine. , 2018, , 237-249.		0
24	Challenges in the development and growth of small for gestational age newborns. Expert Review of Endocrinology and Metabolism, 2017, 12, 253-260.	1.2	6
25	Validity of the General Movement Optimality List in Infants Born Preterm. Pediatric Physical Therapy, 2017, 29, 315-320.	0.3	3
26	An area-based study on intrapartum antibiotic prophylaxis for preventing group B streptococcus early-onset disease: advances and limitations. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1739-1744.	0.7	15
27	Lotus Birth Associated With Idiopathic Neonatal Hepatitis. Pediatrics and Neonatology, 2017, 58, 281-282.	0.3	17
28	Neurological Examination of the Newborn Infant. , 2017, , 1-26.		0
29	Early Markers of Poor Outcome in Neonatal Medicine. , 2017, , 1-13.		0
30	Hypothermia reduces seizure burden and improves neurological outcome in severe hypoxic-ischemic encephalopathy: an observational study. Developmental Medicine and Child Neurology, 2016, 58, 1235-1241.	1.1	26
31	The ontogeny of fidgety movements from 4 to 20 weeks post-term age in healthy full-term infants. Early Human Development, 2016, 103, 219-224.	0.8	31
32	Pre- and post-natal growth in two sisters with 3-M syndrome. European Journal of Medical Genetics, 2016, 59, 232-236.	0.7	13
33	The burden of early-onset sepsis in Emilia-Romagna (Italy): a 4-year, population-based study. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3126-3131.	0.7	38
34	Serial physical examinations, a simple and reliable tool for managing neonates at risk for early-onset sepsis. World Journal of Clinical Pediatrics, 2016, 5, 358.	0.6	37
35	Massive thymic hemorrhage and hemothorax occurring in utero. Italian Journal of Pediatrics, 2015, 41, 88.	1.0	6
36	Prenatal diagnosis and follow-up of a case of branchio-oto-renal syndrome displays renal growth impairment after the second trimester. Journal of Obstetrics and Gynaecology Research, 2015, 41, 1831-1834.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Fatal pneumonia following maternal HSV-1 viraemia in late pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1694-1696.	0.7	3
38	Intrapartum antibiotic prophylaxis for Group B Streptococcus and risks of unnecessary antibiotics. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 408.	0.7	1
39	Safety of physical examination alone for managing well-appearing neonates ≥ 35 weeks gestation at risk for early-onset sepsis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1123-1127.	0.7	57
40	Early diagnosis of branchio-oculo-facial syndrome in a patient with inner ear malformation and mild ocular involvement. <i>Clinical Dysmorphology</i> , 2015, 24, 17-20.	0.1	1
41	Are sporadic fidgety movements as clinically relevant as is their absence?. <i>Early Human Development</i> , 2015, 91, 247-252.	0.8	55
42	Group B streptococcal infections in the newborn infant and the potential value of maternal vaccination. <i>Expert Review of Anti-Infective Therapy</i> , 2015, 13, 1387-1399.	2.0	28
43	Group B streptococci in milk and neonatal colonisation. <i>Archives of Disease in Childhood</i> , 2014, 99, 395-395.	1.0	6
44	Heinz F. R. Prechtel, 1927-2014 crossing the borders. <i>Developmental Psychobiology</i> , 2014, 56, 1609-1611.	0.9	2
45	Factors Associated with Intrapartum Transmission of Group B Streptococcus. <i>Pediatric Infectious Disease Journal</i> , 2014, 33, 1211-1215.	1.1	37
46	Prognostic value of diffusion-weighted imaging summation scores or apparent diffusion coefficient maps in newborns with hypoxic-ischemic encephalopathy. <i>Pediatric Radiology</i> , 2014, 44, 1141-1154.	1.1	26
47	Bovine lactoferrin supplementation for prevention of necrotizing enterocolitis in very-low-birth-weight neonates: a randomized clinical trial. <i>Early Human Development</i> , 2014, 90, S60-S65.	0.8	170
48	A three-generation family with terminal microdeletion involving 5p15.33-32 due to a whole-arm 5;15 chromosomal translocation with a steady phenotype of atypical cri du chat syndrome. <i>European Journal of Medical Genetics</i> , 2014, 57, 145-150.	0.7	27
49	Group B Streptococcal Colonization in 160 Mother-Baby Pairs: A Prospective Cohort Study. <i>Journal of Pediatrics</i> , 2013, 163, 1099-1104.e1.	0.9	59
50	EEG findings in cooled asphyxiated newborns and correlation with site and severity of brain damage. <i>Brain and Development</i> , 2013, 35, 420-426.	0.6	17
51	Preterm birth and developmental problems in infancy and preschool age Part II: cognitive, neuropsychological and behavioural outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1653-1657.	0.7	28
52	Group B streptococcus late-onset disease and milk transmission. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, e95.	0.7	5
53	NIDCAP and Developmental Care: A European Perspective. <i>Pediatrics</i> , 2013, 132, e551-e552.	1.0	14
54	Group B Streptococcus Late-Onset Disease: 2003-2010. <i>Pediatrics</i> , 2013, 131, e361-e368.	1.0	168

#	ARTICLE	IF	CITATIONS
55	Preterm birth and behaviour problems in infants and preschool-age children: a review of the recent literature. <i>Developmental Medicine and Child Neurology</i> , 2013, 55, 788-796.	1.1	199
56	Impact of Perinatal Practices for Early-onset Group B Streptococcal Disease Prevention. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, e265-e271.	1.1	29
57	Preterm birth and developmental problems in the preschool age. Part I: minor motor problems. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2154-2159.	0.7	39
58	Early markers for cerebral palsy: insights from the assessment of general movements. <i>Future Neurology</i> , 2012, 7, 709-717.	0.9	53
59	Neurological Examination of the Newborn Infant. , 2012, , 1100-1112.		1
60	Efficacy of intrapartum chemoprophylaxis less than 4 hours duration. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 619-625.	0.7	24
61	Neonatal herpes simplex virus. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 88-90.	0.7	11
62	General Movements in Full-Term Infants with Perinatal Asphyxia Are Related to Basal Ganglia and Thalamic Lesions. <i>Journal of Pediatrics</i> , 2011, 158, 904-911.	0.9	87
63	A 12.4Mb direct duplication in 19q12-q13 in a boy with cardiac and CNS malformations and developmental delay. <i>Journal of Applied Genetics</i> , 2011, 52, 335-339.	1.0	7
64	Severe acquired cytomegalovirus infection in a full-term, formula-fed infant: Case Report. <i>BMC Pediatrics</i> , 2011, 11, 52.	0.7	11
65	Intrapartum antibiotic prophylaxis failure and group-B streptococcus early-onset disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1221-1224.	0.7	16
66	Universal Antenatal Screening for Group B Streptococcus in Emilia-romagna. <i>Journal of Medical Screening</i> , 2011, 18, 60-64.	1.1	28
67	Hand movements at 3 months predict later hemiplegia in term infants with neonatal cerebral infarction. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, 767-772.	1.1	62
68	Group B Streptococcus Early-Onset Disease in Emilia-Romagna: Review After Introduction of a Screening-Based Approach. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 115-121.	1.1	31
69	Lactoferrin and prevention of late-onset sepsis in the pre-term neonates. <i>Early Human Development</i> , 2010, 86, 59-61.	0.8	46
70	Bovine Lactoferrin Supplementation for Prevention of Late-Onset Sepsis in Very Low-Birth-Weight Neonates_{title}>A Randomized Trial</sub>. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 1421.	3.8	469
71	Neutralization of a unique, negatively-charged residue in the voltage sensor of KV7.2 subunits in a sporadic case of benign familial neonatal seizures. <i>Neurobiology of Disease</i> , 2009, 34, 501-510.	2.1	25
72	Corrigendum to "Neutralization of a unique, negatively-charged residue in the voltage sensor of KV7.2 subunits in a sporadic case of benign familial neonatal seizures" [Neurobiol. Dis. 34 (2009) 501-510]. <i>Neurobiology of Disease</i> , 2009, 35, 318.	2.1	4

#	ARTICLE	IF	CITATIONS
73	Correlations between welfare initiatives and breastfeeding rates: a 10-year follow-up study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 80-85.	0.7	2
74	Familial Beckwith-Wiedemann syndrome due to <i>CDKN1C</i> mutation manifesting with recurring omphalocele. <i>Prenatal Diagnosis</i> , 2008, 28, 447-449.	1.1	7
75	NEUROBEHAVIORAL COMPARISON OF LOW-RISK PRETERM AND FULLTERM INFANTS AT TERM CONCEPTIONAL AGE. <i>Developmental Medicine and Child Neurology</i> , 2008, 25, 450-458.	1.1	43
76	Group B streptococcus and preventive strategies in Europe. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008, 93, F249-F249.	1.4	10
77	Posture and movement in healthy preterm infants in supine position in and outside the nest. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2007, 92, F386-F390.	1.4	59
78	Group B Streptococcal Infections in a Northern Region of Italy. <i>Pediatrics</i> , 2007, 120, e487-e493.	1.0	55
79	Intractable Epilepsy in Hemimegalencephaly and Tuberous Sclerosis Complex. <i>Journal of Child Neurology</i> , 2007, 22, 80-84.	0.7	16
80	Pure segmental trisomy 1q42-qter in a boy with a severe phenotype. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 2339-2342.	0.7	12
81	A new lethal case of joint contractures, facial abnormalities, pachygyria plus early-onset encephalopathy with a suppression-burst EEG pattern. <i>European Journal of Paediatric Neurology</i> , 2007, 11, 318-321.	0.7	1
82	Absence of neonatal streptococcal colonization after planned cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1012-1013.	1.3	7
83	Kernicterus Associated with Hereditary Spherocytosis and UGT1A1 Promoter Polymorphism. <i>Neonatology</i> , 2006, 90, 243-246.	0.9	31
84	32 GBS Prevention Policies in a North Italian Area. <i>Pediatric Research</i> , 2005, 58, 359-359.	1.1	0
85	A simultaneous outbreak of <i>Serratia marcescens</i> and <i>Klebsiella pneumoniae</i> in a neonatal intensive care unit. <i>Journal of Hospital Infection</i> , 2005, 61, 312-320.	1.4	53
86	Maternal anaphylaxis and fetal brain damage after intrapartum chemoprophylaxis. <i>Journal of Perinatal Medicine</i> , 2004, 32, 375-7.	0.6	21
87	General Movements Detect Early Signs of Hemiplegia in Term Infants with Neonatal Cerebral Infarction. <i>Neuropediatrics</i> , 2003, 34, 61-66.	0.3	126
88	Cramped Synchronized General Movements in Preterm Infants as an Early Marker for Cerebral Palsy. <i>JAMA Pediatrics</i> , 2002, 156, 460.	3.6	205
89	The Early Markers for Later Dyskinetic Cerebral Palsy are Different from Those for Spastic Cerebral Palsy. <i>Neuropediatrics</i> , 2002, 33, 73-78.	0.3	70
90	Diffusion-weighted MRI of maple syrup urine disease encephalopathy. <i>Neuroradiology</i> , 2002, 44, 499-502.	1.1	60

#	ARTICLE	IF	CITATIONS
91	Role of vision on early motor development: lessons from the blind. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 198-201.	1.1	85
92	Early intracardiac thrombosis in preterm infants and thrombolysis with recombinant tissue type plasminogen activator. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2001, 85, 66F-69.	1.4	48
93	Role of vision on early motor development: lessons from the blind. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 198.	1.1	61
94	EEG in Assessing Hydroxycobalamin Therapy in Neonatal Methylmalonic Aciduria with Homocystinuria. <i>Neonatology</i> , 2000, 78, 327-330.	0.9	2
95	Early Neurological Signs in Preterm Infants with Unilateral Intraparenchymal Echodensity. <i>Neuropediatrics</i> , 2000, 31, 240-251.	0.3	88
96	Electroclinical correlation in neonatal seizures. <i>European Journal of Paediatric Neurology</i> , 1998, 2, 117-125.	0.7	40
97	Zusammenhänge zwischen Spontanmotorik und Hirnschädigung in den ersten Lebenswochen. <i>Rehabilitation Und Prävention</i> , 1998, , 127-145.	0.2	1
98	Comparison between observation of spontaneous movements and neurologic examination in preterm infants. <i>Journal of Pediatrics</i> , 1997, 130, 704-711.	0.9	165
99	An early marker for neurological deficits after perinatal brain lesions. <i>Lancet, The</i> , 1997, 349, 1361-1363.	6.3	552
100	The qualitative assessment of general movements in preterm, term and young infants – review of the methodology. <i>Early Human Development</i> , 1997, 50, 47-60.	0.8	271
101	Which better predicts later outcome in fullterm infants: quality of general movements or neurological examination?. <i>Early Human Development</i> , 1997, 50, 71-85.	0.8	107
102	Posture, spontaneous movements, and behavioural state organisation in infants affected by brain malformations. <i>Early Human Development</i> , 1997, 50, 87-113.	0.8	40
103	Predictive value of general movements in asphyxiated fullterm infants. <i>Early Human Development</i> , 1993, 35, 91-120.	0.8	104
104	Bioelectric brain maturation in fullterm infants and in healthy and pathological preterm infants at term post-menstrual age. <i>Early Human Development</i> , 1992, 28, 37-63.	0.8	22
105	Qualitative changes of general movements in preterm infants with brain lesions. <i>Early Human Development</i> , 1990, 23, 193-231.	0.8	255
106	Posture and spontaneous motility in fullterm infants. <i>Early Human Development</i> , 1989, 18, 247-262.	0.8	59
107	Epilepsy with Typical Absence Seizures with Onset During the First Year of Life. <i>Epilepsia</i> , 1989, 30, 802-806.	2.6	31
108	Incremental binocular amplitude of the pattern visual evoked potential during the first five months of life: electrophysiological evidence of the development of binocularity. <i>Documenta Ophthalmologica</i> , 1987, 65, 15-23.	1.0	8

#	ARTICLE	IF	CITATIONS
109	Visual function in term newborn infants and preterm neonates (at the same conceptional age). Journal of Pediatrics, 1981, 98, 858.	0.9	1
110	Vision in the neonate (full-term and premature): Preliminary result of the application of some testing methods. Documenta Ophthalmologica, 1981, 51, 101-112.	1.0	25