

Jeong Eon Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7198945/publications.pdf>

Version: 2024-02-01

291
papers

7,833
citations

81434

41
h-index

107981

68
g-index

306
all docs

306
docs citations

306
times ranked

13390
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of mind and body education on quality of life among young breast cancer patients: a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2022, 30, 721-729.	1.0	3
2	Clinicopathological Characterization of Double Heterozygosity for BRCA1 and BRCA2 Variants in Korean Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2022, 54, 827-833.	1.3	2
3	Validation of Korean Version of the COmprehensive Score for financial Toxicity (COST) Among Breast Cancer Survivors. <i>Cancer Research and Treatment</i> , 2022, 54, 834-841.	1.3	9
4	Impact of Skeletal Muscle Loss and Visceral Obesity Measured Using Serial CT on the Prognosis of Operable Breast Cancers in Asian Patients. <i>Korean Journal of Radiology</i> , 2022, 23, 159.	1.5	4
5	Immediate breast reconstruction has no impact on the oncologic outcomes of patients treated with post-mastectomy radiation therapy: a comparative analysis based on propensity score matching. <i>Breast Cancer Research and Treatment</i> , 2022, 192, 101-112.	1.1	1
6	Real World Evidence of Neoadjuvant Docetaxel/Carboplatin/Trastuzumab/Pertuzumab (TCHP) in Patients with HER2-Positive Early or Locally Advanced Breast Cancer: A Single-Institutional Clinical Experience. <i>Cancer Research and Treatment</i> , 2022, , .	1.3	8
7	Histologic analysis according to HER2 gene status in HER2 +invasive breast cancer: a study of 280 cases comparing ASCO/CAP 2013 and 2018 guideline recommendations. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 749-758.	1.4	2
8	Abstract P1-08-07: Prediction model of the response of neoadjuvant chemotherapy and long term survival according to multi-omic profiling in cooperation with clinicopathologic features in patients with breast cancer. <i>Cancer Research</i> , 2022, 82, P1-08-07-P1-08-07.	0.4	0
9	Abstract P3-13-08: Fusion analysis including NTRK fusion in breast cancers (BC): From RNASeq data analysis from 629 BC tissue samples. <i>Cancer Research</i> , 2022, 82, P3-13-08-P3-13-08.	0.4	0
10	Abstract P3-12-25: Risk of second primary cancers after curative treatment of breast cancer: A Korean nationwide population-based study. <i>Cancer Research</i> , 2022, 82, P3-12-25-P3-12-25.	0.4	0
11	Measurement of Perfusion Heterogeneity within Tumor Habitats on Magnetic Resonance Imaging and Its Association with Prognosis in Breast Cancer Patients. <i>Cancers</i> , 2022, 14, 1858.	1.7	10
12	Relationship Between Breast and Axillary Pathologic Complete Response According to Clinical Nodal Stage: A Nationwide Study From Korean Breast Cancer Society. <i>Journal of Breast Cancer</i> , 2022, 25, 94.	0.8	4
13	Surgical and Oncologic Outcomes of Robotic and Conventional Nipple-Sparing Mastectomy with Immediate Reconstruction: International Multicenter Pooled Data Analysis. <i>Annals of Surgical Oncology</i> , 2022, 29, 6646-6657.	0.7	22
14	A randomized, prospective, multicenter trial of 3D printing, a patient-specific surgical guide for breast-conserving surgery after neoadjuvant chemotherapy: Comparative evaluation according to the presence or absence of surgical guide.. <i>Journal of Clinical Oncology</i> , 2022, 40, 576-576.	0.8	2
15	Surgical margin status and survival outcomes of breast cancer patients treated with breast-conserving surgery and whole-breast irradiation after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2022, 194, 683-692.	1.1	2
16	Breast radiologic complete response is associated with favorable survival outcomes after neoadjuvant chemotherapy in breast cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 232-239.	0.5	7
17	Magnetic Resonance Imaging-Guided Breast Biopsy in Korea: A 10-Year Follow-Up Experience. <i>Journal of Breast Cancer</i> , 2021, 24, 377.	0.8	2
18	Changes in Korean National Healthcare Insurance Policy and Breast Cancer Surgery Trend in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e194.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Effect of Poloxamer-Based Thermo-Sensitive Sol-Gel Agent on Upper Limb Dysfunction after Axillary Lymph Node Dissection: A Double-Blind Randomized Clinical Trial. <i>Journal of Breast Cancer</i> , 2021, 24, 367.	0.8	3
20	Inhibition of platelet-derived growth factor receptor synergistically increases the pharmacological effect of tamoxifen in estrogen receptor I± positive breast cancer. <i>Oncology Letters</i> , 2021, 21, 294.	0.8	13
21	Validation of the GenesWell BCT Score in Young Asian Women With HR+/HER2± Early Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 588728.	1.3	2
22	Inhibition of platelet-derived growth factor C and their receptors additionally increases doxorubicin effects in triple-negative breast cancer cells. <i>European Journal of Pharmacology</i> , 2021, 895, 173868.	1.7	15
23	The efficacy and safety of indocyanine green-hyaluronic acid mixture (LuminoMark®,) for localization in patients with non-palpable breast lesions: a multi-center open-label parallel phase-2 clinical trial. <i>BMC Surgery</i> , 2021, 21, 134.	0.6	5
24	Celastrol attenuates the inflammatory response by inhibiting IL-1 β expression in triple-negative breast cancer cells. <i>Oncology Reports</i> , 2021, 45, .	1.2	17
25	Deep Learning-Based Prediction Model for Breast Cancer Recurrence Using Adjuvant Breast Cancer Cohort in Tertiary Cancer Center Registry. <i>Frontiers in Oncology</i> , 2021, 11, 596364.	1.3	14
26	Favorable prognostic factors of oligometastatic breast cancer: A subset analysis of OLIGO-BC1.. <i>Journal of Clinical Oncology</i> , 2021, 39, 1026-1026.	0.8	1
27	Genomic characteristics of breast cancer to predict response of neoadjuvant chemotherapy and long-term prognosis.. <i>Journal of Clinical Oncology</i> , 2021, 39, 557-557.	0.8	6
28	Entelon® (Vitis vinifera Seed Extract) Prevents Cancer Metastasis via the Downregulation of Interleukin-1 Alpha in Triple-Negative Breast Cancer Cells. <i>Molecules</i> , 2021, 26, 3644.	1.7	7
29	YAP, CTGF and Cyr61 are overexpressed in tamoxifen-resistant breast cancer and induce transcriptional repression of ER±. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	18
30	Validation of the Clinical Treatment Score Post-Five Years in Breast Cancer Patients for Predicting Late Distant Recurrence: A Single-Center Investigation in Korea. <i>Frontiers in Oncology</i> , 2021, 11, 691277.	1.3	4
31	Prediction of pathologic complete response to neoadjuvant chemotherapy using machine learning models in patients with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 747-757.	1.1	10
32	Preoperative diagnosis of BRCA1/2 mutation impacts decision-making for risk-reducing mastectomy in breast cancer patients. <i>Scientific Reports</i> , 2021, 11, 14747.	1.6	1
33	Deep learning from HE slides predicts the clinical benefit from adjuvant chemotherapy in hormone receptor-positive breast cancer patients. <i>Scientific Reports</i> , 2021, 11, 17363.	1.6	7
34	Prevalence, treatment patterns, and prognosis of low estrogen receptor-positive (1% to 10%) breast cancer: a single institution's experience in Korea. <i>Breast Cancer Research and Treatment</i> , 2021, 189, 653-663.	1.1	10
35	Who are the women who enrolled in the POSITIVE trial: A global study to support young hormone receptor positive breast cancer survivors desiring pregnancy. <i>Breast</i> , 2021, 59, 327-338.	0.9	31
36	Does chemotherapy or radiotherapy affect the postoperative complication in breast cancer patients who underwent immediate breast reconstruction with tissue expander?. <i>BMC Cancer</i> , 2021, 21, 88.	1.1	8

#	ARTICLE	IF	CITATIONS
37	Relation Between Tumor Size and Lymph Node Metastasis According to Subtypes of Breast Cancer. <i>Journal of Breast Cancer</i> , 2021, 24, 75.	0.8	19
38	Elevated Level of Nerve Growth Factor (NGF) in Serum-Derived Exosomes Predicts Poor Survival in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy. <i>Cancers</i> , 2021, 13, 5260.	1.7	11
39	Is Sentinel Lymph Node Biopsy for Breast Cancer with Cytology-Proven Axillary Metastasis Safe? A Prospective Single-Arm Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4754.	1.0	0
40	Risk of non-Hodgkin lymphoma in breast cancer survivors: a nationwide cohort study. <i>Blood Cancer Journal</i> , 2021, 11, 200.	2.8	6
41	Association of the Implant Surface Texture Used in Reconstruction With Breast Cancer Recurrence. <i>JAMA Surgery</i> , 2020, 155, 1132.	2.2	27
42	Isoflavone intake on the risk of overall breast cancer and molecular subtypes in women at high risk for hereditary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 615-626.	1.1	3
43	ANK2 Hypermethylation in Canine Mammary Tumors and Human Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8697.	1.8	11
44	Chemotherapy induces dynamic immune responses in breast cancers that impact treatment outcome. <i>Nature Communications</i> , 2020, 11, 6175.	5.8	92
45	Application of an open-chamber multi-channel microfluidic device to test chemotherapy drugs. <i>Scientific Reports</i> , 2020, 10, 20343.	1.6	3
46	WNT5A augments cell invasiveness by inducing CXCL8 in HER2-positive breast cancer cells. <i>Cytokine</i> , 2020, 135, 155213.	1.4	9
47	Distribution of tumor subtypes in bilateral breast cancer: Comparison between synchronous and metachronous cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, , .	0.7	5
48	Serum Vitamin Levels and Their Relationships with Other Biomarkers in Korean Breast Cancer Patients. <i>Nutrients</i> , 2020, 12, 2831.	1.7	6
49	Impact of Serum Lipid on Breast Cancer Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 2846.	1.0	23
50	Prognostication of a 13-immune-related-gene signature in patients with early triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 325-334.	1.1	18
51	Dietary Intake and Plasma Levels of Isoflavones Among Breast Cancer Survivors. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa061_118.	0.1	0
52	Clinical Characteristics and Exploratory Genomic Analyses of Germline BRCA1 or BRCA2 Mutations in Breast Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 1315-1325.	1.5	8
53	Prognosis of BRCA1/2-negative breast cancer patients with HBOC risk factors compared with sporadic breast cancer patients without HBOC risk factors. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 104-113.	0.6	2
54	Aberrant Lymphatic Drainage in the Contralateral Axilla in Patients with Isolated Ipsilateral Breast Tumor Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 1192.	1.0	0

#	ARTICLE	IF	CITATIONS
55	Trends in Risk-Reducing Mastectomy and Risk-Reducing Salpingo-Oophorectomy in Korean Carriers of the <i>BRCA1/2</i> Mutation. <i>Journal of Breast Cancer</i> , 2020, 23, 647.	0.8	9
56	Clinicopathologic characteristics of HER2-positive pure mucinous carcinoma of the breast. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 95-102.	0.4	19
57	Clinicopathological Features of Patients with the BRCA1 c.5339T>C (p.Leu1780Pro) Variant. <i>Cancer Research and Treatment</i> , 2020, 52, 680-688.	1.3	7
58	Surgical impact on anxiety of patients with breast cancer: 12-month follow-up prospective longitudinal study. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 215.	0.4	8
59	Is the intraoperative frozen section analysis of sentinel lymph nodes necessary in clinically negative node breast cancer?. <i>Annals of Surgical Treatment and Research</i> , 2020, 99, 251.	0.4	5
60	International retrospective cohort study of locoregional and systemic therapy in oligometastatic breast cancer (OLIGO-BC1).. <i>Journal of Clinical Oncology</i> , 2020, 38, 1025-1025.	0.8	1
61	TP53 upregulates Î±-smooth muscle actin expression in tamoxifen-resistant breast cancer cells. <i>Oncology Reports</i> , 2019, 41, 1075-1082.	1.2	7
62	Comparison of GenesWell BCT Score With Oncotype DX Recurrence Score for Risk Classification in Asian Women With Hormone Receptor-Positive, HER2-Negative Early Breast Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 667.	1.3	12
63	Clinical Features and Outcomes of Invasive Breast Cancer: Age-Specific Analysis of a Modern Hospital-Based Registry. <i>Journal of Global Oncology</i> , 2019, 5, 1-9.	0.5	13
64	Chemoresistance in the Human Triple-Negative Breast Cancer Cell Line MDA-MB-231 Induced by Doxorubicin Gradient Is Associated with Epigenetic Alterations in Histone Deacetylase. <i>Journal of Oncology</i> , 2019, 2019, 1-12.	0.6	44
65	The association between non-breast and ovary cancers and BRCA mutation in first- and second-degree relatives of high-risk breast cancer patients: a large-scale study of Koreans. <i>Hereditary Cancer in Clinical Practice</i> , 2019, 17, 1.	0.6	13
66	Serum Trace Elements and Their Associations with Breast Cancer Subgroups in Korean Breast Cancer Patients. <i>Nutrients</i> , 2019, 11, 37.	1.7	46
67	Prediction of axillary pathologic response with breast pathologic complete response after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 591-596.	1.1	25
68	Insights Into Breast Cancer in the East vs the West. <i>JAMA Oncology</i> , 2019, 5, 1489.	3.4	90
69	Practical approaches to automated digital image analysis of Ki-67 labeling index in 997 breast carcinomas and causes of discordance with visual assessment. <i>PLoS ONE</i> , 2019, 14, e0212309.	1.1	18
70	Nomogram for accurate prediction of breast and axillary pathologic response after neoadjuvant chemotherapy in node positive patients with breast cancer. <i>Annals of Surgical Treatment and Research</i> , 2019, 96, 169.	0.4	22
71	Retrospectively validating the results of the ACOSOG Z0011 trial in a large Asian Z0011-eligible cohort. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 203-215.	1.1	13
72	Radiomics signature on 3T dynamic contrast-enhanced magnetic resonance imaging for estrogen receptor-positive invasive breast cancers. <i>Medicine (United States)</i> , 2019, 98, e15871.	0.4	23

#	ARTICLE	IF	CITATIONS
73	Adherence to the American Cancer Society Guidelines for Cancer Survivors and Health-Related Quality of Life among Breast Cancer Survivors. <i>Nutrients</i> , 2019, 11, 2924.	1.7	13
74	Prevalence and oncologic outcomes of BRCA 1/2 mutations in unselected triple-negative breast cancer patients in Korea. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 385-395.	1.1	15
75	A predictive model for high/low risk group according to oncoType DX recurrence score using machine learning. <i>European Journal of Surgical Oncology</i> , 2019, 45, 134-140.	0.5	17
76	A nomogram to predict pathologic complete response (pCR) and the value of tumor-infiltrating lymphocytes (TILs) for prediction of response to neoadjuvant chemotherapy (NAC) in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 255-266.	1.1	96
77	Is the high proportion of young age at breast cancer onset a unique feature of Asian breast cancer?. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 189-199.	1.1	27
78	EGFR is a Therapeutic Target in Hormone Receptor-Positive Breast Cancer. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 805-819.	1.1	26
79	Oncologic Outcomes of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Patients with Tumor-Nipple Distance Less than 2.0 cm. <i>Journal of Breast Cancer</i> , 2019, 22, 613.	0.8	18
80	Discordance of the PAM50 Intrinsic Subtypes Compared with Immunohistochemistry-Based Surrogate in Breast Cancer Patients: Potential Implication of Genomic Alterations of Discordance. <i>Cancer Research and Treatment</i> , 2019, 51, 737-747.	1.3	53
81	Berberine Suppresses Cell Motility Through Downregulation of TGF- β 1 in Triple Negative Breast Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 45, 795-807.	1.1	47
82	A train the trainer program for healthcare professionals tasked with providing psychosocial support to breast cancer survivors. <i>BMC Cancer</i> , 2018, 18, 45.	1.1	7
83	Oncologic Safety of Gonadotropin-Releasing Hormone Agonist for Ovarian Function Protection During Breast Cancer Chemotherapy. <i>Clinical Breast Cancer</i> , 2018, 18, e1165-e1172.	1.1	1
84	Effect of Body Mass Index on Survival in Breast Cancer Patients According to Subtype, Metabolic Syndrome, and Treatment. <i>Clinical Breast Cancer</i> , 2018, 18, e1141-e1147.	1.1	24
85	Multi-omics profiling of younger Asian breast cancers reveals distinctive molecular signatures. <i>Nature Communications</i> , 2018, 9, 1725.	5.8	122
86	Preoperative Axillary US in Early-Stage Breast Cancer: Potential to Prevent Unnecessary Axillary Lymph Node Dissection. <i>Radiology</i> , 2018, 288, 55-63.	3.6	37
87	Risk Factors Affecting Breast Cancer-related Lymphedema: Serial Body Weight Change During Neoadjuvant Anthracycline Plus Cyclophosphamide Followed by Taxane. <i>Clinical Breast Cancer</i> , 2018, 18, e49-e54.	1.1	18
88	SIDR: simultaneous isolation and parallel sequencing of genomic DNA and total RNA from single cells. <i>Genome Research</i> , 2018, 28, 75-87.	2.4	95
89	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. <i>Quality of Life Research</i> , 2018, 27, 347-354.	1.5	8
90	Genetic and Clinical Characteristics of Phyllodes Tumors of the Breast. <i>Translational Oncology</i> , 2018, 11, 18-23.	1.7	26

#	ARTICLE	IF	CITATIONS
91	Genetic Diagnosis before Surgery has an Impact on Surgical Decision in BRCA Mutation Carriers with Breast Cancer. <i>World Journal of Surgery</i> , 2018, 42, 1384-1390.	0.8	9
92	Formation of size-controllable tumour spheroids using a microfluidic pillar array (1/4FPA) device. <i>Analyst</i> , 2018, 143, 5841-5848.	1.7	16
93	Reclassification of BRCA1 and BRCA2 variants of uncertain significance: a multifactorial analysis of multicentre prospective cohort. <i>Journal of Medical Genetics</i> , 2018, 55, 794-802.	1.5	25
94	BCT score predicts chemotherapy benefit in Asian patients with hormone receptor-positive, HER2-negative, lymph node-negative breast cancer. <i>PLoS ONE</i> , 2018, 13, e0207155.	1.1	12
95	Patterns of Axillary Lymph Node Metastasis in Breast Cancer: A Prospective Single-Center Study. <i>Journal of Breast Cancer</i> , 2018, 21, 447.	0.8	2
96	Use of Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Patients with Axillary Node-Positive Breast Cancer in Diagnosis. <i>Journal of Breast Cancer</i> , 2018, 21, 433.	0.8	19
97	Prognostic value of immunohistochemically detected p53 in adjuvant chemotherapy-treated triple negative breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 663-672.	0.8	8
98	Pharmacogenomic landscape of patient-derived tumor cells informs precision oncology therapy. <i>Nature Genetics</i> , 2018, 50, 1399-1411.	9.4	145
99	Only estrogen receptor positive is not enough to predict the prognosis of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 627-636.	1.1	10
100	Prediction of ovarian function recovery in young breast cancer patients after protection with gonadotropin-releasing hormone agonist during chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 649-656.	1.1	10
101	Preoperative dynamic breast magnetic resonance imaging kinetic features using computer-aided diagnosis: Association with survival outcome and tumor aggressiveness in patients with invasive breast cancer. <i>PLoS ONE</i> , 2018, 13, e0195756.	1.1	19
102	Validation of the new AJCC eighth edition of the TNM classification for breast cancer with a single-center breast cancer cohort. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 737-745.	1.1	27
103	Which Patients with Left Breast Cancer Should be Candidates for Heart-Sparing Radiotherapy?. <i>Journal of Breast Cancer</i> , 2018, 21, 206.	0.8	8
104	Berberine Suppresses Fibronectin Expression through Inhibition of c-Jun Phosphorylation in Breast Cancer Cells. <i>Journal of Breast Cancer</i> , 2018, 21, 21.	0.8	19
105	Breast Cancer Epidemiology of the Working-Age Female Population Reveals Significant Implications for the South Korean Economy. <i>Journal of Breast Cancer</i> , 2018, 21, 91.	0.8	10
106	Prognostic Validation of the American Joint Committee on Cancer 8th Staging System in 24,014 Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 173.	0.8	28
107	Verification of a Western Nomogram for Predicting Oncotype DX Recurrence Scores in Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 222.	0.8	4
108	Berberine down-regulates IL-8 expression through inhibition of the EGFR/MEK/ERK pathway in triple-negative breast cancer cells. <i>Phytomedicine</i> , 2018, 50, 43-49.	2.3	56

#	ARTICLE	IF	CITATIONS
109	Radiomics Signature on Magnetic Resonance Imaging: Association with Disease-Free Survival in Patients with Invasive Breast Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 4705-4714.	3.2	181
110	Clinical Characteristics and Prognosis of Pregnancy-Associated Breast Cancer: Poor Survival of Luminal B Subtype. <i>Oncology</i> , 2018, 95, 163-169.	0.9	31
111	Distress and body image due to altered appearance in posttreatment and active treatment of breast cancer patients and in general population controls. <i>Palliative and Supportive Care</i> , 2018, 16, 137-145.	0.6	19
112	Use of sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with cytology proven axillary node-positive breast cancer at diagnosis. <i>Journal of Clinical Oncology</i> , 2018, 36, e12640-e12640.	0.8	0
113	Who are happy survivors? Physical, psychosocial, and spiritual factors associated with happiness of breast cancer survivors during the transition from cancer patient to survivor. <i>Psycho-Oncology</i> , 2017, 26, 1922-1928.	1.0	27
114	A new molecular prognostic score for predicting the risk of distant metastasis in patients with HR+/HER2 ⁻ early breast cancer. <i>Scientific Reports</i> , 2017, 7, 45554.	1.6	26
115	MMP11 and CD2 as novel prognostic factors in hormone receptor-negative, HER2-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 41-56.	1.1	51
116	Predictive Factors for Nonsentinel Lymph Node Metastasis in Patients With Positive Sentinel Lymph Nodes After Neoadjuvant Chemotherapy: Nomogram for Predicting Nonsentinel Lymph Node Metastasis. <i>Clinical Breast Cancer</i> , 2017, 17, 550-558.	1.1	18
117	Prognostic value of ABO blood types in young patients with breast cancer; a nationwide study in Korean Breast Cancer Society. <i>Medical Oncology</i> , 2017, 34, 118.	1.2	8
118	Single-cell RNA-seq enables comprehensive tumour and immune cell profiling in primary breast cancer. <i>Nature Communications</i> , 2017, 8, 15081.	5.8	743
119	Suggestion of BRCA1 c.5339T>C (p.L1780P) variant confer from "unknown significance" to "Likely pathogenic" based on clinical evidence in Korea. <i>Breast</i> , 2017, 33, 109-116.	0.9	16
120	Background parenchymal enhancement on breast MRI: association with recurrence-free survival in patients with newly diagnosed invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 573-586.	1.1	29
121	Different prognosis of young breast cancer patients in their 20s and 30s depending on subtype: a nationwide study from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 833-842.	1.1	20
122	Outcome following sentinel lymph node biopsy-guided decisions in breast cancer patients with conversion from positive to negative axillary lymph nodes after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 473-480.	1.1	32
123	Prevalence and detection of low-allele-fraction variants in clinical cancer samples. <i>Nature Communications</i> , 2017, 8, 1377.	5.8	137
124	Oncologic Safety of Immediate Breast Reconstruction in Breast Cancer Patients Who Underwent Neoadjuvant Chemotherapy: Short-Term Outcomes of a Matched Case-Control Study. <i>Clinical Breast Cancer</i> , 2017, 17, 204-210.	1.1	24
125	Frequency of pathogenic germline mutation in CHEK2, PALB2, MRE11, and RAD50 in patients at high risk for hereditary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 95-102.	1.1	28
126	Feasibility and Prognostic Effect of Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Cytology-Proven, Node-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, e19-e29.	1.1	14

#	ARTICLE	IF	CITATIONS
127	Clinical outcomes according to molecular subtypes in stage II-III breast cancer patients treated with neoadjuvant chemotherapy followed by surgery and radiotherapy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 329-336.	0.7	12
128	Development of a Nomogram to Predict N2 or N3 Stage in T1â€²2 Invasive Breast Cancer Patients with No Palpable Lymphadenopathy. <i>Journal of Breast Cancer</i> , 2017, 20, 270.	0.8	12
129	Comparison of Core Needle Biopsy and Surgical Specimens in Determining Intrinsic Biological Subtypes of Breast Cancer with Immunohistochemistry. <i>Journal of Breast Cancer</i> , 2017, 20, 297.	0.8	31
130	Comparison of the association of mammographic density and clinical factors with ductal carcinoma in situ versus invasive ductal breast cancer in Korean women. <i>BMC Cancer</i> , 2017, 17, 821.	1.1	5
131	Fertility Rates in Young Korean Breast Cancer Patients Treated with Gonadotropin-Releasing Hormone and Chemotherapy. <i>Journal of Breast Cancer</i> , 2017, 20, 91.	0.8	6
132	Fibronectin expression is upregulated by PI-3K/Akt activation in tamoxifen-resistant breast cancer cells. <i>BMB Reports</i> , 2017, 50, 615-620.	1.1	16
133	Oncologic Outcomes after Immediate Breast Reconstruction Following Total Mastectomy in Patients with Breast Cancer: A Matched Case-Control Study. <i>Journal of Breast Cancer</i> , 2017, 20, 74.	0.8	15
134	Dimerization of EGFR and HER2 induces breast cancer cell motility through STAT1-dependent ACTA2 induction. <i>Oncotarget</i> , 2017, 8, 50570-50581.	0.8	33
135	Circulating tumor DNA shows variable clonal response of breast cancer during neoadjuvant chemotherapy. <i>Oncotarget</i> , 2017, 8, 86423-86434.	0.8	14
136	Variations in plasma concentrations of tamoxifen metabolites and the effects of genetic polymorphisms on tamoxifen metabolism in Korean patients with breast cancer. <i>Oncotarget</i> , 2017, 8, 100296-100311.	0.8	25
137	Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. <i>Psychiatry Investigation</i> , 2017, 14, 491.	0.7	2
138	Lymph Node Ratio as a Risk Factor for Locoregional Recurrence in Breast Cancer Patients with 10 or More Axillary Nodes. <i>Journal of Breast Cancer</i> , 2016, 19, 169.	0.8	11
139	Radiologic Findings of Primary Mucinous Cystadenocarcinoma of the Breast: A Report of Two Cases and a Literature Review. <i>Journal of Breast Cancer</i> , 2016, 19, 330.	0.8	11
140	Association between Mutation and Expression of TP53 as a Potential Prognostic Marker of Triple-Negative Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1338-1350.	1.3	56
141	Clinicopathologic Features and Long-Term Outcomes of Elderly Breast Cancer Patients: Experiences at a Single Institution in Korea. <i>Cancer Research and Treatment</i> , 2016, 48, 1382-1388.	1.3	10
142	Clinicopathological Features and Prognostic Factors Affecting Survival Outcomes in Isolated Locoregional Recurrence of Breast Cancer: Single-Institutional Series. <i>PLoS ONE</i> , 2016, 11, e0163254.	1.1	6
143	Body Mass Index with Tumor 18F-FDG Uptake Improves Risk Stratification in Patients with Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0165814.	1.1	7
144	Frequency of MED12 mutations in phyllodes tumors: Inverse correlation with histologic grade. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 495-504.	1.5	24

#	ARTICLE	IF	CITATIONS
145	STC-1 expression is upregulated through an Akt/NF- κ B-dependent pathway in triple-negative breast cancer cells. <i>Oncology Reports</i> , 2016, 36, 1717-1722.	1.2	14
146	The relationship between nuclear factor (NF)- κ B family gene expression and prognosis in triple-negative breast cancer (TNBC) patients receiving adjuvant doxorubicin treatment. <i>Scientific Reports</i> , 2016, 6, 31804.	1.6	44
147	Feasibility of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Breast Cancer Patients with Tumor-Nipple Distance Less Than 2.0 cm. <i>World Journal of Surgery</i> , 2016, 40, 2028-2035.	0.8	21
148	MEK activity controls IL-8 expression in tamoxifen-resistant MCF-7 breast cancer cells. <i>Oncology Reports</i> , 2016, 35, 2398-2404.	1.2	7
149	Breast cancer-specific mortality in small-sized tumor with node-positive breast cancer: a nation-wide study in Korean breast cancer society. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 489-498.	1.1	6
150	Goserelin plus tamoxifen compared to chemotherapy followed by tamoxifen in premenopausal patients with early stage-, lymph node-negative breast cancer of luminal A subtype. <i>Breast</i> , 2016, 30, 111-117.	0.9	4
151	Elevated IL-1 β expression induces invasiveness of triple negative breast cancer cells and is suppressed by zerumbone. <i>Chemico-Biological Interactions</i> , 2016, 258, 126-133.	1.7	38
152	Prognostic value of ERBB4 expression in patients with triple negative breast cancer. <i>BMC Cancer</i> , 2016, 16, 138.	1.1	39
153	Limited Supraclavicular Radiation Field in Breast Cancer With \geq 10 Positive Axillary Lymph Nodes. <i>Clinical Breast Cancer</i> , 2016, 16, e15-e21.	1.1	1
154	Silibinin inhibits triple negative breast cancer cell motility by suppressing TGF- β 2 expression. <i>Tumor Biology</i> , 2016, 37, 11397-11407.	0.8	28
155	MEK-dependent IL-8 induction regulates the invasiveness of triple-negative breast cancer cells. <i>Tumor Biology</i> , 2016, 37, 4991-4999.	0.8	30
156	Zerumbone suppresses the motility and tumorigenicity of triple negative breast cancer cells via the inhibition of TGF- β 1 signaling pathway. <i>Oncotarget</i> , 2016, 7, 1544-1558.	0.8	43
157	Analysis of β BRIP1 Variants among Korean Patients with BRCA1/2 Mutation-Negative High-Risk Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 955-961.	1.3	8
158	Importance of surgical role on anxiety of patients with breast cancer: Twelve-month follow-up prospective study. <i>Journal of Clinical Oncology</i> , 2016, 34, 195-195.	0.8	0
159	Patient-reported assessment of self-management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). <i>Psycho-Oncology</i> , 2015, 24, 1723-1730.	1.0	24
160	Comparison of Clinicopathological Features and Treatment Results between Invasive Lobular Carcinoma and Ductal Carcinoma of the Breast. <i>Journal of Breast Cancer</i> , 2015, 18, 285.	0.8	12
161	Sentinel Lymph Node Biopsy Alone after Neoadjuvant Chemotherapy in Patients with Initial Cytology-Proven Axillary Node Metastasis. <i>Journal of Breast Cancer</i> , 2015, 18, 22.	0.8	23
162	Proportion and Clinical Outcomes of Postoperative Radiotherapy Omission after Breast-Conserving Surgery in Women with Breast Cancer. <i>Journal of Breast Cancer</i> , 2015, 18, 50.	0.8	5

#	ARTICLE	IF	CITATIONS
163	Independent Prognostic Factors for Overall Survival after Salvage Operation for Ipsilateral Breast Tumor Recurrence Following Breast-Conserving Surgery. <i>Journal of Breast Cancer</i> , 2015, 18, 386.	0.8	13
164	Distinguishing Low-Risk Luminal A Breast Cancer Subtypes with Ki-67 and p53 Is More Predictive of Long-Term Survival. <i>PLoS ONE</i> , 2015, 10, e0124658.	1.1	27
165	Molecular characterization of patients with pathologic complete response or early failure after neoadjuvant chemotherapy for locally advanced breast cancer using next generation sequencing and nCounter assay. <i>Oncotarget</i> , 2015, 6, 24499-24510.	0.8	7
166	Differential effect of EGFR inhibitors on tamoxifen-resistant breast cancer cells. <i>Oncology Reports</i> , 2015, 34, 1613-1619.	1.2	21
167	Prevalence and clinical outcomes of young breast cancer (YBC) patients according to intrinsic breast cancer subtypes: Single institutional experience in Korea. <i>Breast</i> , 2015, 24, 213-217.	0.9	23
168	Lateral neck sentinel lymph node biopsy in papillary thyroid carcinoma, is it really necessary? A randomized, controlled study. <i>Surgery</i> , 2015, 157, 518-525.	1.0	17
169	Clinical Outcomes and Prognostic Factors of Pathologic N3 Breast Cancer Treated With Modern Standard Treatments. <i>Clinical Breast Cancer</i> , 2015, 15, 512-518.	1.1	9
170	Elevated TGF- β 1 and - β 2 expression accelerates the epithelial to mesenchymal transition in triple-negative breast cancer cells. <i>Cytokine</i> , 2015, 75, 151-158.	1.4	40
171	The prevalence and spectrum of BRCA1 and BRCA2 mutations in Korean population: recent update of the Korean Hereditary Breast Cancer (KOHBRA) study. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 157-168.	1.1	82
172	Poor prognosis of single hormone receptor- positive breast cancer: similar outcome as triple-negative breast cancer. <i>BMC Cancer</i> , 2015, 15, 138.	1.1	119
173	The Value of Ki67 in Very Young Women with Hormone Receptor-Positive Breast Cancer: Retrospective Analysis of 9,321 Korean Women. <i>Annals of Surgical Oncology</i> , 2015, 22, 3481-3488.	0.7	20
174	Induction of fibronectin by HER2 overexpression triggers adhesion and invasion of breast cancer cells. <i>Experimental Cell Research</i> , 2015, 333, 116-126.	1.2	36
175	Prognostic Modeling in Pathologic N1 Breast Cancer Without Elective Nodal Irradiation After Current Standard Systemic Management. <i>Clinical Breast Cancer</i> , 2015, 15, e197-e204.	1.1	6
176	Incidental Findings on Simulation CT Images for Adjuvant Radiotherapy in Breast Cancer Patients. <i>Technology in Cancer Research and Treatment</i> , 2015, 14, 525-529.	0.8	6
177	Scanxiety and quality of life among breast cancer survivors.. <i>Journal of Clinical Oncology</i> , 2015, 33, e20569-e20569.	0.8	3
178	Comparison of prognosis and specific features according to tumor size in small-sized breast cancer with extensive lymph node involvement.. <i>Journal of Clinical Oncology</i> , 2015, 33, 81-81.	0.8	3
179	Mutational profiling of brain metastasis from breast cancer: matched pair analysis of targeted sequencing between brain metastasis and primary breast cancer. <i>Oncotarget</i> , 2015, 6, 43731-43742.	0.8	63
180	The Clinical Impact of 21-Gene Recurrence Score on Treatment Decisions for Patients with Hormone Receptor-Positive Early Breast Cancer in Korea. <i>Cancer Research and Treatment</i> , 2015, 47, 208-214.	1.3	23

#	ARTICLE	IF	CITATIONS
181	Impact on Survival of Regular Postoperative Surveillance for Patients with Early Breast Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 765-773.	1.3	4
182	Anticancer effect of silibinin on the xenograft model using MDA-MB-468 breast cancer cells. <i>Annals of Surgical Treatment and Research</i> , 2014, 87, 167.	0.4	18
183	Polyostotic Fibrous Dysplasia Mimicking Multiple Bone Metastases in a Patient with Ductal Carcinoma In Situ. <i>Journal of Breast Cancer</i> , 2014, 17, 83.	0.8	5
184	Breast Cancer Screening Knowledge and Perceived Health Beliefs among Immigrant Women in Korea. <i>Journal of Breast Cancer</i> , 2014, 17, 279.	0.8	13
185	Clinical Significance of the Axillary Arch in Sentinel Lymph Node Biopsy. <i>Journal of Breast Cancer</i> , 2014, 17, 244.	0.8	5
186	Acute skin toxicity in Korean breast cancer patients carrying BRCA mutations. <i>International Journal of Radiation Biology</i> , 2014, 90, 90-94.	1.0	21
187	Invasive Paget disease of the breast: 20 years of experience at a single institution. <i>Human Pathology</i> , 2014, 45, 2480-2487.	1.1	22
188	Excision alone for small size ductal carcinoma in situ of the breast. <i>Breast</i> , 2014, 23, 586-590.	0.9	10
189	Ovarian function preservation with GnRH agonist in young breast cancer patients: Does it impede the effect of adjuvant chemotherapy?. <i>Breast</i> , 2014, 23, 670-675.	0.9	12
190	Genetic anticipation of familial breast cancer with or without BRCA mutation in the Korean population. <i>Cancer Genetics</i> , 2014, 207, 160-163.	0.2	8
191	Protein kinase C- δ downregulates estrogen receptor- α by suppressing c-Jun phosphorylation in estrogen receptor-positive breast cancer cells. <i>Oncology Reports</i> , 2014, 31, 1423-1428.	1.2	8
192	Role of secreted type I collagen derived from stromal cells in two breast cancer cell lines. <i>Oncology Letters</i> , 2014, 8, 507-512.	0.8	32
193	Induction of fibronectin in response to epidermal growth factor is suppressed by silibinin through the inhibition of STAT3 in triple negative breast cancer cells. <i>Oncology Reports</i> , 2014, 32, 2230-2236.	1.2	27
194	Zerumbone suppresses EGF-induced CD44 expression through the inhibition of STAT3 in breast cancer cells. <i>Oncology Reports</i> , 2014, 32, 2666-2672.	1.2	25
195	Primary Follicular Lymphoma in a Male Breast: A Case Report. <i>Cancer Research and Treatment</i> , 2014, 46, 104-107.	1.3	7
196	HER3 status by immunohistochemistry is correlated with poor prognosis in hormone receptor-negative breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 741-750.	1.1	52
197	Analysis of Factors that Influence the Accuracy of Magnetic Resonance Imaging for Predicting Response after Neoadjuvant Chemotherapy in Locally Advanced Breast Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 2562-2568.	0.7	58
198	Round Block Technique Without Cerclage in Breast-Conserving Surgery. <i>Annals of Surgical Oncology</i> , 2013, 20, 3341-3347.	0.7	5

#	ARTICLE	IF	CITATIONS
199	Expression of TWIST1, Snail, Slug, and NF- κ B and methylation of the TWIST1 promoter in mammary phyllodes tumor. <i>Tumor Biology</i> , 2013, 34, 445-453.	0.8	11
200	HER-2 overexpression is not associated with increased ipsilateral breast tumor recurrence in DCIS treated with breast-conserving surgery followed by radiotherapy. <i>Breast</i> , 2013, 22, 894-897.	0.9	9
201	Does the reconstruction method influence development of mastectomy flap complications in nipple-sparing mastectomy?. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1543-1550.	0.5	25
202	Ischaemic time and fat necrosis in breast reconstruction with a free deep inferior epigastric perforator flap. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 174-181.	0.5	39
203	Comparison of morbidity of donor site following pedicled muscle-sparing latissimus dorsi flap versus extended latissimus dorsi flap breast reconstruction. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 640-646.	0.5	56
204	The prevalence of BRCA mutations among familial breast cancer patients in Korea: results of the Korean Hereditary Breast Cancer study. <i>Familial Cancer</i> , 2013, 12, 75-81.	0.9	43
205	Berberine Suppresses TPA-Induced Fibronectin Expression through the Inhibition of VEGF Secretion in Breast Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 1541-1550.	1.1	37
206	The Clinical Meaning of Intramammary Lymph Nodes. <i>Oncology</i> , 2013, 84, 1-5.	0.9	13
207	Analysis of the effect of breast magnetic resonance imaging on the outcome in women undergoing breast conservation surgery with radiation therapy. <i>Journal of Surgical Oncology</i> , 2013, 107, 815-821.	0.8	22
208	Silibinin inhibits TPA-induced cell migration and MMP-9 expression in thyroid and breast cancer cells. <i>Oncology Reports</i> , 2013, 29, 1343-1348.	1.2	38
209	Rib-Sparing and Internal Mammary Artery-“Preserving Microsurgical Breast Reconstruction with the Free DIEP Flap. <i>Plastic and Reconstructive Surgery</i> , 2013, 131, 327e-334e.	0.7	30
210	Aromatase inhibitor-associated musculoskeletal symptoms: incidence and associated factors. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2013, 85, 205.	1.1	15
211	Neoadjuvant human epidermal growth factor receptor-2 targeted therapy in patients with locally advanced breast cancer. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2013, 84, 273.	1.1	1
212	Validation of a Web-Based Tool to Predict the Ipsilateral Breast Tumor Recurrence (IBTR! 2.0) after Breast-Conserving Therapy for Korean Patients. <i>Journal of Breast Cancer</i> , 2013, 16, 97.	0.8	5
213	Comparison of the Characteristics of Medullary Breast Carcinoma and Invasive Ductal Carcinoma. <i>Journal of Breast Cancer</i> , 2013, 16, 417.	0.8	37
214	Experience of treatment of patients with granulomatous lobular mastitis. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2013, 85, 1.	1.1	39
215	Primary breast lymphoma: a single institution's experience. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2013, 84, 267.	1.1	11
216	Tubular Carcinoma of the Breast: Clinicopathologic Features and Survival Outcome Compared with Ductal Carcinoma <i>In Situ</i> . <i>Journal of Breast Cancer</i> , 2013, 16, 404.	0.8	27

#	ARTICLE	IF	CITATIONS
217	Association between <i>BRCA</i> Mutation Status, Pathological Findings, and Magnetic Resonance Imaging Features in Patients with Breast Cancer at Risk for the Mutation. <i>Journal of Breast Cancer</i> , 2013, 16, 308.	0.8	24
218	Breast Metastasis from Rhabdomyosarcoma of the Anus in an Adolescent Female. <i>Journal of Breast Cancer</i> , 2013, 16, 345.	0.8	4
219	Prognostic factors for survivals from first relapse in breast cancer patients: analysis of deceased patients. <i>Radiation Oncology Journal</i> , 2013, 31, 222.	0.7	21
220	TPA-induced p21 expression augments G2/M arrest through a p53-independent mechanism in human breast cancer cells. <i>Oncology Reports</i> , 2012, 27, 517-22.	1.2	19
221	Methylation and Immunoexpression of <i>p16^{INK4a}</i> Tumor Suppressor Gene in Primary Breast Cancer Tissue and Their Quantitative <i>p16^{INK4a}</i> Hypermethylation in Plasma by Real-Time PCR. <i>Korean Journal of Pathology</i> , 2012, 46, 554.	1.2	26
222	A functional comparison between the HER2 ^{high} /HER3 and the HER2 ^{low} /HER3 dimers on heregulin- β 1-induced MMP-1 and MMP-9 expression in breast cancer cells. <i>Experimental and Molecular Medicine</i> , 2012, 44, 473.	3.2	20
223	Lymph Node Metastasis in Patients with Frozen Section Analyses That Are Negative for Tumors. <i>Oncology</i> , 2012, 83, 31-37.	0.9	2
224	Accuracy of BRCA1/2 mutation prediction models in Korean breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1189-1197.	1.1	15
225	The prognostic significance of tumor-associated stroma in invasive breast carcinoma. <i>Tumor Biology</i> , 2012, 33, 1573-1580.	0.8	76
226	Berberine Suppresses the TPA-Induced MMP-1 and MMP-9 Expressions Through the Inhibition of PKC- δ in Breast Cancer Cells. <i>Journal of Surgical Research</i> , 2012, 176, e21-e29.	0.8	49
227	Smad7 acts as a negative regulator of the epidermal growth factor (EGF) signaling pathway in breast cancer cells. <i>Cancer Letters</i> , 2012, 314, 147-154.	3.2	22
228	Spectra of BRCA1 and BRCA2 mutations in Korean patients with breast cancer: the importance of whole-gene sequencing. <i>Journal of Human Genetics</i> , 2012, 57, 212-215.	1.1	12
229	Clinicopathologic Risk Factors for the Local Recurrence of Phyllodes Tumors of the Breast. <i>Annals of Surgical Oncology</i> , 2012, 19, 2612-2617.	0.7	114
230	Associations between <i>BRCA</i> Mutations in High-Risk Breast Cancer Patients and Familial Cancers Other than Breast or Ovary. <i>Journal of Breast Cancer</i> , 2012, 15, 283.	0.8	25
231	Development of Novel Breast Cancer Recurrence Prediction Model Using Support Vector Machine. <i>Journal of Breast Cancer</i> , 2012, 15, 230.	0.8	143
232	Occult Breast Cancers Manifesting as Axillary Lymph Node Metastasis in Men: A Two-Case Report. <i>Journal of Breast Cancer</i> , 2012, 15, 359.	0.8	15
233	Adjuvant Chemotherapy and Survival of Elderly Korean Patients with Breast Carcinoma. <i>Journal of Breast Cancer</i> , 2012, 15, 296.	0.8	1
234	Invasive Pleomorphic Lobular Carcinoma of the Breast: Clinicopathologic Characteristics and Prognosis Compared with Invasive Ductal Carcinoma. <i>Journal of Breast Cancer</i> , 2012, 15, 313.	0.8	30

#	ARTICLE	IF	CITATIONS
235	Long-Term Outcome of Internal Mammary Lymph Node Detected by Lymphoscintigraphy in Early Breast Cancer. <i>Journal of Breast Cancer</i> , 2012, 15, 98.	0.8	14
236	Small node-negative (T1b-cN0) invasive hormone receptor-positive breast cancers: Is there a subpopulation that might have benefit from adjuvant chemotherapy?. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 247-255.	1.1	4
237	Prevalence of BRCA1 and BRCA2 mutations in non-familial breast cancer patients with high risks in Korea: The Korean Hereditary Breast Cancer (KOHBRA) Study. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 1143-1152.	1.1	38
238	Characteristics of double heterozygosity for BRCA1 and BRCA2 germline mutations in Korean breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 217-222.	1.1	17
239	Comparison between screen-detected and symptomatic breast cancers according to molecular subtypes. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 527-540.	1.1	35
240	Efficacy of an Educational Material on Second Primary Cancer Screening Practice for Cancer Survivors: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e33238.	1.1	7
241	Characteristics of medullary breast carcinoma compared with invasive ductal carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, 20-20.	0.8	0
242	Results from Over One Year of Follow-Up for Absorbable Mesh Insertion in Partial Mastectomy. <i>Yonsei Medical Journal</i> , 2011, 52, 803.	0.9	10
243	Commentary on: Incidental Breast Cancers Identified in a One-Stop Symptomatic Breast Clinic. <i>Journal of Breast Cancer</i> , 2011, 14, 165.	0.8	0
244	Does Immediate Breast Reconstruction after Mastectomy affect the Initiation of Adjuvant Chemotherapy?. <i>Journal of Breast Cancer</i> , 2011, 14, 322.	0.8	29
245	Invited Commentary on: Can CD44+/CD24- Tumor Stem Cells Be Used to Determine the Extent of Breast Cancer Invasion Following Neoadjuvant Chemotherapy?. <i>Journal of Breast Cancer</i> , 2011, 14, 251.	0.8	3
246	Mucinous Carcinoma of the Breast in Comparison with Invasive Ductal Carcinoma: Clinicopathologic Characteristics and Prognosis. <i>Journal of Breast Cancer</i> , 2011, 14, 308.	0.8	93
247	The 70-Gene Prognostic Signature for Korean Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2011, 14, 33.	0.8	22
248	Is a Thyroid Follicular Neoplasm a Good Indication for Endoscopic Surgery?. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011, 21, e148-e151.	0.4	13
249	Effect of berberine on p53 expression by TPA in breast cancer cells. <i>Oncology Reports</i> , 2011, 27, 210-5.	1.2	15
250	Radioguided surgery using an intraoperative PET probe for tumor localization and verification of complete resection in differentiated thyroid cancer: A pilot study. <i>Surgery</i> , 2011, 149, 416-424.	1.0	34
251	Ileal metastasis of breast cancer in a patient with a BRCA2 gene mutation: Report of a case. <i>Surgery Today</i> , 2011, 41, 1665-1669.	0.7	5
252	The prognoses of metaplastic breast cancer patients compared to those of triple-negative breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 471-478.	1.1	130

#	ARTICLE	IF	CITATIONS
253	Cases and Literature Review of Breast Sparganosis. <i>World Journal of Surgery</i> , 2011, 35, 573-579.	0.8	30
254	Is Robotic Surgery Superior to Endoscopic and Open Surgeries in Thyroid Cancer?. <i>World Journal of Surgery</i> , 2011, 35, 779-784.	0.8	103
255	Large Clinical Experience of Primary Angiosarcoma of the Breast in a Single Korean Medical Institute. <i>World Journal of Surgery</i> , 2011, 35, 2417-2421.	0.8	15
256	Potential candidate biomarkers for heterogeneity in triple-negative breast cancer (TNBC). <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 753-761.	1.1	27
257	Comparison of calcitriol versus cholecalciferol therapy in addition to oral calcium after total thyroidectomy with central neck lymph node dissection: A prospective randomized study. <i>Head and Neck</i> , 2011, 33, 1265-1271.	0.9	14
258	Knowledge, attitudes, risk perception, and cancer screening behaviors among cancer survivors. <i>Cancer</i> , 2011, 117, 3850-3859.	2.0	32
259	New Endoscopic Thyroidectomy With the Bilateral Areolar Approach. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011, 21, e219-e224.	0.4	16
260	Implications of Bone-Only Metastases in Breast Cancer: Favorable Preference with Excellent Outcomes of Hormone Receptor Positive Breast Cancer. <i>Cancer Research and Treatment</i> , 2011, 43, 89-95.	1.3	79
261	The role of PET CT to evaluate the response to neoadjuvant chemotherapy in advanced breast cancer: Comparison with ultrasonography and magnetic resonance imaging. <i>Journal of Surgical Oncology</i> , 2010, 102, 392-397.	0.8	44
262	Patterns of relapse and metastatic spread in HER2-overexpressing breast cancer according to estrogen receptor status. <i>Cancer Chemotherapy and Pharmacology</i> , 2010, 66, 507-516.	1.1	31
263	Does pre-operative breast magnetic resonance imaging in addition to mammography and breast ultrasonography change the operative management of breast carcinoma?. <i>Breast Cancer Research and Treatment</i> , 2010, 119, 163-167.	1.1	35
264	A risk stratification by hormonal receptors (ER, PgR) and HER-2 status in small ($\leq 1\text{cm}$) invasive breast cancer: who might be possible candidates for adjuvant treatment?. <i>Breast Cancer Research and Treatment</i> , 2010, 119, 653-661.	1.1	65
265	12-O-Tetradecanoyl phorbol-13-acetate (TPA)-induced growth arrest is increased by silibinin by the down-regulation of cyclin B1 and cdc2 and the up-regulation of p21 expression in MDA-MB231 human breast cancer cells. <i>Phytomedicine</i> , 2010, 17, 1127-1132.	2.3	22
266	Triple-negative, basal-like, and quintuple-negative breast cancers: better prediction model for survival. <i>BMC Cancer</i> , 2010, 10, 507.	1.1	46
267	Characteristics of metastasis in the breast from extramammary malignancies. <i>Journal of Surgical Oncology</i> , 2010, 101, 137-140.	0.8	114
268	The prediction of lymph node metastasis in ductal carcinoma in situ with microinvasion by assessing lymphangiogenesis. <i>Journal of Surgical Oncology</i> , 2010, 102, 225-229.	0.8	16
269	One-step Nucleic Acid Amplification (OSNA): Intraoperative Rapid Molecular Diagnostic Method for the Detection of Sentinel Lymph Node Metastases in Breast Cancer Patients in Korean Cohort. <i>Journal of Breast Cancer</i> , 2010, 13, 366.	0.8	3
270	Biopsychosocial Predictors of the Quality of Life in Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2010, 13, 219.	0.8	11

#	ARTICLE	IF	CITATIONS
271	Characteristics of Invasive Micropapillary Carcinoma of the Breast: In Comparison with Invasive Ductal Carcinoma. <i>Journal of Breast Cancer</i> , 2010, 13, 174.	0.8	2
272	The Change of Practice Patterns of the Hereditary Breast Cancer Management in Korea after the Korean Hereditary Breast Cancer Study. <i>Journal of Breast Cancer</i> , 2010, 13, 418.	0.8	8
273	Pifithrin- α , an Inhibitor of p53 Transactivation, Up-Regulates COX-2 Expression through an MAPK-Dependent Pathway. <i>Pharmacology</i> , 2010, 86, 313-319.	0.9	6
274	The Breast and Ovarian Cancer Risks in Korea Due to Inherited Mutations in BRCA1 and BRCA2: A Preliminary Report. <i>Journal of Breast Cancer</i> , 2009, 12, 92.	0.8	17
275	Silibinin Suppresses TNF- α -Induced MMP-9 Expression in Gastric Cancer Cells through Inhibition of the MAPK Pathway. <i>Molecules</i> , 2009, 14, 4300-4311.	1.7	49
276	Silibinin prevents TPA-induced MMP-9 expression and VEGF secretion by inactivation of the Raf/MEK/ERK pathway in MCF-7 human breast cancer cells. <i>Phytomedicine</i> , 2009, 16, 573-580.	2.3	79
277	EGF-induced MMP-9 expression is mediated by the JAK3/ERK pathway, but not by the JAK3/STAT-3 pathway in a SKBR3 breast cancer cell line. <i>Cellular Signalling</i> , 2009, 21, 892-898.	1.7	82
278	Expression of Bmi-1 protein in tumor tissues is associated with favorable prognosis in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 83-93.	1.1	46
279	Silibinin prevents TPA-induced MMP-9 expression by down-regulation of COX-2 in human breast cancer cells. <i>Journal of Ethnopharmacology</i> , 2009, 126, 252-257.	2.0	58
280	Experience with Intracystic Papillary Carcinoma of the Breast at a Single Institute in Korea. <i>Journal of Breast Cancer</i> , 2009, 12, 338.	0.8	2
281	CD24 cross-linking induces apoptosis in, and inhibits migration of, MCF-7 breast cancer cells. <i>BMC Cancer</i> , 2008, 8, 118.	1.1	13
282	Berberine Inhibits Growth of the Breast Cancer Cell Lines MCF-7 and MDA-MB-231. <i>Planta Medica</i> , 2008, 74, 39-42.	0.7	50
283	Berberine Suppresses TNF- α -induced MMP-9 and Cell Invasion through Inhibition of AP-1 Activity in MDA-MB-231 Human Breast Cancer Cells. <i>Molecules</i> , 2008, 13, 2975-2985.	1.7	120
284	Downregulation of the RUNX3 Gene by Promoter Hypermethylation and Hemizygous Deletion in Breast Cancer. <i>Journal of Korean Medical Science</i> , 2007, 22, S24.	1.1	26
285	Analysis of Prognostic Factors and Treatment Modality Changes in Breast Cancer: A Single Institution Study in Korea. <i>Yonsei Medical Journal</i> , 2007, 48, 465.	0.9	5
286	Genomic alterations identified by array comparative genomic hybridization as prognostic markers in tamoxifen-treated estrogen receptor-positive breast cancer. <i>BMC Cancer</i> , 2006, 6, 92.	1.1	63
287	Neogenin expression may be inversely correlated to the tumorigenicity of human breast cancer. <i>BMC Cancer</i> , 2005, 5, 154.	1.1	29
288	Pix-a enhances the activity of phospholipase C β 1 by binding SH3 domain in breast cancer. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 1010-1016.	1.2	9

#	ARTICLE	IF	CITATIONS
289	The clinical use of staging bone scan in patients with breast carcinoma. <i>Cancer</i> , 2005, 104, 499-503.	2.0	22
290	A Haplotype Analysis of HER-2 Gene Polymorphisms: Association with Breast Cancer Risk, HER-2 Protein Expression in the Tumor, and Disease Recurrence in Korea. <i>Clinical Cancer Research</i> , 2005, 11, 4775-4778.	3.2	44
291	Divorce after breast cancer diagnosis and its impact on quality of life. <i>Palliative and Supportive Care</i> , 0, , 1-6.	0.6	1