Deqing Mei

List of Publications by Citations

Source: https://exaly.com/author-pdf/7199342/deqing-mei-publications-by-citations.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43 papers	945 citations	15 h-index	30 g-index
45 ext. papers	1,319 ext. citations	6 avg, IF	4.73 L-index

#	Paper	IF	Citations
43	3D printing of functional biomaterials for tissue engineering. *Current Opinion in Biotechnology*, **2016**, 40, 103-112	11.4	382
42	Flexible Capacitive Tactile Sensor Array With Truncated Pyramids as Dielectric Layer for Three-Axis Force Measurement. *Journal of Microelectromechanical Systems*, **2015**, 24, 1510-1519	2.5	90
41	Nanoscale 3D printing of hydrogels for cellular tissue engineering. *Journal of Materials Chemistry B*, **2018**, 6, 2187-2197	7.3	54
40	Flexible tactile sensor array for distributed tactile sensing and slip detection in robotic hand grasping. *Sensors and Actuators A: Physical*, **2019**, 297, 111512	3.9	30
39	Highly Sensitive and Flexible Tactile Sensor Based on Porous Graphene Sponges for Distributed Tactile Sensing in Monitoring Human Motions. *Journal of Microelectromechanical Systems*, **2019**, 28, 154-163	2.5	30
38	Wearable Thermoelectric Generator With Copper Foam as the Heat Sink for Body Heat Harvesting. *IEEE Access*, **2018**, 6, 43602-43611	3.5	29
37	Parameter optimization of time-varying stiffness method for chatter suppression based on magnetorheological fluid-controlled boring bar. *International Journal of Advanced Manufacturing Technology*, **2010**, 46, 1071-1083	3.2	29
36	Solution-Processed All-Ceramic Plasmonic Metamaterials for Efficient Solar-Thermal Conversion over 100-727°C. *Advanced Materials*, **2021**, 33, e2005074	24	26
35	A highly flexible tactile sensor with an interlocked truncated sawtooth structure based on stretchable graphene/silver/silicone rubber composites. *Journal of Materials Chemistry C*, **2019**, 7, 8669-8679	7.1	24
34	Fully Elastomeric Fingerprint-Shaped Electronic Skin Based on Tunable Patterned Graphene/Silver Nanocomposites. *ACS Applied Materials & Interfaces*, **2020**, 12, 31725-31737	9.5	23
33	Liquid Metal-Based Wearable Tactile Sensor for Both Temperature and Contact Force Sensing. *IEEE Sensors Journal*, **2021**, 21, 1694-1703	4	22
32	Digital Light Processing-Based 3D Printing of Cell-Seeding Hydrogel Scaffolds with Regionally Varied Stiffness. *ACS Biomaterials Science and Engineering*, **2019**, 5, 4825-4833	5.5	21
31	Acoustic Softening and Hardening of Aluminum in High-Frequency Vibration-Assisted Micro/Meso Forming. *Materials and Manufacturing Processes*, **2013**, 28, 584-588	4.1	19
30	Modulating physical, chemical, and biological properties in 3D printing for tissue engineering applications. *Applied Physics Reviews*, **2018**, 5,	17.3	17
29	2D Ti C T MXenes: Visible Black but Infrared White Materials. *Advanced Materials*, **2021**, 33, e2103054	24	16
28	Numerical modeling of the performance of thermoelectric module with polydimethylsiloxane encapsulation. *International Journal of Energy Research*, **2018**, 42, 1287-1297	4.5	14
27	Flow Manifold Optimization for a Uniform Velocity Distribution in a Laminated Microreactor with Micro-Pin-Fin Arrays. *Chemical Engineering and Technology*, **2014**, 37, 1112-1120	2	12

26	Experimental Study of High-Frequency Vibration Assisted Micro/Mesoscale Forming of Metallic Materials. *Journal of Manufacturing Science and Engineering, Transactions of the ASME*, **2011**, 133,	3.3	12
25	Microstructure and thermoelectric properties of porous Bi2Te2.85Se0.15 bulk materials fabricated by semisolid powder processing. *Journal of Materials Research*, **2015**, 30, 2585-2592	2.5	11
24	Development of Fully Flexible Tactile Pressure Sensor with Bilayer Interlaced Bumps for Robotic Grasping Applications. *Micromachines*, **2020**, 11,	3.3	9
23	Flexible Tactile Sensor Array for Slippage and Grooved Surface Recognition in Sliding Movement. *Micromachines*, **2019**, 10,	3.3	7
22	Highly sensitive and flexible tactile sensor with truncated pyramid-shaped porous graphene/silicone rubber composites for human motion detection. *Composites Science and Technology*, **2022**, 217, 109078	8.6	7
21	A flexible capacitive tactile sensor array with high scanning speed for distributed contact force measurements **2016**,		6
20	Development of flexible tactile sensor for the envelop of curved robotic hand finger in grasping force sensing. *Measurement: Journal of the International Measurement Confederation*, **2021**, 180, 109524	4.6	6
19	Standing surface acoustic wave-assisted fabrication of patterned microstructures for enhancing cell migration. *Bio-Design and Manufacturing*, **2020**, 3, 87-97	4.7	5
18	A Flexible Tactile Sensor with Dual-Interlocked Structure for Broad Range Force Sensing and Gaming Applications. *IEEE Transactions on Instrumentation and Measurement*, **2022**, 1-1	5.2	5
17	A methanol fuel processing system with methanol steam reforming and CO selective methanation modules for PEMFC application. *International Journal of Energy Research*, **2021**, 45, 6163-6173	4.5	5
16	Relative position control and coalescence of independent microparticles using ultrasonic waves. *Journal of Applied Physics*, **2017**, 121, 184503	2.5	4
15	Scalable Printing of Bionic Multiscale Channel Networks Through Digital Light Processing-Based Three-Dimensional Printing Process. *3D Printing and Additive Manufacturing*, **2020**, 7, 115-125	4	4
14	Programmable motion control and trajectory manipulation of microparticles through tri-directional symmetrical acoustic tweezers.. *Lab on A Chip*, **2022**,	7.2	4
13	Development of Wearable Tactile Sensor Based on Galinstan Liquid Metal for Both Temperature and Contact Force Sensing **2020**,		3
12	Contactless and non-invasive delivery of micro-particles lying on a non-customized rigid surface by using acoustic radiation force. *Ultrasonics*, **2014**, 54, 1350-7	3.5	3
11	Slip detection in prosthetic hand grasping by using the discrete wavelet transform analysis **2016**,		3
10	Flexible Tactile Sensor Array Mounted on the Curved Surface: Analytical Modeling and Experimental Validation. *Journal of Microelectromechanical Systems*, **2017**, 26, 1002-1011	2.5	2
9	A T-Type Capacitive Sensor Capable of Measuring5-DOF Error Motions of Precision Spindles. *Sensors*, **2017**, 17,	3.8	2

8	Bioinspired Suprahelical Frameworks as Scaffolds for Artificial Photosynthesis. *ACS Applied Materials & Interfaces*, **2020**, 12, 45192-45201	9.5	2
7	3D Printing of Liquid Metal Based Tactile Sensor for Simultaneously Sensing of Temperature and Forces. *International Journal of Smart and Nano Materials*,1-17	3.6	2
6	Large-Area Hand-Covering Elastomeric Electronic Skin Sensor with Distributed Multifunctional Sensing Capability. *Advanced Intelligent Systems*,2100118	6	2
5	Sound field separating on arbitrary surfaces enclosing a sound scatterer based on combined integral equations. *Ultrasonics*, **2014**, 54, 2169-77	3.5	1
4	Five-plane lancet needle design for soft PVC phantom tissue cutting. *Bio-Design and Manufacturing*, **2018**, 1, 195-202	4.7	1
3	EDTA-mimicking amino acid–metal ion coordination for multifunctional packings. *Journal of Materials Chemistry A*, **2021**, 9, 20385-20394	13	1
2	Acoustofluidic waveguides for fabrication of localized polymeric microstructure arrays. *Applied Physics A: Materials Science and Processing*, **2020**, 126, 1	2.6	0
1	Modulating vectored non-covalent interactions for layered assembly with engineerable properties. *Bio-Design and Manufacturing*,1	4.7	0