

Neil H Landman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7199660/publications.pdf>

Version: 2024-02-01

100
papers

2,645
citations

172457

29
h-index

233421

45
g-index

105
all docs

105
docs citations

105
times ranked

1053
citing authors

#	ARTICLE	IF	CITATIONS
1	Fossil coleoid cephalopod from the Mississippian Bear Gulch Lagerstätte sheds light on early vampyropod evolution. <i>Nature Communications</i> , 2022, 13, 1107.	12.8	11
2	Exceptional soft-tissue preservation of Jurassic <i>Vampyronassa rhodanica</i> provides new insights on the evolution and palaeoecology of vampyroteuthids. <i>Scientific Reports</i> , 2022, 12, .	3.3	9
3	Palaeoecological analysis of a methane seep deposit from the Upper Cretaceous (Maastrichtian) of the U.S. Western Interior. <i>Lethaia</i> , 2021, 54, 185-203.	1.4	8
4	Cephalopods from the Cretaceous-Paleogene (K-Pg) Boundary Interval on the Brazos River, Texas, and Extinction of the Ammonites. <i>American Museum Novitates</i> , 2021, 2020, .	0.6	4
5	Octopodoidea as predators near the end of the Mesozoic Marine Revolution. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 894-899.	1.6	8
6	Temperatures of Late Cretaceous (Campanian) methane-derived authigenic carbonates from the Western Interior Seaway, South Dakota, USA, using clumped isotopes. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 2524-2534.	3.3	7
7	Fingerprinting the Cretaceous-Paleogene boundary impact with Zn isotopes. <i>Nature Communications</i> , 2021, 12, 4128.	12.8	4
8	Significance of the suture line in cephalopod taxonomy revealed by 3D morphometrics in the modern nautilids <i>Nautilus</i> and <i>Allonautilus</i> . <i>Scientific Reports</i> , 2021, 11, 17114.	3.3	8
9	The concept of "heteromorph ammonoids"™. <i>Lethaia</i> , 2021, 54, 595-602.	1.4	5
10	Enigmatic hook-like structures in Cretaceous ammonites (Scaphitidae). <i>Palaeontology</i> , 2020, 63, 301-312.	2.2	9
11	Evolutionary stasis, ecophenotypy and environmental controls on ammonite morphology in the Late Cretaceous (Maastrichtian) Western Interior Seaway, USA. <i>Palaeontology</i> , 2020, 63, 791-806.	2.2	10
12	Patterns of intraspecific variation through ontogeny: a case study of the Cretaceous nautilid <i>Eutrephoceras dekeyi</i> and modern <i>Nautilus pompilius</i> . <i>Palaeontology</i> , 2020, 63, 807-820.	2.2	5
13	Syn vivo hydrostatic and hydrodynamic properties of scaphitid ammonoids from the U.S. Western Interior. <i>Geobios</i> , 2020, 60, 79-98.	1.4	20
14	LATE CRETACEOUS METHANE SEEPS AS HABITATS FOR NEWLY HATCHED AMMONITES. <i>Palaios</i> , 2020, 35, 151-163.	1.3	10
15	Chamber volume development, metabolic rates, and selective extinction in cephalopods. <i>Scientific Reports</i> , 2020, 10, 2950.	3.3	26
16	Large Scaphitid Ammonites (Hoploscaphtes) from the Upper Cretaceous (Upper Campanian–Lower Tj ETQq0 0 0 rgBT /Overlock 10 T Museum of Natural History, 2020, 441, 1.	3.4	5
17	Anatomy and evolution of the first Coleoidea in the Carboniferous. <i>Communications Biology</i> , 2019, 2, 280.	4.4	39
18	EVALUATING GROWTH AND ECOLOGY IN BACULITID AND SCAPHITID AMMONITES USING STABLE ISOTOPE SCLEROCHRONOLOGY. <i>Palaios</i> , 2019, 34, 317-329.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Rapid ocean acidification and protracted Earth system recovery followed the end-Cretaceous Chicxulub impact. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22500-22504.	7.1	116
20	Description of Two Species of Hoploscaphites (Ammonoidea: Ancyloceratina) from the Upper Cretaceous (Lower Maastrichtian) of the U.S. Western Interior. <i>Bulletin of the American Museum of Natural History</i> , 2019, 2019, 1.	3.4	8
21	Intraspecific Variation through Ontogeny in Late Cretaceous Ammonites. <i>American Museum Novitates</i> , 2019, 2019, 1.	0.6	5
22	Lower Jaw of Spathites (Ammonoidea: Acanthoceratoidea) from the Upper Cretaceous (Turonian) of New Mexico. <i>American Museum Novitates</i> , 2019, 2019, 1.	0.6	1
23	⁴⁰ Ar/ ³⁹ Ar date of a bentonite associated with a methane seep deposit in the upper Campanian Baculites compressus Zone, Pierre Shale, South Dakota. <i>Cretaceous Research</i> , 2018, 90, 90-96.	1.4	7
24	Nautilid nurseries: hatchlings and juveniles of <i>Eutrephoceras dekeyi</i> from the lower Maastrichtian (Upper Cretaceous) Pierre Shale of east-central Montana. <i>Lethaia</i> , 2018, 51, 48-74.	1.4	20
25	Ion microprobe-measured stable isotope evidence for ammonite habitat and life mode during early ontogeny. <i>Paleobiology</i> , 2018, 44, 684-708.	2.0	21
26	Brittle-star mass occurrence on a Late Cretaceous methane seep from South Dakota, USA. <i>Scientific Reports</i> , 2018, 8, 9617.	3.3	3
27	A NEW AGE OF MORPHOLOGY TAKES SHAPE. <i>Palaios</i> , 2018, 33, 287-289.	1.3	0
28	Isotope sclerochronology of ammonites (<i>Baculites Compressus</i>) from methane seep and non-seep sites in the Late Cretaceous Western Interior Seaway, USA: Implications for ammonite habitat and mode of life. <i>Numerische Mathematik</i> , 2018, 318, 603-639.	1.4	26
29	Genomic signatures of evolution in <i>Nautilus</i> —An endangered living fossil. <i>Molecular Ecology</i> , 2017, 26, 5923-5938.	3.9	30
30	Chapter 1: Integrated, High-Resolution Allostratigraphic, Biostratigraphic and Carbon-Isotope Correlation of Coniacian Strata (Upper Cretaceous), Western Alberta and Northern Montana. <i>Bulletin of the American Museum of Natural History</i> , 2017, 2017, 9.	3.4	5
31	Chapter 2: Inoceramid Bivalves from the Coniacian and Basal Santonian (Upper Cretaceous) of the Western Canada Foreland Basin. <i>Bulletin of the American Museum of Natural History</i> , 2017, 414, 53-103.	3.4	4
32	Chapter 3: Scaphitid Ammonites from the Upper Cretaceous (Coniacian-Santonian) Western Canada Foreland Basin. <i>Bulletin of the American Museum of Natural History</i> , 2017, 414, 105-172.	3.4	8
33	Allostratigraphy and Biostratigraphy of the Upper Cretaceous (Coniacian-Santonian) Western Canada Foreland Basin. <i>Bulletin of the American Museum of Natural History</i> , 2017, 414, 1-172.	3.4	0
34	Encrustation of inarticulate brachiopods on scaphitid ammonites and inoceramid bivalves from the Upper Cretaceous U. S. Western Interior. <i>Acta Geologica Polonica</i> , 2016, 66, 645-662.	0.9	6
35	Microbial Bioerosion of Erratic Sub-Fossil Nautilus Shells in a Karstic Cenote (Lifou, Loyalty Islands). <i>Tj ETQq1</i> 1 0.784314 rgBT / Overlook 0.5 6	0.5	6
36	<i>Proteroctopus ribeti</i> in coleoid evolution. <i>Palaeontology</i> , 2016, 59, 767-773.	2.2	17

#	ARTICLE	IF	CITATIONS
37	FAUNAL ASSOCIATIONS IN COLD-METHANE SEEP DEPOSITS FROM THE UPPER CRETACEOUS PIERRE SHALE, SOUTH DAKOTA. <i>Palaios</i> , 2016, 31, 291-301.	1.3	18
38	<i>Lakotacrinus brezinai</i> n. gen. n. sp., a new stalked crinoid from cold methane seeps in the Upper Cretaceous (Campanian) Pierre Shale, South Dakota, United States. <i>Journal of Paleontology</i> , 2016, 90, 506-524.	0.8	15
39	Durophagous predation on scaphitid ammonoids in the Late Cretaceous Western Interior Seaway of North America. <i>Lethaia</i> , 2016, 49, 28-42.	1.4	12
40	Getting unhooked: comment on the hypothesis that heteromorph ammonites were attached to kelp branches on the sea floor, as proposed by. <i>Journal of Molluscan Studies</i> , 2016, 82, 351-355.	1.2	9
41	Syn-Vivo Bioerosion of Nautilus by Endo- and Epilithic Foraminiferans (New Caledonia and Vanuatu). <i>PLoS ONE</i> , 2015, 10, e0125558.	2.5	9
42	Ammonite habitat revealed via isotopic composition and comparisons with co-occurring benthic and planktonic organisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 15562-15567.	7.1	46
43	Ammonites on the Brink of Extinction: Diversity, Abundance, and Ecology of the Order Ammonoidea at the Cretaceous/Paleogene (K/Pg) Boundary. <i>Topics in Geobiology</i> , 2015, , 497-553.	0.5	24
44	Describing Ammonoid Conchs. <i>Topics in Geobiology</i> , 2015, , 3-24.	0.5	43
45	Ammonoid Buccal Mass and Jaw Apparatus. <i>Topics in Geobiology</i> , 2015, , 429-484.	0.5	41
46	Ammonoid Radula. <i>Topics in Geobiology</i> , 2015, , 485-505.	0.5	11
47	Ammonoid Embryonic Development. <i>Topics in Geobiology</i> , 2015, , 113-205.	0.5	43
48	3-D orientation and distribution of ammonites in a concretion from the Upper Cretaceous Pierre Shale of Montana. <i>Swiss Journal of Palaeontology</i> , 2015, 134, 257-279.	1.7	12
49	Geochemical evidence (C and Sr isotopes) for methane seeps as ammonite habitats in the Late Cretaceous (Campanian) Western Interior Seaway. <i>Swiss Journal of Palaeontology</i> , 2015, 134, 153-165.	1.7	20
50	An Unusual Occurrence of Nautilus macromphalus in a Cenote in the Loyalty Islands (New Caledonia). <i>PLoS ONE</i> , 2014, 9, e113372.	2.5	6
51	Inquilinism of a Baculite by a Dynomenid Crab from the Upper Cretaceous of South Dakota. <i>American Museum Novitates</i> , 2014, 3818, 1-16.	0.6	9
52	New insights into the buccal apparatus of the Goniatitina: palaeobiological and phylogenetic implications. <i>Lethaia</i> , 2014, 47, 38-48.	1.4	11
53	Ammonite extinction and nautilid survival at the end of the Cretaceous. <i>Geology</i> , 2014, 42, 707-710.	4.4	49
54	Cephalopods from the Badlands National Park area, South Dakota: Reassessment of the position of the Cretaceous/Paleogene boundary. <i>Cretaceous Research</i> , 2013, 42, 1-27.	1.4	9

#	ARTICLE	IF	CITATIONS
55	The jaw apparatuses of Cretaceous Phylloceratina (Ammonoidea). <i>Lethaia</i> , 2013, 46, 399-408.	1.4	21
56	A New Species of <i>Hoploscaphites</i> (Ammonoidea: Ancyloceratina) from Cold Methane Seeps in the Upper Cretaceous of the U.S. Western Interior. <i>American Museum Novitates</i> , 2013, 3781, 1-39.	0.6	14
57	Methane seeps as ammonite habitats in the U.S. Western Interior Seaway revealed by isotopic analyses of well-preserved shell material. <i>Geology</i> , 2012, 40, 507-510.	4.4	44
58	Microstructure and mineralogy of the outer calcareous layer in the lower jaws of Cretaceous Tetragonitoidea and Desmoceratoidea (Ammonoidea). <i>Lethaia</i> , 2012, 45, 191-199.	1.4	13
59	Mode of life and habitat of scaphitid ammonites. <i>Geobios</i> , 2012, 45, 87-98.	1.4	65
60	EARLY EVOLUTIONARY TRENDS IN AMMONOID EMBRYONIC DEVELOPMENT. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 1788-1806.	2.3	70
61	The Role of Ammonites in the Mesozoic Marine Food Web Revealed by Jaw Preservation. <i>Science</i> , 2011, 331, 70-72.	12.6	127
62	Scaphites of the "Nodosus Group" from the Upper Cretaceous (Campanian) of the Western Interior of North America. <i>Bulletin of the American Museum of Natural History</i> , 2010, 342, 1-242.	3.4	53
63	The jaw apparatus of the Late Cretaceous ammonite <i>Didymoceras</i> . <i>Journal of Paleontology</i> , 2010, 84, 556-560.	0.8	15
64	Aptychi microstructure in Late Cretaceous Ancyloceratina (Ammonoidea). <i>Lethaia</i> , 2009, 42, 312-321.	1.4	24
65	Molecular structure of organic components in cephalopods: Evidence for oxidative cross linking in fossil marine invertebrates. <i>Organic Geochemistry</i> , 2008, 39, 1405-1414.	1.8	43
66	Development of the Embryonic Shell Structure of Mesozoic Ammonoids. <i>American Museum Novitates</i> , 2008, 3621, 1.	0.6	12
67	Ammonoid growth rhythms. <i>Lethaia</i> , 2007, 16, 248-248.	1.4	1
68	CEPHALOPODS FROM THE CRETACEOUS/TERTIARY BOUNDARY INTERVAL ON THE ATLANTIC COASTAL PLAIN, WITH A DESCRIPTION OF THE HIGHEST AMMONITE ZONES IN NORTH AMERICA. PART III. MANASQUAN RIVER BASIN, MONMOUTH COUNTY, NEW JERSEY. <i>Bulletin of the American Museum of Natural History</i> , 2007, 303, 1.	3.4	41
69	Jaws and Radula of <i>Baculites</i> from the Upper Cretaceous (Campanian) of North America. , 2007, , 257-298.		14
70	Jaws of Triassic ammonoids from New Zealand. <i>New Zealand Journal of Geology, and Geophysics</i> , 2006, 49, 121-129.	1.8	4
71	Jaws of Late Cretaceous Placenticeratid Ammonites: How Preservation Affects the Interpretation of Morphology. <i>American Museum Novitates</i> , 2006, 3500, 1-48.	0.6	21
72	Cameral membranes in prolecanitid and goniaticid ammonoids from the Permian Arcturus Formation, Nevada, USA. <i>Lethaia</i> , 2006, 39, 365-379.	1.4	14

#	ARTICLE	IF	CITATIONS
73	CEPHALOPODS FROM THE CRETACEOUS/TERTIARY BOUNDARY INTERVAL ON THE ATLANTIC COASTAL PLAIN, WITH A DESCRIPTION OF THE HIGHEST AMMONITE ZONES IN NORTH AMERICA. PART 2. NORTHEASTERN MONMOUTH COUNTY, NEW JERSEY. <i>Bulletin of the American Museum of Natural History</i> , 2004, 287, 1-107.	3.4	35
74	Cephalopods from the Cretaceous/Tertiary Boundary Interval on the Atlantic Coastal Plain, with a Description of the Highest Ammonite Zones in North America. Part 1. Maryland and North Carolina. <i>American Museum Novitates</i> , 2004, 3454, 1.	0.6	24
75	Paleoceanography of the Late Cretaceous (Maastrichtian) Western Interior Seaway of North America: evidence from Sr and O isotopes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 191, 45-64.	2.3	80
76	INTRA- AND INTERSPECIFIC VARIATION IN THE EARLY INTERNAL SHELL FEATURES OF SOME CRETACEOUS AMMONOIDS. <i>Journal of Paleontology</i> , 2003, 77, 876-887.	0.8	5
77	Ammonites from the Upper Part of the Pierre Shale and Fox Hills Formation of Colorado. <i>American Museum Novitates</i> , 2003, 3388, 1-45.	0.6	22
78	Intra- and interspecific variation in the early internal shell features of some Cretaceous ammonoids. <i>Journal of Paleontology</i> , 2003, 77, 876-887.	0.8	20
79	Soft-part anatomy of the siphuncle in Permian prolecanitid ammonoids. <i>Lethaia</i> , 2000, 33, 83-91.	1.4	29
80	Ammonoid Embryonic Development. <i>Topics in Geobiology</i> , 1996, , 343-405.	0.5	59
81	Mode and Rate of Growth in Ammonoids. <i>Topics in Geobiology</i> , 1996, , 407-461.	0.5	89
82	Mature Modifications and Dimorphism in Ammonoid Cephalopods. <i>Topics in Geobiology</i> , 1996, , 463-539.	0.5	61
83	Genetic divergence and geographic diversification in <i>Nautilus</i> . <i>Paleobiology</i> , 1995, 21, 220-228.	2.0	49
84	Early life history of <i>Nautilus</i> : evidence from isotopic analyses of aquarium-reared specimens. <i>Paleobiology</i> , 1994, 20, 40-51.	2.0	68
85	Ammonite shell shape covaries with facies and hydrodynamics: Iterative evolution as a response to changes in basinal environment. <i>Geology</i> , 1994, 22, 905.	4.4	65
86	<i>Nautilus</i> - model or muddle?. <i>Lethaia</i> , 1994, 27, 95-96.	1.4	1
87	Morphology and environment of Upper Cretaceous (Maastrichtian) Scaphites. <i>Geobios</i> , 1993, 26, 257-265.	1.4	12
88	Pseudosutures in Paleozoic ammonoids. <i>Lethaia</i> , 1993, 26, 99-100.	1.4	15
89	Analysis of a Carboniferous embryonic ammonoid assemblage implications for ammonoid embryology. <i>Lethaia</i> , 1993, 26, 215-224.	1.4	42
90	<i>Nautilus</i> - a poor model for the function and behavior of ammonoids?. <i>Lethaia</i> , 1993, 26, 101-111.	1.4	113

#	ARTICLE	IF	CITATIONS
91	The complex nature of progenetic species – examples from Mesozoic ammonites. <i>Lethaia</i> , 1991, 24, 409-421.	1.4	26
92	Iterative progenesis in Upper Cretaceous ammonites. <i>Paleobiology</i> , 1989, 15, 95-117.	2.0	36
93	Heterochrony in Ammonites. <i>Topics in Geobiology</i> , 1988, , 159-182.	0.5	22
94	Shell abnormalities in scaphitid ammonites. <i>Lethaia</i> , 1986, 19, 211-224.	1.4	52
95	Radiometric determination of the growth rate of <i>Nautilus</i> in nature. <i>Nature</i> , 1984, 308, 725-727.	27.8	32
96	Early ontogeny of <i>Eutrephoceras</i> compared to Recent <i>Nautilus</i> and Mesozoic ammonites: evidence from shell morphology and light stable isotopes. <i>Paleobiology</i> , 1983, 9, 269-279.	2.0	65
97	Growth rate and habitat of <i>Nautilus pompilius</i> inferred from radioactive and stable isotope studies. <i>Paleobiology</i> , 1981, 7, 469-480.	2.0	79
98	Development of the Embryonic Shell of <i>Nautilus</i> . <i>Short Course in Geology</i> , 0, , 323-323.	0.0	4
99	Methane seeps as refugia during ash falls in the Late Cretaceous Western Interior Seaway of North America. <i>Geology</i> , 0, , .	4.4	2
100	Geographic and temporal morphological stasis in the latest Cretaceous ammonoid <i>Discoscaphites iris</i> from the U.S. Gulf and Atlantic Coastal Plains. <i>Paleobiology</i> , 0, , 1-23.	2.0	1