

Armand Djoro Anoman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7201745/publications.pdf>

Version: 2024-02-01

16
papers

431
citations

840776

11
h-index

940533

16
g-index

16
all docs

16
docs citations

16
times ranked

552
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Phosphoglycerate dehydrogenase genes differentially affect Arabidopsis metabolism and development. <i>Plant Science</i> , 2021, 306, 110863. | 3.6 | 10 |
| 2 | The phosphorylated pathway of serine biosynthesis links plant growth with nitrogen metabolism. <i>Plant Physiology</i> , 2021, 186, 1487-1506. | 4.8 | 20 |
| 3 | PGDH family genes differentially affect Arabidopsis tolerance to salt stress. <i>Plant Science</i> , 2020, 290, 110284. | 3.6 | 12 |
| 4 | Deficiency in the Phosphorylated Pathway of Serine Biosynthesis Perturbs Sulfur Assimilation. <i>Plant Physiology</i> , 2019, 180, 153-170. | 4.8 | 19 |
| 5 | Phosphoglycerate Kinases Are Co-Regulated to Adjust Metabolism and to Optimize Growth. <i>Plant Physiology</i> , 2018, 176, 1182-1198. | 4.8 | 62 |
| 6 | Overexpression of the triose phosphate translocator (<scp>TPT</scp>) complements the abnormal metabolism and development of plastidial glycolytic glyceraldehyde-3-phosphate dehydrogenase mutants. <i>Plant Journal</i> , 2017, 89, 1146-1158. | 5.7 | 20 |
| 7 | Studying the Function of the Phosphorylated Pathway of Serine Biosynthesis in <i>Arabidopsis thaliana</i> . <i>Methods in Molecular Biology</i> , 2017, 1653, 227-242. | 0.9 | 10 |
| 8 | The specific role of plastidial glycolysis in photosynthetic and heterotrophic cells under scrutiny through the study of glyceraldehyde-3-phosphate dehydrogenase. <i>Plant Signaling and Behavior</i> , 2016, 11, e1128614. | 2.4 | 19 |
| 9 | Plastidial glycolytic glyceraldehyde-3-phosphate dehydrogenase is an important determinant in the carbon and nitrogen metabolism of heterotrophic cells in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2015, 169, pp.00696.2015. | 4.8 | 27 |
| 10 | Lack of phosphoserine phosphatase activity alters pollen and tapetum development in <i>Arabidopsis thaliana</i> . <i>Plant Science</i> , 2015, 235, 81-88. | 3.6 | 11 |
| 11 | Functional Characterization of the Plastidial 3-Phosphoglycerate Dehydrogenase Family in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 163, 1164-1178. | 4.8 | 70 |
| 12 | The Phosphorylated Pathway of Serine Biosynthesis Is Essential Both for Male Gametophyte and Embryo Development and for Root Growth in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 2084-2101. | 6.6 | 80 |
| 13 | Serine biosynthesis by photorespiratory and non-photorespiratory pathways: an interesting interplay with unknown regulatory networks. <i>Plant Biology</i> , 2013, 15, 707-712. | 3.8 | 41 |
| 14 | Identification of the phosphoglycerate dehydrogenase isoform EDA9 as the essential gene for embryo and male gametophyte development in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2013, 8, e27207. | 2.4 | 8 |
| 15 | The essential role of the phosphorylated pathway of serine biosynthesis in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2013, 8, e27104. | 2.4 | 13 |
| 16 | Interactions between abscisic acid and plastidial glycolysis in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 157-159. | 2.4 | 9 |