

Hasmot Ali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7202180/publications.pdf>

Version: 2024-02-01

59
papers

1,706
citations

279487
23
h-index

301761
39
g-index

61
all docs

61
docs citations

61
times ranked

2599
citing authors

#	ARTICLE	IF	CITATIONS
1	Modifiers of the effect of maternal multiple micronutrient supplementation on stillbirth, birth outcomes, and infant mortality: a meta-analysis of individual patient data from 17 randomised trials in low-income and middle-income countries. <i>The Lancet Global Health</i> , 2017, 5, e1090-e1100.	2.9	162
2	Effects of Vitamin A or Beta Carotene Supplementation on Pregnancy-Related Mortality and Infant Mortality in Rural Bangladesh. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1986-95.	3.8	122
3	Effect of Maternal Multiple Micronutrient vs Iron+Folic Acid Supplementation on Infant Mortality and Adverse Birth Outcomes in Rural Bangladesh. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2649.	3.8	115
4	Effect of fortified complementary food supplementation on child growth in rural Bangladesh: a cluster-randomized trial. <i>International Journal of Epidemiology</i> , 2015, 44, 1862-1876.	0.9	112
5	Aflatoxin exposure during the first 1000 days of life in rural South Asia assessed by aflatoxin B1-lysine albumin biomarkers. <i>Food and Chemical Toxicology</i> , 2014, 74, 184-189.	1.8	97
6	Iron Status of Women Is Associated with the Iron Concentration of Potable Groundwater in Rural Bangladesh. <i>Journal of Nutrition</i> , 2011, 141, 944-949.	1.3	72
7	Maternal Dietary Diversity Decreases with Household Food Insecurity in Rural Bangladesh: A Longitudinal Analysis. <i>Journal of Nutrition</i> , 2016, 146, 2109-2116.	1.3	63
8	Biomarkers of Environmental Enteric Dysfunction Among Children in Rural Bangladesh. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 65, 40-46.	0.9	50
9	Analyzing the Mobile "Digital Divide": Changing Determinants of Household Phone Ownership Over Time in Rural Bangladesh. <i>JMIR MHealth and UHealth</i> , 2015, 3, e24.	1.8	50
10	High prevalence of anemia with lack of iron deficiency among women in rural Bangladesh: a role for thalassemia and iron in groundwater. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2012, 21, 416-24.	0.3	44
11	First-trimester plasma tocopherols are associated with risk of miscarriage in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 294-301.	2.2	43
12	Characteristics that modify the effect of small-quantity lipid-based nutrient supplementation on child growth: an individual participant data meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 15S-42S.	2.2	41
13	Lessons learned while developing, adapting and implementing a pilot parent-mediated behavioural intervention for children with autism spectrum disorder in rural Bangladesh. <i>Autism</i> , 2017, 21, 611-621.	2.4	40
14	Risk factors for reported obstetric complications and near misses in rural northwest Bangladesh: analysis from a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 347.	0.9	39
15	Plasma zinc, vitamin B ₁₂ and Î±-tocopherol are positively and plasma Î³-tocopherol is negatively associated with Hb concentration in early pregnancy in north-west Bangladesh. <i>Public Health Nutrition</i> , 2013, 16, 1354-1361.	1.1	36
16	Effects of vitamin A and Î²-carotene supplementation on birth size and length of gestation in rural Bangladesh: a cluster-randomized trial. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 188-194.	2.2	34
17	Patterns and determinants of care seeking for obstetric complications in rural northwest Bangladesh: analysis from a prospective cohort study. <i>BMC Health Services Research</i> , 2015, 15, 166.	0.9	34
18	Arsenic exposure and hepatitis E virus infection during pregnancy. <i>Environmental Research</i> , 2015, 142, 273-280.	3.7	33

#	ARTICLE	IF	CITATIONS
19	Antenatal Multiple Micronutrient Supplementation Compared to Iron&Folic Acid Affects Micronutrient Status but Does Not Eliminate Deficiencies in a Randomized Controlled Trial Among Pregnant Women of Rural Bangladesh. <i>Journal of Nutrition</i> , 2019, 149, 1260-1270.	1.3	33
20	Maternal vitamin A and β -carotene supplementation and risk of bacterial vaginosis: a randomized controlled trial in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1643-1649.	2.2	30
21	Effects of prenatal multiple micronutrient supplementation on growth and cognition through 2 y of age in rural Bangladesh: the Jivita-3 Trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1175-1182.	2.2	30
22	Early Neonatal Feeding Is Common and Associated with Subsequent Breastfeeding Behavior in Rural Bangladesh. <i>Journal of Nutrition</i> , 2013, 143, 1161-1167.	1.3	29
23	Accounts of severe acute obstetric complications in Rural Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 76.	0.9	24
24	Availability of emergency obstetric care (EmOC) among public and private health facilities in rural northwest Bangladesh. <i>BMC Public Health</i> , 2015, 15, 36.	1.2	24
25	Effect of maternal antenatal and newborn supplementation with vitamin A on cognitive development of school-aged children in rural Bangladesh: a follow-up of a placebo-controlled, randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 77-87.	2.2	24
26	Low birthweight rates higher among Bangladeshi neonates measured during active birth surveillance compared to national survey data. <i>Maternal and Child Nutrition</i> , 2015, 11, 583-594.	1.4	21
27	The Association of Cytokines and Micronutrients with Hepatitis E Virus Infection During Pregnancy and the Postpartum Period in Rural Bangladesh. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 203-211.	0.6	20
28	Bioelectrical Impedance among Rural Bangladeshi Women during Pregnancy and in the Postpartum Period. <i>Journal of Health, Population and Nutrition</i> , 2011, 29, 236-44.	0.7	18
29	Iodine status in pregnancy and household salt iodine content in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2012, 8, 162-173.	1.4	18
30	Dietary patterns of >30,000 adolescents 9-15 years of age in rural Bangladesh. <i>Annals of the New York Academy of Sciences</i> , 2020, 1468, 3-15.	1.8	18
31	Groundwater Iron Assessment and Consumption by Women in Rural Northwestern Bangladesh. <i>International Journal for Vitamin and Nutrition Research</i> , 2012, 82, 5-14.	0.6	16
32	Environmental enteric dysfunction and systemic inflammation predict reduced weight but not length gain in rural Bangladeshi children. <i>British Journal of Nutrition</i> , 2018, 119, 407-414.	1.2	15
33	Care-seeking patterns for fatal non-communicable diseases among women of reproductive age in rural northwest Bangladesh. <i>BMC Women's Health</i> , 2012, 12, 23.	0.8	14
34	Newborn Vitamin A Supplementation Does Not Affect Nasopharyngeal Carriage of <i>Streptococcus pneumoniae</i> in Bangladeshi Infants at Age 3 Months. <i>Journal of Nutrition</i> , 2011, 141, 1907-1911.	1.3	13
35	Maternal morbidity in early pregnancy in rural northern Bangladesh. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 119, 227-233.	1.0	13
36	Excessive adiposity at low BMI levels among women in rural Bangladesh. <i>Journal of Nutritional Science</i> , 2016, 5, e11.	0.7	12

#	ARTICLE	IF	CITATIONS
37	Risk of Depressive Symptoms Associated with Morbidity in Postpartum Women in Rural Bangladesh. <i>Maternal and Child Health Journal</i> , 2017, 21, 1890-1900.	0.7	12
38	Unintended pregnancy is a risk factor for depressive symptoms among socio-economically disadvantaged women in rural Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 490.	0.9	12
39	Costs and cost-effectiveness analyses of mCARE strategies for promoting care seeking of maternal and newborn health services in rural Bangladesh. <i>PLoS ONE</i> , 2019, 14, e0223004.	1.1	11
40	Newborn micronutrient status biomarkers in a cluster-randomized trial of antenatal multiple micronutrient compared with iron folic acid supplementation in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1328-1337.	2.2	11
41	Effects of Prenatal Multiple Micronutrient Supplementation on Fetal Growth Factors: A Cluster-Randomized, Controlled Trial in Rural Bangladesh. <i>PLoS ONE</i> , 2015, 10, e0137269.	1.1	11
42	Validation of Two Portable Instruments to Measure Iron Concentration in Groundwater in Rural Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2009, 27, 414-8.	0.7	10
43	Depressive symptoms in mothers after perinatal and early infant loss in rural Bangladesh: a population-based study. <i>Annals of Epidemiology</i> , 2016, 26, 467-473.	0.9	10
44	Efficacy of Antenatal Multiple Micronutrient (MM) vs Iron&Folic Acid (IFA) Supplementation in Improving Gestational and Postnatal Viability in Rural Bangladesh: The JiVitA&B Trial. <i>FASEB Journal</i> , 2013, 27, 358.6.	0.2	8
45	Early newborn ritual foods correlate with delayed breastfeeding initiation in rural Bangladesh. <i>International Breastfeeding Journal</i> , 2016, 11, 31.	0.9	6
46	Predictors of neonatal mortality: development and validation of prognostic models using prospective data from rural Bangladesh. <i>BMJ Global Health</i> , 2020, 5, e001983.	2.0	6
47	Maternal nutritional status mediates the linkage between household food insecurity and mid-infancy size in rural Bangladesh. <i>British Journal of Nutrition</i> , 2020, 123, 1415-1425.	1.2	6
48	Thinness and fecundability: Time to pregnancy after adolescent marriage in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2020, 16, e12985.	1.4	6
49	Micronutrient and Inflammation Status Following One Year of Complementary Food Supplementation in 18-Month-Old Rural Bangladeshi Children: A Randomized Controlled Trial. <i>Nutrients</i> , 2020, 12, 1452.	1.7	6
50	Development of bioelectrical impedance analysis-based equations for estimation of body composition in postpartum rural Bangladeshi women. <i>British Journal of Nutrition</i> , 2013, 109, 639-647.	1.2	5
51	Supplementation with Fortified Lipid-Based and Blended Complementary Foods has Variable Impact on Body Composition Among Rural Bangladeshi Children: A Cluster-Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2020, 150, 1924-1932.	1.3	5
52	OUP accepted manuscript. <i>American Journal of Clinical Nutrition</i> , 2022, , .	2.2	5
53	Longitudinal Assessment of Prenatal, Perinatal, and Early-Life Aflatoxin B1 Exposure in 828 Mother&Child Dyads from Bangladesh and Malawi. <i>Current Developments in Nutrition</i> , 2022, 6, nzab153.	0.1	5
54	Autism spectrum disorder in a rural community in Bangladesh: A mid&childhood assessment. <i>Autism Research</i> , 2022, 15, 328-339.	2.1	4

#	ARTICLE	IF	CITATIONS
55	mCARE, a digital health intervention package on pregnancy surveillance and care-seeking reminders from 2018 to 2027 in Bangladesh: a model-based cost-effectiveness analysis. <i>BMJ Open</i> , 2021, 11, e042553.	0.8	3
56	Characterization of pubertal development of girls in rural Bangladesh. <i>PLoS ONE</i> , 2021, 16, e0247762.	1.1	1
57	Determinants of Plasma Ferritin at 3 Months of Age Among Rural Bangladeshi Infants From the JiVitA-3 Trial. <i>Current Developments in Nutrition</i> , 2021, 5, 835.	0.1	0
58	An enteropathy score predicts subsequent length better than lactulose mannitol (L:M) ratio alone in children enrolled in a community-based randomized trial of complementary food supplements in rural Bangladesh. <i>FASEB Journal</i> , 2016, 30, 432.4.	0.2	0
59	Non-responsive Feeding Behaviors are Negatively Associated with Growth and Dietary Diversity at 24 months in Rural Bangladesh. <i>FASEB Journal</i> , 2016, 30, 432.8.	0.2	0