

Tianxin Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7202444/tianxin-lin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

3,092
citations

31
h-index

54
g-index

102
ext. papers

4,287
ext. citations

9.5
avg. IF

5.36
L-index

#	Paper	IF	Citations
86	Development of a radiomics model to diagnose pheochromocytoma preoperatively: a multicenter study with prospective validation.. <i>Journal of Translational Medicine</i> , 2022 , 20, 31	8.5	0
85	The Global Research of Artificial Intelligence on Prostate Cancer: A 22-Year Bibliometric Analysis.. <i>Frontiers in Oncology</i> , 2022 , 12, 843735	5.3	0
84	Negative Effects of Stromal Neutrophils on T Cells Reduce Survival in Resectable Urothelial Carcinoma of the Bladder.. <i>Frontiers in Immunology</i> , 2022 , 13, 827457	8.4	0
83	Pelvic reconstruction and lateral prostate capsule sparing techniques improve early continence of robot-assisted radical cystectomy with orthotopic ileal neobladder.. <i>International Urology and Nephrology</i> , 2022 , 1	2.3	
82	Identification of an IDO1-based immune classifier for survival prediction of upper tract urothelial carcinoma.. <i>Cancer Science</i> , 2021 ,	6.9	1
81	Kidney damage causally affects the brain cortical structure: A Mendelian randomization study. <i>EBioMedicine</i> , 2021 , 72, 103592	8.8	5
80	The authors reply. <i>Kidney International</i> , 2021 , 100, 1142-1143	9.9	
79	Intravesical <i>Pseudomonas aeruginosa</i> mannose-sensitive Hemagglutinin vaccine triggers a tumor-preventing immune environment in an orthotopic mouse bladder cancer model. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	0
78	SUMOylation promotes extracellular vesicle-mediated transmission of lncRNA ELNAT1 and lymph node metastasis in bladder cancer. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	14
77	A urine-based DNA methylation assay to facilitate early detection and risk stratification of bladder cancer. <i>Clinical Epigenetics</i> , 2021 , 13, 91	7.7	11
76	A deep-learning pipeline for the diagnosis and discrimination of viral, non-viral and COVID-19 pneumonia from chest X-ray images. <i>Nature Biomedical Engineering</i> , 2021 , 5, 509-521	19	25
75	Lymphatic metastasis of bladder cancer: Molecular mechanisms, diagnosis and targeted therapy. <i>Cancer Letters</i> , 2021 , 505, 13-23	9.9	5
74	Targeting WD repeat domain 5 enhances chemosensitivity and inhibits proliferation and programmed death-ligand 1 expression in bladder cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 203	12.8	10
73	NONO Inhibits Lymphatic Metastasis of Bladder Cancer via Alternative Splicing of SETMAR. <i>Molecular Therapy</i> , 2021 , 29, 291-307	11.7	20
72	Prognostic role of stromal tumor-infiltrating lymphocytes in locally advanced upper tract urothelial carcinoma: A retrospective multicenter study (TSU-02 study). <i>OncImmunology</i> , 2021 , 10, 1861737	7.2	1
71	Development and validation of a PD-L1/PD-1/CD8 axis-based classifier to predict cancer survival of upper tract urothelial carcinoma after radical nephroureterectomy. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 2657-2668	7.4	2
70	Tumor-derived exosomal BCYRN1 activates WNT5A/VEGF-C/VEGFR3 feedforward loop to drive lymphatic metastasis of bladder cancer. <i>Clinical and Translational Medicine</i> , 2021 , 11, e497	5.7	5

69	An Artificial Intelligence System for the Detection of Bladder Cancer via Cystoscopy: A Multicenter Diagnostic Study. <i>Journal of the National Cancer Institute</i> , 2021 ,	9.7	4
68	A multicenter study to develop a non-invasive radiomic model to identify urinary infection stone in vivo using machine-learning. <i>Kidney International</i> , 2021 , 100, 870-880	9.9	3
67	WD repeat domain 5 promotes chemoresistance and Programmed Death-Ligand 1 expression in prostate cancer. <i>Theranostics</i> , 2021 , 11, 4809-4824	12.1	13
66	Clinically Applicable AI System for Accurate Diagnosis, Quantitative Measurements, and Prognosis of COVID-19 Pneumonia Using Computed Tomography. <i>Cell</i> , 2020 , 181, 1423-1433.e11	56.2	314
65	PD-1 topographically defines distinct T cell subpopulations in urothelial cell carcinoma of the bladder and predicts patient survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 685.e1-685.e10	2.8	4
64	Nomograms for the Prediction of Survival for Patients with Pediatric Adrenal Cancer after Surgery. <i>Journal of Cancer</i> , 2020 , 11, 2080-2090	4.5	1
63	circRIP2 accelerates bladder cancer progression via miR-1305/Tgf- β /smad3 pathway. <i>Molecular Cancer</i> , 2020 , 19, 23	42.1	56
62	circRNA circFUT8 upregulates Krüppel-like Factor 10 to Inhibit the Metastasis of Bladder Cancer via Sponging miR-570-3p. <i>Molecular Therapy - Oncolytics</i> , 2020 , 16, 172-187	6.4	29
61	Association of chromosome 7 aneuploidy measured by fluorescence in situ hybridization assay with muscular invasion in bladder cancer. <i>Cancer Communications</i> , 2020 , 40, 167-180	9.4	5
60	Exosomal long noncoding RNA LNMAT2 promotes lymphatic metastasis in bladder cancer. <i>Journal of Clinical Investigation</i> , 2020 , 130, 404-421	15.9	127
59	Urine DNA methylation assay enables early detection and recurrence monitoring for bladder cancer. <i>Journal of Clinical Investigation</i> , 2020 , 130, 6278-6289	15.9	38
58	Macroscopic somatic clonal expansion in morphologically normal human urothelium. <i>Science</i> , 2020 , 370, 82-89	33.3	51
57	Depression and prostate cancer risk: A Mendelian randomization study. <i>Cancer Medicine</i> , 2020 , 9, 9160-9167	11.7	3
56	Serum CCL27 predicts the response to Bacillus Calmette-Guerin immunotherapy in non-muscle-invasive bladder cancer. <i>Oncolmmunology</i> , 2020 , 9, 1776060	7.2	6
55	Clinical Characteristics, Treatment Strategy, and Outcomes of Primary Large Cell Neuroendocrine Carcinoma of the Bladder: A Case Report and Systematic Review of the Literature. <i>Frontiers in Oncology</i> , 2020 , 10, 1291	5.3	5
54	Survival after radical cystectomy for bladder cancer: Multicenter comparison between minimally invasive and open approaches. <i>Asian Journal of Urology</i> , 2020 , 7, 291-300	2.7	0
53	Microlocalization and clinical significance of stabilin-1 macrophages in treatment-naïve patients with urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2020 , 38, 709-716	4	2
52	Long-Term Oncologic Outcomes After Laparoscopic and Robotic Tumor Enucleation for Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 595457	5.3	1

51	Circular RNA circ-ZKSCAN1 inhibits bladder cancer progression through miR-1178-3p/p21 axis and acts as a prognostic factor of recurrence. <i>Molecular Cancer</i> , 2019 , 18, 133	42.1	64
50	DANCR Promotes Metastasis and Proliferation in Bladder Cancer Cells by Enhancing IL-11-STAT3 Signaling and CCND1 Expression. <i>Molecular Therapy</i> , 2019 , 27, 326-341	11.7	80
49	A novel AR translational regulator lncRNA LBCS inhibits castration resistance of prostate cancer. <i>Molecular Cancer</i> , 2019 , 18, 109	42.1	46
48	Causes of death in long-term bladder cancer survivors: A population-based study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019 , 15, e167-e174	1.9	8
47	Circular RNA ACVR2A suppresses bladder cancer cells proliferation and metastasis through miR-626/EYA4 axis. <i>Molecular Cancer</i> , 2019 , 18, 95	42.1	77
46	Polypyrimidine tract binding protein 1 promotes lymphatic metastasis and proliferation of bladder cancer via alternative splicing of MEIS2 and PKM. <i>Cancer Letters</i> , 2019 , 449, 31-44	9.9	49
45	Development of a noninvasive tool to preoperatively evaluate the muscular invasiveness of bladder cancer using a radiomics approach. <i>Cancer</i> , 2019 , 125, 4388-4398	6.4	29
44	Circular RNA circPICALM sponges miR-1265 to inhibit bladder cancer metastasis and influence FAK phosphorylation. <i>EBioMedicine</i> , 2019 , 48, 316-331	8.8	36
43	circ5912 suppresses cancer progression via inducing MET in bladder cancer. <i>Aging</i> , 2019 , 11, 10826-10836	3.6	8
42	ciRs-6 upregulates March1 to suppress bladder cancer growth by sponging miR-653. <i>Aging</i> , 2019 , 11, 11202-11223	5.6	8
41	CircPTPRA acts as a tumor suppressor in bladder cancer by sponging miR-636 and upregulating KLF9. <i>Aging</i> , 2019 , 11, 11314-11328	5.6	28
40	Hypoxia-elevated circELP3 contributes to bladder cancer progression and cisplatin resistance. <i>International Journal of Biological Sciences</i> , 2019 , 15, 441-452	11.2	41
39	A nomogram for individualized estimation of survival among adult patients with adrenocortical carcinoma after surgery: a retrospective analysis and multicenter validation study. <i>Cancer Communications</i> , 2019 , 39, 80	9.4	12
38	Programmed death ligand-1 is associated with tumor infiltrating lymphocytes and poorer survival in urothelial cell carcinoma of the bladder. <i>Cancer Science</i> , 2019 , 110, 489-498	6.9	42
37	Long Noncoding RNA Inhibits Self-Renewal and Chemoresistance of Bladder Cancer Stem Cells through Epigenetic Silencing of SOX2. <i>Clinical Cancer Research</i> , 2019 , 25, 1389-1403	12.9	95
36	Elevated pre-existing lymphocytic infiltrates in tumour stroma predict poor prognosis in resectable urothelial carcinoma of the bladder. <i>Histopathology</i> , 2019 , 75, 354-364	7.3	3
35	The long non-coding RNA FOXD2-AS1 promotes bladder cancer progression and recurrence through a positive feedback loop with Akt and E2F1. <i>Cell Death and Disease</i> , 2018 , 9, 233	9.8	52
34	Enhanced recovery after surgery for radical cystectomy with ileal urinary diversion: a multi-institutional, randomized, controlled trial from the Chinese bladder cancer consortium. <i>World Journal of Urology</i> , 2018 , 36, 41-50	4	34

33	Development and Validation of an MRI-Based Radiomics Signature for the Preoperative Prediction of Lymph Node Metastasis in Bladder Cancer. <i>EBioMedicine</i> , 2018 , 34, 76-84	8.8	75
32	MALBAC-based chromosomal imbalance analysis: a novel technique enabling effective non-invasive diagnosis and monitoring of bladder cancer. <i>BMC Cancer</i> , 2018 , 18, 659	4.8	1
31	Efficacy and safety of different interventions in castration resistant prostate cancer progressing after docetaxel-based chemotherapy: Bayesian network analysis of randomized controlled trials. <i>Journal of Cancer</i> , 2018 , 9, 690-701	4.5	5
30	Computed tomography and magnetic resonance imaging evaluation of pelvic lymph node metastasis in bladder cancer. <i>Chinese Journal of Cancer</i> , 2018 , 37, 3		11
29	Long noncoding RNA BLACAT2 promotes bladder cancer-associated lymphangiogenesis and lymphatic metastasis. <i>Journal of Clinical Investigation</i> , 2018 , 128, 861-875	15.9	105
28	Circ-BPTF promotes bladder cancer progression and recurrence through the miR-31-5p/RAB27A axis. <i>Aging</i> , 2018 , 10, 1964-1976	5.6	63
27	Circular RNA circUBXN7 represses cell growth and invasion by sponging miR-1247-3p to enhance B4GALT3 expression in bladder cancer. <i>Aging</i> , 2018 , 10, 2606-2623	5.6	35
26	Circular RNA, a novel marker for cancer determination (Review). <i>International Journal of Molecular Medicine</i> , 2018 , 42, 1786-1798	4.4	12
25	Invasion-related circular RNA circFNDC3B inhibits bladder cancer progression through the miR-1178-3p/G3BP2/SRC/FAK axis. <i>Molecular Cancer</i> , 2018 , 17, 161	42.1	87
24	A Novel Semirigid Ureterorenoscope with Vacuum Suctioning System for Management of Single Proximal Ureteral and Renal Pelvic Stones: An Initial Experience. <i>Journal of Endourology</i> , 2018 , 32, 1154-1159	2.7	3
23	LNMAT1 promotes lymphatic metastasis of bladder cancer via CCL2 dependent macrophage recruitment. <i>Nature Communications</i> , 2018 , 9, 3826	17.4	163
22	Elevation of SHARPIN Protein Levels in Prostate Adenocarcinomas Promotes Metastasis and Impairs Patient Survivals. <i>Prostate</i> , 2017 , 77, 718-728	4.2	9
21	A Radiomics Nomogram for the Preoperative Prediction of Lymph Node Metastasis in Bladder Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 6904-6911	12.9	210
20	Heterogeneous nuclear ribonucleoprotein K is associated with poor prognosis and regulates proliferation and apoptosis in bladder cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 1266-1279	5.6	53
19	lncRNA HOXD-AS1 Regulates Proliferation and Chemo-Resistance of Castration-Resistant Prostate Cancer via Recruiting WDR5. <i>Molecular Therapy</i> , 2017 , 25, 1959-1973	11.7	115
18	Clinical staging of ketamine-associated urinary dysfunction: a strategy for assessment and treatment. <i>World Journal of Urology</i> , 2016 , 34, 1329-36	4	15
17	lncRNA Up-Regulated in Nonmuscle Invasive Bladder Cancer Facilitates Tumor Growth and Acts as a Negative Prognostic Factor of Recurrence. <i>Journal of Urology</i> , 2016 , 196, 1270-8	2.5	30
16	Laparoscopic Partial Nephrectomy for T1 Renal Cell Carcinoma: Comparison of Two Resection Techniques in a Multi-institutional Propensity Score-Matching Analysis. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1395-402	3.1	8

15	Implementation of Ultramini Percutaneous Nephrolithotomy for Treatment of 2-3 cm Kidney Stones: A Preliminary Report. <i>Journal of Endourology</i> , 2015 , 29, 1231-6	2.7	16
14	Upregulated WDR5 promotes proliferation, self-renewal and chemoresistance in bladder cancer via mediating H3K4 trimethylation. <i>Scientific Reports</i> , 2015 , 5, 8293	4.9	66
13	Current status of diagnosis and treatment of bladder cancer in China - Analyses of Chinese Bladder Cancer Consortium database. <i>Asian Journal of Urology</i> , 2015 , 2, 63-69	2.7	26
12	Pirarubicin induces an autophagic cytoprotective response through suppression of the mammalian target of rapamycin signaling pathway in human bladder cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 460, 380-5	3.4	13
11	Gene expression profiling of WDR5 regulated genes in bladder cancer. <i>Genomics Data</i> , 2015 , 5, 27-9		13
10	CD103+ Tumor Infiltrating Lymphocytes Predict a Favorable Prognosis in Urothelial Cell Carcinoma of the Bladder. <i>Journal of Urology</i> , 2015 , 194, 556-62	2.5	92
9	Knockdown of a novel lincRNA AATBC suppresses proliferation and induces apoptosis in bladder cancer. <i>Oncotarget</i> , 2015 , 6, 1064-78	3.3	44
8	PBRM1 suppresses bladder cancer by cyclin B1 induced cell cycle arrest. <i>Oncotarget</i> , 2015 , 6, 16366-78	3.3	15
7	High CD204+ tumor-infiltrating macrophage density predicts a poor prognosis in patients with urothelial cell carcinoma of the bladder. <i>Oncotarget</i> , 2015 , 6, 20204-14	3.3	31
6	Knockdown of Bmi1 inhibits the stemness properties and tumorigenicity of human bladder cancer stem cell-like side population cells. <i>Oncology Reports</i> , 2014 , 31, 727-36	3.5	29
5	Prostate specific membrane antigen knockdown impairs the tumorigenicity of LNCaP prostate cancer cells by inhibiting the phosphatidylinositol 3-kinase/Akt signaling pathway. <i>Chinese Medical Journal</i> , 2014 , 127, 929-36	2.9	3
4	13-Methyltetradecanoic acid induces mitochondrial-mediated apoptosis in human bladder cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 339-45	2.8	24
3	Hybrid laparoscopic endoscopic single-site surgery for radical cystoprostatectomy and orthotopic ileal neobladder: an initial experience of 12 cases. <i>Journal of Endourology</i> , 2011 , 25, 57-63	2.7	19
2	Laparoscopic radical cystectomy with orthotopic ileal neobladder for bladder cancer: oncologic results of 171 cases with a median 3-year follow-up. <i>European Urology</i> , 2010 , 58, 442-9	10.2	69
1	MicroRNA-143 as a tumor suppressor for bladder cancer. <i>Journal of Urology</i> , 2009 , 181, 1372-80	2.5	125