

Wenyuan Gao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7205128/wenyuan-gao-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

2,363
citations

27
h-index

44
g-index

110
ext. papers

2,867
ext. citations

4.6
avg, IF

5
L-index

#	Paper	IF	Citations
103	Effects of Metal Nanoparticles and Other Preparative Materials in the Environment on Plants: From the Perspective of Improving Secondary Metabolites.. <i>Journal of Agricultural and Food Chemistry</i> , 2022 ,	5.7	1
102	Combining network pharmacology with chromatographic fingerprinting and multi-component quantitative analysis for the quality evaluation of Astragali Radix.. <i>Biomedical Chromatography</i> , 2022 , e5319	1.7	
101	Quality evaluation of different varieties of rhubarb based on multicomponent and bioactivity: Committed to quality control in the production of rhubarb decoction pieces.. <i>Biomedical Chromatography</i> , 2022 , e5368	1.7	0
100	Comparison of characterization and antioxidant activity of different citrus peel pectins.. <i>Food Chemistry</i> , 2022 , 386, 132683	8.5	3
99	Physicochemical characteristics and immunoregulatory activities of polysaccharides from five cultivars of Chrysanthemi Flos.. <i>Food Science and Nutrition</i> , 2022 , 10, 1391-1400	3.2	0
98	Microbiome-based screening and co-fermentation of rhizospheric microorganisms for highly ginsenoside Rg3 production. <i>Microbiological Research</i> , 2022 , 127054	5.3	2
97	Label-Free Proteomic Analysis of Smoke-Drying and Shade-Drying Processes of Postharvest Rhubarb: A Comparative Study. <i>Frontiers in Plant Science</i> , 2021 , 12, 663180	6.2	0
96	Cerebralcare Granule□ enhances memantine hydrochloride efficacy in APP/PS1 mice by ameliorating amyloid pathology and cognitive functions. <i>Chinese Medicine</i> , 2021 , 16, 47	4.7	2
95	Endophytes, biotransforming microorganisms, and engineering microbial factories for triterpenoid saponins production. <i>Critical Reviews in Biotechnology</i> , 2021 , 41, 249-272	9.4	4
94	Pharmacokinetics profiles of polyphyllin II and polyphyllin VII in rats by liquid chromatography with tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2021 , 35, e5083	1.7	1
93	Chemometric analysis of active compounds and antioxidant and α-glucosidase inhibitory activities for the quality evaluation of licorice from different origins. <i>Biomedical Chromatography</i> , 2021 , 35, e5215 ¹⁻⁷	1.7	2
92	A WRKY transcription factor, PgWRKY4X, positively regulates ginsenoside biosynthesis by activating squalene epoxidase transcription in Panax ginseng. <i>Industrial Crops and Products</i> , 2020 , 154, 112671	5.9	10
91	Comparative studies on characterization, saccharide mapping and antiglycation activity of polysaccharides from different Polygonatum ssp. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113243	3.5	12
90	Characterisation and saccharide mapping of polysaccharides from four common Polygonatum spp. <i>Carbohydrate Polymers</i> , 2020 , 233, 115836	10.3	25
89	Paris saponin II-induced paraptosis-associated cell death increased the sensitivity of cisplatin. <i>Toxicology and Applied Pharmacology</i> , 2020 , 406, 115206	4.6	8
88	Molecular evidence supports simultaneous association of the achlorophyllous orchid Chamaegastrodia inverta with ectomycorrhizal Ceratobasidiaceae and Russulaceae. <i>BMC Microbiology</i> , 2020 , 20, 236	4.5	2
87	Chemotaxonomic studies of 12 Dioscorea species from China by UHPLC-QTOF-MS/MS analysis. <i>Phytochemical Analysis</i> , 2020 , 31, 164-182	3.4	5

86	Promotion of ginsenosides production in a co-cultivation system of Panax ginseng adventitious roots and immobilized <i>Aspergillus niger</i> . <i>Industrial Crops and Products</i> , 2019 , 140, 111564	5.9	5
85	Quality evaluation of Panax ginseng adventitious roots based on ginsenoside constituents, functional genes, and ferric-reducing antioxidant power. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12901	3.3	6
84	Screening and evaluation of adventitious root lines of Panax notoginseng by morphology, gene expression, and metabolite profiles. <i>Applied Microbiology and Biotechnology</i> , 2019 , 103, 4405-4415	5.7	7
83	Purification, characterization and immunomodulatory activity of fructans from <i>Polygonatum odoratum</i> and <i>P. cyrtoneura</i> . <i>Carbohydrate Polymers</i> , 2019 , 214, 44-52	10.3	51
82	Protective effect of magnolol on oxaliplatin-induced intestinal injury in mice. <i>Phytotherapy Research</i> , 2019 , 33, 1161-1172	6.7	12
81	Effect of stir-frying time during <i>Angelica Sinensis Radix</i> processing with wine on physicochemical, structure properties and bioactivities of polysaccharides. <i>Process Biochemistry</i> , 2019 , 81, 188-196	4.8	10
80	Induction of signal molecules and expression of functional genes after <i>Pichia pastoris</i> stimulation in <i>Glycyrrhiza uralensis</i> Fisch adventitious roots. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12798	3.3	2
79	Multicomponent quantitative analysis combined with antioxidant and alpha-glucosidase inhibitory activities for the quality evaluation of <i>Gastrodia elata</i> from different regions. <i>Biomedical Chromatography</i> , 2019 , 33, e4508	1.7	2
78	The protective effects of <i>Aquilariae Lignum Resinatum</i> extract on 5-Fuorouracil-induced intestinal mucositis in mice. <i>Phytomedicine</i> , 2019 , 54, 308-317	6.5	18
77	Effect of temperature on morphology, ginsenosides biosynthesis, functional genes, and transcriptional factors expression in Panax ginseng adventitious roots. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12794	3.3	4
76	Dioscin-6'-O-acetate inhibits lung cancer cell proliferation via inducing cell cycle arrest and caspase-dependent apoptosis. <i>Phytomedicine</i> , 2019 , 53, 124-133	6.5	13
75	Dioscin-6'-O-acetate impairs migration of lung cancer cells through attenuations of MMP-2 and MMP-9 via NF- κ B suppression. <i>Medicinal Chemistry Research</i> , 2019 , 28, 1-12	2.2	3
74	Complex formation, physicochemical properties of different concentration of palmitic acid yam (<i>Dioscorea pposita</i> Thunb.) starch preparation mixtures. <i>LWT - Food Science and Technology</i> , 2019 , 101, 130-137	5.4	13
73	The synergistic anticancer effect of formosanin C and polyphyllin VII based on caspase-mediated cleavage of Beclin1 inhibiting autophagy and promoting apoptosis. <i>Cell Proliferation</i> , 2019 , 52, e12520	7.9	14
72	Physicochemical characterizations of polysaccharides from <i>Angelica Sinensis Radix</i> under different drying methods for various applications. <i>International Journal of Biological Macromolecules</i> , 2019 , 121, 381-389	7.9	32
71	Inhibitor discovery from pomegranate rind for targeting human salivary α -amylase. <i>Medicinal Chemistry Research</i> , 2018 , 27, 1559-1577	2.2	3
70	Advances in ginsenoside biosynthesis and metabolic regulation. <i>Biotechnology and Applied Biochemistry</i> , 2018 , 65, 514-522	2.8	12
69	Influence of the drying method on the bioactive compounds and pharmacological activities of rhubarb. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 3551-3562	4.3	12

68	Integrated morphology analysis, metabolomic analysis and gene expression to assess the quality of four adventitious roots lines of <i>Glycyrrhiza uralensis</i> Fisch. <i>Plant Cell, Tissue and Organ Culture</i> , 2018 , 135, 169-177	2.7	3
67	Active compounds, antioxidant activity and α -glucosidase inhibitory activity of different varieties of <i>Chaenomeles</i> fruits. <i>Food Chemistry</i> , 2018 , 248, 330-339	8.5	36
66	The genus <i>Polygonatum</i> : A review of ethnopharmacology, phytochemistry and pharmacology. <i>Journal of Ethnopharmacology</i> , 2018 , 214, 274-291	5	92
65	Jasmonic acid and methyl dihydrojasmonate enhance saponin biosynthesis as well as expression of functional genes in adventitious roots of <i>Panax notoginseng</i> F.H. Chen. <i>Biotechnology and Applied Biochemistry</i> , 2017 , 64, 225-238	2.8	12
64	Assessment of genetic fidelity and composition: Mixed elicitors enhance triterpenoid and flavonoid biosynthesis of <i>Glycyrrhiza uralensis</i> Fisch. tissue cultures. <i>Biotechnology and Applied Biochemistry</i> , 2017 , 64, 211-217	2.8	10
63	Physicochemical characterisation, digestibility and anticonstipation activity of some high-resistant untraditional starches from zingiberaceae plants. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 617-625	3.8	3
62	Effect of blanching and drying temperatures on starch-related physicochemical properties, bioactive components and antioxidant activities of yam flours. <i>LWT - Food Science and Technology</i> , 2017 , 82, 303-310	5.4	32
61	The effect of different extraction techniques on property and bioactivity of polysaccharides from <i>Dioscorea hemsleyi</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 847-856	7.9	56
60	Effects of temperature during processing with wine on chemical composition, antioxidant capacity and enzyme inhibition activities of <i>Angelica Sinensis</i> Radix. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 1324-1332	3.8	7
59	Novel phenanthrene and isocoumarin from the rhizomes of <i>Dioscorea nipponica</i> Makino subsp. <i>rosthornii</i> (Prain et Burkill) C. T. Ting (Dioscoreaceae). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 3595-3601	2.9	8
58	Inhibition of lung cancer in diethylnitrosamine-induced mice by <i>Rhizoma paridis</i> saponins. <i>Molecular Carcinogenesis</i> , 2017 , 56, 1405-1413	5	16
57	Effects of drying processes on starch-related physicochemical properties, bioactive components and antioxidant properties of yam flours. <i>Food Chemistry</i> , 2017 , 224, 224-232	8.5	42
56	Effects of <i>Rhizoma Parisdis</i> total saponins and its main compounds on gastric emptying via regulating muscarinic receptors in vitro and in vivo. <i>RSC Advances</i> , 2017 , 7, 41163-41175	3.7	2
55	Quantitative studies of rhubarb using quantitative analysis of multicomponents by single marker and response surface methodology. <i>Journal of Separation Science</i> , 2017 , 40, 3792-3800	3.4	6
54	Oleanolic acid and ursolic acid as potential inhibitors of human salivary α -amylase: insights from in vitro assays and in silico simulations. <i>Journal of Molecular Modeling</i> , 2017 , 23, 248	2	3
53	Chemosensitizing effect of Paris Saponin I on Camptothecin and 10-hydroxycamptothecin in lung cancer cells via p38 MAPK, ERK, and Akt signaling pathways. <i>European Journal of Medicinal Chemistry</i> , 2017 , 125, 760-769	6.8	37
52	Gene expression of glycyrrhizin acid and accumulation of endogenous signaling molecule in <i>Glycyrrhiza uralensis</i> Fisch adventitious roots after <i>Saccharomyces cerevisiae</i> and <i>Meyerozyma guilliermondii</i> applications. <i>Biotechnology and Applied Biochemistry</i> , 2017 , 64, 700-711	2.8	8
51	A synergistic antitumor effect of polyphyllin I and formosanin C on hepatocarcinoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 4970-4975	2.9	20

50	Inhibition of urethane-induced lung carcinogenesis in mice by a Rhizoma paridis saponin involved EGFR/PI3K/Akt pathway. <i>RSC Advances</i> , 2016 , 6, 92330-92334	3.7	10
49	Paris saponin I inhibits proliferation and promotes apoptosis through down-regulating AKT activity in human non-small-cell lung cancer cells and inhibiting ERK expression in human small-cell lung cancer cells. <i>RSC Advances</i> , 2016 , 6, 70816-70824	3.7	7
48	Chemical Composition and Bioactivities of Two Common Chaenomeles Fruits in China: Chaenomeles speciosa and Chaenomeles sinensis. <i>Journal of Food Science</i> , 2016 , 81, H2049-58	3.4	27
47	Fungal elicitors enhance ginsenosides biosynthesis, expression of functional genes as well as signal molecules accumulation in adventitious roots of Panax ginseng C. A. Mey. <i>Journal of Biotechnology</i> , 2016 , 239, 106-114	3.7	31
46	Protein elicitor isolated from Escherichia coli induced bioactive compound biosynthesis as well as gene expression in Glycyrrhiza uralensis Fisch adventitious roots. <i>RSC Advances</i> , 2016 , 6, 111622-111631	3.7	4
45	Effect of different solvents on the chemical composition, antioxidant activity and alpha-glucosidase inhibitory activity of hawthorn extracts. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1244-1251	3.8	10
44	Protective effect and potential mechanisms of Wei-Chang-An pill on high-dose 5-fluorouracil-induced intestinal mucositis in mice. <i>Journal of Ethnopharmacology</i> , 2016 , 190, 200-11	5	8
43	Preparation, physicochemical characterization and biological activities of two modified starches from yam (Dioscorea Opposita Thunb.). <i>Food Hydrocolloids</i> , 2016 , 55, 244-253	10.6	40
42	A new acetylated spirostanol saponin and other constituents from the rhizomes of Dioscorea althaeoides R. Knuth (Dioscoreaceae). <i>Biochemical Systematics and Ecology</i> , 2016 , 65, 17-22	1.4	8
41	Study on the effects of different drying methods on physicochemical properties, structure, and in vitro digestibility of Fritillaria thunbergii Miq. (Zhebeimu) flours. <i>Food and Bioproducts Processing</i> , 2016 , 98, 266-274	4.9	14
40	Reparative activity of costunolide and dehydrocostus in a mouse model of 5-fluorouracil-induced intestinal mucositis. <i>RSC Advances</i> , 2016 , 6, 5249-5258	3.7	7
39	Aspergillus niger Enhance Bioactive Compounds Biosynthesis As Well As Expression of Functional Genes in Adventitious Roots of Glycyrrhiza uralensis Fisch. <i>Applied Biochemistry and Biotechnology</i> , 2016 , 178, 576-93	3.2	16
38	Protective effect of tetrahydropalmatine against d-galactose induced memory impairment in rat. <i>Physiology and Behavior</i> , 2016 , 154, 114-25	3.5	70
37	Transcriptome profiling shows gene regulation patterns in ginsenoside pathway in response to methyl jasmonate in Panax Quinquefolium adventitious root. <i>Scientific Reports</i> , 2016 , 6, 37263	4.9	26
36	Metabolic regulatory network alterations reveal different therapeutic effects of cisplatin and Rhizoma paridis saponins in Lewis pulmonary adenoma mice. <i>RSC Advances</i> , 2016 , 6, 115029-115038	3.7	11
35	Cerebralcare Granule(脑复生), a Chinese Herb Compound Preparation, Attenuates D-Galactose Induced Memory Impairment in Mice. <i>Neurochemical Research</i> , 2016 , 41, 2199-214	4.6	9
34	Paris Saponin II induced apoptosis via activation of autophagy in human lung cancer cells. <i>Chemico-Biological Interactions</i> , 2016 , 253, 125-33	5	16
33	HPLC-ESI-MS(n) Analysis, Fed-Batch Cultivation Enhances Bioactive Compound Biosynthesis and Immune-Regulative Effect of Adventitious Roots in Pseudostellaria heterophylla. <i>Applied Biochemistry and Biotechnology</i> , 2015 , 177, 63-75	3.2	10

32	Influence of step-wise aeration treatment on biomass and bioactive compounds of Panax ginseng adventitious root in balloon-type bubble bioreactor. <i>Research on Chemical Intermediates</i> , 2015 , 41, 623-629	2.8	3
31	Optimization of balloon-type bubble bioreactor angle and methyl jasmonate concentration to enhance metabolite production in adventitious roots of Pseudostellaria heterophylla. <i>Research on Chemical Intermediates</i> , 2015 , 41, 5555-5563	2.8	4
30	Role of effective composition on antioxidant, anti-inflammatory, sedative-hypnotic capacities of 6 common edible Liliium varieties. <i>Journal of Food Science</i> , 2015 , 80, H857-68	3.4	24
29	Use of partial least-squares discriminant analysis to study the effects of gradual scale-up of culture, and optimization of bioreactor angle and aeration volume on culture of Panax quinquefolium L. adventitious roots in a 5-L balloon-type bubble bioreactor. <i>Research on Chemical Intermediates</i> , 2015 , 41, 5564-5568	2.8	
28	Anti-diabetic activity in type 2 diabetic mice and α -glucosidase inhibitory, antioxidant and anti-inflammatory potential of chemically profiled pear peel and pulp extracts (Pyrus spp.). <i>Journal of Functional Foods</i> , 2015 , 13, 276-288	5.1	63
27	Optimization and quality assessment of adventitious roots culture in Panax quinquefolium L.. <i>Acta Physiologiae Plantarum</i> , 2014 , 36, 713-719	2.6	17
26	Bidirectional effects of methanol extract of Wei-Chang-An pill on gastrointestinal transit and the spasmolytic activity on isolated rat jejunum. <i>Journal of Ethnopharmacology</i> , 2014 , 155, 203-12	5	8
25	Chemical composition and antioxidant and anti-inflammatory potential of peels and flesh from 10 different pear varieties (Pyrus spp.). <i>Food Chemistry</i> , 2014 , 152, 531-8	8.5	115
24	Synergistic effects of Rhizoma Paridis and Rhizoma Curcuma longa on different animal tumor models. <i>Environmental Toxicology and Pharmacology</i> , 2014 , 38, 31-40	5.8	12
23	Effects of nitrogen source and phosphate concentration on biomass and metabolites accumulation in adventitious root culture of Glycyrrhiza uralensis Fisch. <i>Acta Physiologiae Plantarum</i> , 2014 , 36, 915-921	2.6	34
22	Comparative susceptibilities to alkali-treatment of A-, B- and C-type starches of Dioscorea zingiberensis, Dioscorea persimilis and Dioscorea opposita. <i>Food Hydrocolloids</i> , 2014 , 39, 286-294	10.6	27
21	Cluster analysis of ginseng tissue cultures, dynamic change of growth, total saponins, specific oxygen uptake rate in bioreactor and immuno-regulative effect of ginseng adventitious root. <i>Industrial Crops and Products</i> , 2013 , 41, 57-63	5.9	33
20	Effect of methyl jasmonate on the ginsenoside content of Panax ginseng adventitious root cultures and on the genes involved in triterpene biosynthesis. <i>Research on Chemical Intermediates</i> , 2013 , 39, 1973-1980	2.8	31
19	Physicochemical properties and in vitro digestion of starches from different Dioscorea plants. <i>Food Hydrocolloids</i> , 2013 , 32, 432-439	10.6	43
18	Identification of triterpenoids and flavonoids, step-wise aeration treatment as well as antioxidant capacity of Glycyrrhiza uralensis Fisch. cell. <i>Industrial Crops and Products</i> , 2013 , 49, 675-681	5.9	21
17	Chemical analysis and anti-inflammatory comparison of the cell culture of Glycyrrhiza with its field cultivated variety. <i>Food Chemistry</i> , 2013 , 136, 513-7	8.5	16
16	Establishment and quality assessment of tissue cultures in Glycyrrhiza uralensis Fisch. <i>Applied Biochemistry and Biotechnology</i> , 2013 , 169, 588-94	3.2	15
15	Influence of sucrose concentration and phosphate source on biomass and metabolite accumulation in adventitious roots of Pseudostellaria heterophylla. <i>Acta Physiologiae Plantarum</i> , 2013 , 35, 1579-1585	2.6	25

14	Comparative study on hemostatic, cytotoxic and hemolytic activities of different species of Paris L. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 789-94	5	28
13	Pharmacological evaluation of sedative-hypnotic activity and gastro-intestinal toxicity of Rhizoma Paridis saponins. <i>Journal of Ethnopharmacology</i> , 2012 , 144, 67-72	5	25
12	Anticancer drugs from traditional toxic Chinese medicines. <i>Phytotherapy Research</i> , 2012 , 26, 1449-65	6.7	84
11	Gradually scale-up culture in a bioreactor promotes radical scavenging activity of Panax ginseng (C. A. Meyer) adventitious roots on 1,1-diphenyl-2-picrylhydrazyl. <i>Plant Growth Regulation</i> , 2012 , 67, 101-105	3.2	6
10	Inhibition of matrix metalloproteinases related to metastasis by diosgenyl and pennogenyl saponins. <i>Journal of Ethnopharmacology</i> , 2011 , 137, 1221-7	5	20
9	Production of saponions and polysaccharide in the presence of lactoalbumin hydrolysate in Panax quinquefolium L. cells cultures. <i>Plant Growth Regulation</i> , 2011 , 63, 217-223	3.2	7
8	Identification of chemical constituents in Rhizoma Paridis Saponins and their oral administration in rat plasma by UPLC/Q-TOF/MS. <i>Biomedical Chromatography</i> , 2011 , 25, 712-9	1.7	15
7	Formosanin C-inhibited pulmonary metastasis through repression of matrix metalloproteinases on mouse lung adenocarcinoma. <i>Cancer Biology and Therapy</i> , 2011 , 11, 592-8	4.6	31
6	Chemical study and medical application of saponins as anti-cancer agents. <i>Phytotherapy Research</i> , 2010 , 81, 703-14	3.2	265
5	Qualitative and quantitative determination of major saponins in Paris and Trillium by HPLC-ELSD and HPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2943-8	3.2	51
4	Characterization of steroidal saponins in saponin extract from Paris polyphylla by liquid chromatography tandem multi-stage mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 495-505	4.4	61
3	Antitumor and antimetastatic activities of Rhizoma Paridis saponins. <i>Steroids</i> , 2009 , 74, 1051-6	2.8	74
2	Induction and characterization of adventitious roots directly from the explants of Panax notoginseng. <i>Biotechnology Letters</i> , 2005 , 27, 1771-5	3	29
1	Jasmonic acid improves ginsenoside accumulation in adventitious root culture of Panax ginseng C.A. Meyer. <i>Biochemical Engineering Journal</i> , 2002 , 11, 211-215	4.2	161