

# Sung-Hsin Kuo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7207194/publications.pdf>

Version: 2024-02-01

151  
papers

3,143  
citations

172207

29  
h-index

205818

48  
g-index

158  
all docs

158  
docs citations

158  
times ranked

4842  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Results of Anti- <i>Helicobacter pylori</i> Therapy in Early-Stage Gastric High-Grade Transformed MALT Lymphoma. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1345-1353.	3.0	179
2	Radiotherapy in Lung Adenocarcinoma with Brain Metastases: Effects of Activating Epidermal Growth Factor Receptor Mutations on Clinical Response. <i>Clinical Cancer Research</i> , 2008, 14, 162-168.	3.2	140
3	<i>Helicobacter pylori</i> eradication therapy is effective in the treatment of early-stage H pylori-positive gastric diffuse large B-cell lymphomas. <i>Blood</i> , 2012, 119, 4838-4844.	0.6	123
4	Comparison of the expression and prognostic significance of differentiation markers between diffuse large B-cell lymphoma of central nervous system origin and peripheral nodal origin.. <i>Clinical Cancer Research</i> , 2006, 12, 1152-1156.	3.2	118
5	Caveolin-1 expression is significantly associated with drug resistance and poor prognosis in advanced non-small cell lung cancer patients treated with gemcitabine-based chemotherapy. <i>Lung Cancer</i> , 2008, 59, 105-110.	0.9	108
6	Molecular Subtypes of Breast Cancer Emerging in Young Women in Taiwan: Evidence for More Than Just Westernization as a Reason for the Disease in Asia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1807-1814.	1.1	103
7	Volumetric modulated arc therapy for nasopharyngeal carcinoma: A dosimetric comparison with TomoTherapy and step-and-shoot IMRT. <i>Radiotherapy and Oncology</i> , 2012, 104, 324-330.	0.3	93
8	Multiple gene sequencing for risk assessment in patients with early-onset or familial breast cancer. <i>Oncotarget</i> , 2016, 7, 8310-8320.	0.8	83
9	Translocation of <i>Helicobacter pylori</i> CagA into Human B Lymphocytes, the Origin of Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancer Research</i> , 2010, 70, 5740-5748.	0.4	79
10	p53 overexpression and mutation in metaplastic carcinoma of the breast: genetic evidence for a monoclonal origin of both the carcinomatous and the heterogeneous sarcomatous components. <i>Journal of Pathology</i> , 2004, 204, 131-139.	2.1	77
11	Nuclear expression of BCL10 or nuclear factor kappa B helps predict <i>Helicobacter pylori</i> -independent status of low-grade gastric mucosa-associated lymphoid tissue lymphomas with or without t(11;18)(q21;q21). <i>Blood</i> , 2005, 106, 1037-1041.	0.6	74
12	Nuclear Expression of BCL10 or Nuclear Factor Kappa B Predicts <i>Helicobacter pylori</i> -Independent Status of Early-Stage, High-Grade Gastric Mucosa-Associated Lymphoid Tissue Lymphomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 3491-3497.	0.8	59
13	Differential clinical characteristics, treatment response and prognosis of locally advanced adenocarcinoma/adenosquamous carcinoma and squamous cell carcinoma of cervix treated with definitive radiotherapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 661-668.	1.3	57
14	Overexpression of B cell-activating factor of TNF family (BAFF) is associated with <i>Helicobacter pylori</i> -independent growth of gastric diffuse large B-cell lymphoma with histologic evidence of MALT lymphoma. <i>Blood</i> , 2008, 112, 2927-2934.	0.6	52
15	E2A-positive gastric MALT lymphoma has weaker plasmacytoid infiltrates and stronger expression of the memory B-cell-associated miR-223: possible correlation with stage and treatment response. <i>Modern Pathology</i> , 2010, 23, 1507-1517.	2.9	48
16	<i>Helicobacter pylori</i> and mucosa-associated lymphoid tissue: what's new. <i>Hematology American Society of Hematology Education Program</i> , 2013, 2013, 109-117.	0.9	48
17	Dual Phosphoinositide 3-kinase/mammalian target of rapamycin inhibitor is an effective radiosensitizer for colorectal cancer. <i>Cancer Letters</i> , 2015, 357, 582-590.	3.2	44
18	The Aurora kinase inhibitor VE-465 has anticancer effects in pre-clinical studies of human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 50, 518-527.	1.8	42

#	ARTICLE	IF	CITATIONS
19	A Pathway for Tumor Necrosis Factor- $\alpha$ -induced Bcl10 Nuclear Translocation. <i>Journal of Biological Chemistry</i> , 2006, 281, 167-175.	1.6	39
20	Polymorphisms of <i>ESR1</i> , <i>UGT1A1</i> , <i>HCN1</i> , <i>MAP3K1</i> and <i>CYP2B6</i> are associated with the prognosis of hormone receptor-positive early breast cancer. <i>Oncotarget</i> , 2017, 8, 20925-20938.	0.8	39
21	Glucocorticoid receptor expression in advanced non-small cell lung cancer: clinicopathological correlation and in vitro effect of glucocorticoid on cell growth and chemosensitivity. <i>Lung Cancer</i> , 2006, 53, 303-310.	0.9	38
22	Comprehensive Locoregional Treatment and Systemic Therapy for Postmastectomy Isolated Locoregional Recurrence. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 1456-1464.	0.4	38
23	Using next-generation sequencing to redefine <i>BRCAness</i> in triple-negative breast cancer. <i>Cancer Science</i> , 2020, 111, 1375-1384.	1.7	35
24	Increased Risk of Parvovirus B19 Infection in Young Adult Cancer Patients Receiving Multiple Courses of Chemotherapy. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3909-3912.	1.8	34
25	Hippocampal avoidance whole-brain radiotherapy without memantine in preserving neurocognitive function for brain metastases: a phase II blinded randomized trial. <i>Neuro-Oncology</i> , 2021, 23, 478-486.	0.6	33
26	Distinct Clinicopathological Features and Prognosis of Helicobacter pylori Negative Gastric Cancer. <i>PLoS ONE</i> , 2017, 12, e0170942.	1.1	33
27	Reactivation of hepatitis B virus during rituximab treatment of a patient with follicular lymphoma. <i>Annals of Hematology</i> , 2008, 87, 325-327.	0.8	32
28	Adverse prognosis and distinct progression patterns after concurrent chemoradiotherapy for glioblastoma with synchronous subventricular zone and corpus callosum invasion. <i>Radiotherapy and Oncology</i> , 2016, 118, 16-23.	0.3	32
29	Radiation-induced VEGF-C expression and endothelial cell proliferation in lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 1154-1162.	1.0	31
30	Intratumoral injection of thermogelling and sustained-release carboplatin-loaded hydrogel simplifies the administration and remains the synergistic effect with radiotherapy for mice gliomas. <i>Biomaterials</i> , 2018, 151, 38-52.	5.7	31
31	Novel Insights of Lymphomagenesis of Helicobacter pylori-Dependent Gastric Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancers</i> , 2019, 11, 547.	1.7	30
32	Clinicopathologic features and treatment outcome of non-Hodgkin lymphoma of the breast – a review of 42 primary and secondary cases in Taiwanese patients. <i>Leukemia and Lymphoma</i> , 2009, 50, 918-924.	0.6	29
33	Locoregional Recurrence Risk for Postmastectomy Breast Cancer Patients With T1 <sup>c</sup> and One to Three Positive Lymph Nodes Receiving Modern Systemic Treatment Without Radiotherapy. <i>Annals of Surgical Oncology</i> , 2016, 23, 3860-3869.	0.7	29
34	Epidermal growth factor receptor mutation predicts favorable outcomes in non-small cell lung cancer patients with brain metastases treated with stereotactic radiosurgery. <i>Radiotherapy and Oncology</i> , 2018, 126, 368-374.	0.3	29
35	Clinicopathologic features and responses to radiotherapy of myeloid sarcoma. <i>Radiation Oncology</i> , 2013, 8, 245.	1.2	26
36	Perspectives on the combination of radiotherapy and targeted therapy with DNA repair inhibitors in the treatment of pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 7275.	1.4	26

#	ARTICLE	IF	CITATIONS
37	Evaluation of antitumor immunity by a combination treatment of high-dose irradiation, anti-PDL1, and anti-angiogenic therapy in murine lung tumors. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 391-404.	2.0	25
38	Effects of glucocorticoids on the growth and chemosensitivity of carcinoma cells are heterogeneous and require high concentration of functional glucocorticoid receptors. <i>World Journal of Gastroenterology</i> , 2005, 11, 6373.	1.4	25
39	Prognostic significance of tumor-infiltrating lymphocytes in patients with operable tongue cancer. <i>Radiation Oncology</i> , 2018, 13, 157.	1.2	24
40	Nuclear Expression of Glioma-Associated Oncogene Homolog 1 and Nuclear Factor- $\kappa$ B Is Associated with a Poor Prognosis of Pancreatic Cancer. <i>Oncology</i> , 2013, 85, 86-94.	0.9	23
41	First-line antibiotic therapy in <i>Helicobacter pylori</i> -negative low-grade gastric mucosa-associated lymphoid tissue lymphoma. <i>Scientific Reports</i> , 2017, 7, 14333.	1.6	21
42	Prognostic Factors in Extrapulmonary Small Cell Carcinomas. <i>Oncology</i> , 2007, 72, 181-187.	0.9	20
43	Combinations of mTORC1 inhibitor RAD001 with gemcitabine and paclitaxel for treating non-Hodgkin lymphoma. <i>Cancer Letters</i> , 2010, 298, 195-203.	3.2	20
44	Lysophosphatidic Acid Alters the Expression Profiles of Angiogenic Factors, Cytokines, and Chemokines in Mouse Liver Sinusoidal Endothelial Cells. <i>PLoS ONE</i> , 2015, 10, e0122060.	1.1	20
45	High mammographic breast density predicts locoregional recurrence after modified radical mastectomy for invasive breast cancer: a case-control study. <i>Breast Cancer Research</i> , 2016, 18, 120.	2.2	20
46	Expressions of the CagA protein and CagA-signaling molecules predict <i>Helicobacter pylori</i> dependence of early-stage gastric DLBCL. <i>Blood</i> , 2017, 129, 188-198.	0.6	20
47	Phase II Study of Weekly Paclitaxel and 24-Hour Infusion of High-Dose 5-Fluorouracil and Leucovorin in the Treatment of Recurrent or Metastatic Gastric Cancer. <i>Oncology</i> , 2005, 69, 88-95.	0.9	19
48	The CYP19 TTTA Repeat Polymorphism Is Related to the Prognosis of Premenopausal Stage II and Operable Stage III Breast Cancers. <i>Oncologist</i> , 2008, 13, 751-760.	1.9	19
49	Inhibition of ZEB1 by miR-200 characterizes <i>Helicobacter pylori</i> -positive gastric diffuse large B-cell lymphoma with a less aggressive behavior. <i>Modern Pathology</i> , 2014, 27, 1116-1125.	2.9	19
50	<i>Helicobacter pylori</i> CagA Translocation Is Closely Associated With the Expression of CagA-signaling Molecules in Low-grade Gastric Mucosa-associated Lymphoid Tissue Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 761-766.	2.1	19
51	Expression of BCL10 in cervical cancer has a role in the regulation of cell growth through the activation of NF- $\kappa$ B-dependent cyclin D1 signaling. <i>Gynecologic Oncology</i> , 2012, 126, 245-251.	0.6	18
52	Reduced incidence of interstitial pneumonitis after allogeneic hematopoietic stem cell transplantation using a modified technique of total body irradiation. <i>Scientific Reports</i> , 2016, 6, 36730.	1.6	18
53	Intensity-modulated radiation therapy achieves better local control compared to three-dimensional conformal radiation therapy for T4-stage nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017, 8, 14068-14077.	0.8	18
54	Long-term Follow-up of Gastrectomized Patients With Mucosa-associated Lymphoid Tissue Lymphoma. <i>Annals of Surgery</i> , 2008, 247, 265-269.	2.1	17

#	ARTICLE	IF	CITATIONS
55	Lack of compensatory pAKT activation and eIF4E phosphorylation of lymphoma cells towards mTOR inhibitor, RAD001. <i>European Journal of Cancer</i> , 2011, 47, 1244-1257.	1.3	17
56	Postoperative Intensity-Modulated Radiotherapy for Squamous Cell Carcinoma of the External Auditory Canal and Middle Ear: Treatment Outcomes, Marginal Misses, and Perspective on Target Delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1485-1493.	0.4	17
57	Expression of CD86 and increased infiltration of NK cells are associated with <i>Helicobacter pylori</i> -dependent state of early stage high-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , 2005, 11, 4357.	1.4	17
58	Circulating Tumor DNA as a Predictive Marker of Recurrence for Patients With Stage II-III Breast Cancer Treated With Neoadjuvant Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 736769.	1.3	17
59	The extent of edema and tumor synchronous invasion into the subventricular zone and corpus callosum classify outcomes and radiotherapy strategies of glioblastomas. <i>Radiotherapy and Oncology</i> , 2017, 125, 248-257.	0.3	16
60	IL-22 Negatively Regulates <i>Helicobacter pylori</i> -Induced CCL20 Expression in Gastric Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e97350.	1.1	16
61	Prolonged Treatment Time Deteriorates Positioning Accuracy for Stereotactic Radiosurgery. <i>PLoS ONE</i> , 2015, 10, e0123359.	1.1	16
62	Inferior Survival of Advanced Pancreatic Cancer Patients Who Received Gemcitabine-Based Chemotherapy but Did Not Participate in Clinical Trials. <i>Oncology</i> , 2011, 81, 143-150.	0.9	15
63	Tumor compactness improves the preoperative volumetry-based prediction of the pathological complete response of rectal cancer after preoperative concurrent chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 7921-7934.	0.8	15
64	The Epidemiology of Gastric Cancers in the Era of <i>Helicobacter pylori</i> Eradication: A Nationwide Cancer Registry-Based Study in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1694-1703.	1.1	15
65	The Response, Outcome and Toxicity of Aggressive Palliative Thoracic Radiotherapy for Metastatic Non-Small Cell Lung Cancer Patients with Controlled Extrathoracic Diseases. <i>PLoS ONE</i> , 2015, 10, e0145936.	1.1	15
66	Dose variation and regimen modification of adjuvant chemotherapy in daily practice affect survival of stage II and operable stage III Taiwanese breast cancer patients. <i>Breast</i> , 2008, 17, 646-653.	0.9	14
67	Gemcitabine plus conventional-dose epirubicin versus gemcitabine plus cisplatin as first-line chemotherapy for stage III/IV non-small cell lung carcinoma—A randomized phase II trial. <i>Lung Cancer</i> , 2008, 62, 334-343.	0.9	14
68	t(11;18)(q21;q21) translocation as predictive marker for non-responsiveness to salvage thalidomide therapy in patients with marginal zone B-cell lymphoma with gastric involvement. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 1387-1395.	1.1	14
69	Outcome analysis of cervical adenosquamous carcinoma compared with adenocarcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1158-1166.	1.3	14
70	Prone breast forward intensity-modulated radiotherapy for Asian women with early left breast cancer: factors for cardiac sparing and clinical outcomes. <i>Journal of Radiation Research</i> , 2013, 54, 899-908.	0.8	14
71	Prognostic Factors and Treatment Outcomes of Adult Patients With Rhabdomyosarcoma After Multimodality Treatment. <i>Anticancer Research</i> , 2019, 39, 1355-1364.	0.5	14
72	Impact of adjuvant radiotherapy on the survival of women with optimally resected stage III endometrial cancer in the era of modern radiotherapy: a retrospective study. <i>Radiation Oncology</i> , 2020, 15, 72.	1.2	14

#	ARTICLE	IF	CITATIONS
73	Medulloblastoma in adults. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 878-886.	1.0	13
74	The B-cell-activating factor signalling pathway is associated with <i>Helicobacter pylori</i> independence in gastric mucosa-associated lymphoid tissue lymphoma without t(11;18)(q21;q21). <i>Journal of Pathology</i> , 2017, 241, 420-433.	2.1	13
75	Fractionated evaluation of immunohistochemical hormone receptor expression enhances prognostic prediction in breast cancer patients treated with tamoxifen as adjuvant therapy. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 1-9.	1.3	12
76	Treatment outcomes of and prognostic factors for definitive radiotherapy with and without chemotherapy for Stage I/II nasal extranodal NK/T-cell lymphoma. <i>Journal of Radiation Research</i> , 2017, 58, 114-122.	0.8	12
77	Polatuzumab vedotin-based salvage immunochemotherapy as third-line or beyond treatment for patients with diffuse large B-cell lymphoma: a real-world experience. <i>Annals of Hematology</i> , 2022, 101, 349-358.	0.8	12
78	Early Low-grade Gastric MALToma Rarely Transforms Into Diffuse Large Cell Lymphoma or Progresses Beyond the Stomach and Regional Lymph Nodes. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 463-471.	0.8	11
79	Prominin-1-Specific Binding Peptide-Modified Apoferritin Nanoparticle Carrying Irinotecan as a Novel Radiosensitizer for Colorectal Cancer Stem-Like Cells. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600424.	1.2	11
80	Maintenance BEZ235 Treatment Prolongs the Therapeutic Effect of the Combination of BEZ235 and Radiotherapy for Colorectal Cancer. <i>Cancers</i> , 2019, 11, 1204.	1.7	11
81	Reversible Systolic Heart Failure and Deep Jaundice in Hyperthyroidism. <i>American Journal of the Medical Sciences</i> , 1996, 312, 246-248.	0.4	11
82	Recent advances in the management of primary breast cancers. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 579-98.	0.8	11
83	Current Status of the Spectrum and Therapeutics of <i>Helicobacter pylori</i> -Negative Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancers</i> , 2022, 14, 1005.	1.7	11
84	Parvovirus B19 infection-related acute hepatitis after rituximab-containing regimen for treatment of diffuse large B-cell lymphoma. <i>Annals of Hematology</i> , 2012, 91, 291-294.	0.8	10
85	CYP19 Genetic Polymorphism Haplotype AASA Is Associated with a Poor Prognosis in Premenopausal Women with Lymph Node-Negative, Hormone Receptor-Positive Breast Cancer. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	10
86	Predicting tumor responses and patient survival in chemoradiotherapy-treated patients with non-small-cell lung cancer using dynamic contrast-enhanced integrated magnetic resonance positron-emission tomography. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 707-718.	1.0	10
87	First Asian population study of stereotactic body radiation therapy for ventricular arrhythmias. <i>Scientific Reports</i> , 2021, 11, 10360.	1.6	10
88	Clinical outcomes and toxicity predictors of thoracic re-irradiation for locoregionally recurrent lung cancer. <i>Clinical and Translational Radiation Oncology</i> , 2020, 22, 76-82.	0.9	10
89	miR-155-regulated mTOR and Toll-like receptor 5 in gastric diffuse large B-cell lymphoma. <i>Cancer Medicine</i> , 2022, 11, 555-570.	1.3	10
90	Establishment of a novel MALT lymphoma cell line, ma-1, from a patient with t(14;18)(q32;q21)-positive <i>Helicobacter Pylori</i> -independent Gastric MALT Lymphoma. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 908-921.	1.5	9



#	ARTICLE	IF	CITATIONS
91	High Prevalence of the BIM Deletion Polymorphism in Young Female Breast Cancer in an East Asian Country. <i>PLoS ONE</i> , 2015, 10, e0124908.	1.1	9
92	Survival of stage IIIB/IV non-small cell lung cancer patients who received chemotherapy but did not participate in clinical trials. <i>Lung Cancer</i> , 2005, 48, 275-280.	0.9	8
93	Phase II study of docetaxel, capecitabine, and cisplatin as neoadjuvant chemotherapy for locally advanced breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 1257-1263.	1.1	8
94	Complete response of myeloid sarcoma with cardiac involvement to radiotherapy. <i>Journal of Thoracic Disease</i> , 2016, 8, 1323-1328.	0.6	8
95	Radiosensitization in esophageal squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 260-268.	1.0	8
96	Impact of smoking cessation on clinical outcomes in patients with head and neck squamous cell carcinoma receiving curative chemoradiotherapy: A prospective study. <i>Head and Neck</i> , 2019, 41, 3201-3210.	0.9	8
97	AIY922 effectively targets against activated B cell subtype of diffuse large B-cell lymphoma and low-grade lymphoma cells harboring genetic alteration-associated nuclear factor- $\kappa$ B activation. <i>Leukemia and Lymphoma</i> , 2015, 56, 2674-2682.	0.6	7
98	Prognostic Significance of Clinicopathologic Features in Patients With Breast Ductal Carcinoma-in-Situ Who Received Breast-Conserving Surgery. <i>Clinical Breast Cancer</i> , 2018, 18, 441-450.e2.	1.1	7
99	Intralymphatic Spread is a Rare Finding Associated With Poor Prognosis in Diffuse Large B-Cell Lymphoma With Extranodal Involvements. <i>American Journal of Surgical Pathology</i> , 2018, 42, 616-624.	2.1	7
100	Preclinical evaluation of PEGylated liposomal doxorubicin as an effective radiosensitizer in chemoradiotherapy for lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 1131-1142.	1.0	7
101	Preoperative Prognostic Neurologic Index for Glioblastoma Patients Receiving Tumor Resection. <i>Annals of Surgical Oncology</i> , 2014, 21, 3992-3998.	0.7	6
102	Postoperative Imaging and Tumor Marker Surveillance in Resected Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 1115.	1.0	6
103	Chemotherapy alone is an alternative treatment in treating localized primary ocular adnexal lymphomas. <i>Oncotarget</i> , 2017, 8, 81329-81342.	0.8	6
104	Extended-field bone marrow sparing radiotherapy for primary chemoradiotherapy in cervical cancer patients with para-aortic lymphadenopathy: Volumetric-modulated arc therapy versus helical tomotherapy. <i>Journal of X-Ray Science and Technology</i> , 2020, 28, 111-124.	0.7	6
105	Neoadjuvant afatinib with paclitaxel for triple-negative breast cancer and the molecular characteristics in responders and non-responders. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 2538-2547.	0.8	6
106	Primary central nervous system diffuse large B cell lymphoma transformed from orbital mucosa-associated lymphoid tissue lymphoma: complete response to combined intrathecal and systemic rituximab. <i>Annals of Hematology</i> , 2013, 92, 989-992.	0.8	5
107	Association of radiotherapy with favorable prognosis in daily clinical practice for treatment of locally advanced and metastatic pancreatic cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 2004-2012.	1.4	5
108	Persistently elevated soluble MHC class I polypeptide-related sequence A and transforming growth factor- $\beta$ 1 levels are poor prognostic factors in head and neck squamous cell carcinoma after definitive chemoradiotherapy. <i>PLoS ONE</i> , 2018, 13, e0202224.	1.1	5

#	ARTICLE	IF	CITATIONS
109	A multicenter prospective study of first-line antibiotic therapy for early-stage gastric mucosa-associated lymphoid tissue lymphoma and diffuse large B-cell lymphoma with histological evidence of mucosa-associated lymphoid tissue. <i>Haematologica</i> , 2020, 105, e349-e354.	1.7	5
110	Hypofractionated particle beam therapy for hepatocellular carcinoma—a brief review of clinical effectiveness. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 11, 579-588.	0.8	5
111	Relapse Pattern and Treatment Outcome of Curative Radiotherapy for Primary Cutaneous CD30+ Anaplastic Large-cell Lymphoma: A Retrospective Cohort Study. <i>Acta Dermato-Venereologica</i> , 2016, 96, 394-395.	0.6	4
112	Magnetic resonance imaging-derived radiomic signature predicts locoregional failure after organ preservation therapy in patients with hypopharyngeal squamous cell carcinoma. <i>Clinical and Translational Radiation Oncology</i> , 2020, 25, 1-9.	0.9	4
113	Comparison of clinicopathological features and treatment outcomes in aggressive primary intestinal B- and T/NK-cell lymphomas. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 293-302.	0.8	4
114	Negative prognostic implications of splenomegaly in nivolumab-treated advanced or recurrent pancreatic adenocarcinoma. <i>Oncolmmunology</i> , 2021, 10, 1973710.	2.1	4
115	Contribution of nuclear BCL10 expression to tumor progression and poor prognosis of advanced and/or metastatic pancreatic ductal adenocarcinoma by activating NF- $\kappa$ B-related signaling. <i>Cancer Cell International</i> , 2021, 21, 436.	1.8	4
116	Association of MDM2 expression with shorter progression-free survival and overall survival in patients with advanced pancreatic cancer treated with gemcitabine-based chemotherapy. <i>PLoS ONE</i> , 2017, 12, e0180628.	1.1	4
117	Inhibition of SOX9 may be an effective target for increasing radiosensitivity in gastrointestinal cancer. <i>Annals of Translational Medicine</i> , 2017, 5, 224-224.	0.7	4
118	Beware imposters: MA $\Delta$ 1, a novel MALT lymphoma cell line, is misidentified and corresponds to Pfeiffer, a diffuse large B-cell lymphoma cell line—A reply: Despite the same $\delta$ code STR, MA $\Delta$ 1 and Pfeiffer are cytogenetically diverse. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 211-213.	1.5	3
119	Good tolerance and long-term complete remission after definitive intensity-modulated radiotherapy for locally advanced head and neck cancer in a patient with human immunodeficiency virus infection: A case report and literature review. <i>Head and Neck</i> , 2015, 37, E186-90.	0.9	3
120	A Phase I Study of S-1-based Concurrent Chemoradiotherapy Followed by Gemcitabine and S-1 in Metastatic Pancreatic Adenocarcinoma. <i>Anticancer Research</i> , 2018, 38, 4805-4812.	0.5	3
121	Local Control and Clinical Outcome of High-risk Pediatric Neuroblastoma Patients After Receiving Multimodality Treatment and Helical Tomotherapy. <i>Anticancer Research</i> , 2019, 39, 2207-2215.	0.5	3
122	Low-dose nab-paclitaxel-based combination chemotherapy in heavily pretreated pancreatic cancer patients. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 97-105.	0.8	3
123	The breast graded prognostic assessment is associated with the survival outcomes in breast cancer patients receiving whole brain re-irradiation. <i>Journal of Neuro-Oncology</i> , 2018, 138, 637-647.	1.4	2
124	Outcome of acute leukemia patients with central nervous system (CNS) involvement treated with total body or CNS irradiation before transplantation. <i>Therapeutic Radiology and Oncology</i> , 2018, 2, 29-29.	0.2	2
125	Efficacy of a programmed death-1 checkpoint inhibitor in a case of cutaneous squamous cell carcinoma harboring mutations of TP53 and BRCA2. <i>Dermatologic Therapy</i> , 2020, 33, e14035.	0.8	2
126	Polatuzumab Vedotin-Based Salvage Chemotherapy in the Third-Line or Above Treatment for Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2020, 136, 12-12.	0.6	2



#	ARTICLE	IF	CITATIONS
127	Gemcitabine-based combination chemotherapy as salvage treatment for refractory or relapsing aggressive non-Hodgkin's lymphoma. <i>American Journal of Hematology</i> , 2009, 84, 457-459.	2.0	1
128	Unusual presentation of multiple pathologic bone fractures in a patient with gastric mucosa-associated lymphoid tissue lymphoma. <i>Annals of Hematology</i> , 2010, 89, 431-436.	0.8	1
129	No evidence of t(11;14)(q13;q32) in the Ma-1 cell line-A reply. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 593-594.	1.5	1
130	Low-dose splenic irradiation is an alternative therapy for symptomatic splenomegaly in patients with myelofibrosis. <i>Annals of Hematology</i> , 2019, 98, 1037-1040.	0.8	1
131	Adjuvant radiotherapy for dermatofibrosarcoma protuberans: a case report. <i>Therapeutic Radiology and Oncology</i> , 0, 3, 32-32.	0.2	1
132	S-1-associated Hypertriglyceridemia in a Patient With Pancreatic Adenocarcinoma. <i>JCO Oncology Practice</i> , 2020, 16, 45-47.	1.4	1
133	Real-World Evaluation of Modern Adjuvant Radiotherapy in Women with Stage IB Endometrial Cancer. <i>Cancers</i> , 2021, 13, 1386.	1.7	1
134	Association between radiosensitivity and molecular subtypes in patients with early-stage breast cancer and lymph node-negative status. <i>Translational Cancer Research</i> , 2017, 6, S1462-S1466.	0.4	1
135	Abstract 1747: Helicobacter pylori-positive diffuse large b-cell lymphoma: a distinct clinicopathologic entity. , 2010, , .		1
136	Competing Risk Analysis of Outcomes of Unresectable Pancreatic Cancer Patients Undergoing Definitive Radiotherapy. <i>Frontiers in Oncology</i> , 2021, 11, 730646.	1.3	1
137	Role of radiotherapy in heterotopic ossification: a case report and literature review. <i>Therapeutic Radiology and Oncology</i> , 0, 2, 41-41.	0.2	0
138	Adjuvant radiotherapy using intensity-modulated radiotherapy (IMRT) technique for localized extraskeletal osteosarcoma (ESOS): case report and literature review. <i>Therapeutic Radiology and Oncology</i> , 2018, 2, 45-45.	0.2	0
139	Radiation-induced sacral insufficiency fracture in endometrial cancer patient after adjuvant radiotherapy: a case report. <i>Therapeutic Radiology and Oncology</i> , 2020, 4, 10-10.	0.2	0
140	A single institution experience of total lymphoid irradiation using helical tomotherapy as part of the conditioning regimen of transplantation for severe aplastic anemia patients. <i>Therapeutic Radiology and Oncology</i> , 0, 4, 6-6.	0.2	0
141	Metronomic oral cyclophosphamide & low dose nivolumab for advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, e16190-e16190.	0.8	0
142	Revisiting the Full Spectrum of Helicobacter pylori-Related Gastric Lymphoma. , 0, , .		0
143	Abstract 4217: Nuclear expression of BCL10 has a role in the regulation of cell growth and progression of pancreatic cancer through the activation of NF- $\kappa$ B-related signaling. , 2014, , .		0
144	Abstract 197: Astragalus polysaccharides (APS) effects on betel-nuts related head and neck squamous cell carcinoma (HNSCC) in Taiwan. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
145	Magnetic Resonance Imaging-Derived Radiomic Signature Predicts Locoregional Failure after Organ Preservation Therapy in Patients with Hypopharyngeal Squamous Cell Carcinoma. SSRN Electronic Journal, 0, , .	0.4	0
146	A Multicenter Prospective Study of First-Line Antibiotic Therapy for Early-Stage Gastric Mucosa-Associated Lymphoid Tissue (MALT) Lymphoma and Diffuse Large B-Cell Lymphoma with Histological Evidence of MALT. SSRN Electronic Journal, 0, , .	0.4	0
147	Whether adjuvant radiotherapy is desired for postmastectomy patients with T1â€“T2 tumors and 1â€“3 positive axillary lymph nodes who received modern systemic therapy?. Translational Cancer Research, 2019, 8, S110-S114.	0.4	0
148	Novel immunotherapy combinations for betel-nuts related HNSCC: One institutional experience in Taiwan.. Journal of Clinical Oncology, 2020, 38, e18502-e18502.	0.8	0
149	Abstract 4055: Immune checkpoint DNA vaccines enhance anti-tumor immunity in murine melanoma model. , 2020, , .		0
150	Multiple combinational strategies of immunotherapy for esophageal squamous cell carcinoma: One institutional experience in Taiwan since 2016.. Journal of Clinical Oncology, 2022, 40, 328-328.	0.8	0
151	Case Report: Maintenance Nivolumab in Complete Responder After Multimodality Therapy in Metastatic Pancreatic Adenocarcinoma. Frontiers in Immunology, 2022, 13, 870406.	2.2	0