

Sung-Hsin Kuo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7207194/publications.pdf>

Version: 2024-02-01

151
papers

3,143
citations

172207

29
h-index

205818

48
g-index

158
all docs

158
docs citations

158
times ranked

4842
citing authors

#	ARTICLE	IF	CITATIONS
1	Polatuzumab vedotinâ€‘based salvage immunochemotherapy as third-line or beyond treatment for patients with diffuse large B-cell lymphoma: a real-world experience. <i>Annals of Hematology</i> , 2022, 101, 349-358.	0.8	12
2	Multiple combinational strategies of immunotherapy for esophageal squamous cell carcinoma: One institutional experience in Taiwan since 2016.. <i>Journal of Clinical Oncology</i> , 2022, 40, 328-328.	0.8	0
3	Current Status of the Spectrum and Therapeutics of Helicobacter pylori-Negative Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancers</i> , 2022, 14, 1005.	1.7	11
4	miRâ€‘155â€‘regulated mTOR and Tollâ€‘like receptor 5 in gastric diffuse large Bâ€‘cell lymphoma. <i>Cancer Medicine</i> , 2022, 11, 555-570.	1.3	10
5	Case Report: Maintenance Nivolumab in Complete Responder After Multimodality Therapy in Metastatic Pancreatic Adenocarcinoma. <i>Frontiers in Immunology</i> , 2022, 13, 870406.	2.2	0
6	Neoadjuvant afatinib with paclitaxel for triple-negative breast cancer and the molecular characteristics in responders and non-responders. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 2538-2547.	0.8	6
7	Hippocampal avoidance whole-brain radiotherapy without memantine in preserving neurocognitive function for brain metastases: a phase II blinded randomized trial. <i>Neuro-Oncology</i> , 2021, 23, 478-486.	0.6	33
8	Evaluation of antitumor immunity by a combination treatment of high-dose irradiation, anti-PDL1, and anti-angiogenic therapy in murine lung tumors. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 391-404.	2.0	25
9	Comparison of clinicopathological features and treatment outcomes in aggressive primary intestinal B- and T/NK-cell lymphomas. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 293-302.	0.8	4
10	Negative prognostic implications of splenomegaly in nivolumab-treated advanced or recurrent pancreatic adenocarcinoma. <i>Oncolmmunology</i> , 2021, 10, 1973710.	2.1	4
11	Real-World Evaluation of Modern Adjuvant Radiotherapy in Women with Stage IB Endometrial Cancer. <i>Cancers</i> , 2021, 13, 1386.	1.7	1
12	Metronomic oral cyclophosphamide & low dose nivolumab for advanced hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2021, 39, e16190-e16190.	0.8	0
13	First Asian population study of stereotactic body radiation therapy for ventricular arrhythmias. <i>Scientific Reports</i> , 2021, 11, 10360.	1.6	10
14	Contribution of nuclear BCL10 expression to tumor progression and poor prognosis of advanced and/or metastatic pancreatic ductal adenocarcinoma by activating NF-Î‘B-related signaling. <i>Cancer Cell International</i> , 2021, 21, 436.	1.8	4
15	Preclinical evaluation of PEGylated liposomal doxorubicin as an effective radiosensitizer in chemoradiotherapy for lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 1131-1142.	1.0	7
16	Circulating Tumor DNA as a Predictive Marker of Recurrence for Patients With Stage II-III Breast Cancer Treated With Neoadjuvant Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 736769.	1.3	17
17	Competing Risk Analysis of Outcomes of Unresectable Pancreatic Cancer Patients Undergoing Definitive Radiotherapy. <i>Frontiers in Oncology</i> , 2021, 11, 730646.	1.3	1
18	Low-dose nab-paclitaxel-based combination chemotherapy in heavily pretreated pancreatic cancer patients. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 97-105.	0.8	3

#	ARTICLE	IF	CITATIONS
19	S-1â€‘Associated Hypertriglyceridemia in a Patient With Pancreatic Adenocarcinoma. JCO Oncology Practice, 2020, 16, 45-47.	1.4	1
20	Efficacy of a programmed deathâ€‘1 checkpoint inhibitor in a case of cutaneous squamous cell carcinoma harboring mutations of TP53 and BRCA2. Dermatologic Therapy, 2020, 33, e14035.	0.8	2
21	Radiation-induced sacral insufficiency fracture in endometrial cancer patient after adjuvant radiotherapy: a case report. Therapeutic Radiology and Oncology, 2020, 4, 10-10.	0.2	0
22	A multicenter prospective study of first-line antibiotic therapy for early-stage gastric mucosa-associated lymphoid tissue lymphoma and diffuse large B-cell lymphoma with histological evidence of mucosa-associated lymphoid tissue. Haematologica, 2020, 105, e349-e354.	1.7	5
23	Magnetic resonance imaging-derived radiomic signature predicts locoregional failure after organ preservation therapy in patients with hypopharyngeal squamous cell carcinoma. Clinical and Translational Radiation Oncology, 2020, 25, 1-9.	0.9	4
24	Using nextâ€‘generation sequencing to redefine <i>BRCAness</i> in tripleâ€‘negative breast cancer. Cancer Science, 2020, 111, 1375-1384.	1.7	35
25	Impact of adjuvant radiotherapy on the survival of women with optimally resected stage III endometrial cancer in the era of modern radiotherapy: a retrospective study. Radiation Oncology, 2020, 15, 72.	1.2	14
26	Polatuzumab Vedotin-Based Salvage Chemotherapy in the Third-Line or Above Treatment for Diffuse Large B-Cell Lymphoma. Blood, 2020, 136, 12-12.	0.6	2
27	Extended-field bone marrow sparing radiotherapy for primary chemoradiotherapy in cervical cancer patients with para-aortic lymphadenopathy: Volumetric-modulated arc therapy versus helical tomotherapy. Journal of X-Ray Science and Technology, 2020, 28, 111-124.	0.7	6
28	Novel immunotherapy combinations for betel-nuts related HNSCC: One institutional experience in Taiwan.. Journal of Clinical Oncology, 2020, 38, e18502-e18502.	0.8	0
29	Clinical outcomes and toxicity predictors of thoracic re-irradiation for locoregionally recurrent lung cancer. Clinical and Translational Radiation Oncology, 2020, 22, 76-82.	0.9	10
30	Abstract 4055: Immune checkpoint DNA vaccines enhance anti-tumor immunity in murine melanoma model. , 2020, , .		0
31	Low-dose splenic irradiation is an alternative therapy for symptomatic splenomegaly in patients with myelofibrosis. Annals of Hematology, 2019, 98, 1037-1040.	0.8	1
32	Maintenance BEZ235 Treatment Prolongs the Therapeutic Effect of the Combination of BEZ235 and Radiotherapy for Colorectal Cancer. Cancers, 2019, 11, 1204.	1.7	11
33	Postoperative Imaging and Tumor Marker Surveillance in Resected Pancreatic Cancer. Journal of Clinical Medicine, 2019, 8, 1115.	1.0	6
34	The Epidemiology of Gastric Cancers in the Era of Helicobacter pylori Eradication: A Nationwide Cancer Registry-Based Study in Taiwan. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1694-1703.	1.1	15
35	Impact of smoking cessation on clinical outcomes in patients with head and neck squamous cell carcinoma receiving curative chemoradiotherapy: A prospective study. Head and Neck, 2019, 41, 3201-3210.	0.9	8
36	Novel Insights of Lymphomagenesis of Helicobacter pylori-Dependent Gastric Mucosa-Associated Lymphoid Tissue Lymphoma. Cancers, 2019, 11, 547.	1.7	30

#	ARTICLE	IF	CITATIONS
37	Prognostic Factors and Treatment Outcomes of Adult Patients With Rhabdomyosarcoma After Multimodality Treatment. <i>Anticancer Research</i> , 2019, 39, 1355-1364.	0.5	14
38	Local Control and Clinical Outcome of High-risk Pediatric Neuroblastoma Patients After Receiving Multimodality Treatment and Helical Tomotherapy. <i>Anticancer Research</i> , 2019, 39, 2207-2215.	0.5	3
39	Predicting tumor responses and patient survival in chemoradiotherapy-treated patients with non-small-cell lung cancer using dynamic contrast-enhanced integrated magnetic resonanceâ€“positron-emission tomography. <i>Strahlentherapie Und Onkologie</i> , 2019, 195, 707-718.	1.0	10
40	Hypofractionated particle beam therapy for hepatocellular carcinomaâ€“a brief review of clinical effectiveness. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 11, 579-588.	0.8	5
41	Whether adjuvant radiotherapy is desired for postmastectomy patients with T1â€“T2 tumors and 1â€“3 positive axillary lymph nodes who received modern systemic therapy?. <i>Translational Cancer Research</i> , 2019, 8, S110-S114.	0.4	0
42	Prognostic Significance of Clinicopathologic Features in Patients With Breast Ductal Carcinoma-in-Situ Who Received Breast-Conserving Surgery. <i>Clinical Breast Cancer</i> , 2018, 18, 441-450.e2.	1.1	7
43	The breast graded prognostic assessment is associated with the survival outcomes in breast cancer patients receiving whole brain re-irradiation. <i>Journal of Neuro-Oncology</i> , 2018, 138, 637-647.	1.4	2
44	Epidermal growth factor receptor mutation predicts favorable outcomes in non-small cell lung cancer patients with brain metastases treated with stereotactic radiosurgery. <i>Radiotherapy and Oncology</i> , 2018, 126, 368-374.	0.3	29
45	Intratumoral injection of thermogelling and sustained-release carboplatin-loaded hydrogel simplifies the administration and remains the synergistic effect with radiotherapy for mice gliomas. <i>Biomaterials</i> , 2018, 151, 38-52.	5.7	31
46	Outcome of acute leukemia patients with central nervous system (CNS) involvement treated with total body or CNS irradiation before transplantation. <i>Therapeutic Radiology and Oncology</i> , 2018, 2, 29-29.	0.2	2
47	Prognostic significance of tumor-infiltrating lymphocytes in patients with operable tongue cancer. <i>Radiation Oncology</i> , 2018, 13, 157.	1.2	24
48	Adjuvant radiotherapy using intensity-modulated radiotherapy (IMRT) technique for localized extraskeletal osteosarcoma (ESOS): case report and literature review. <i>Therapeutic Radiology and Oncology</i> , 2018, 2, 45-45.	0.2	0
49	A Phase I Study of S-1-based Concurrent Chemoradiotherapy Followed by Gemcitabine and S-1 in Metastatic Pancreatic Adenocarcinoma. <i>Anticancer Research</i> , 2018, 38, 4805-4812.	0.5	3
50	Intralymphatic Spread is a Rare Finding Associated With Poor Prognosis in Diffuse Large B-Cell Lymphoma With Extranodal Involvements. <i>American Journal of Surgical Pathology</i> , 2018, 42, 616-624.	2.1	7
51	Persistently elevated soluble MHC class I polypeptide-related sequence A and transforming growth factor- β 1 levels are poor prognostic factors in head and neck squamous cell carcinoma after definitive chemoradiotherapy. <i>PLoS ONE</i> , 2018, 13, e0202224.	1.1	5
52	Abstract 197: Astragalus polysaccharides (APS) effects on betel-nuts related head and neck squamous cell carcinoma (HNSCC) in Taiwan. , 2018, , .		0
53	Prominin-1-Specific Binding Peptide-Modified Apoferritin Nanoparticle Carrying Irinotecan as a Novel Radiosensitizer for Colorectal Cancer Stem-Like Cells. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600424.	1.2	11
54	Expressions of the CagA protein and CagA-signaling molecules predict <i>Helicobacter pylori</i> dependence of early-stage gastric DLBCL. <i>Blood</i> , 2017, 129, 188-198.	0.6	20

#	ARTICLE	IF	CITATIONS
55	The extent of edema and tumor synchronous invasion into the subventricular zone and corpus callosum classify outcomes and radiotherapy strategies of glioblastomas. <i>Radiotherapy and Oncology</i> , 2017, 125, 248-257.	0.3	16
56	First-line antibiotic therapy in <i>Helicobacter pylori</i> -negative low-grade gastric mucosa-associated lymphoid tissue lymphoma. <i>Scientific Reports</i> , 2017, 7, 14333.	1.6	21
57	The B-cell-activating factor signalling pathway is associated with <i>Helicobacter pylori</i> independence in gastric mucosa-associated lymphoid tissue lymphoma without t(11;18)(q21;q21). <i>Journal of Pathology</i> , 2017, 241, 420-433.	2.1	13
58	Treatment outcomes of and prognostic factors for definitive radiotherapy with and without chemotherapy for Stage I/II nasal extranodal NK/T-cell lymphoma. <i>Journal of Radiation Research</i> , 2017, 58, 114-122.	0.8	12
59	Tumor compactness improves the preoperative volumetry-based prediction of the pathological complete response of rectal cancer after preoperative concurrent chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 7921-7934.	0.8	15
60	Distinct Clinicopathological Features and Prognosis of <i>Helicobacter pylori</i> Negative Gastric Cancer. <i>PLoS ONE</i> , 2017, 12, e0170942.	1.1	33
61	Association of MDM2 expression with shorter progression-free survival and overall survival in patients with advanced pancreatic cancer treated with gemcitabine-based chemotherapy. <i>PLoS ONE</i> , 2017, 12, e0180628.	1.1	4
62	Intensity-modulated radiation therapy achieves better local control compared to three-dimensional conformal radiation therapy for T4-stage nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017, 8, 14068-14077.	0.8	18
63	Polymorphisms of <i>ESR1</i> , <i>UGT1A1</i> , <i>HCN1</i> , <i>MAP3K1</i> and <i>CYP2B6</i> are associated with the prognosis of hormone receptor-positive early breast cancer. <i>Oncotarget</i> , 2017, 8, 20925-20938.	0.8	39
64	Chemotherapy alone is an alternative treatment in treating localized primary ocular adnexal lymphomas. <i>Oncotarget</i> , 2017, 8, 81329-81342.	0.8	6
65	Inhibition of SOX9 may be an effective target for increasing radiosensitivity in gastrointestinal cancer. <i>Annals of Translational Medicine</i> , 2017, 5, 224-224.	0.7	4
66	Association between radiosensitivity and molecular subtypes in patients with early-stage breast cancer and lymph node-negative status. <i>Translational Cancer Research</i> , 2017, 6, S1462-S1466.	0.4	1
67	Complete response of myeloid sarcoma with cardiac involvement to radiotherapy. <i>Journal of Thoracic Disease</i> , 2016, 8, 1323-1328.	0.6	8
68	Multiple gene sequencing for risk assessment in patients with early-onset or familial breast cancer. <i>Oncotarget</i> , 2016, 7, 8310-8320.	0.8	83
69	Relapse Pattern and Treatment Outcome of Curative Radiotherapy for Primary Cutaneous CD30+ Anaplastic Large-cell Lymphoma: A Retrospective Cohort Study. <i>Acta Dermato-Venereologica</i> , 2016, 96, 394-395.	0.6	4
70	Association of radiotherapy with favorable prognosis in daily clinical practice for treatment of locally advanced and metastatic pancreatic cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 2004-2012.	1.4	5
71	Radiosensitization in esophageal squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 260-268.	1.0	8
72	Locoregional Recurrence Risk for Postmastectomy Breast Cancer Patients With T1-2 and One to Three Positive Lymph Nodes Receiving Modern Systemic Treatment Without Radiotherapy. <i>Annals of Surgical Oncology</i> , 2016, 23, 3860-3869.	0.7	29

#	ARTICLE	IF	CITATIONS
73	Reduced incidence of interstitial pneumonitis after allogeneic hematopoietic stem cell transplantation using a modified technique of total body irradiation. <i>Scientific Reports</i> , 2016, 6, 36730.	1.6	18
74	High mammographic breast density predicts locoregional recurrence after modified radical mastectomy for invasive breast cancer: a case-control study. <i>Breast Cancer Research</i> , 2016, 18, 120.	2.2	20
75	Adverse prognosis and distinct progression patterns after concurrent chemoradiotherapy for glioblastoma with synchronous subventricular zone and corpus callosum invasion. <i>Radiotherapy and Oncology</i> , 2016, 118, 16-23.	0.3	32
76	Perspectives on the combination of radiotherapy and targeted therapy with DNA repair inhibitors in the treatment of pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 7275.	1.4	26
77	<i>Helicobacter pylori</i> CagA Translocation Is Closely Associated With the Expression of CagA-signaling Molecules in Low-grade Gastric Mucosa-associated Lymphoid Tissue Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 761-766.	2.1	19
78	Good tolerance and long-term complete remission after definitive intensity-modulated radiotherapy for locally advanced head and neck cancer in a patient with human immunodeficiency virus infection: A case report and literature review. <i>Head and Neck</i> , 2015, 37, E186-90.	0.9	3
79	Lysophosphatidic Acid Alters the Expression Profiles of Angiogenic Factors, Cytokines, and Chemokines in Mouse Liver Sinusoidal Endothelial Cells. <i>PLoS ONE</i> , 2015, 10, e0122060.	1.1	20
80	High Prevalence of the BIM Deletion Polymorphism in Young Female Breast Cancer in an East Asian Country. <i>PLoS ONE</i> , 2015, 10, e0124908.	1.1	9
81	Dual Phosphoinositide 3-kinase/mammalian target of rapamycin inhibitor is an effective radiosensitizer for colorectal cancer. <i>Cancer Letters</i> , 2015, 357, 582-590.	3.2	44
82	AUY922 effectively targets against activated B cell subtype of diffuse large B-cell lymphoma and low-grade lymphoma cells harboring genetic alteration-associated nuclear factor- κ B activation. <i>Leukemia and Lymphoma</i> , 2015, 56, 2674-2682.	0.6	7
83	Prolonged Treatment Time Deteriorates Positioning Accuracy for Stereotactic Radiosurgery. <i>PLoS ONE</i> , 2015, 10, e0123359.	1.1	16
84	The Response, Outcome and Toxicity of Aggressive Palliative Thoracic Radiotherapy for Metastatic Non-Small Cell Lung Cancer Patients with Controlled Extrathoracic Diseases. <i>PLoS ONE</i> , 2015, 10, e0145936.	1.1	15
85	Inhibition of ZEB1 by miR-200 characterizes <i>Helicobacter pylori</i> -positive gastric diffuse large B-cell lymphoma with a less aggressive behavior. <i>Modern Pathology</i> , 2014, 27, 1116-1125.	2.9	19
86	Beware imposters: MA Δ 1, a novel MALT lymphoma cell line, is misidentified and corresponds to Pfeiffer, a diffuse large B-cell lymphoma cell line? A reply: Despite the same STR, MA Δ 1 and Pfeiffer are cytogenetically diverse. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 211-213.	1.5	3
87	Radiation-induced VEGF-C expression and endothelial cell proliferation in lung cancer. <i>Strahlentherapie Und Onkologie</i> , 2014, 190, 1154-1162.	1.0	31
88	Preoperative Prognostic Neurologic Index for Glioblastoma Patients Receiving Tumor Resection. <i>Annals of Surgical Oncology</i> , 2014, 21, 3992-3998.	0.7	6
89	Differential clinical characteristics, treatment response and prognosis of locally advanced adenocarcinoma/adenosquamous carcinoma and squamous cell carcinoma of cervix treated with definitive radiotherapy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 661-668.	1.3	57
90	IL-22 Negatively Regulates <i>Helicobacter pylori</i> -Induced CCL20 Expression in Gastric Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e97350.	1.1	16

#	ARTICLE	IF	CITATIONS
91	Abstract 4217: Nuclear expression of BCL10 has a role in the regulation of cell growth and progression of pancreatic cancer through the activation of NF- κ B-related signaling. , 2014, , .		0
92	Primary central nervous system diffuse large B cell lymphoma transformed from orbital mucosa-associated lymphoid tissue lymphoma: complete response to combined intrathecal and systemic rituximab. <i>Annals of Hematology</i> , 2013, 92, 989-992.	0.8	5
93	<i>Helicobacter pylori</i> and mucosa-associated lymphoid tissue: what's new. <i>Hematology American Society of Hematology Education Program</i> , 2013, 2013, 109-117.	0.9	48
94	Prone breast forward intensity-modulated radiotherapy for Asian women with early left breast cancer: factors for cardiac sparing and clinical outcomes. <i>Journal of Radiation Research</i> , 2013, 54, 899-908.	0.8	14
95	<i>CYP19</i> Genetic Polymorphism Haplotype <i>AASA</i> Is Associated with a Poor Prognosis in Premenopausal Women with Lymph Node-Negative, Hormone Receptor-Positive Breast Cancer. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	10
96	No evidence of t(11;18)(q21;q21) translocation in the Ma-1 cell line-A reply. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 593-594.	1.5	1
97	Clinicopathologic features and responses to radiotherapy of myeloid sarcoma. <i>Radiation Oncology</i> , 2013, 8, 245.	1.2	26
98	Nuclear Expression of Glioma-Associated Oncogene Homolog 1 and Nuclear Factor- κ B Is Associated with a Poor Prognosis of Pancreatic Cancer. <i>Oncology</i> , 2013, 85, 86-94.	0.9	23
99	<i>Helicobacter pylori</i> eradication therapy is effective in the treatment of early-stage H pylori-positive gastric diffuse large B-cell lymphomas. <i>Blood</i> , 2012, 119, 4838-4844.	0.6	123
100	Outcome analysis of cervical adenosquamous carcinoma compared with adenocarcinoma. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1158-1166.	1.3	14
101	Medulloblastoma in adults. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 878-886.	1.0	13
102	Postoperative Intensity-Modulated Radiotherapy for Squamous Cell Carcinoma of the External Auditory Canal and Middle Ear: Treatment Outcomes, Marginal Misses, and Perspective on Target Delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1485-1493.	0.4	17
103	Volumetric modulated arc therapy for nasopharyngeal carcinoma: A dosimetric comparison with TomoTherapy and step-and-shoot IMRT. <i>Radiotherapy and Oncology</i> , 2012, 104, 324-330.	0.3	93
104	Expression of BCL10 in cervical cancer has a role in the regulation of cell growth through the activation of NF- κ B-dependent cyclin D1 signaling. <i>Gynecologic Oncology</i> , 2012, 126, 245-251.	0.6	18
105	Parvovirus B19 infection-related acute hepatitis after rituximab-containing regimen for treatment of diffuse large B-cell lymphoma. <i>Annals of Hematology</i> , 2012, 91, 291-294.	0.8	10
106	Lack of compensatory pAKT activation and eIF4E phosphorylation of lymphoma cells towards mTOR inhibitor, RAD001. <i>European Journal of Cancer</i> , 2011, 47, 1244-1257.	1.3	17
107	Phase II study of docetaxel, capecitabine, and cisplatin as neoadjuvant chemotherapy for locally advanced breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 67, 1257-1263.	1.1	8
108	t(11;18)(q21;q21) translocation as predictive marker for non-responsiveness to salvage thalidomide therapy in patients with marginal zone B-cell lymphoma with gastric involvement. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 1387-1395.	1.1	14

#	ARTICLE	IF	CITATIONS
109	Establishment of a novel MALT lymphoma cell line, maâ€1, from a patient with t(14;18)(q32;q21)â€positive <i>Helicobacter Pylori</i>â€independent Gastric MALT Lymphoma. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 908-921.	1.5	9
110	Inferior Survival of Advanced Pancreatic Cancer Patients Who Received Gemcitabine-Based Chemotherapy but Did Not Participate in Clinical Trials. <i>Oncology</i> , 2011, 81, 143-150.	0.9	15
111	Fractionated evaluation of immunohistochemical hormone receptor expression enhances prognostic prediction in breast cancer patients treated with tamoxifen as adjuvant therapy. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 1-9.	1.3	12
112	Unusual presentation of multiple pathologic bone fractures in a patient with gastric mucosa-associated lymphoid tissue lymphoma. <i>Annals of Hematology</i> , 2010, 89, 431-436.	0.8	1
113	E2A-positive gastric MALT lymphoma has weaker plasmacytoid infiltrates and stronger expression of the memory B-cell-associated miR-223: possible correlation with stage and treatment response. <i>Modern Pathology</i> , 2010, 23, 1507-1517.	2.9	48
114	Translocation of <i>Helicobacter pylori</i> CagA into Human B Lymphocytes, the Origin of Mucosa-Associated Lymphoid Tissue Lymphoma. <i>Cancer Research</i> , 2010, 70, 5740-5748.	0.4	79
115	Combinations of mTORC1 inhibitor RAD001 with gemcitabine and paclitaxel for treating non-Hodgkin lymphoma. <i>Cancer Letters</i> , 2010, 298, 195-203.	3.2	20
116	Early Low-grade Gastric MALToma Rarely Transforms Into Diffuse Large Cell Lymphoma or Progresses Beyond the Stomach and Regional Lymph Nodes. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 463-471.	0.8	11
117	Abstract 1747: <i>Helicobacter pylori</i> -positive diffuse large b-cell lymphoma: a distinct clinicopathologic entity. , 2010, , .		1
118	Molecular Subtypes of Breast Cancer Emerging in Young Women in Taiwan: Evidence for More Than Just Westernization as a Reason for the Disease in Asia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1807-1814.	1.1	103
119	Gemcitabineâ€based combination chemotherapy as salvage treatment for refractory or relapsing aggressive nonâ€Hodgkin's lymphoma. <i>American Journal of Hematology</i> , 2009, 84, 457-459.	2.0	1
120	The Aurora kinase inhibitor VE-465 has anticancer effects in pre-clinical studies of human hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 50, 518-527.	1.8	42
121	Clinicopathologic features and treatment outcome of non-Hodgkin lymphoma of the breast â€ a review of 42 primary and secondary cases in Taiwanese patients. <i>Leukemia and Lymphoma</i> , 2009, 50, 918-924.	0.6	29
122	Reactivation of hepatitis B virus during rituximab treatment of a patient with follicular lymphoma. <i>Annals of Hematology</i> , 2008, 87, 325-327.	0.8	32
123	Comprehensive Locoregional Treatment and Systemic Therapy for Postmastectomy Isolated Locoregional Recurrence. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 1456-1464.	0.4	38
124	Dose variation and regimen modification of adjuvant chemotherapy in daily practice affect survival of stage Iâ€II and operable stage III Taiwanese breast cancer patients. <i>Breast</i> , 2008, 17, 646-653.	0.9	14
125	Caveolin-1 expression is significantly associated with drug resistance and poor prognosis in advanced non-small cell lung cancer patients treated with gemcitabine-based chemotherapy. <i>Lung Cancer</i> , 2008, 59, 105-110.	0.9	108
126	Gemcitabine plus conventional-dose epirubicin versus gemcitabine plus cisplatin as first-line chemotherapy for stage IIIB/IV non-small cell lung carcinomaâ€A randomized phase II trial. <i>Lung Cancer</i> , 2008, 62, 334-343.	0.9	14

#	ARTICLE	IF	CITATIONS
127	Radiotherapy in Lung Adenocarcinoma with Brain Metastases: Effects of Activating Epidermal Growth Factor Receptor Mutations on Clinical Response. <i>Clinical Cancer Research</i> , 2008, 14, 162-168.	3.2	140
128	The CYP19 TTTA Repeat Polymorphism Is Related to the Prognosis of Premenopausal Stage II and Operable Stage III Breast Cancers. <i>Oncologist</i> , 2008, 13, 751-760.	1.9	19
129	Overexpression of B cell-activating factor of TNF family (BAFF) is associated with <i>Helicobacter pylori</i> -independent growth of gastric diffuse large B-cell lymphoma with histologic evidence of MALT lymphoma. <i>Blood</i> , 2008, 112, 2927-2934.	0.6	52
130	Long-term Follow-up of Gastrectomized Patients With Mucosa-associated Lymphoid Tissue Lymphoma. <i>Annals of Surgery</i> , 2008, 247, 265-269.	2.1	17
131	Prognostic Factors in Extrapulmonary Small Cell Carcinomas. <i>Oncology</i> , 2007, 72, 181-187.	0.9	20
132	Glucocorticoid receptor expression in advanced non-small cell lung cancer: clinicopathological correlation and in vitro effect of glucocorticoid on cell growth and chemosensitivity. <i>Lung Cancer</i> , 2006, 53, 303-310.	0.9	38
133	Comparison of the expression and prognostic significance of differentiation markers between diffuse large B-cell lymphoma of central nervous system origin and peripheral nodal origin. <i>Clinical Cancer Research</i> , 2006, 12, 1152-1156.	3.2	118
134	A Pathway for Tumor Necrosis Factor- α -induced Bcl10 Nuclear Translocation. <i>Journal of Biological Chemistry</i> , 2006, 281, 167-175.	1.6	39
135	Nuclear expression of BCL10 or nuclear factor kappa B helps predict <i>Helicobacter pylori</i> -independent status of low-grade gastric mucosa-associated lymphoid tissue lymphomas with or without t(11;18)(q21;q21). <i>Blood</i> , 2005, 106, 1037-1041.	0.6	74
136	Long-Term Results of Anti- <i>Helicobacter pylori</i> Therapy in Early-Stage Gastric High-Grade Transformed MALT Lymphoma. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1345-1353.	3.0	179
137	Phase II Study of Weekly Paclitaxel and 24-Hour Infusion of High-Dose 5-Fluorouracil and Leucovorin in the Treatment of Recurrent or Metastatic Gastric Cancer. <i>Oncology</i> , 2005, 69, 88-95.	0.9	19
138	Survival of stage IIIB/IV non-small cell lung cancer patients who received chemotherapy but did not participate in clinical trials. <i>Lung Cancer</i> , 2005, 48, 275-280.	0.9	8
139	Expression of CD86 and increased infiltration of NK cells are associated with <i>Helicobacter pylori</i> -dependent state of early stage high-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , 2005, 11, 4357.	1.4	17
140	Effects of glucocorticoids on the growth and chemosensitivity of carcinoma cells are heterogeneous and require high concentration of functional glucocorticoid receptors. <i>World Journal of Gastroenterology</i> , 2005, 11, 6373.	1.4	25
141	Nuclear Expression of BCL10 or Nuclear Factor Kappa B Predicts <i>Helicobacter pylori</i> -Independent Status of Early-Stage, High-Grade Gastric Mucosa-Associated Lymphoid Tissue Lymphomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 3491-3497.	0.8	59
142	p53 overexpression and mutation in metaplastic carcinoma of the breast: genetic evidence for a monoclonal origin of both the carcinomatous and the heterogeneous sarcomatous components. <i>Journal of Pathology</i> , 2004, 204, 131-139.	2.1	77
143	Recent advances in the management of primary breast cancers. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 579-98.	0.8	11
144	Increased Risk of Parvovirus B19 Infection in Young Adult Cancer Patients Receiving Multiple Courses of Chemotherapy. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3909-3912.	1.8	34

#	ARTICLE	IF	CITATIONS
145	Reversible Systolic Heart Failure and Deep Jaundice in Hyperthyroidism. American Journal of the Medical Sciences, 1996, 312, 246-248.	0.4	11
146	Role of radiotherapy in heterotopic ossification: a case report and literature review. Therapeutic Radiology and Oncology, 0, 2, 41-41.	0.2	0
147	Adjuvant radiotherapy for dermatofibrosarcoma protuberans: a case report. Therapeutic Radiology and Oncology, 0, 3, 32-32.	0.2	1
148	A single institution experience of total lymphoid irradiation using helical tomotherapy as part of the conditioning regimen of transplantation for severe aplastic anemia patients. Therapeutic Radiology and Oncology, 0, 4, 6-6.	0.2	0
149	Revisiting the Full Spectrum of Helicobacter pylori-Related Gastric Lymphoma. , 0, , .		0
150	Magnetic Resonance Imaging-Derived Radiomic Signature Predicts Locoregional Failure after Organ Preservation Therapy in Patients with Hypopharyngeal Squamous Cell Carcinoma. SSRN Electronic Journal, 0, , .	0.4	0
151	A Multicenter Prospective Study of First-Line Antibiotic Therapy for Early-Stage Gastric Mucosa-Associated Lymphoid Tissue (MALT) Lymphoma and Diffuse Large B-Cell Lymphoma with Histological Evidence of MALT. SSRN Electronic Journal, 0, , .	0.4	0