
## **Opinder Sahota**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7207577/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Poor Attendance for bone densitometry in patients at high risk of subsequent fragility fractures. Journal of Clinical Densitometry, 2022, 25, 380-383.	0.5	1
2	PERFECTED enhanced recovery pathway (PERFECT-ER) versus standard acute hospital care for people after hip fracture surgery who have cognitive impairment: a feasibility cluster randomised controlled trial. BMJ Open, 2022, 12, e055267.	0.8	1
3	Comparing medication adherence in patients receiving bisphosphonates for preventing fragility fractures: a comprehensive systematic review and network meta-analysis. Osteoporosis International, 2022, , 1.	1.3	3
4	Assessing the Effectiveness of Bisphosphonates for the Prevention of Fragility Fractures: An Updated Systematic Review and Network Metaâ€Analyses. JBMR Plus, 2022, 6, e10620.	1.3	7
5	Acceptability of, and preferences for, remote consulting during COVID-19 among older patients with two common long-term musculoskeletal conditions: findings from three qualitative studies and recommendations for practice. BMC Musculoskeletal Disorders, 2022, 23, 312.	0.8	8
6	ASSERT (Acute Sacral inSufficiEncy fractuRe augmenTation): randomised controlled, feasibility trial in older people. BMJ Open, 2022, 12, e050535.	0.8	1
7	Safety of zoledronate in older patients at high risk of fracture with reduced renal function. Osteoporosis International, 2022, 33, 1823-1824.	1.3	2
8	Management of patients admitted to hospital with acute vertebral fragility fractures: a modified Delphi study. Age and Ageing, 2021, 50, 985-989.	0.7	2
9	Guideline for the management of hip fractures 2020. Anaesthesia, 2021, 76, 225-237.	1.8	120
10	Integration of a vertebral fracture identification service into a fracture liaison service: a quality improvement project. Osteoporosis International, 2021, 32, 921-926.	1.3	10
11	ASSERT (Acute Sacral inSufficiEncy fractuRe augmenTation): Perceptions in the Assessment and Treatment of Pubic Rami and Sacral Fragility Fractures Amongst Healthcare Professionals in Geriatric Medicine and Surgery—A Qualitative Study. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110267.	0.6	3
12	Vertebroplasty for vertebral fragility fractures in the â€~very elderly': experience from a regional UK spine unit. Osteoporosis International, 2021, 32, 395-396.	1.3	0
13	Pelvic fragility fractures—the forgotten osteoporotic fracture!. Osteoporosis International, 2021, 32, 785-786.	1.3	3
14	128 Prevalence of Older People Presenting Acutely to A Regional Spine Unit. Age and Ageing, 2021, 50, i12-i42.	0.7	0
15	The Presentation of Older People with Vertebral Fragility Fractures to a University Hospital: A Cross-sectional Analysis. Current Rheumatology Reviews, 2021, 17, 109-112.	0.4	2
16	Seasonality of adult fragility fractures and association with weather: 12-year experience of a UK Fracture Liaison Service. Bone, 2021, 147, 115916.	1.4	7
17	The management of patients admitted to hospital with vertebral fragility fractures: experience from a UK university hospital. Injury, 2021, 52, 2903-2907.	0.7	0
18	Can an Ice-Cream Based Supplement Help Address Malnutrition in Orthogeriatric Patients?. Journal of Nutrition in Gerontology and Geriatrics, 2021, 40, 280-289.	0.4	2

#	Article	IF	CITATIONS
19	Do anticoagulants affect outcomes of hip fracture surgery? A cross-sectional analysis. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 171-176.	1.3	24
20	Consensus statement for perioperative care in total hip replacement and total knee replacement surgery: Enhanced Recovery After Surgery (ERAS <sup>®</sup> ) Society recommendations. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 3-19.	1.2	348
21	The Nottingham Spinal Health (NoSH) Study: a cohort study of patients hospitalised with vertebral fragility fractures. Osteoporosis International, 2020, 31, 363-370.	1.3	15
22	Hyperosmolar dehydration: A predictor of kidney injury and outcome in hospitalised older adults. Clinical Nutrition, 2020, 39, 2593-2599.	2.3	22
23	Acceptability of bisphosphonates among patients, clinicians and managers: a systematic review and framework synthesis. BMJ Open, 2020, 10, e040634.	0.8	22
24	Management of Fracture Risk in Patients with Chronic Obstructive Pulmonary Disease (COPD): Building a UK Consensus Through Healthcare Professional and Patient Engagement. International Journal of COPD, 2020, Volume 15, 1377-1390.	0.9	2
25	The impact of lockdown during the COVID-19 pandemic on osteoporotic fragility fractures: an observational study. Archives of Osteoporosis, 2020, 15, 156.	1.0	36
26	Optimising bone health among older people with hip fractures and co-existing advanced chronic kidney disease. European Geriatric Medicine, 2020, 11, 635-638.	1.2	0
27	20 Cervical Spine Fragility Fractures in Older People: 5-Year Experience At A Regional Spine Centre. Age and Ageing, 2020, 49, i1-i8.	0.7	Ο
28	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. The Cochrane Library, 2020, 2020, CD010569.	1.5	28
29	The truth behind the pubic rami fracture: identification of pelvic fragility fractures at a university teaching hospital. Clinical Medicine, 2020, 20, s113-s113.	0.8	2
30	Trialling technologies to reduce hospital inâ€patient falls: an agential realist analysis. Sociology of Health and Illness, 2019, 41, 1104-1119.	1.1	13
31	Pelvic fragility fractures in older people admitted to hospital: the clinical burden. European Geriatric Medicine, 2019, 10, 147-150.	1.2	3
32	ASSERT (Acute Sacral inSufficiEncy fractuRe augmenTation) randomised controlled, feasibility in older people trial: a study protocol. BMJ Open, 2019, 9, e032111.	0.8	9
33	Femoral Nerve Block Intervention in Neck of Femur Fracture (FINOF): a randomised controlled trial. BMJ Open, 2018, 8, e019650.	0.8	27
34	Vertebral Fragility Fractures (VFF)—Who, when and how to operate. Injury, 2018, 49, 1430-1435.	0.7	14
35	The effect of chair-based pedal exercises for older people admitted to an acute hospital compared to standard care: a feasibility study. Age and Ageing, 2018, 47, 483-486.	0.7	3
36	Characteristics and outcomes of hospitalised patients with vertebral fragility fractures: a systematic review. Age and Ageing, 2018, 47, 17-25.	0.7	44

#	Article	IF	CITATIONS
37	The Challenges of Anaesthesia and Pain Relief in Hip Fracture Care. Drugs and Aging, 2017, 34, 1-11.	1.3	30
38	19VERTEBRAL AUGMENTATION FOR OSTEOPOROTIC VERTEBRAL FRACTURES IN THE â€ <sup>~</sup> OLDER-OLD' PERSO EXPERIENCE FROM A TERTIARY UK SPINAL UNIT. Age and Ageing, 2017, 46, i1-i22.	N: 0.7	0
39	PERFECTED enhanced recovery (PERFECT-ER) care versus standard acute care for patients admitted to acute settings with hip fracture identified as experiencing confusion: study protocol for a feasibility cluster randomized controlled trial. Trials, 2017, 18, 583.	0.7	11
40	Fracture liaison services: improving outcomes for patients with osteoporosis. Clinical Interventions in Aging, 2017, Volume 12, 117-127.	1.3	110
41	The Community In-reach Rehabilitation and Care Transition (CIRACT) clinical and cost-effectiveness randomisation controlled trial in older people admitted to hospital as an acute medical emergency. Age and Ageing, 2016, 46, 26-32.	0.7	15
42	Service evaluation of the impact of a specialist spinal osteoporosis nurse in initiating bone health assessment in patients admitted to hospital with osteoporotic vertebral fractures (VF). Spine Journal, 2016, 16, S87.	0.6	1
43	Is frailty prevalent in older people admitted to hospital with osteoporotic vertebral fragility fractures (VFs)?. Spine Journal, 2016, 16, S60.	0.6	1
44	Vertebral augmentation for vertebral fractures in the "older-old―person: experience from a tertiary UK spinal unit. Spine Journal, 2016, 16, S86.	0.6	0
45	Physical activity study of older people in hospital: A cross-sectional analysis using accelerometers. European Geriatric Medicine, 2016, 7, 55-56.	1.2	4
46	The unseen cost of falls: The environmental impact of attending falls call out by the emergency ambulance services. European Geriatric Medicine, 2016, 7, 508-509.	1.2	0
47	Predicting fracture risk in osteoporosis: the use of fracture prediction tools in an osteoporosis clinic population. Postgraduate Medical Journal, 2016, 92, 267-270.	0.9	8
48	Patient characteristics and outcomes of a hip fracture and concomitant fracture compared with hip fracture alone: results from a United Kingdom teaching hospital. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 463-467.	1.3	6
49	Hydration amongst nurses and doctors on-call (the HANDS on prospective cohort study). Clinical Nutrition, 2016, 35, 935-942.	2.3	37
50	The Prevalence of Frailty in Patients Admitted to Hospital with Vertebral Fragility Fractures. Current Rheumatology Reviews, 2016, 12, 244-247.	0.4	23
51	Comparing the cost-effectiveness and clinical effectiveness of a new community in-reach rehabilitation service with the cost-effectiveness and clinical effectiveness of an established hospital-based rehabilitation service for older people: a pragmatic randomised controlled trial with microcost and qualitative analysis – the Community In-reach Rehabilitation And Care Transition	1.4	4
52	(CIRACT) study. Health Services and Delivery Research, 2016, 4, 1-90. The Prevalence of Frailty in Patients Admitted to Hospital with Vertebral Fragility Fractures. Current Rheumatology Reviews, 2016, 12, 244-247.	0.4	13
53	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. The Cochrane Library, 2015, , CD010569.	1.5	44
54	The relationship between socioeconomic status and fracture in a fracture clinic setting: Data from the Nottingham Fracture Liaison Service. Injury, 2015, 46, 366-370.	0.7	7

#	Article	IF	CITATIONS
55	Epidemiology of appendicular skeletal fractures: a cross-sectional analysis of data from the Nottingham Fracture Liaison Service. Journal of Orthopaedic Science, 2015, 20, 517-521.	0.5	12
56	The Community In-Reach and Care Transition (CIRACT) clinical and cost-effectiveness study: study protocol for a randomised controlled trial. Trials, 2015, 16, 41.	0.7	3
57	Acute and chronic effects of hydration status on health. Nutrition Reviews, 2015, 73, 97-109.	2.6	68
58	Hydration and outcome in older patients admitted to hospital (The HOOP prospective cohort study). Age and Ageing, 2015, 44, 943-947.	0.7	102
59	REFINE (REducing Falls in In-patieNt Elderly) using bed and bedside chair pressure sensors linked to radio-pagers in acute hospital care: a randomised controlled trial. Age and Ageing, 2014, 43, 247-253.	0.7	75
60	Understanding vitamin D deficiency. Age and Ageing, 2014, 43, 589-591.	0.7	84
61	86 * THE RELATIONSHIP BETWEEN BODY MASS INDEX (BMI) AND FRACTURES IN THE ELDERLY. Age and Ageing, 2014, 43, i22-i22.	0.7	0
62	83 * THE IMPACT OF LOW PERSISTENCE WITH OSTEOPOROSIS MEDICATION. Age and Ageing, 2014, 43, i21-i22.	0.7	0
63	Orthogeriatrics moving forward. Age and Ageing, 2014, 43, 301-305.	0.7	35
64	Femoral nerve block Intervention in Neck of Femur fracture (FINOF): study protocol for a randomized controlled trial. Trials, 2014, 15, 189.	0.7	18
65	The pathophysiology of fluid and electrolyte balance in the older adult surgical patient. Clinical Nutrition, 2014, 33, 6-13.	2.3	103
66	A United Kingdom perspective on the relationship between body mass index (BMI) and bone health: A cross sectional analysis of data from the Nottingham Fracture Liaison Service. Bone, 2014, 59, 207-210.	1.4	60
67	118 * HYDRATION IN THE OLDER HOSPITAL PATIENT - IS IT A PROBLEM?. Age and Ageing, 2014, 43, i33-i33.	0.7	8
68	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to †̃safe' hospital discharge. Health Services and Delivery Research, 2014, 2, 1-160.	1.4	58
69	Improving hip fracture care: striving for excellence. Reviews in Clinical Gerontology, 2013, 23, 223-233.	0.5	4
70	Handling knowledge on osteoporosis – a qualitative study. Scandinavian Journal of Caring Sciences, 2013, 27, 516-524.	1.0	29
71	Re: Trends in hip fracture incidence and mortality in Chinese population from Hong Kong 2001-09. Age and Ageing, 2013, 42, 816-816.	0.7	4
72	The direct cost of acute hip fracture care in care home residents in the UK. Osteoporosis International, 2012, 23, 917-920.	1.3	46

#	Article	IF	CITATIONS
73	Nottingham Hip Fracture Score as a predictor of one year mortality in patients undergoing surgical repair of fractured neck of femur. British Journal of Anaesthesia, 2011, 106, 501-504.	1.5	178
74	Reducing the risk of fractures with calcium and vitamin D. BMJ: British Medical Journal, 2010, 340, b5492-b5492.	2.4	6
75	REFINE (Reducing Falls in In-patient Elderly) - a randomised controlled trial. Trials, 2009, 10, 83.	0.7	11
76	Vitamin D and in-patient falls. Age and Ageing, 2008, 38, 339-340.	0.7	12
77	Acute orthogeriatric care. Aging Health, 2008, 4, 345-350.	0.3	0
78	Calcium and vitamin d reduces falls and fracturesconfusion and controversy. Journal of Nutrition, Health and Aging, 2007, 11, 176-8.	1.5	3
79	Vitamin D insufficiency and the blunted PTH response in established osteoporosis: the role of magnesium deficiency. Osteoporosis International, 2006, 17, 1013-1021.	1.3	136
80	Effect of comorbidities and postoperative complications on mortality after hip fracture in elderly people: prospective observational cohort study. BMJ: British Medical Journal, 2005, 331, 1374.	2.4	1,091
81	The relationship between vitamin D and parathyroid hormone: calcium homeostasis, bone turnover, and bone mineral density in postmenopausal women with established osteoporosis. Bone, 2004, 35, 312-319.	1.4	225
82	Hypovitaminosis D and 'functional hypoparathyroidism' - the NoNoF (Nottingham Neck of Femur) Tj ETQq0 0 0 r	gBT [Over 0.7	lock 10 Tf 50
83	Hypovitaminosis D and functional hypoparathyroidism'the NoNoF (Nottingham Neck of Femur) study. Age and Ageing, 2001, 30, 467-472.	0.7	95
84	A Comparison of the Longitudinal Changes in Quantitative Ultrasound with Dual-Energy X-ray Absorptiometry: The Four-Year Effects of Hormone Replacement Therapy. Osteoporosis International, 2000, 11, 52-58.	1.3	53
85	A Comparison of Continuous Alendronate, Cyclical Alendronate and Cyclical Etidronate with Calcitriol in the Treatment of Postmenopausal Vertebral Osteoporosis: A Randomized Controlled Trial. Osteoporosis International, 2000, 11, 959-966.	1.3	13
86	Site-Specific Variation in the Classification of Osteoporosis, and the Diagnostic Reclassification Using the Lowest Individual Lumbar Vertebra T -score Compared with the L1-L4 Mean, in Early Postmenopausal Women. Osteoporosis International, 2000, 11, 852-857.	1.3	21
87	Review. Osteoporosis and the role of vitamin D and calcium-vitamin D deficiency, vitamin D insufficiency and vitamin D sufficiency. Age and Ageing, 2000, 29, 301-304.	0.7	39
88	An audit of current clinical practice in the management of osteoporosis in Nottingham. Journal of Public Health, 2000, 22, 466-472.	1.0	17
89	Osteoporosis: fact, fiction, fallacy and the future. Age and Ageing, 1999, 28, 425-428.	0.7	1

<sup>90</sup>Vitamin D insufficiency increases bone turnover markers and enhances bone loss at the hip in patients<br/>with established vertebral osteoporosis. Clinical Endocrinology, 1999, 51, 217-221.1.2129

#	Article	IF	CITATIONS
91	Association between pre-operative complications, comorbidities, and in-hospital mortality in a hip fracture cohort: a register study in a tertiary hospital in Brazil. International Orthopaedics, 0, , .	0.9	1