

# Marcos Larriba

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7209020/marcos-larriba-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

2,349  
citations

29  
h-index

43  
g-index

94  
ext. papers

2,833  
ext. citations

5.4  
avg, IF

5.36  
L-index

#	Paper	IF	Citations
91	Extraction of antibiotics identified in the EU Watch List 2020 from hospital wastewater using hydrophobic eutectic solvents and terpenoids. <i>Separation and Purification Technology</i> , <b>2022</b> , 282, 120117	8.3	0
90	Enhanced removal of neonicotinoid pesticides present in the Decision 2018/840/EU by new sewage sludge-based carbon materials.. <i>Journal of Environmental Management</i> , <b>2022</b> , 313, 115020	7.9	0
89	Fine-tune simultaneous dearomatization, desulfurization and denitrogenation of liquid fuels with CO <sub>2</sub> -derived cyclic carbonates. <i>Fuel</i> , <b>2022</b> , 321, 124005	7.1	0
88	Recovery of a Succinic, Formic, and Acetic Acid Mixture from a Model Fermentation Broth by Simulated Moving Bed Adsorption with Methanol as a Desorbent. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2022</b> , 61, 672-683	3.9	
87	Activated carbons derived from biomass for the removal by adsorption of several pesticides from water <b>2022</b> , 565-583		
86	Application of Sludge-Based Activated Carbons for the Effective Adsorption of Neonicotinoid Pesticides. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 3087	2.6	3
85	Effective removal of naproxen from aqueous solutions by CWAO process using noble metals supported on carbon nanospheres catalysts. <i>Separation and Purification Technology</i> , <b>2021</b> , 259, 118084	8.3	4
84	Naproxen removal by CWPO with Fe <sub>3</sub> O <sub>4</sub> /multi-walled carbon nanotubes in a fixed-bed reactor. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 105110	6.8	3
83	Comparative simulation study of methanol production by CO <sub>2</sub> hydrogenation with 3A, 4A and 5A zeolites as adsorbents in a PSA reactor. <i>Separation and Purification Technology</i> , <b>2021</b> , 262, 118292	8.3	1
82	Effective adsorption of the endocrine disruptor compound bisphenol a from water on surface-modified carbon materials. <i>Applied Surface Science</i> , <b>2021</b> , 552, 149513	6.7	11
81	Tetrathiocyanatocobaltate and bis(trifluoromethylsulfonyl)imide-based ionic liquids as mass agents in the separation of cyclohexane and cyclohexene mixtures by homogeneous extractive distillation. <i>Journal of Chemical Thermodynamics</i> , <b>2021</b> , 157, 106403	2.9	0
80	Lab at home: 3D printed and low-cost experiments for thermal engineering and separation processes in COVID-19 time. <i>Education for Chemical Engineers</i> , <b>2021</b> , 36, 24-37	2.4	5
79	Efficient recovery of syngas from dry methane reforming product by a dual pressure swing adsorption process. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 46, 17522-17533	6.7	6
78	Carbon-encapsulated iron nanoparticles as reusable adsorbents for micropollutants removal from water. <i>Separation and Purification Technology</i> , <b>2021</b> , 257, 117974	8.3	15
77	Sustainable Production of Furfural in Biphasic Reactors Using Terpenoids and Hydrophobic Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 10266-10275	8.3	5
76	Extractive removal and recovery of bisphenol A from aqueous solutions using terpenoids and hydrophobic eutectic solvents. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 106128	6.8	3
75	Insights of emerging contaminants removal in real water matrices by CWPO using a magnetic catalyst. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 106321	6.8	0

74	A Review of the Use of Eutectic Solvents, Terpenes and Terpenoids in Liquid-Liquid Extraction Processes. <i>Processes</i> , <b>2020</b> , 8, 1220	2.9	11
73	Enhanced removal of the endocrine disruptor compound Bisphenol A by adsorption onto green-carbon materials. Effect of real effluents on the adsorption process. <i>Journal of Environmental Management</i> , <b>2020</b> , 266, 110604	7.9	24
72	Enhanced separation of benzene and cyclohexane by homogeneous extractive distillation using ionic liquids as entrainers. <i>Separation and Purification Technology</i> , <b>2020</b> , 240, 116583	8.3	27
71	Separation of the propane propylene mixture with high recovery by a dual PSA process. <i>Computers and Chemical Engineering</i> , <b>2020</b> , 136, 106717	4	5
70	Recovery and purification of acetic acid from aqueous mixtures by simulated moving bed adsorption with methanol and water as desorbents. <i>Separation and Purification Technology</i> , <b>2020</b> , 237, 116368	8.3	6
69	New insights from modelling and estimation of mass transfer parameters in fixed-bed adsorption of Bisphenol A onto carbon materials. <i>Journal of Contaminant Hydrology</i> , <b>2020</b> , 228, 103566	3.9	9
68	Separation of phenols from aqueous streams using terpenoids and hydrophobic eutectic solvents. <i>Separation and Purification Technology</i> , <b>2020</b> , 251, 117379	8.3	12
67	. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 15058-15068	3.9	4
66	Separation of benzene from methylcycloalkanes by extractive distillation with cyano-based ionic liquids: Experimental and CPA EoS modelling. <i>Separation and Purification Technology</i> , <b>2020</b> , 234, 116128	8.3	13
65	Sustainable Recovery of Volatile Fatty Acids from Aqueous Solutions Using Terpenoids and Eutectic Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 16786-16794	8.3	18
64	Toward Modeling the Aromatic/Aliphatic Separation by Extractive Distillation with Tricyanomethanide-Based Ionic Liquids Using CPA EoS. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 19681-19692	3.9	7
63	Magnetic FeO/multi-walled carbon nanotubes materials for a highly efficient depletion of diclofenac by catalytic wet peroxideoxidation. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 22372-22388	5.1	14
62	Cyclohexane/cyclohexene separation by extractive distillation with cyano-based ionic liquids. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 289, 111120	6	22
61	Using COSMO-RS to design choline chloride pharmaceutical eutectic solvents. <i>Fluid Phase Equilibria</i> , <b>2019</b> , 497, 71-78	2.5	33
60	Optimization Parameters, Kinetics and Mechanism of Naproxen Removal by Catalytic Wet Peroxide Oxidation with a Hybrid Iron-Based Magnetic Catalyst. <i>Catalysts</i> , <b>2019</b> , 9, 287	4	14
59	Dearomatization of pyrolysis gasoline by extractive distillation with 1-ethyl-3-methylimidazolium tricyanomethanide. <i>Fuel Processing Technology</i> , <b>2019</b> , 195, 106156	7.2	16
58	Modeling and simulation of the efficient separation of methane/nitrogen mixtures with [Ni <sub>3</sub> (HCOO) <sub>6</sub> ] MOF by PSA. <i>Chemical Engineering Journal</i> , <b>2019</b> , 361, 1007-1018	14.7	15
57	Imidazolium and pyridinium-based ionic liquids for the cyclohexane/cyclohexene separation by liquid-liquid extraction. <i>Journal of Chemical Thermodynamics</i> , <b>2019</b> , 131, 340-346	2.9	24

56	Demonstrating the key role of kinetics over thermodynamics in the selection of ionic liquids for CO <sub>2</sub> physical absorption. <i>Separation and Purification Technology</i> , <b>2019</b> , 213, 578-586	8.3	36
55	Citric Acid Purification by Simulated Moving Bed Adsorption with Methanol as Desorbent. <i>Separation Science and Technology</i> , <b>2019</b> , 54, 930-942	2.5	5
54	Absorption refrigeration cycles based on ionic liquids: Refrigerant/absorbent selection by thermodynamic and process analysis. <i>Applied Energy</i> , <b>2018</b> , 213, 179-194	10.7	61
53	Enterprise Ionic Liquids Database (ILUAM) for Use in Aspen ONE Programs Suite with COSMO-Based Property Methods. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 980-989	3.9	49
52	Acetylene absorption by ionic liquids: A multiscale analysis based on molecular and process simulation. <i>Separation and Purification Technology</i> , <b>2018</b> , 204, 38-48	8.3	15
51	Novel Process to Reduce Benzene, Thiophene, and Pyrrole in Gasoline Based on [4bmpy][TCM] Ionic Liquid. <i>Energy &amp; Fuels</i> , <b>2018</b> , 32, 5650-5658	4.1	10
50	Experimental screening towards developing ionic liquid-based extractive distillation in the dearomatization of refinery streams. <i>Separation and Purification Technology</i> , <b>2018</b> , 201, 268-275	8.3	27
49	Thermal stability of choline chloride deep eutectic solvents by TGA/FTIR-ATR analysis. <i>Journal of Molecular Liquids</i> , <b>2018</b> , 260, 37-43	6	143
48	COSMO-based/Aspen Plus process simulation of the aromatic extraction from pyrolysis gasoline using the {[4empy][NTf <sub>2</sub> ] + [emim][DCA]} ionic liquid mixture. <i>Separation and Purification Technology</i> , <b>2018</b> , 190, 211-227	8.3	45
47	From kinetics to equilibrium control in CO <sub>2</sub> capture columns using Encapsulated Ionic Liquids (ENILs). <i>Chemical Engineering Journal</i> , <b>2018</b> , 348, 661-668	14.7	33
46	On the volatility of aromatic hydrocarbons in ionic liquids: Vapor-liquid equilibrium measurements and theoretical analysis. <i>Journal of Molecular Liquids</i> , <b>2018</b> , 250, 9-18	6	9
45	Choline Chloride-Based Deep Eutectic Solvents in the Dearomatization of Gasolines. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 1039-1047	8.3	50
44	Toluene/n-Heptane Separation by Extractive Distillation with Tricyanomethanide-Based Ionic Liquids: Experimental and CPA EoS Modeling. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 14242-14253	3.9	24
43	CO <sub>2</sub> conversion to cyclic carbonates catalyzed by ionic liquids with aprotic heterocyclic anions: DFT calculations and operando FTIR analysis. <i>Journal of CO<sub>2</sub> Utilization</i> , <b>2018</b> , 28, 66-72	7.6	18
42	Extraction of aromatic hydrocarbons from pyrolysis gasoline using tetrathiocyanatocobaltate-based ionic liquids: Experimental study and simulation. <i>Fuel Processing Technology</i> , <b>2017</b> , 159, 96-110	7.2	24
41	Extraction and recovery process to selectively separate aromatics from naphtha feed to ethylene crackers using 1-ethyl-3-methylimidazolium thiocyanate ionic liquid. <i>Chemical Engineering Research and Design</i> , <b>2017</b> , 120, 102-112	5.5	18
40	Design of the recovery section of the extracted aromatics in the separation of BTEX from naphtha feed to ethylene crackers using [4empy][Tf <sub>2</sub> N] and [emim][DCA] mixed ionic liquids as solvent. <i>Separation and Purification Technology</i> , <b>2017</b> , 180, 149-156	8.3	34
39	Dearomatization of pyrolysis gasoline with an ionic liquid mixture: Experimental study and process simulation. <i>AIChE Journal</i> , <b>2017</b> , 63, 4054-4065	3.6	9

38	Design of the Hydrocarbon Recovery Section from the Extract Stream of the Aromatic Separation from Reformer and Pyrolysis Gasolines Using a Binary Mixture of [4empy][Tf2N] + [emim][DCA] Ionic Liquids. <i>Energy &amp; Fuels</i> , <b>2017</b> , 31, 1035-1043	4.1	17
37	A comparative study of pure ionic liquids and their mixtures as potential mass agents in the separation of hydrocarbons. <i>Journal of Molecular Liquids</i> , <b>2016</b> , 222, 118-124	6	15
36	Vapor-Liquid Equilibria for (n-Hexane, n-Octane, Cyclohexane, or 2,3-Dimethylpentane) + Toluene + {[4empy][Tf2N] (0.3) + [emim][DCA] (0.7)} Mixed Ionic Liquids. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 2440-2449	2.8	10
35	Vapor-Liquid Equilibria of n-Heptane + Toluene + 1-Ethyl-4-methylpyridinium Bis(trifluoromethylsulfonyl)imide Ionic Liquid. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2016</b> , 61, 458-465	2.8	9
34	Dicyanamide-based ionic liquids in the liquid-liquid extraction of aromatics from alkanes: Experimental evaluation and computational predictions. <i>Chemical Engineering Research and Design</i> , <b>2016</b> , 109, 561-572	5.5	44
33	Selective recovery of aliphatics from aromatics in the presence of the {[4empy][Tf2N] + [emim][DCA]} ionic liquid mixture. <i>Journal of Chemical Thermodynamics</i> , <b>2016</b> , 96, 134-142	2.9	31
32	Vapor-liquid equilibria for n-heptane + (benzene, toluene, p-xylene, or ethylbenzene) + {[4empy][Tf2N] (0.3) + [emim][DCA] (0.7)} binary ionic liquid mixture. <i>Fluid Phase Equilibria</i> , <b>2016</b> , 417, 41-49	2.5	14
31	Recovery of tyrosol from aqueous streams using hydrophobic ionic liquids: a first step towards developing sustainable processes for olive mill wastewater (OMW) management. <i>RSC Advances</i> , <b>2016</b> , 6, 18751-18762	3.7	25
30	Separation of aromatics from n-alkanes using tricyanomethanide-based ionic liquids: Liquid-liquid extraction, vapor-liquid separation, and thermophysical characterization. <i>Journal of Molecular Liquids</i> , <b>2016</b> , 223, 880-889	6	41
29	Separation of BTEX from a naphtha feed to ethylene crackers using a binary mixture of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Separation and Purification Technology</i> , <b>2015</b> , 144, 54-62	8.3	30
28	Thermal stability and specific heats of {[bpy][BF4] + [bpy][Tf2N]} and {[bpy][BF4] + [4bmpy][Tf2N]} mixed ionic liquid solvents. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2015</b> , 119, 1235-1243	4.1	11
27	Dearomatization of pyrolysis gasolines from mild and severe cracking by liquid-liquid extraction using a binary mixture of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Fuel Processing Technology</i> , <b>2015</b> , 137, 269-282	7.2	28
26	Use of selective ionic liquids and ionic liquid/salt mixtures as entrainer in a (vapor + liquid) system to separate n-heptane from toluene. <i>Journal of Chemical Thermodynamics</i> , <b>2015</b> , 91, 156-164	2.9	20
25	Mixing and decomposition behavior of {[4bmpy][Tf2N] + [emim][EtSO4]} and {[4bmpy][Tf2N] + [emim][TFES]} ionic liquid mixtures. <i>Journal of Chemical Thermodynamics</i> , <b>2015</b> , 82, 58-73	2.9	28
24	Vapor-Liquid equilibria of {n-heptane + toluene + [emim][DCA]} system by headspace gas chromatography. <i>Fluid Phase Equilibria</i> , <b>2015</b> , 387, 209-216	2.5	42
23	Selective extraction of toluene from n-heptane using [emim][SCN] and [bmim][SCN] ionic liquids as solvents. <i>Journal of Chemical Thermodynamics</i> , <b>2014</b> , 79, 266-271	2.9	64
22	Extraction of benzene, ethylbenzene, and xylenes from n-heptane using binary mixtures of [4empy][Tf2N] and [emim][DCA] ionic liquids. <i>Fluid Phase Equilibria</i> , <b>2014</b> , 380, 1-10	2.5	20
21	Liquid-Liquid Extraction of BTEX from Reformer Gasoline Using Binary Mixtures of [4empy][Tf2N] and [emim][DCA] Ionic Liquids. <i>Energy &amp; Fuels</i> , <b>2014</b> , 28, 6666-6676	4.1	43

20	Liquid-Liquid Extraction of Toluene from n-Alkanes using {[4empy][Tf2N] + [emim][DCA]} Ionic Liquid Mixtures. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2014</b> , 59, 1692-1699	2.8	26
19	Thermal stability and specific heats of {[emim][DCA]+[emim][TCM]} mixed ionic liquids. <i>Thermochimica Acta</i> , <b>2014</b> , 588, 22-27	2.9	27
18	Thermal stability, specific heats, and surface tensions of ([emim][DCA]+[4empy][Tf2N]) ionic liquid mixtures. <i>Journal of Chemical Thermodynamics</i> , <b>2014</b> , 76, 152-160	2.9	37
17	Liquid-Liquid extraction of toluene from n-heptane by {[emim][TCM]+[emim][DCA]} binary ionic liquid mixtures. <i>Fluid Phase Equilibria</i> , <b>2014</b> , 364, 48-54	2.5	51
16	Thermal Properties of Cyano-Based Ionic Liquids. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 2187-2193	2.8	111
15	Separation of toluene from n-heptane, 2,3-dimethylpentane, and cyclohexane using binary mixtures of [4empy][Tf2N] and [emim][DCA] ionic liquids as extraction solvents. <i>Separation and Purification Technology</i> , <b>2013</b> , 120, 392-401	8.3	52
14	Liquid-Liquid Extraction of Toluene from Heptane Using [emim][DCA], [bmim][DCA], and [emim][TCM] Ionic Liquids. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 2714-2720	3.9	138
13	Liquid-Liquid extraction of toluene from heptane by {[4bmpy][Tf2N]+[emim][CHF2CF2SO3]} ionic liquid mixed solvents. <i>Fluid Phase Equilibria</i> , <b>2013</b> , 337, 47-52	2.5	18
12	Physical Characterization of an Aromatic Extraction Solvent Formed by [bpy][BF4] and [4bmpy][Tf2N] Mixed Ionic Liquids. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2013</b> , 58, 1496-1504	2.8	33
11	Alkylsulfate-based ionic liquids in the liquid-liquid extraction of aromatic hydrocarbons. <i>Journal of Chemical Thermodynamics</i> , <b>2012</b> , 45, 68-74	2.9	30
10	Separation of toluene from n-heptane by liquid-liquid extraction using binary mixtures of [bpy][BF4] and [4bmpy][Tf2N] ionic liquids as solvent. <i>Journal of Chemical Thermodynamics</i> , <b>2012</b> , 53, 119-124	2.9	31
9	Physical Properties of N-Butylpyridinium Tetrafluoroborate and N-Butylpyridinium Bis(trifluoromethylsulfonyl)imide Binary Ionic Liquid Mixtures. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 1318-1325	2.8	63
8	Separation of Toluene and Heptane by Liquid-Liquid Extraction Using Binary Mixtures of the Ionic Liquids 1-Butyl-4-methylpyridinium Bis(trifluoromethylsulfonyl)imide and 1-Ethyl-3-methylimidazolium Ethylsulfate. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 2472-2478	2.8	9
7	Physical Properties of Binary and Ternary Mixtures of 2-Propanol, Water, and 1-Butyl-3-methylimidazolium Tetrafluoroborate Ionic Liquid. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2012</b> , 57, 1165-1173	2.8	48
6	Liquid-Liquid extraction of toluene from n-heptane using binary mixtures of N-butylpyridinium tetrafluoroborate and N-butylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids. <i>Chemical Engineering Journal</i> , <b>2012</b> , 180, 210-215	14.7	53
5	Sulfonate-Based Ionic Liquids in the Liquid-Liquid Extraction of Aromatic Hydrocarbons. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 3188-3193	2.8	28
4	Thermophysical Properties of 1-Ethyl-3-methylimidazolium 1,1,2,2-Tetrafluoroethanesulfonate and 1-Ethyl-3-methylimidazolium Ethylsulfate Ionic Liquids as a Function of Temperature. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 3589-3597	2.8	41
3	Liquid-Liquid Extraction of Toluene from Heptane Using 1-Alkyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide Ionic Liquids. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 113-118	2.8	69

- |   |   |     |    |
|---|---|-----|----|
| 2 | 1-Alkyl-2,3-dimethylimidazolium Bis(trifluoromethylsulfonyl)imide Ionic Liquids for the Liquid-Liquid Extraction of Toluene from Heptane. <i>Journal of Chemical &amp; Engineering Data</i> , <b>2011</b> , 56, 3468-3474   | 2.8 | 28 |
| 1 | (Liquid+liquid) equilibrium for the ternary systems {heptane+toluene+1-allyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide} and {heptane+toluene+1-methyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide} ionic liquids. <i>Journal of Chemical Thermodynamics</i> , <b>2011</b> , 43, 1641-1645 | 2.9 | 23 |