
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7209067/publications.pdf Version: 2024-02-01



Ιςλο Μιιρλκι

#	Article	IF	CITATIONS
1	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. Journal of Epidemiology, 2023, 33, 1-7.	1.1	3
2	Dietary fiber intake and risk of incident disabling dementia: the Circulatory Risk in Communities Study. Nutritional Neuroscience, 2023, 26, 148-155.	1.5	13
3	Hobby Engagement and Risk of Disabling Dementia. Journal of Epidemiology, 2023, 33, 456-463.	1.1	5
4	Smoking Cessation and Mortality from Aortic Dissection and Aneurysm: Findings from the Japan Collaborative Cohort (JACC) Study. Journal of Atherosclerosis and Thrombosis, 2023, 30, 348-363.	0.9	3
5	Impact of Major Cardiovascular Risk Factors on the Incidence of Cardiovascular Disease among Overweight and Non-Overweight Individuals: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2022, 29, 422-437.	0.9	6
6	Leukocyte Count and Risks of Stroke and Coronary Heart Disease: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2022, 29, 527-535.	0.9	4
7	Smoking cessation, weight gain and risk of cardiovascular disease. Heart, 2022, 108, 375-381.	1.2	7
8	Dairy intake and the risk of pancreatic cancer: the Japan Collaborative Cohort Study (JACC Study) and meta-analysis of prospective cohort studies. British Journal of Nutrition, 2022, 128, 1147-1155.	1.2	7
9	Association between Dietary Manganese Intake and Mortality from Cardiovascular Disease in Japanese Population: The Japan Collaborative Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1432-1447.	0.9	9
10	Retinal microvascular abnormalities and risks of incident stroke and its subtypes: The Circulatory Risk in Communities Study. Journal of Hypertension, 2022, 40, 732-740.	0.3	4
11	Dairy intake and the risk of esophageal cancer: the JACC Study. Journal of Epidemiology, 2022, , .	1.1	1
12	Serum High-Sensitivity Cardiac Troponin T as an Independent Predictor for Incident Coronary Heart Disease in the Japanese General Population: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2022, , .	0.9	0
13	Manganese intake from foods and beverages is associated with a reduced risk of type 2 diabetes. Maturitas, 2021, 143, 127-131.	1.0	13
14	Salt taste perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study (CIRCS). British Journal of Nutrition, 2021, 125, 203-211.	1.2	2
15	Impact of Perceived Social Support on the Association Between Anger Expression and the Risk of Stroke: The Circulatory Risk in Communities Study (CIRCS). Journal of Epidemiology, 2021, , .	1.1	2
16	Consumption of flavonoid-rich fruits, flavonoids from fruits and stroke risk: a prospective cohort study. British Journal of Nutrition, 2021, 126, 1717-1724.	1.2	12
17	Serum High-Sensitivity C-Reactive Protein Levels and the Risk of Atrial Fibrillation in Japanese Population: the Circulatory Risk in Communities Study. Journal of Atherosclerosis and Thrombosis, 2021, 28, 194-202.	0.9	11
18	Serum Albumin and Risks of Stroke and Its Subtypes ― The Circulatory Risk in Communities Study (CIRCS) ―. Circulation Journal, 2021, 85, 385-392.	0.7	8

#	Article	IF	CITATIONS
19	Green Tea and Coffee Consumption and All-Cause Mortality Among Persons With and Without Stroke or Myocardial Infarction. Stroke, 2021, 52, 957-965.	1.0	14
20	Role of Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) on Lipid Metabolism and Insulin Resistance in Human. Journal of Atherosclerosis and Thrombosis, 2021, 28, 317-318.	0.9	0
21	Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center–based Prospective Study. Atherosclerosis, 2021, 322, 67-73.	0.4	14
22	Relationship between Endothelial Dysfunction and Prevalence of Chronic Kidney Disease: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2021, 28, 622-629.	0.9	8
23	The apparent inverse association between dietary carotene intake and risk of cardiovascular mortality disappeared after adjustment for other cardioprotective dietary intakes: The Japan collaborative cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 3064-3075.	1.1	1
24	Dietary intake of tocopherols and risk of incident disabling dementia. Scientific Reports, 2021, 11, 16429.	1.6	3
25	Seaweed Intake and Risk of Cardiovascular Disease: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2021, 28, 1298-1306.	0.9	11
26	Associations of Body Mass Index, Weight Change, Physical Activity, and Sedentary Behavior With Endometrial Cancer Risk Among Japanese Women: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2021, 31, 621-627.	1.1	7
27	Night Work, Rotating Shift Work, and the Risk of Cancer in Japanese Men and Women: The JACC Study. Journal of Epidemiology, 2021, 31, 585-592.	1.1	14
28	Defining foreign patients into â€~visitors' and â€~residents' in Japanese medical facilities: difficulties in the collection of adequate data. Journal of Epidemiology, 2021, , .	1.1	12
29	Soy Intake and Risk of Type 2 Diabetes Among Japanese Men and Women: JACC Study. Frontiers in Nutrition, 2021, 8, 813742.	1.6	4
30	Relationships Between Reproductive History and Mortality From Cardiovascular Diseases Among Japanese Women: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. Journal of Epidemiology, 2020, 30, 509-515.	1.1	8
31	Associations of Carotid Intimaâ€Media Thickness and Plaque Heterogeneity With the Risks of Stroke Subtypes and Coronary Artery Disease in the Japanese General Population: The Circulatory Risk in Communities Study. Journal of the American Heart Association, 2020, 9, e017020.	1.6	18
32	Association of tea consumption and the risk of gastric cancer in Japanese adults: the Japan Collaborative Cohort Study. BMJ Open, 2020, 10, e038243.	0.8	2
33	Joint impact of muscle mass and waist circumference on type 2 diabetes in Japanese middleâ€aged adults: The Circulatory Risk in Communities Study ( <scp>CIRCS</scp> ). Journal of Diabetes, 2020, 12, 677-685.	0.8	5
34	Consumption of flavonoid-rich fruits and risk of CHD: a prospective cohort study. British Journal of Nutrition, 2020, 124, 952-959.	1.2	5
35	Frequency of Seaweed Intake and Its Association with Cardiovascular Disease Mortality: The JACC Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1340-1347.	0.9	25
36	Diabetes and Mortality From Respiratory Diseases: The Japan Collaborative Cohort Study. Journal of Epidemiology, 2020, 30, 457-463.	1.1	8

#	Article	IF	CITATIONS
37	Serum uric acid and risk of stroke and its types: the Circulatory Risk in Communities Study (CIRCS). Hypertension Research, 2020, 43, 313-321.	1.5	30
38	Moderate Levels of N-Terminal Pro-B-Type Natriuretic Peptide is Associated with Increased Risks of Total and Ischemic Strokes among Japanese: The Circulatory Risk in Communities Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 751-760.	0.9	3
39	Habitual tub bathing and risks of incident coronary heart disease and stroke. Heart, 2020, 106, 732-737.	1.2	18
40	Overweight and Hypertension in Relation to Chronic Musculoskeletal Pain Among Community-Dwelling Adults: The Circulatory Risk in Communities Study (CIRCS). Journal of Epidemiology, 2020, 31, 566-572.	1,1	4
41	Abstract P252: Passive Smoking in Childhood and Mortality From Coronary Heart Disease in Adulthood Among Japanese Men and Women: The Jacc Study. Circulation, 2020, 141, .	1.6	0
42	Urinary Stones and Risk of Coronary Heart Disease and Stroke: the Japan Public Health Center-Based Prospective Study. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1208-1215.	0.9	2
43	Dietary Intake of Energy and Nutrients from Breakfast and Risk of Stroke in The Japanese Population: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2019, 26, 145-153.	0.9	7
44	Among the water-soluble vitamins, dietary intakes of vitamins C, B <sub>2</sub> and folate are associated with the reduced risk of diabetes in Japanese women but not men. British Journal of Nutrition, 2019, 121, 1357-1364.	1.2	26
45	The Association of Having a Late Dinner or Bedtime Snack and Skipping Breakfast with Overweight in Japanese Women. Journal of Obesity, 2019, 2019, 1-5.	1.1	53
46	Effects of Low-Dose Therapist-Led Self-Exercise Education on the Management of Chronic Low Back Pain: Protocol for a Community-Based, Randomized, 6-Month Parallel-Group Study. Spine Surgery and Related Research, 2019, 3, 377-384.	0.4	7
47	The Circulatory Risk in Communities Study (CIRCS): A Long-Term Epidemiological Study for Lifestyle-Related Disease Among Japanese Men and Women Living in Communities. Journal of Epidemiology, 2019, 29, 83-91.	1.1	47
48	Sleep duration and risk of breast cancer: The JACC Study. Breast Cancer Research and Treatment, 2019, 174, 219-225.	1.1	20
49	Fat-soluble vitamins from diet in relation to risk of type 2 diabetes mellitus in Japanese population. British Journal of Nutrition, 2019, 121, 647-653.	1.2	17
50	Serum creatinine levels and risk of incident type 2 diabetes mellitus or dysglycemia in middle-aged Japanese men: a retrospective cohort study. BMJ Open Diabetes Research and Care, 2018, 6, e000492.	1.2	16
51	Sleep apnea and type 2 diabetes. Journal of Diabetes Investigation, 2018, 9, 991-997.	1.1	80
52	Associations of Tobacco Smoking with Impaired Endothelial Function: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2018, 25, 836-845.	0.9	20
53	Associations between dietary intakes of iron, copper and zinc with risk of type 2 diabetes mellitus: A large population-based prospective cohort study. Clinical Nutrition, 2018, 37, 667-674.	2.3	83
54	Nonfasting Glucose and Incident Stroke and Its Types ― The Circulatory Risk in Communities Study (CIRCS) ―. Circulation Journal, 2018, 82, 1598-1604.	0.7	8

#	Article	IF	CITATIONS
55	Association of cigarette smoking with radial augmentation index: the Circulatory Risk in Communities Study (CIRCS). Hypertension Research, 2018, 41, 1054-1062.	1.5	8
56	Serum Fatty Acid and Risk of Coronary Artery Disease ― Circulatory Risk in Communities Study (CIRCS) ―. Circulation Journal, 2018, 82, 3013-3020.	0.7	26
57	Serum α-linolenic and other ï‰-3 fatty acids, and risk of disabling dementia: Community-based nested case–control study. Clinical Nutrition, 2017, 36, 793-797.	2.3	30
58	Risk of disseminated intravascular coagulation in patients with type 2 diabetes mellitus: retrospective cohort study. BMJ Open, 2017, 7, e013894.	0.8	11
59	Changes in ischaemic ECG abnormalities and subsequent risk of cardiovascular disease. Heart Asia, 2017, 9, 36-43.	1.1	10
60	Global Cardiovascular and Renal Outcomes of Reduced GFR. Journal of the American Society of Nephrology: JASN, 2017, 28, 2167-2179.	3.0	194
61	Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS). Atherosclerosis, 2017, 263, 244-248.	0.4	14
62	Impact of Hypertension and Subclinical Organ Damage on the Incidence of Cardiovascular Disease Among Japanese Residents at the Population and Individual Levels ― The Circulatory Risk in Communities Study (CIRCS) ―. Circulation Journal, 2017, 81, 1022-1028.	0.7	26
63	Fifty-year Time Trends in Blood Pressures, Body Mass Index and their Relations in a Japanese Community: The Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2017, 24, 518-529.	0.9	15
64	Retinal Vascular Changes and Prospective Risk of Disabling Dementia: the Circulatory Risk in Communities Study (CIRCS). Journal of Atherosclerosis and Thrombosis, 2017, 24, 687-695.	0.9	14
65	Serum Albumin and High-Sensitivity C-reactive Protein are Independent Risk Factors of Chronic Kidney Disease in Middle-Aged Japanese Individuals: the Circulatory Risk in Communities Study. Journal of Atherosclerosis and Thrombosis, 2016, 23, 1089-1098.	0.9	26
66	Longâ€Term Prognosis of Brugadaâ€Type ECG and ECG With Atypical STâ€Segment Elevation in the Right Precordial Leads Over 20ÂYears: Results From the Circulatory Risk in Communities Study (CIRCS). Journal of the American Heart Association, 2016, 5, .	1.6	9
67	Response to Comment on Muraki et al. Potato Consumption and Risk of Type 2 Diabetes: Results From Three Prospective Cohort Studies. Diabetes Care 2016;39:376–384. Diabetes Care, 2016, 39, e152-e152.	4.3	0
68	Diabetes Trend and Impact on Risk of Cardiovascular Disease in Middle-Aged Japanese People – The CIRCS Study –. Circulation Journal, 2016, 80, 2343-2348.	0.7	15
69	The relationship between sodium concentrations in spot urine and blood pressure increases: a prospective study of Japanese general population: the Circulatory Risk in Communities Study (CIRCS). BMC Cardiovascular Disorders, 2016, 16, 55.	0.7	10
70	Fruit and Vegetable Consumption and the Incidence of Hypertension in Three Prospective Cohort Studies. Hypertension, 2016, 67, 288-293.	1.3	124
71	Potato Consumption and Risk of Type 2 Diabetes: Results From Three Prospective Cohort Studies. Diabetes Care, 2016, 39, 376-384.	4.3	107
72	Rice consumption and risk of cardiovascular disease: results from a pooled analysis of 3 U.S. cohorts. American Journal of Clinical Nutrition, 2015, 101, 164-172.	2.2	53

#	Article	IF	CITATIONS
73	Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. BMJ, The, 2013, 347, f5001-f5001.	3.0	373
74	Usefulness of Skinfold Thickness Measurements for Determining Body Fat Distribution and Disease Risk for Japanese Men and Women. , 2012, , 2667-2678.		2
75	Associations between alcohol consumption and sleep-disordered breathing among Japanese women. Respiratory Medicine, 2011, 105, 796-800.	1.3	9
76	Nocturnal intermittent hypoxia and the development of type 2 diabetes: the Circulatory Risk in Communities Study (CIRCS). Diabetologia, 2010, 53, 481-488.	2.9	114
77	Nocturnal Intermittent Hypoxia and Metabolic Syndrome; the Effect of being Overweight: the CIRCS Study. Journal of Atherosclerosis and Thrombosis, 2010, 17, 369-377.	0.9	25
78	Nocturnal intermittent hypoxia and C reactive protein among middle-aged community residents: a cross-sectional survey. Thorax, 2010, 65, 523-527.	2.7	25
79	Caregiver Burden for Impaired Elderly Japanese with Prevalent Stroke and Dementia under Long-Term Care Insurance System. Cerebrovascular Diseases, 2008, 25, 234-240.	0.8	30
80	Sleep-Disordered Breathing and Blood Pressure Levels Among Shift and Day Workers. American Journal of Hypertension, 2006, 19, 346-351.	1.0	14
81	Arterial oxygen desaturation during sleep and atrial fibrillation. Heart, 2006, 92, 1854-1855.	1.2	59
82	Relationship between Sleep-Disordered Breathing and Blood Pressure Levels in Community-Based Samples of Japanese Men. Hypertension Research, 2004, 27, 479-484.	1.5	59
83	Usual Alcohol Consumption and Arterial Oxygen Desaturation During Sleep. JAMA - Journal of the American Medical Association, 2004, 292, 923-925.	3.8	64
84	Association of lymphocyte sub-populations with clustered features of metabolic syndrome in middle-aged Japanese men. Atherosclerosis, 2004, 173, 295-300.	0.4	30