Tracey Ann Rouault

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7210641/publications.pdf

Version: 2024-02-01

9756 12910 18,122 165 73 131 citations h-index g-index papers 168 168 168 16258 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mammalian iron sulfur cluster biogenesis: From assembly to delivery to recipient proteins with a focus on novel targets of the chaperone and coâ€chaperone proteins. IUBMB Life, 2022, 74, 684-704.	1.5	6
2	Mammalian iron sulfur cluster biogenesis and human diseases. IUBMB Life, 2022, 74, 705-714.	1.5	6
3	Disruption of cellular iron homeostasis by <i>IREB2</i> missense variants causes severe neurodevelopmental delay, dystonia and seizures. Brain Communications, 2022, 4, .	1.5	5
4	Iron Homeostasis in the CNS: An Overview of the Pathological Consequences of Iron Metabolism Disruption. International Journal of Molecular Sciences, 2022, 23, 4490.	1.8	10
5	Therapeutic inhibition of HIF-2α reverses polycythemia and pulmonary hypertension in murine models of human diseases. Blood, 2021, 137, 2509-2519.	0.6	24
6	Fe-S cofactors in the SARS-CoV-2 RNA-dependent RNA polymerase are potential antiviral targets. Science, 2021, 373, 236-241.	6.0	71
7	Mechanisms of cellular iron sensing, regulation of erythropoiesis and mitochondrial iron utilization. Seminars in Hematology, 2021, 58, 161-174.	1.8	24
8	Essential role of systemic iron mobilization and redistribution for adaptive thermogenesis through HIF2- \hat{l}_{\pm} /hepcidin axis. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, e2109186118.	3.3	9
9	Mitochondrial DNA alterations underlie an irreversible shift to aerobic glycolysis in fumarate hydratase–deficient renal cancer. Science Signaling, 2021, 14, .	1.6	64
10	Mammalian iron–sulfur cluster biogenesis: Recent insights into the roles of frataxin, acyl carrier protein and ATPase-mediated transfer to recipient proteins. Current Opinion in Chemical Biology, 2020, 55, 34-44.	2.8	48
11	Assembly of the [4Fe–4S] cluster of NFU1 requires the coordinated donation of two [2Fe–2S] clusters from the scaffold proteins, ISCU2 and ISCA1. Human Molecular Genetics, 2020, 29, 3165-3182.	1.4	18
12	Heme biosynthesis depends on previously unrecognized acquisition of iron-sulfur cofactors in human amino-levulinic acid dehydratase. Nature Communications, 2020, 11, 6310.	5 . 8	32
13	Outlining the Complex Pathway of Mammalian Fe-S Cluster Biogenesis. Trends in Biochemical Sciences, 2020, 45, 411-426.	3.7	85
14	Nitric oxide orchestrates metabolic rewiring in M1 macrophages by targeting aconitase 2 and pyruvate dehydrogenase. Nature Communications, 2020, 11, 698.	5 . 8	232
15	How Oxidation of a Unique Iron-Sulfur Cluster in FBXL5 Regulates IRP2 Levels and Promotes Regulation of Iron Metabolism Proteins. Molecular Cell, 2020, 78, 1-3.	4.5	55
16	Cofactors and Coenzymes Iron-Sulfur Clusters: Biogenesis, Roles and their Identification in the Cellular Proteins., 2020,, 363-374.		0
17	Reply: IREB2-associated neurodegeneration. Brain, 2019, 142, e41-e41.	3.7	3
18	Absence of iron-responsive element-binding protein 2 causes a novel neurodegenerative syndrome. Brain, 2019, 142, 1195-1202.	3.7	38

#	Article	IF	CITATIONS
19	The indispensable role of mammalian iron sulfur proteins in function and regulation of multiple diverse metabolic pathways. BioMetals, 2019, 32, 343-353.	1.8	61
20	Dimeric ferrochelatase bridges ABCB7 and ABCB10 homodimers in an architecturally defined molecular complex required for heme biosynthesis. Haematologica, 2019, 104, 1756-1767.	1.7	40
21	Glia maturation factor- \hat{l}^3 regulates murine macrophage iron metabolism and M2 polarization through mitochondrial ROS. Blood Advances, 2019, 3, 1211-1225.	2.5	23
22	Potential role of iron in repair of inflammatory demyelinating lesions. Journal of Clinical Investigation, 2019, 129, 4365-4376.	3.9	45
23	How does hepcidin hinder ferroportin activity?. Blood, 2018, 131, 840-842.	0.6	14
24	Cytosolic HSC20 integrates de novo iron–sulfur cluster biogenesis with the CIAO1-mediated transfer to recipients. Human Molecular Genetics, 2018, 27, 837-852.	1.4	38
25	Erythrocytic ferroportin reduces intracellular iron accumulation, hemolysis, and malaria risk. Science, 2018, 359, 1520-1523.	6.0	104
26	Acute loss of iron–sulfur clusters results in metabolic reprogramming and generation of lipid droplets in mammalian cells. Journal of Biological Chemistry, 2018, 293, 8297-8311.	1.6	70
27	Ferritin is secreted via 2 distinct nonclassical vesicular pathways. Blood, 2018, 131, 342-352.	0.6	143
28	Tumour-elicited neutrophils engage mitochondrial metabolism to circumvent nutrient limitations and maintain immune suppression. Nature Communications, 2018, 9, 5099.	5.8	201
29	Orchestrated regulation of iron trafficking proteins in the kidney during iron overload facilitates systemic iron retention. PLoS ONE, 2018, 13, e0204471.	1.1	16
30	Ferroportin deficiency in erythroid cells causes serum iron deficiency and promotes hemolysis due to oxidative stress. Blood, 2018, 132, 2078-2087.	0.6	65
31	Heme, whence come thy carbon building blocks?. Blood, 2018, 132, 981-982.	0.6	2
32	TLR-activated repression of Fe-S cluster biogenesis drives a metabolic shift and alters histone and tubulin acetylation. Blood Advances, 2018, 2, 1146-1156.	2.5	32
33	Infused wild-type macrophages reside and self-renew in the liver to rescue the hemolysis and anemia of Hmox1-deficient mice. Blood Advances, 2018, 2, 2732-2743.	2.5	18
34	Methods for Studying Iron Regulatory Protein 1: An Important Protein in Human Iron Metabolism. Methods in Enzymology, 2018, 599, 139-155.	0.4	8
35	Translational repression of HIF2α expression in mice with Chuvash polycythemia reverses polycythemia. Journal of Clinical Investigation, 2018, 128, 1317-1325.	3.9	24
36	Biogenesis and functions of mammalian iron-sulfur proteins in the regulation of iron homeostasis and pivotal metabolic pathways. Journal of Biological Chemistry, 2017, 292, 12744-12753.	1.6	122

3

#	Article	IF	CITATIONS
37	A Single Adaptable Cochaperone-Scaffold Complex Delivers Nascent Iron-Sulfur Clusters to Mammalian Respiratory Chain Complexes I–III. Cell Metabolism, 2017, 25, 945-953.e6.	7.2	78
38	9 Delivery of iron-sulfur clusters to recipient proteins: the role of chaperone and cochaperone proteins., 2017,, 205-226.		1
39	8 Biogenesis of Fe-S proteins in mammals. , 2017, , 187-204.		0
40	1. Iron-sulfur proteins: a historical perspective. , 2017, , 1-10.		1
41	Use of antisense oligonucleotides to correct the splicing error in ISCU myopathy patient cell lines. Human Molecular Genetics, 2016, 25, ddw338.	1.4	6
42	Mammalian Fe–S proteins: definition of a consensus motif recognized by the co-chaperone HSC20. Metallomics, 2016, 8, 1032-1046.	1.0	29
43	Mitochondrial iron overload: causes and consequences. Current Opinion in Genetics and Development, 2016, 38, 31-37.	1.5	55
44	Disease-Causing SDHAF1 Mutations Impair Transfer of Fe-S Clusters to SDHB. Cell Metabolism, 2016, 23, 292-302.	7.2	89
45	Mitochondrial iron chelation ameliorates cigarette smoke–induced bronchitis and emphysema in mice. Nature Medicine, 2016, 22, 163-174.	15.2	206
46	SDHB-Deficient Cancers: The Role of Mutations That Impair Iron Sulfur Cluster Delivery. Journal of the National Cancer Institute, 2016, 108, djv287.	3.0	92
47	Iron misregulation and neurodegenerative disease in mouse models that lack iron regulatory proteins. Neurobiology of Disease, 2015, 81, 66-75.	2.1	49
48	Iron-sulfur proteins hiding in plain sight. Nature Chemical Biology, 2015, 11, 442-445.	3.9	53
49	Mammalian iron–sulphur proteins: novel insights into biogenesis and function. Nature Reviews Molecular Cell Biology, 2015, 16, 45-55.	16.1	161
50	Iron –sulfur cluster biogenesis in mammalian cells: New insights into the molecular mechanisms of cluster delivery. Biochimica Et Biophysica Acta - Molecular Cell Research, 2015, 1853, 1493-1512.	1.9	170
51	17. Biogenesis of Fe-S proteins in mammals. , 2014, , 437-454.		1
52	Behavioral decline and premature lethality upon pan-neuronal ferritin overexpression in Drosophila infected with a virulent form of Wolbachia. Frontiers in Pharmacology, 2014, 5, 66.	1.6	22
53	Biochemical and Biophysical Methods for Studying Mitochondrial Iron Metabolism. Methods in Enzymology, 2014, 547, 275-307.	0.4	12
54	The physiological functions of iron regulatory proteins in iron homeostasis - an update. Frontiers in Pharmacology, 2014, 5, 124.	1.6	196

#	Article	IF	CITATIONS
55	Wild-type macrophages reverse disease in heme oxygenase 1-deficient mice. Blood, 2014, 124, 1522-1530.	0.6	48
56	Targeting ABL1-Mediated Oxidative Stress Adaptation in Fumarate Hydratase-Deficient Cancer. Cancer Cell, 2014, 26, 840-850.	7.7	87
57	Iron chaperones PCBP1 and PCBP2 mediate the metallation of the dinuclear iron enzyme deoxyhypusine hydroxylase. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8031-8036.	3.3	102
58	Elevated FGF21 secretion, PGC-1α and ketogenic enzyme expression are hallmarks of iron–sulfur cluster depletion in human skeletal muscle. Human Molecular Genetics, 2014, 23, 24-39.	1.4	59
59	Cochaperone Binding to LYR Motifs Confers Specificity of Iron Sulfur Cluster Delivery. Cell Metabolism, 2014, 19, 445-457.	7.2	136
60	1. Iron-sulfur proteins: a historical perspective. , 2014, , 1-10.		0
61	Insertion mutants in Drosophila melanogaster Hsc20 halt larval growth and lead to reduced iron–sulfur cluster enzyme activities and impaired iron homeostasis. Journal of Biological Inorganic Chemistry, 2013, 18, 441-449.	1.1	18
62	Mutations in LYRM4, encoding iron–sulfur cluster biogenesis factor ISD11, cause deficiency of multiple respiratory chain complexes. Human Molecular Genetics, 2013, 22, 4460-4473.	1.4	97
63	Deletion of Iron Regulatory Protein 1 Causes Polycythemia and Pulmonary Hypertension in Mice through Translational Derepression of HIF2α. Cell Metabolism, 2013, 17, 271-281.	7.2	163
64	Iron metabolism in the CNS: implications for neurodegenerative diseases. Nature Reviews Neuroscience, 2013, 14, 551-564.	4.9	374
65	Molecular Pathways: <i>Fumarate Hydratase</i> Peficient Kidney Cancerâ€"Targeting the Warburg Effect in Cancer. Clinical Cancer Research, 2013, 19, 3345-3352.	3.2	172
66	Metabolic Reprogramming for Producing Energy and Reducing Power in Fumarate Hydratase Null Cells from Hereditary Leiomyomatosis Renal Cell Carcinoma. PLoS ONE, 2013, 8, e72179.	1.1	80
67	Tissue Specificity of a Human Mitochondrial Disease. Journal of Biological Chemistry, 2012, 287, 40119-40130.	1.6	32
68	Biogenesis of iron-sulfur clusters in mammalian cells: new insights and relevance to human disease. DMM Disease Models and Mechanisms, 2012, 5, 155-164.	1.2	285
69	Iron Accumulation in Deep Cortical Layers Accounts for MRI Signal Abnormalities in ALS: Correlating 7 Tesla MRI and Pathology. PLoS ONE, 2012, 7, e35241.	1.1	221
70	Both human ferredoxins 1 and 2 and ferredoxin reductase are important for iron-sulfur cluster biogenesis. Biochimica Et Biophysica Acta - Molecular Cell Research, 2012, 1823, 484-492.	1.9	133
71	Novel Frataxin Isoforms May Contribute to the Pathological Mechanism of Friedreich Ataxia. PLoS ONE, 2012, 7, e47847.	1.1	41
72	Targeting HIF2α Translation with Tempol in VHL-Deficient Clear Cell Renal Cell Carcinoma. Oncotarget, 2012, 3, 1472-1482.	0.8	20

#	Article	IF	Citations
73	Regulation of Iron Metabolism in Mammalian Cells. , 2012, , 51-62.		1
74	Hepcidin regulates ferroportin expression and intracellular iron homeostasis of erythroblasts. Blood, 2011, 118, 2868-2877.	0.6	84
75	The Glycolytic Shift in Fumarate-Hydratase-Deficient Kidney Cancer Lowers AMPK Levels, Increases Anabolic Propensities and Lowers Cellular Iron Levels. Cancer Cell, 2011, 20, 315-327.	7.7	190
76	Mutations in Iron-Sulfur Cluster Scaffold Genes NFU1 and BOLA3 Cause a Fatal Deficiency of Multiple Respiratory Chain and 2-Oxoacid Dehydrogenase Enzymes. American Journal of Human Genetics, 2011, 89, 486-495.	2.6	253
77	Ferritin overexpression in Drosophila glia leads to iron deposition in the optic lobes and late-onset behavioral defects. Neurobiology of Disease, 2011, 43, 213-219.	2.1	25
78	Iron Insufficiency Compromises Motor Neurons and Their Mitochondrial Function in Irp2-Null Mice. PLoS ONE, 2011, 6, e25404.	1.1	49
79	Posttranslational stability of the heme biosynthetic enzyme ferrochelatase is dependent on iron availability and intact iron-sulfur cluster assembly machinery. Blood, 2010, 115, 860-869.	0.6	92
80	Serum ferritin is derived primarily from macrophages through a nonclassical secretory pathway. Blood, 2010, 116, 1574-1584.	0.6	364
81	Dysfunction of the heme recycling system in heme oxygenase 1–deficient mice: effects on macrophage viability and tissue iron distribution. Blood, 2010, 116, 6054-6062.	0.6	232
82	Glutaredoxin 5 deficiency causes sideroblastic anemia by specifically impairing heme biosynthesis and depleting cytosolic iron in human erythroblasts. Journal of Clinical Investigation, 2010, 120, 1749-1761.	3.9	202
83	Expression of Human Frataxin Is Regulated by Transcription Factors SRF and TFAP2. PLoS ONE, 2010, 5, e12286.	1.1	30
84	Characterization of the human HSC20, an unusual DnaJ type III protein, involved in iron–sulfur cluster biogenesis. Human Molecular Genetics, 2010, 19, 3816-3834.	1.4	85
85	Erythropoiesis and Iron Sulfur Cluster Biogenesis. Advances in Hematology, 2010, 2010, 1-8.	0.6	33
86	Neuroprotective Mechanism of Mitochondrial Ferritin on 6-Hydroxydopamine–Induced Dopaminergic Cell Damage: Implication for Neuroprotection in Parkinson's Disease. Antioxidants and Redox Signaling, 2010, 13, 783-796.	2.5	92
87	Human Ironâ^'Sulfur Cluster Assembly, Cellular Iron Homeostasis, and Disease. Biochemistry, 2010, 49, 4945-4956.	1.2	223
88	An Ancient Gauge for Iron. Science, 2009, 326, 676-677.	6.0	25
89	Human ISD11 is essential for both iron-sulfur cluster assembly and maintenance of normal cellular iron homeostasis. Human Molecular Genetics, 2009, 18, 3014-3025.	1.4	136
90	Brain iron homeostasis, the choroid plexus, and localization of iron transport proteins. Metabolic Brain Disease, 2009, 24, 673-684.	1.4	108

#	Article	IF	Citations
91	Serum ferritin concentrations in Africans with low dietary iron. Annals of Hematology, 2009, 88, 1131-1136.	0.8	6
92	A Ferroportin Transcript that Lacks an Iron-Responsive Element Enables Duodenal and Erythroid Precursor Cells to Evade Translational Repression. Cell Metabolism, 2009, 9, 461-473.	7.2	230
93	Tangled Up In Red: Intertwining of the Heme and Iron-Sulfur Cluster Biogenesis Pathways. Cell Metabolism, 2009, 10, 80-81.	7.2	9
94	Iron and Isocitrate Calibrate Erythropoietin Responsiveness of Erythroid Progenitors Via Aconitase Tuning of Protein Kinase C Activity Blood, 2009, 114, 627-627.	0.6	1
95	Splice Mutation in the Iron-Sulfur Cluster Scaffold Protein ISCU Causes Myopathy with ExerciseÂlntolerance. American Journal of Human Genetics, 2008, 82, 652-660.	2.6	193
96	Iron–sulfur cluster biogenesis and human disease. Trends in Genetics, 2008, 24, 398-407.	2.9	337
97	Tempol-mediated activation of latent iron regulatory protein activity prevents symptoms of neurodegenerative disease in IRP2 knockout mice. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 12028-12033.	3.3	78
98	Iron-dependent regulation of frataxin expression: implications for treatment of Friedreich ataxia. Human Molecular Genetics, 2008, 17, 2265-2273.	1.4	134
99	Renal Iron Metabolism: Transferrin Iron Delivery and the Role of Iron Regulatory Proteins. Journal of the American Society of Nephrology: JASN, 2007, 18, 401-406.	3.0	86
100	Homeostatic Mechanisms for Iron Storage Revealed by Genetic Manipulations and Live Imaging of Drosophila Ferritin. Genetics, 2007, 177, 89-100.	1.2	112
101	Advancements in the pathophysiology of Friedreich's Ataxia and new prospects for treatments. Molecular Genetics and Metabolism, 2007, 92, 23-35.	0.5	65
102	Manganese targets m-aconitase and activates iron regulatory protein 2 in AF5 GABAergic cells. Journal of Neuroscience Research, 2007, 85, 1797-1809.	1.3	22
103	Metabolic regulation of citrate and iron by aconitases: role of iron–sulfur cluster biogenesis. BioMetals, 2007, 20, 549-564.	1.8	124
104	Functions of mitochondrial ISCU and cytosolic ISCU in mammalian iron-sulfur cluster biogenesis and iron homeostasis. Cell Metabolism, 2006, 3, 199-210.	7.2	275
105	Complete loss of iron regulatory proteins 1 and 2 prevents viability of murine zygotes beyond the blastocyst stage of embryonic development. Blood Cells, Molecules, and Diseases, 2006, 36, 283-287.	0.6	106
106	The role of iron regulatory proteins in mammalian iron homeostasis and disease. Nature Chemical Biology, 2006, 2, 406-414.	3.9	906
107	Reply to "lron homeostasis in the brain: complete iron regulatory protein 2 deficiency without symptomatic neurodegeneration in the mouse― Nature Genetics, 2006, 38, 969-970.	9.4	18
108	Brain Iron Metabolism. Seminars in Pediatric Neurology, 2006, 13, 142-148.	1.0	238

#	Article	IF	Citations
109	Of Two Cytosolic Aconitases Expressed in Drosophila, Only One Functions as an Iron-regulatory Protein. Journal of Biological Chemistry, 2006, 281, 18707-18714.	1.6	53
110	If the RNA Fits, Use It. Science, 2006, 314, 1886-1887.	6.0	6
111	Characterization of mitochondrial ferritin in Drosophila. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5893-5898.	3.3	110
112	Roles of the Mammalian Cytosolic Cysteine Desulfurase, ISCS, and Scaffold Protein, ISCU, in Iron-Sulfur Cluster Assembly. Journal of Biological Chemistry, 2006, 281, 12344-12351.	1.6	84
113	Microcytic anemia, erythropoietic protoporphyria, and neurodegeneration in mice with targeted deletion of iron-regulatory protein 2. Blood, 2005, 106, 1084-1091.	0.6	197
114	Linking physiological functions of iron. Nature Chemical Biology, 2005, 1, 193-194.	3.9	9
115	Iron–sulphur cluster biogenesis and mitochondrial iron homeostasis. Nature Reviews Molecular Cell Biology, 2005, 6, 345-351.	16.1	373
116	An iron regulatory-like protein expressed in Plasmodium falciparum displays aconitase activity. Molecular and Biochemical Parasitology, 2005, 143, 29-38.	0.5	29
117	Neurochemical investigations of dopamine neuronal systems in iron-regulatory protein 2 (IRP-2) knockout mice. Molecular Brain Research, 2005, 139, 341-347.	2.5	36
118	Electron tomography of degenerating neurons in mice with abnormal regulation of iron metabolism. Journal of Structural Biology, 2005, 150, 144-153.	1.3	55
119	The Intestinal Heme Transporter Revealed. Cell, 2005, 122, 649-651.	13.5	29
120	A role of SMAD4 in iron metabolism through the positive regulation of hepcidin expression. Cell Metabolism, 2005, 2, 399-409.	7.2	547
121	Identification of a Heme-sensing Domain in Iron Regulatory Protein 2. Journal of Biological Chemistry, 2004, 279, 45450-45454.	1.6	29
122	MICROBIOLOGY: Enhanced: Pathogenic Bacteria Prefer Heme. Science, 2004, 305, 1577-1578.	6.0	74
123	Genetic ablations of iron regulatory proteins 1 and 2 reveal why iron regulatory protein 2 dominates iron homeostasis. EMBO Journal, 2004, 23, 386-395.	3.5	361
124	Expression of the iron transporter ferroportin in synaptic vesicles and the blood–brain barrier. Brain Research, 2004, 1001, 108-117.	1.1	193
125	Severity of Neurodegeneration Correlates with Compromise of Iron Metabolism in Mice with Iron Regulatory Protein Deficiencies. Annals of the New York Academy of Sciences, 2004, 1012, 65-83.	1.8	93
126	Sedimentation equilibrium analysis of protein interactions with global implicit mass conservation constraints and systematic noise decomposition. Analytical Biochemistry, 2004, 326, 234-256.	1.1	333

#	Article	IF	CITATIONS
127	Mammalian Tissue Oxygen Levels Modulate Iron-Regulatory Protein Activities in Vivo. Science, 2004, 306, 2087-2090.	6.0	222
128	Immunolocalization and regulation of iron handling proteins ferritin and ferroportin in the retina. Molecular Vision, 2004, 10, 598-607.	1.1	53
129	MRI detection of ferritin iron overload and associated neuronal pathology in iron regulatory protein-2 knockout mice. Brain Research, 2003, 971, 95-106.	1.1	57
130	Expression of a recombinant IRP-like Plasmodium falciparum protein that specifically binds putative plasmodial IREs. Molecular and Biochemical Parasitology, 2003, 126, 231-238.	0.5	31
131	Hepatic iron overload in alcoholic liver disease: why does it occur and what is its role in pathogenesis?. Alcohol, 2003, 30, 103-106.	0.8	39
132	Identification of the ubiquitin–protein ligase that recognizes oxidized IRP2. Nature Cell Biology, 2003, 5, 336-340.	4.6	176
133	The role of endogenous heme synthesis and degradation domain cysteines in cellular iron-dependent degradation of IRP2. Blood Cells, Molecules, and Diseases, 2003, 31, 247-255.	0.6	47
134	Iron overload in Africans and African-Americans and a common mutation in the SCL40A1 (ferroportin) Tj ETQq0 (OrgBT/C	Overlock 10 Tf
135	A high-capacity RNA affinity column for the purification of human IRP1 and IRP2 overexpressed in Pichia pastoris. Rna, 2003, 9, 364-374.	1.6	17
136	Subcellular compartmentalization of human Nfu, an iron-sulfur cluster scaffold protein, and its ability to assemble a [4Fe-4S] cluster. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 9762-9767.	3.3	185
137	Compartment-specific Protection of Iron-Sulfur Proteins by Superoxide Dismutase. Journal of Biological Chemistry, 2003, 278, 47365-47369.	1.6	98
138	Iron Regulatory Protein 2 as Iron Sensor. Journal of Biological Chemistry, 2003, 278, 14857-14864.	1.6	49
139	Numerous Proteins in Mammalian Cells Are Prone to Iron-Dependent Oxidation and Proteasomal Degradation. Developmental Neuroscience, 2002, 24, 114-124.	1.0	24
140	Post-Transcriptional Regulation of Human Iron Metabolism by Iron Regulatory Proteins. Blood Cells, Molecules, and Diseases, 2002, 29, 309-314.	0.6	49
141	Non-transferrin-bound iron and hepatic dysfunction in African dietary iron overload. Journal of Gastroenterology and Hepatology (Australia), 2002, 14, 126-132.	1.4	35
142	Systemic iron metabolism: a review and implications for brain iron metabolism. Pediatric Neurology, 2001, 25, 130-137.	1.0	68
143	Iron-dependent regulation of the divalent metal ion transporter. FEBS Letters, 2001, 509, 309-316.	1.3	269
144	An IRP-like protein from Plasmodium falciparum binds to a mammalian iron-responsive element. Blood, 2001, 98, 2555-2562.	0.6	37

#	Article	IF	Citations
145	Targeted deletion of the gene encoding iron regulatory protein-2 causes misregulation of iron metabolism and neurodegenerative disease in mice. Nature Genetics, 2001, 27, 209-214.	9.4	451
146	Iron on the brain. Nature Genetics, 2001, 28, 299-300.	9.4	115
147	Clinical Severity and Thermodynamic Effects of Iron-responsive Element Mutations in Hereditary Hyperferritinemia-Cataract Syndrome. Journal of Biological Chemistry, 1999, 274, 26439-26447.	1.6	111
148	Dietary iron overload as a risk factor for hepatocellular carcinoma in black africans. Hepatology, 1998, 27, 1563-1566.	3.6	159
149	Hereditary hemochromatosis?sometimes having a real complex can be a good thing. Hepatology, 1998, 28, 890-891.	3.6	1
150	Targeting of a Human Iron–Sulfur Cluster Assembly Enzyme, nifs, to Different Subcellular Compartments Is Regulated through Alternative AUG Utilization. Molecular Cell, 1998, 2, 807-815.	4.5	176
151	African iron overload and hepatocellular carcinoma (HAâ€₹–0–080). European Journal of Haematology, 1998, 60, 28-34.	1.1	47
152	Regulation of Iron Metabolism in Eukaryotes. Current Topics in Cellular Regulation, 1997, 35, 1-19.	9.6	218
153	Structure and dynamics of the iron responsive element RNA: implications for binding of the RNA by iron regulatory binding proteins. Journal of Molecular Biology, 1997, 274, 72-83.	2.0	195
154	Traditional Beer Consumption and the Iron Status of Spouse Pairs From a Rural Community in Zimbabwe. Blood, 1997, 89, 2159-2166.	0.6	40
155	Identification of a Conserved and Functional Iron-responsive Element in the 5′-Untranslated Region of Mammalian Mitochondrial Aconitase. Journal of Biological Chemistry, 1996, 271, 24226-24230.	1.6	131
156	Translational Repressor Activity Is Equivalent and Is Quantitatively Predicted by in Vitro RNA Binding for Two Iron-responsive Element-binding Proteins, IRP1 and IRP2. Journal of Biological Chemistry, 1995, 270, 4983-4986.	1.6	79
157	Expression of a Constitutive Mutant of Iron Regulatory Protein 1 Abolishes Iron Homeostasis in Mammalian Cells. Journal of Biological Chemistry, 1995, 270, 15451-15454.	1.6	61
158	Dispensable iron-sulfur clusters: the interconversion of aconitase with the RNA-binding protein, IRE-BP. Chemistry and Biology, 1994, 1, xiv-xv.	6.2	2
159	Regulating the fate of mRNA: The control of cellular iron metabolism. Cell, 1993, 72, 19-28.	13.5	1,266
160	An iron-sulfur cluster plays a novel regulatory role in the iron-responsive element binding protein. BioMetals, 1992, 5, 131-140.	1.8	86
161	Structural relationship between an iron-regulated RNA-binding protein (IRE-BP) and aconitase: Functional implications. Cell, 1991, 64, 881-883.	13.5	307
162	Sequence and expression of the murine iron-responsive element binding protein. Nucleic Acids Research, 1991, 19, 6333-6333.	6.5	37

#	Article	IF	CITATIONS
163	The Promoter Region of the Human Transferrin Receptor Gene. Annals of the New York Academy of Sciences, 1988, 526, 54-64.	1.8	12
164	A model for the structure and functions of iron-responsive elements. Gene, 1988, 72, 201-208.	1.0	126
165	Deletional analysis of the promoter region of the human transferrin receptor gene. Nucleic Acids Research, 1988, 16, 629-646.	6.5	38