## Amita Singh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7210730/publications.pdf Version: 2024-02-01



ΔΜΙΤΑ SINCH

#	Article	IF	CITATIONS
1	Ferrocene Appended Asymmetric Sensitizers with Azine Spacers with phenolic/nitro anchors for Dye-Sensitized Solar Cells. Journal of Molecular Structure, 2022, 1249, 131630.	3.6	7
2	Ternary copper molybdenum sulfide (Cu <sub>2</sub> MoS <sub>4</sub> ) nanoparticles anchored on PANI/rGO as electrocatalysts for oxygen evolution reaction (OER). Applied Organometallic Chemistry, 2022, 36, .	3.5	4
3	Manganese complexes and manganese-based metal-organic frameworks as contrast agents in MRI and chemotherapeutics agents: Applications and prospects. Colloids and Surfaces B: Biointerfaces, 2022, 213, 112432.	5.0	59
4	Metal organic frameworks as efficient adsorbents for drugs from wastewater. Materials Today Communications, 2022, 31, 103514.	1.9	85
5	Phase-controlled solvothermal syntheses and oxygen evolution reaction (OER) activity of nickel sulfide nanoparticles obtained from 1,2-bis(diphenylphosphino)ethane nickel( <scp>ii</scp> ) acetylacetonatedithiolate. New Journal of Chemistry, 2022, 46, 10246-10255.	2.8	4
6	New di- <i>n</i> -butyltin( <scp>iv</scp> )-bis-(1-alkoxy-isoquinoline-4-nitrile thiolate): crystallographic and computational studies. CrystEngComm, 2022, 24, 4274-4282.	2.6	7
7	New lead(II) coordination polymer derived from second generation O-methylpyridylxanthate: Crystallographic and computational studies. Inorganica Chimica Acta, 2021, 514, 120032.	2.4	0
8	Ni( <scp>ii</scp> ) dithiolate anion composites with two-dimensional materials for electrochemical oxygen evolution reactions (OERs). New Journal of Chemistry, 2021, 45, 16264-16270.	2.8	7
9	1,3-Bis(4′-carboxylatophenoxy)benzene and 3,5-bis(1-imidazoly)pyridine derived Zn( <scp>ii</scp> )/Cd( <scp>ii</scp> ) coordination polymers: synthesis, structure and photocatalytic properties. CrystEngComm, 2021, 23, 3981-3988.	2.6	8
10	New Cd( <scp>ii</scp> ) coordination polymers bearing Y-shaped tricarboxylate ligands as photocatalysts for dye degradation. CrystEngComm, 2021, 23, 6400-6408.	2.6	4
11	Photocatalytic organic dye by two new coordination polymers with flexible dicarboxylate and different N-donor linkage. Inorganica Chimica Acta, 2021, 519, 120284.	2.4	5
12	New mercury(II) halide complexes with neutral ferrocene functionalized thiazolidineâ€2â€thiones: Crystallographic and computational analyses. Applied Organometallic Chemistry, 2021, 35, e6299.	3.5	1
13	Effect of different aromatic groups on photovoltaic performance of 1,1′â€ <i>bis</i> (diphenylphosphino)ferrocene functionalized Ni (II) dithiolates as sensitizers in dye sensitized solar cells. Applied Organometallic Chemistry, 2021, 35, e6402.	3.5	9
14	Ferrocene decorated unusual mercury( <scp>ii</scp> ) dithiocarbamate coordination polymers: crystallographic and computational studies. CrystEngComm, 2021, 23, 2414-2423.	2.6	8
15	Structures and photocatalytic properties of two Mn(II)-based coordination polymers. Inorganica Chimica Acta, 2020, 499, 119189.	2.4	10
16	Luminescent sensing of nitroaromatics by crystalline porous materials. CrystEngComm, 2020, 22, 7736-7781.	2.6	97
17	Structures and photocatalytic properties of two new Zn( <scp>ii</scp> ) coordination polymers based on semi-rigid V-shaped multicarboxylate ligands. RSC Advances, 2020, 10, 18721-18727.	3.6	16
18	Two new coordination polymers driven by polycarboxylate and N-donor spacers: Photocatalytic performance and theoretical analysis. Inorganica Chimica Acta, 2020, 508, 119647.	2.4	6

Amita Singh

#	Article	IF	CITATIONS
19	Tertiary phosphineâ€appended transition metal ferrocenyl dithiocarbamates: Syntheses, Hirshfeld surface, and electrochemical analyses. Applied Organometallic Chemistry, 2020, 34, e5879.	3.5	5
20	New 1D diorganotin( <scp>iv</scp> ) dithiolate coordination polymers: crystallographic, computational, Hirshfeld surface and thermal analyses. CrystEngComm, 2020, 22, 2049-2059.	2.6	29
21	Synthesis and photocatalytic properties of a new paddle-wheel Cu(II) complex: An integrated experimental and theoretical investigation. Bulletin of the Chemical Society of Ethiopia, 2019, 33, 285.	1.1	1
22	A new Zn( <scp>ii</scp> )-based 3D metal–organic framework with uncommon <b>sev</b> topology and its photocatalytic properties for the degradation of organic dyes. CrystEngComm, 2019, 21, 4578-4585.	2.6	119
23	A 3D stable Mn(II) metal-organic framework based on a flexible tetracarboxylate precursor and its photocatalytic properties. Inorganica Chimica Acta, 2019, 492, 186-191.	2.4	14
24	Ferrocenylethenyl-substituted oxadiazoles with phenolic and nitro anchors as sensitizers in dye sensitized solar cells. New Journal of Chemistry, 2019, 43, 4745-4756.	2.8	13
25	Luminescent sensing and photocatalytic degradation in a new 3D Zn(II)-based highly luminescent metalâ^'organic framework. Journal of Molecular Structure, 2019, 1179, 612-617.	3.6	24
26	Structures and photocatalytic performance of two d10 metal-based coordination polymers containing mixed building units. Transition Metal Chemistry, 2019, 44, 107-114.	1.4	3
27	A new mixed ligand based Cd(II) 2D coordination polymer with functional sites: Photoluminescence and photocatalytic properties. Inorganica Chimica Acta, 2019, 484, 291-296.	2.4	22
28	Syntheses of nickel sulfides from 1,2-bis(diphenylphosphino)ethane nickel(II)dithiolates and their application in the oxygen evolution reaction. International Journal of Hydrogen Energy, 2018, 43, 5985-5995.	7.1	18
29	1,1′-Bis(diphenylphosphino)ferrocene-appended nickel( <scp>ii</scp> ) dithiolates as sensitizers in dye-sensitized solar cells. New Journal of Chemistry, 2018, 42, 9306-9316.	2.8	18
30	Fluorescence sensing and photocatalytic properties of a 2D stable and biocompatible Zn(II)-based polymer. Journal of Molecular Structure, 2018, 1158, 264-270.	3.6	20
31	Supramolecular architecture of organotin(IV) N-methyl ferrocenyl N-ethanol dithiocarbamates: Crystallographic and computational studies. Inorganica Chimica Acta, 2018, 471, 234-243.	2.4	15
32	A new Zn( <scp>ii</scp> ) metal–organic framework having 3D CdSO <sub>4</sub> topology as luminescent sensor and photocatalyst for degradation of organic dyes. New Journal of Chemistry, 2018, 42, 2767-2775.	2.8	79
33	Copper( <scp>i</scp> ) tertiary phosphine xanthate complexes as single source precursors for copper sulfide and their application in the OER. New Journal of Chemistry, 2018, 42, 18759-18764.	2.8	13
34	A polyhedral metal-organic framework based on rigid precursor for photocatalytic properties. Inorganic Chemistry Communication, 2018, 97, 109-112.	3.9	11
35	Two Chemically Stable Cd(II) Polymers as Fluorescent Sensor and Photocatalyst for Aromatic Dyes. Polymers, 2018, 10, 274.	4.5	5
36	A new 3D Gd-based metal-organic framework with paddle-wheel unit: Structure and photocatalytic property. Inorganic Chemistry Communication, 2018, 95, 104-106.	3.9	8

Amita Singh

#	Article	IF	CITATIONS
37	Rational synthesis of a luminescent uncommon (3,4,6)-c connected Zn( <scp>ii</scp> ) MOF: a dual channel sensor for the detection of nitroaromatics and ferric ions. Dalton Transactions, 2018, 47, 9627-9633.	3.3	92
38	A 2D Cd(II)-MOF as a multifunctional luminescencent sensor for nitroaromatics, iron(III) and chromate ions. Journal of Coordination Chemistry, 2017, 70, 1077-1088.	2.2	17
39	Ferrocenyl benzimidazole with carboxylic and nitro anchors as potential sensitizers in dye-sensitized solar cells. New Journal of Chemistry, 2017, 41, 7312-7321.	2.8	21
40	Molecular structure, supramolecular association and anion sensing by chlorodiorganotin(IV) methylferrocenyldithiocarbamates. Journal of Molecular Structure, 2017, 1145, 197-203.	3.6	5
41	Fluorescence sensing of nitro-aromatics by Zn( <scp>ii</scp> ) and Cd( <scp>ii</scp> ) based coordination polymers having the 5-[bis(4-carboxybenzyl)-amino]isophthalic acid ligand. New Journal of Chemistry, 2017, 41, 3537-3542.	2.8	48
42	Efficient photocatalytic degradation of methyl violet with two metall–organic frameworks. Journal of Coordination Chemistry, 2017, 70, 3409-3421.	2.2	11
43	An uncommon 3D 3,3,4,8-c Cd( <scp>ii</scp> ) metal–organic framework for highly efficient luminescent sensing and organic dye adsorption: experimental and theoretical insight. CrystEngComm, 2017, 19, 7057-7067.	2.6	31
44	Photocatalytic degradation of organic dyes by a stable and biocompatible Zn(II) MOF having ferulic acid: Experimental findings and theoretical correlation. Journal of Molecular Structure, 2017, 1149, 352-356.	3.6	43
45	Luminescent sensing of Cu 2+ , CrO 4 2â^ and photocatalytic degradation of methyl violet by Zn(II) metal-organic framework (MOF) having 5,5′-(1H-2,3,5-triazole-1,4-diyl)diisophthalic acid ligand. Journal of Molecular Structure, 2017, 1148, 531-536.	3.6	24
46	A porous zinc(II) metal–organic framework exhibiting high sensing ability for ferric and nitroaromatics as well as photocatalytic degradation activities against organic dyes. Journal of Coordination Chemistry, 2017, 70, 3946-3958.	2.2	8
47	Luminescent sensing and photocatalytic degradation properties of an uncommon (4,5,5)-connected 3D MOF based on 3,5-di(3′,5′-dicarboxylphenyl)benzoic acid. CrystEngComm, 2017, 19, 4368-4377.	2.6	82
48	An uncommon (5,5)-connected 3D metal organic material for selective and sensitive sensing of nitroaromatics and ferric ion: experimental studies and theoretical analysis. CrystEngComm, 2017, 19, 3519-3525.	2.6	78