Seyed Mohsen Peyghambarzadeh

List of Publications by Year in Descending Order

Source:

https://exaly.com/author-pdf/7214339/seyed-mohsen-peyghambarzadeh-publications-by-year.pdf **Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 2,250 74 24 g-index h-index citations papers 5.38 74 2,552 3.4 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
74	Estimation of binary interaction parameters of different equations of state using ethane experimental solubility data in N-methyl-2-pyrrolidone (NMP) solvent. <i>Chemical Papers</i> , 2022 , 76, 1789	1.9	1
73	Solubility of ethylene in N-methyl-2-pyrrolidone: Experimental study and estimation of UNIQUAC activity model parameters. <i>Korean Journal of Chemical Engineering</i> , 2021 , 38, 852-861	2.8	2
72	Experimental investigation of heat transfer enhancement using ionic liquid-Al2O3 hybrid nanofluid in a cylindrical microchannel heat sink. <i>Applied Thermal Engineering</i> , 2021 , 191, 116879	5.8	10
71	Thermo-economic optimization of steam injection operation in enhanced oil recovery (EOR) using nano-thermal insulation. <i>Energy</i> , 2021 , 226, 120409	7.9	4
70	Ethylene absorption in N-methyl-2-pyrrolidone/silver nano-solvent: Thermodynamics and kinetics study. <i>Chinese Journal of Chemical Engineering</i> , 2021 , 36, 57-66	3.2	2
69	Application of general multilevel factorial design approach in forced convection and subcooled flow boiling heat transfer to CuO/water nanofluids. <i>Journal of Molecular Liquids</i> , 2020 , 313, 113502	6	4
68	Influence of fluid flow rate on the fouling resistance of calcium sulfate aqueous solution in subcooled flow boiling condition. <i>International Journal of Thermal Sciences</i> , 2020 , 154, 106397	4.1	3
67	Hazardous air pollutants emission characteristic and environmental effect of typical petrochemical incinerators. <i>International Journal of Environmental Science and Technology</i> , 2020 , 17, 3771-3784	3.3	
66	Experimental study of implementing nano thermal insulation coating on the steam injection tubes in enhanced oil recovery operation for reducing heat loss. <i>Journal of Petroleum Science and Engineering</i> , 2020 , 189, 107012	4.4	2
65	AIR POLLUTION BY HEAVY METALS FROM PETROCHEMICAL INCINERATORS: MEASUREMENT AND DISPERSION MODELLING. <i>Environmental Engineering and Management Journal</i> , 2020 , 19, 379-390	0.6	
64	The effect of polyacrylamide drag reducing agent on friction factor and heat transfer coefficient in laminar, transition and turbulent flow regimes in circular pipes with different diameters. International Journal of Heat and Mass Transfer, 2020, 154, 119815	4.9	2
63	Experimental investigation of the particle size effect on heat transfer coefficient of Al2O3 nanofluid in a cylindrical microchannel heat sink. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 141, 957-967	4.1	5
62	Intensification of ethylene and ethane absorption in N-methyl-2-pyrrolidone (NMP) by adding silver nanoparticles. <i>Chemical Engineering and Processing: Process Intensification</i> , 2020 , 158, 108184	3.7	2
61	Assessment of Fe3O4D ater nanofluid for enhancing laminar convective heat transfer in a car radiator. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 146, 841	4.1	1
60	Comprehensive Study of the Effect of the Addition of Four Drag Reducing Macromolecules on the Pressure Drop and Heat Transfer Performance of Water in a Finned Tube Heat Exchanger. <i>Journal of Macromolecular Science - Physics</i> , 2020 , 59, 747-773	1.4	O
59	Experimental study and thermodynamic modelling of ethylene absorption in N-methyl-2-pyrrolidone (NMP). <i>Applied Petrochemical Research</i> , 2020 , 10, 95-105	1.9	3
58	Influence of thermal shock on the mitigation of calcium sulfate crystallization fouling under subcooled flow boiling condition. <i>Applied Thermal Engineering</i> , 2020 , 164, 114434	5.8	3

(2015-2019)

57	Forced Convective and Subcooled Flow Boiling Heat Transfer to WaterAl2O3 Microfluid in an Annular Heat Exchanger. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2019 , 43, 869-879	1.2	1	
56	Experimental study on optimum concentration of polyacrylamide for drag reduction and heat transfer performance in a compact heat exchanger. <i>Heat and Mass Transfer</i> , 2019 , 55, 1503-1511	2.2	5	
55	Different methods to calculate heat transfer coefficient in a double-tube heat exchanger: A comparative study. <i>Experimental Heat Transfer</i> , 2018 , 31, 32-46	2.4	16	
54	Experimental study of the effect of drag reducing agent on heat transfer and pressure drop characteristics. <i>Experimental Heat Transfer</i> , 2018 , 31, 68-84	2.4	9	
53	Pb () REMOVAL FROM AQUEOUS SOLUTION BY ADSORPTION ON ACTIVATED CARBON FROM KIWI PEEL. <i>Environmental Engineering and Management Journal</i> , 2018 , 17, 1293-1300	0.6	7	
52	Experimental investigation on heat transfer and flow resistance of drag-reducing alumina nanofluid in a fin-and-tube heat exchanger. <i>Applied Thermal Engineering</i> , 2018 , 144, 926-936	5.8	15	
51	Thermal behavior of aqueous iron oxide nano-fluid as a coolant on a flat disc heater under the pool boiling condition. <i>Heat and Mass Transfer</i> , 2017 , 53, 265-275	2.2	72	
50	Local convective heat transfer coefficient and friction factor of CuO/water nanofluid in a microchannel heat sink. <i>Heat and Mass Transfer</i> , 2017 , 53, 661-671	2.2	25	
49	The modelling and experimental study on molecular diffusion coefficient of CO2 in N-methyl pyrolidone. <i>Separation Science and Technology</i> , 2017 , 52, 2435-2442	2.5	3	
48	CO 2 absorption using aqueous solution of potassium carbonate: Experimental measurement and thermodynamic modeling. <i>Fluid Phase Equilibria</i> , 2017 , 447, 132-141	2.5	19	
47	Heat transfer and Marangoni flow in a circular heat pipe using self-rewetting fluids. <i>Experimental Heat Transfer</i> , 2017 , 30, 218-234	2.4	14	
46	Experimental study on the heat transfer and flow properties of FAl2O3/water nanofluid in a double-tube heat exchanger. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 127, 2561-2575	4.1	65	
45	Experimental measurement of propane and propylene absorption in NMP/AgNO3 solvent. <i>Chemical Engineering Research and Design</i> , 2017 , 117, 240-249	5.5	11	
44	Experimental study of the effect of drag reducing agent on pressure drop and thermal efficiency of an air cooler. <i>Heat and Mass Transfer</i> , 2016 , 52, 63-72	2.2	10	
43	On the fouling formation of functionalized and non-functionalized carbon nanotube nano-fluids under pool boiling condition. <i>Applied Thermal Engineering</i> , 2016 , 95, 433-444	5.8	72	
42	Pool boiling heat transfer to aqueous alumina nano-fluids on the plain and concentric circular micro-structured (CCM) surfaces. <i>Experimental Thermal and Fluid Science</i> , 2016 , 72, 125-139	3	58	
41	Experimental study of forced convection and subcooled flow boiling heat transfer in a vertical annulus using different novel functionalized ZnO nanoparticles. <i>Applied Thermal Engineering</i> , 2016 , 109, 789-802	5.8	20	
40	Role of nanofluid fouling on thermal performance of a thermosyphon: Are nanofluids reliable working fluid?. <i>Applied Thermal Engineering</i> , 2015 , 82, 212-224	5.8	76	

39	Experimental measurement and thermodynamic modeling of propylene and propane solubility in N-methyl pyrrolidone (NMP). <i>Fluid Phase Equilibria</i> , 2015 , 387, 190-197	2.5	17
38	Dried activated sludge as an appropriate biosorbent for removal of copper (II) ions. <i>Arabian Journal of Chemistry</i> , 2015 , 8, 858-864	5.9	11
37	Modification of carbon paste electrode by surfactant-modified ZSM-5 nanozeolite for potentiometric determination of sulfate. <i>Desalination and Water Treatment</i> , 2015 , 56, 1622-1632		4
36	Particulate fouling of CuOWater nanofluid at isothermal diffusive condition inside the conventional heat exchanger-experimental and modeling. <i>Experimental Thermal and Fluid Science</i> , 2015 , 60, 83-95	3	73
35	Boiling Thermal Performance of TiO2 Aqueous NanoFluids as a Coolant on a Disc Copper Block. <i>Periodica Polytechnica: Chemical Engineering</i> , 2015 ,	1.3	6
34	Upward Flow Boiling to DI-Water and Cuo Nanofluids Inside the Concentric Annuli. <i>Journal of Applied Fluid Mechanics</i> , 2015 , 8, 651-659	1.5	43
33	Experimental investigation on heat transfer performance of /water nanofluid in an air-finned heat exchanger. <i>European Journal of Mechanics, B/Fluids</i> , 2014 , 44, 32-41	2.4	82
32	Thermal performance and efficiency of a thermosyphon heat pipe working with a biologically ecofriendly nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 57, 297-303	5.8	77
31	Experimental and analytical study of solubility of carbon dioxide in aqueous solutions of potassium carbonate. <i>International Journal of Greenhouse Gas Control</i> , 2014 , 29, 169-175	4.2	17
30	Experimental study on the influence of SO2 gas injection to pure liquids on pool boiling heat		
)-	transfer coefficients. <i>Heat and Mass Transfer</i> , 2014 , 50, 747-757	2.2	
29	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> , 2014 , 50, 1699-1706	2.2	12
	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> ,		
29	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> , 2014 , 50, 1699-1706 Performance of water based CuO and Al2O3 nanofluids in a CuBe alloy heat sink with rectangular	2.2	
29	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> , 2014 , 50, 1699-1706 Performance of water based CuO and Al2O3 nanofluids in a CuBe alloy heat sink with rectangular microchannels. <i>Energy Conversion and Management</i> , 2014 , 86, 28-38 Photographic study of bubble departure diameter in saturated pool boiling to electrolyte solutions.	2.2	106
29 28 27	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> , 2014 , 50, 1699-1706 Performance of water based CuO and Al2O3 nanofluids in a CuBe alloy heat sink with rectangular microchannels. <i>Energy Conversion and Management</i> , 2014 , 86, 28-38 Photographic study of bubble departure diameter in saturated pool boiling to electrolyte solutions. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2014 , 20, 143-153 Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). <i>Fluid Phase</i>	2.2 10.6 0.7	106
29 28 27 26	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. <i>Heat and Mass Transfer</i> , 2014 , 50, 1699-1706 Performance of water based CuO and Al2O3 nanofluids in a CuBe alloy heat sink with rectangular microchannels. <i>Energy Conversion and Management</i> , 2014 , 86, 28-38 Photographic study of bubble departure diameter in saturated pool boiling to electrolyte solutions. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2014 , 20, 143-153 Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). <i>Fluid Phase Equilibria</i> , 2014 , 365, 106-111 Experimental study on subcooled flow boiling heat transfer to waterBiethylene glycol mixtures as	2.2 10.6 0.7	106936
29 28 27 26 25	Gas absorption using a nanofluid solvent: kinetic and equilibrium study. Heat and Mass Transfer, 2014, 50, 1699-1706 Performance of water based CuO and Al2O3 nanofluids in a CuBe alloy heat sink with rectangular microchannels. Energy Conversion and Management, 2014, 86, 28-38 Photographic study of bubble departure diameter in saturated pool boiling to electrolyte solutions. Chemical Industry and Chemical Engineering Quarterly, 2014, 20, 143-153 Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). Fluid Phase Equilibria, 2014, 365, 106-111 Experimental study on subcooled flow boiling heat transfer to water diethylene glycol mixtures as a coolant inside a vertical annulus. Experimental Thermal and Fluid Science, 2013, 50, 154-162 Thermal performance of different working fluids in a dual diameter circular heat pipe. Ain Shams	2.2 10.6 0.7 2.5	10693660

(2009-2013)

21	Experimental study of overall heat transfer coefficient in the application of dilute nanofluids in the car radiator. <i>Applied Thermal Engineering</i> , 2013 , 52, 8-16	5.8	142
20	Parametric study of overall heat transfer coefficient of CuO/water nanofluids in a car radiator. <i>International Journal of Thermal Sciences</i> , 2013 , 66, 82-90	4.1	137
19	Forced convective and subcooled flow boiling heat transfer to pure water and n-heptane in an annular heat exchanger. <i>Annals of Nuclear Energy</i> , 2013 , 53, 401-410	1.7	64
18	Statistical analysis of calcium sulfate scaling under boiling heat transfer. <i>Applied Thermal Engineering</i> , 2013 , 53, 108-113	5.8	6
17	Influences of bubble formation on different types of heat exchanger fouling. <i>Applied Thermal Engineering</i> , 2013 , 50, 848-856	5.8	22
16	Nucleate pool boiling heat transfer of binary nano mixtures under atmospheric pressure around a smooth horizontal cylinder. <i>Periodica Polytechnica: Chemical Engineering</i> , 2013 , 57, 71	1.3	32
15	Enhancement of nucleate pool boiling heat transfer to dilute binary mixtures using endothermic chemical reactions around the smoothed horizontal cylinder. <i>Heat and Mass Transfer</i> , 2012 , 48, 1755-17	65 ²	47
14	Influence of thermodynamic models on the prediction of pool boiling heat transfer coefficient of dilute binary mixtures. <i>International Communications in Heat and Mass Transfer</i> , 2012 , 39, 1303-1310	5.8	35
13	Experimental study of micro-particle fouling under forced convective heat transfer. <i>Brazilian Journal of Chemical Engineering</i> , 2012 , 29, 713-724	1.7	11
12	Application of asymptotic model for the prediction of fouling rate of calcium sulfate under subcooled flow boiling. <i>Applied Thermal Engineering</i> , 2012 , 39, 105-113	5.8	43
11	Experimental studies on nucleate pool boiling heat transfer to ethanol/MEG/DEG ternary mixture as a new coolant. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2012 , 18, 577-586	0.7	18
10	Subcooled flow boiling heat transfer of ethanol aqueous solutions in vertical annulus space. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2012 , 18, 315-327	0.7	41
9	Enhancement of the pool boiling heat transfer coefficient using the gas injection into the water. <i>Polish Journal of Chemical Technology</i> , 2012 , 14, 100-109	1	2
8	Mathematical modeling of air duct heater using the finite difference method. <i>Polish Journal of Chemical Technology</i> , 2011 , 13, 47-52	1	
7	Experimental study of heat transfer enhancement using water/ethylene glycol based nanofluids as a new coolant for car radiators. <i>International Communications in Heat and Mass Transfer</i> , 2011 , 38, 1283	-15280	241
6	Artificial boiling heat transfer in the free convection to carbonic acid solution. <i>Experimental Thermal and Fluid Science</i> , 2011 , 35, 645-652	3	11
5	Improving the cooling performance of automobile radiator with Al2O3/water nanofluid. <i>Applied Thermal Engineering</i> , 2011 , 31, 1833-1838	5.8	209
4	Saturated nucleate boiling to binary and ternary mixtures on horizontal cylinder. <i>Experimental Thermal and Fluid Science</i> , 2009 , 33, 903-911	3	13

3	Experimental and theoretical study of pool boiling heat transfer to amine solutions. <i>Brazilian Journal of Chemical Engineering</i> , 2009 , 26, 33-43	1.7	11
2	Efficient adsorption of cobalt on chemical modified activated carbon: characterization, optimization and modeling studies111, 310-321		27
1	Simulation of heat transfer and fluid flow of hot oil in radiation section of an industrial furnace considering coke deposition. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4.1	0