

# Chia-Fu Chou

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7214695/chia-fu-chou-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

3,461  
citations

36  
h-index

58  
g-index

109  
ext. papers

3,791  
ext. citations

6.1  
avg, IF

5.21  
L-index

#	Paper	IF	Citations
92	Gelatin-polycaprolactone-nanohydroxyapatite electrospun nanocomposite scaffold for bone tissue engineering. <i>Materials Science and Engineering C</i> , <b>2021</b> , 119, 111588	8.3	39
91	Novel Self-Directing Single-Polymer Jet Developing Layered-Like 3D Buckled Microfibrous Scaffolds for Tissue Engineering Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 9691-9701	8.5	4
90	Ultrasensitive and Low-Cost Paper-Based Graphene Oxide Nanobiosensor for Monitoring Water-Borne Bacterial Contamination. <i>ACS Sensors</i> , <b>2021</b> , 6, 3214-3223	9.2	3
89	Multiplexed assessment of engineered bacterial constructs for intracellular $\beta$ -galactosidase expression by redox amplification on catechol-chitosan modified nanoporous gold. <i>Mikrochimica Acta</i> , <b>2021</b> , 189, 4	5.8	1
88	Gelatin-alginate-cerium oxide nanocomposite scaffold for bone regeneration. <i>Materials Science and Engineering C</i> , <b>2020</b> , 116, 111111	8.3	36
87	Impedimetric aptasensing using a symmetric Randles circuit model. <i>Electrochimica Acta</i> , <b>2020</b> , 337, 135769	6.9	2
86	DNA dynamics and organization in sub-micron scale: Bacterial chromosomes and plasmids in vivo and in vitro. <i>Chinese Journal of Physics</i> , <b>2020</b> , 66, 82-90	3.5	0
85	Sensing of diseased mitochondria proportion by DEP at the organelle level of intact cells <b>2020</b> ,		2
84	Nanoconfinement-Induced DNA Reptating Motion and Analogy to Fluctuating Interfaces. <i>Macromolecules</i> , <b>2020</b> , 53, 1001-1013	5.5	3
83	Frequency modulation of the Min-protein oscillator by nucleoid-associated factors in Escherichia coli. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 525, 857-862	3.4	2
82	Spectral contrast imaging method for mapping transmission surface plasmon images in metallic nanostructures. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 142, 111545	11.8	1
81	Diffusion impedance modeling for interdigitated array electrodes by conformal mapping and cylindrical finite length approximation. <i>Electrochimica Acta</i> , <b>2019</b> , 320, 134629	6.7	2
80	Cell Migration in Microfluidic Devices: Invadosomes Formation in Confined Environments. <i>Advances in Experimental Medicine and Biology</i> , <b>2019</b> , 1146, 79-103	3.6	2
79	Nanofluidic fluorescence microscopy with integrated concentration gradient generation for one-shot parallel kinetic assays. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 274, 338-342	8.5	2
78	Selection of aptamers for AMACR detection from DNA libraries with different primers.. <i>RSC Advances</i> , <b>2018</b> , 8, 19067-19074	3.7	5
77	Crowding-facilitated macromolecular transport in attractive micropost arrays. <i>Scientific Reports</i> , <b>2017</b> , 7, 1340	4.9	7
76	Frequency-selective electrokinetic enrichment of biomolecules in physiological media based on electrical double-layer polarization. <i>Nanoscale</i> , <b>2017</b> , 9, 12124-12131	7.7	45

75	Nanofluidic Fluorescence Microscopy (NFM) for real-time monitoring of protein binding kinetics and affinity studies. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 88, 25-33	11.8	8
74	10 nm deep, sub-nanoliter fluidic nanochannels on germanium for attenuated total reflection infrared (ATR-IR) spectroscopy. <i>Analyst, The</i> , <b>2017</b> , 142, 273-278	5	10
73	Microfluidic devices for the study of actin cytoskeleton in constricted environments: Evidence for podosome formation in endothelial cells exposed to a confined slit. <i>Methods</i> , <b>2016</b> , 94, 65-74	4.6	14
72	Aptamer-functionalized graphene-gold nanocomposites for label-free detection of dielectrophoretic-enriched neuropeptide Y. <i>Electrochemistry Communications</i> , <b>2016</b> , 72, 144-147	5.1	33
71	Fabrication and characterization of novel nano-biocomposite scaffold of chitosan-gelatin-alginate-hydroxyapatite for bone tissue engineering. <i>Materials Science and Engineering C</i> , <b>2016</b> , 64, 416-427	8.3	184
70	Aptamer-functionalized nanoparticles for surface immobilization-free electrochemical detection of cortisol in a microfluidic device. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 78, 244-252	11.8	123
69	Multiplexed immunosensing and kinetics monitoring in nanofluidic devices with highly enhanced target capture efficiency. <i>Biomicrofluidics</i> , <b>2016</b> , 10, 034114	3.2	3
68	Morphological plasticity of bacteria-Open questions. <i>Biomicrofluidics</i> , <b>2016</b> , 10, 031501	3.2	6
67	Nanoslit design for ion conductivity gradient enhanced dielectrophoresis for ultrafast biomarker enrichment in physiological media. <i>Biomicrofluidics</i> , <b>2016</b> , 10, 033109	3.2	13
66	Ultrafast immunoassays by coupling dielectrophoretic biomarker enrichment in nanoslit channel with electrochemical detection on graphene. <i>Lab on A Chip</i> , <b>2015</b> , 15, 4563-70	7.2	78
65	High aspect ratio nanoimprinted grooves of poly(lactic-co-glycolic acid) control the length and direction of retraction fibers during fibroblast cell division. <i>Biointerphases</i> , <b>2015</b> , 10, 041008	1.8	8
64	Biofunctionalized nanoslits for wash-free and spatially resolved real-time sensing with full target capture. <i>Biomicrofluidics</i> , <b>2015</b> , 9, 034103	3.2	12
63	Surface modification of nanofibrous polycaprolactone/gelatin composite scaffold by collagen type I grafting for skin tissue engineering. <i>Materials Science and Engineering C</i> , <b>2014</b> , 34, 402-9	8.3	143
62	Tandem array of nanoelectronic readers embedded coplanar to a fluidic nanochannel for correlated single biopolymer analysis. <i>Biomicrofluidics</i> , <b>2014</b> , 8, 016501	3.2	5
61	Electrokinetic preconcentration and detection of neuropeptides at patterned graphene-modified electrodes in a nanochannel. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 4120-5	7.8	164
60	Low-copy number protein detection by electrode nanogap-enabled dielectrophoretic trapping for surface-enhanced Raman spectroscopy and electronic measurements. <i>Nano Letters</i> , <b>2014</b> , 14, 2242-50	11.5	36
59	Comparison of the anti-amyloidogenic effect of O-mannosylation, O-galactosylation, and O-GalNAc glycosylation. <i>Carbohydrate Research</i> , <b>2014</b> , 387, 46-53	2.9	12
58	Direct optical mapping of transcription factor binding sites on field-stretched EDNA in nanofluidic devices. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, e85	20.1	13

57	DNA combing on low-pressure oxygen plasma modified polysilsesquioxane substrates for single-molecule studies. <i>Biomicrofluidics</i> , <b>2014</b> , 8, 052102	3.2	7
56	Preface to Special Topic: Selected Papers from the Advances in Microfluidics and Nanofluidics 2014 Conference in Honor of Professor Hsueh-Chia Chang's 60th Birthday. <i>Biomicrofluidics</i> , <b>2014</b> , 8, 051901	3.2	
55	Bacteria under the physical constraints of periodic micro-nanofluidic junctions reveal morphological plasticity and dynamic shifting of Min patterns. <i>Biomicrofluidics</i> , <b>2014</b> , 8, 041103	3.2	3
54	Fabrication and characterization of PCL/gelatin/chitosan ternary nanofibrous composite scaffold for tissue engineering applications. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 1076-1089	4.3	80
53	Scaling Theory of Stretched Polymers in Nanoslits. <i>Macromolecules</i> , <b>2013</b> , 46, 7989-8002	5.5	14
52	Scaling down constriction-based (electrodeless) dielectrophoresis devices for trapping nanoscale bioparticles in physiological media of high-conductivity. <i>Electrophoresis</i> , <b>2013</b> , 34, 1097-104	3.6	54
51	Biosensor-compatible encapsulation for pre-functionalized nanofluidic channels using asymmetric plasma treatment. <i>Sensors and Actuators B: Chemical</i> , <b>2012</b> , 161, 805-810	8.5	22
50	Nanofiber size-dependent sensitivity of fibroblast directionality to the methodology for scaffold alignment. <i>Acta Biomaterialia</i> , <b>2012</b> , 8, 3982-90	10.8	41
49	Effects of Topology and Ionic Strength on Double-Stranded DNA Confined in Nanoslits. <i>Macromolecules</i> , <b>2012</b> , 45, 2920-2927	5.5	37
48	Nanoscale molecular traps and dams for ultrafast protein enrichment in high-conductivity buffers. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 8742-5	16.4	73
47	Entropy-driven single molecule tug-of-war of DNA at micro-nanofluidic interfaces. <i>Nano Letters</i> , <b>2012</b> , 12, 1597-602	11.5	55
46	Nano-constriction device for rapid protein preconcentration in physiological media through a balance of electrokinetic forces. <i>Electrophoresis</i> , <b>2012</b> , 33, 1958-66	3.6	52
45	Floating-electrode enhanced constriction dielectrophoresis for biomolecular trapping in physiological media of high conductivity. <i>Biomicrofluidics</i> , <b>2012</b> , 6, 12806-1280614	3.2	47
44	Asymmetric cancer-cell filopodium growth induced by electric-fields in a microfluidic culture chip. <i>Lab on A Chip</i> , <b>2011</b> , 11, 695-9	7.2	38
43	Generalized Force-Extension Relation for Wormlike Chains in Slit Confinement. <i>Macromolecules</i> , <b>2010</b> , 43, 10204-10207	5.5	25
42	Interplay of electrical forces for alignment of sub-100 nm electrospun nanofibers on insulator gap collectors. <i>Langmuir</i> , <b>2010</b> , 26, 19022-6	4	45
41	Enhancing DNA hybridization kinetics through constriction-based dielectrophoresis. <i>Lab on A Chip</i> , <b>2009</b> , 9, 3212-20	7.2	66
40	A simple polysilsesquioxane sealing of nanofluidic channels below 10 nm at room temperature. <i>Lab on A Chip</i> , <b>2007</b> , 7, 1198-201	7.2	40

39	Device Structure for enhancement of DNA hybridization kinetics by Electrodeless Dielectrophoresis. <i>Materials Research Society Symposia Proceedings</i> , <b>2007</b> , 1064, 6081		
38	Two-potential electrochemical probe for study of DNA immobilization. <i>Langmuir</i> , <b>2005</b> , 21, 1937-41	4	41
37	Nanopatterned structures for biomolecular analysis toward genomic and proteomic applications <b>2005</b> ,		3
36	Unusual Multiple Electron Scattering in Ultrathin Free-Standing Crystal-B Films. <i>Molecular Crystals and Liquid Crystals</i> , <b>2004</b> , 412, 1-8	0.5	
35	Fabrication of Size-Controllable Nanofluidic Channels by Nanoimprinting and Its Application for DNA Stretching. <i>Nano Letters</i> , <b>2004</b> , 4, 69-73	11.5	262
34	Integrating nano-optical biosensors into nucleic acid testing devices <b>2004</b> , 5363, 45		
33	Electrodeless dielectrophoresis for micro total analysis systems. <i>IEEE Engineering in Medicine and Biology Magazine</i> , <b>2003</b> , 22, 62-7		90
32	Thermal management of BioMEMS: temperature control for ceramic-based PCR and DNA detection devices. <i>IEEE Transactions on Components and Packaging Technologies</i> , <b>2003</b> , 26, 309-316		62
31	Multiple electron diffraction and two-dimensional crystalline order in liquid-crystal thin films. <i>Physical Review Letters</i> , <b>2003</b> , 91, 125504	7.4	2
30	A miniaturized cyclic PCR device modeling and experiments. <i>Microelectronic Engineering</i> , <b>2002</b> , 61-62, 921-925	2.5	52
29	Electrodeless dielectrophoresis of single- and double-stranded DNA. <i>Biophysical Journal</i> , <b>2002</b> , 83, 2170-29		328
28	Electrodeless Dielectrophoretic Trapping and Separation of Cells <b>2002</b> , 25-27		2
27	Ceramic magnetohydrodynamic (MHD) micropump <b>2001</b> ,		5
26	Near-field scanner for moving molecules. <i>Physical Review Letters</i> , <b>2001</b> , 86, 1378-81	7.4	60
25	Add Ceramic MEMS to the Pallet of MicroSystems Technologies. <i>Materials Research Society Symposia Proceedings</i> , <b>2001</b> , 687, 1		2
24	Electron-Diffraction Study on Surface Hexatic Behavior in Free-Standing 4O.8 Liquid-Crystal Films. <i>Molecular Crystals and Liquid Crystals</i> , <b>2001</b> , 365, 515-522		
23	Separation of 100-kilobase DNA molecules in 10 seconds. <i>Analytical Chemistry</i> , <b>2001</b> , 73, 6053-6	7.8	116
22	A Miniaturized Cyclic PCR Device <b>2001</b> , 151-152		3

21	Sorting biomolecules with microdevices. <i>Electrophoresis</i> , <b>2000</b> , 21, 81-90	3.6	61
20	Structural characterization of surface hexatic behavior in free-standing 4O.8 liquid-crystal films. <i>Physical Review E</i> , <b>2000</b> , 62, R1485-8	2.4	4
19	Sorting by diffusion: an asymmetric obstacle course for continuous molecular separation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 13762-5	11.5	173
18	Multiple-step melting in two-dimensional hexatic liquid-crystal films. <i>Science</i> , <b>1998</b> , 280, 1424-6	33.3	56
17	Electrohydrodynamic Stretching of DNA in Confined Environments. <i>Physical Review Letters</i> , <b>1998</b> , 80, 2737-2740	7.4	210
16	Sizing, Fractionation and Mixing of Biological Objects Via Microfabricated Devices <b>1998</b> , 193-198		5
15	Electron-diffraction study of a one-layer free-standing hexatic liquid-crystal film. <i>Physical Review E</i> , <b>1997</b> , 56, 592-594	2.4	13
14	Induced hexatic phase in a free-standing two-layer N-(4-n-butoxybenzylidene)-4-n-octylaniline film. <i>Physical Review E</i> , <b>1997</b> , 55, R6337-R6339	2.4	10
13	Stability and phase transitions of single-molecular-layer free-standing liquid-crystal films. <i>Physical Review E</i> , <b>1997</b> , 56, 2298-2301	2.4	13
12	Scaling of Bond-Orientational Order Parameters in A 54COBC Two-Dimensional Film. <i>Molecular Crystals and Liquid Crystals</i> , <b>1997</b> , 303, 373-378		
11	Electron-Diffraction Studies of Phase Transitions in 4O.8 Free-Standing Thin Films. <i>Molecular Crystals and Liquid Crystals</i> , <b>1997</b> , 301, 123-128		
10	Surface-Freezing Transitions and Novel Tilted Hexatic Phases in Smectic Liquid-Crystal Films. <i>Physical Review Letters</i> , <b>1997</b> , 78, 2581-2584	7.4	17
9	Nature of the smectic-A-hexatic-B-crystal-B transitions of a liquid-crystal compound. <i>Physical Review E</i> , <b>1996</b> , 53, 3639-3646	2.4	38
8	Nature of Layer-by-Layer Freezing in Free-Standing 4O.8 Films. <i>Physical Review Letters</i> , <b>1996</b> , 77, 2750-2753	7.4	38
7	Scaling of 6n-fold bond-orientational order parameters in a hexatic liquid-crystal thin film. <i>Physical Review Letters</i> , <b>1996</b> , 76, 4556-4559	7.4	30
6	CHARACTERIZATION SEVERAL NOVEL PHASE TRANSITIONS IN A UNIQUE LOWER DIMENSION SYSTEM OF FREE-STANDING LIQUID-CRYSTAL FILMS. <i>Modern Physics Letters B</i> , <b>1996</b> , 10, 269-277	1.6	3
5	STUDIES OF SURFACE-INDUCED LAYER-BY-LAYER TWO-STAGE PHASE TRANSFORMATIONS. <i>Modern Physics Letters B</i> , <b>1996</b> , 10, 765-770	1.6	
4	Calorimetric and structural characterization of thin liquid-crystal films exhibiting the smectic-A-hexatic-B-crystal-B transitions. <i>Physical Review Letters</i> , <b>1995</b> , 74, 4863-4866	7.4	36

3	Cusp electron emission in 1.4 MeV $u-1\text{Xe}^{26+}$ on Ar collisions as a function of the projectile final charge state. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , <b>1992</b> , 25, 3505-3512	1.3	1
2	Thermal management of BioMEMS		1
1	Two-photon microscopy at >500 volumes/second		3