

# Shakil Ahmad Romshoo

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7214696/shakil-ahmad-romshoo-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88 papers	2,282 citations	29 h-index	44 g-index
102 ext. papers	2,856 ext. citations	3.1 avg, IF	5.66 L-index

#	Paper	IF	Citations
88	Tectono-geomorphic study of the Karewa Basin of Kashmir Valley. <i>Journal of Asian Earth Sciences</i> , <b>2014</b> , 92, 143-156	2.8	104
87	New vegetation type map of India prepared using satellite remote sensing: Comparison with global vegetation maps and utilities. <i>International Journal of Applied Earth Observation and Geoinformation</i> , <b>2015</b> , 39, 142-159	7.3	100
86	Assessing the influence of watershed characteristics on the flood vulnerability of Jhelum basin in Kashmir Himalaya. <i>Natural Hazards</i> , <b>2015</b> , 77, 153-175	3	97
85	Geoinformatics for assessing the morphometric control on hydrological response at watershed scale in the Upper Indus Basin. <i>Journal of Earth System Science</i> , <b>2012</b> , 121, 659-686	1.8	94
84	Morphometry and land cover based multi-criteria analysis for assessing the soil erosion susceptibility of the western Himalayan watershed. <i>Environmental Monitoring and Assessment</i> , <b>2014</b> , 186, 8391-412	3.1	84
83	Variations in particulate matter over Indo-Gangetic Plains and Indo-Himalayan Range during four field campaigns in winter monsoon and summer monsoon: Role of pollution pathways. <i>Atmospheric Environment</i> , <b>2017</b> , 154, 200-224	5.3	78
82	Implications of Shrinking Cryosphere Under Changing Climate on the Streamflows in the Lidder Catchment in the Upper Indus Basin, India. <i>Arctic, Antarctic, and Alpine Research</i> , <b>2015</b> , 47, 627-644	1.8	77
81	Impact of anthropogenic activities on water quality of Lidder River in Kashmir Himalayas. <i>Environmental Monitoring and Assessment</i> , <b>2013</b> , 185, 4705-19	3.1	77
80	Morphometric Analysis to Infer Hydrological Behaviour of Lidder Watershed, Western Himalaya, India. <i>Geography Journal</i> , <b>2013</b> , 2013, 1-14		77
79	Forest Structure Dependency of the Relation Between L-Band $\sigma^0$ and Biophysical Parameters. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2006</b> , 44, 3154-3165	8.1	68
78	Assessing the impacts of changing land cover and climate on Hokersar wetland in Indian Himalayas. <i>Arabian Journal of Geosciences</i> , <b>2014</b> , 7, 143-160	1.8	65
77	Projected climate change impacts on vegetation distribution over Kashmir Himalayas. <i>Climatic Change</i> , <b>2015</b> , 132, 601-613	4.5	57
76	Climatic, geomorphic and anthropogenic drivers of the 2014 extreme flooding in the Jhelum basin of Kashmir, India. <i>Geomatics, Natural Hazards and Risk</i> , <b>2018</b> , 9, 224-248	3.6	57
75	Morphotectonic and lithostratigraphic analysis of intermontane Karewa Basin of Kashmir Himalayas, India. <i>Journal of Mountain Science</i> , <b>2013</b> , 10, 1-15	2.1	56
74	Sustainability of winter tourism in a changing climate over Kashmir Himalaya. <i>Environmental Monitoring and Assessment</i> , <b>2014</b> , 186, 2549-62	3.1	54
73	Massive land system changes impact water quality of the Jhelum River in Kashmir Himalaya. <i>Environmental Monitoring and Assessment</i> , <b>2016</b> , 188, 185	3.1	47
72	Aerosol black carbon at an urban site-Srinagar, Northwestern Himalaya, India: Seasonality, sources, meteorology and radiative forcing. <i>Atmospheric Environment</i> , <b>2017</b> , 165, 336-348	5.3	45

71	Analyses of temperature and precipitation in the Indian Jammu and Kashmir region for the 1980-2016 period: implications for remote influence and extreme events. <i>Atmospheric Chemistry and Physics</i> , <b>2019</b> , 19, 15-37	6.8	44
70	Geoinformatics based approach for estimating the sediment yield of the mountainous watersheds in Kashmir Himalaya, India. <i>Geocarto International</i> , <b>2018</b> , 33, 1114-1138	2.7	43
69	The recent deglaciation of Kolahoi valley in Kashmir Himalaya, India in response to the changing climate. <i>Journal of Asian Earth Sciences</i> , <b>2017</b> , 138, 38-50	2.8	42
68	Integrating biophysical and socioeconomic information for prioritizing watersheds in a Kashmir Himalayan lake: a remote sensing and GIS approach. <i>Environmental Monitoring and Assessment</i> , <b>2013</b> , 185, 6419-45	3.1	42
67	Assessing the influence of watershed characteristics on the flood vulnerability of Jhelum basin in Kashmir Himalaya: reply to comment by Shah 2015. <i>Natural Hazards</i> , <b>2015</b> , 78, 1-5	3	35
66	Modelling catchment hydrological responses in a Himalayan Lake as a function of changing land use and land cover. <i>Journal of Earth System Science</i> , <b>2013</b> , 122, 433-449	1.8	34
65	Spatio-temporal variation of land surface temperature and temperature lapse rate over mountainous Kashmir Himalaya. <i>Journal of Mountain Science</i> , <b>2018</b> , 15, 563-576	2.1	32
64	Linking human-biophysical interactions with the trophic status of Dal Lake, Kashmir Himalaya, India. <i>Limnologica</i> , <b>2017</b> , 62, 84-96	2	31
63	Geospatial tools for assessing land degradation in Budgam district, Kashmir Himalaya, India. <i>Journal of Earth System Science</i> , <b>2011</b> , 120, 423-433	1.8	31
62	Isotopic and micromorphological studies of Late Quaternary loess-paleosol sequences of the Karewa Group: Inferences for palaeoclimate of Kashmir Valley. <i>Quaternary International</i> , <b>2015</b> , 371, 122-134	2.1	30
61	Geospatial modeling for assessing the nutrient load of a Himalayan lake. <i>Environmental Earth Sciences</i> , <b>2011</b> , 64, 1269-1282	2.9	30
60	Assessing the geoinformatics of land degradation in the Kashmir Himalayan region, India. <i>Natural Hazards</i> , <b>2012</b> , 64, 1219-1245	3	29
59	Assessing linkages between spatial facies changes and dimensional variations of glaciers in the upper Indus Basin, western Himalaya. <i>Geomorphology</i> , <b>2017</b> , 284, 115-129	4.3	27
58	Co-designing Indus Water-Energy-Land Futures. <i>One Earth</i> , <b>2019</b> , 1, 185-194	8.1	24
57	Land use land cover dynamics as a function of changing demography and hydrology. <i>Geo Journal</i> , <b>2014</b> , 79, 297-307	2.2	24
56	Satellite-observed glacier recession in the Kashmir Himalaya, India, from 1980 to 2018. <i>Environmental Monitoring and Assessment</i> , <b>2020</b> , 192, 597	3.1	23
55	Assessing changes in the above ground biomass and carbon stocks of Lidder valley, Kashmir Himalaya, India. <i>Geocarto International</i> , <b>2017</b> , 32, 717-734	2.7	22
54	An Integrated Geoinformatics and Hydrological Modelling-Based Approach for Effective Flood Management in the Jhelum Basin, NW Himalaya. <i>Proceedings (mdpi)</i> , <b>2019</b> , 7, 8	0.3	22

53	Geospatial modelling approach for identifying disturbance regimes and biodiversity rich areas in North Western Himalayas, India. <i>Biodiversity and Conservation</i> , <b>2013</b> , 22, 2537-2566	3-4	22
52	Streamflow response to shrinking glaciers under changing climate in the Lidder Valley, Kashmir Himalayas. <i>Journal of Mountain Science</i> , <b>2018</b> , 15, 1241-1253	2-1	21
51	Geostatistical analysis of soil moisture measurements and remotely sensed data at different spatial scales. <i>Environmental Geology</i> , <b>2004</b> , 45, 339-349		21
50	The satellite observed glacier mass changes over the Upper Indus Basin during 2000-2012. <i>Scientific Reports</i> , <b>2020</b> , 10, 14285	4-9	20
49	Surge of Hispar Glacier, Pakistan, between 2013 and 2017 detected from remote sensing observations. <i>Geomorphology</i> , <b>2018</b> , 303, 410-416	4-3	20
48	Environmetric and GIS techniques for hydrochemical characterization of the Dal lake, Kashmir Himalaya, India. <i>Stochastic Environmental Research and Risk Assessment</i> , <b>2018</b> , 32, 3151-3168	3-5	19
47	Twenty-first century-end climate scenario of Jammu and Kashmir Himalaya, India, using ensemble climate models. <i>Climatic Change</i> , <b>2020</b> , 162, 1473-1491	4-5	19
46	Micromorphological investigations of the Late Quaternary loess/paleosol sequences of the Kashmir Valley, India. <i>Journal of Asian Earth Sciences</i> , <b>2015</b> , 111, 328-338	2-8	18
45	Inferring Land Surface Processes from Watershed Characterization <b>2016</b> , 741-744		18
44	Influence of geomorphic and anthropogenic activities on channel morphology of River Jhelum in Kashmir Valley, NW Himalayas. <i>Quaternary International</i> , <b>2019</b> , 507, 333-341	2	17
43	Dimensional changes in the Kolahoi glacier from 1857 to 2014. <i>Environmental Monitoring and Assessment</i> , <b>2016</b> , 189, 5	3-1	16
42	Recent glacier changes in the Kashmir Alpine Himalayas, India. <i>Geocarto International</i> , <b>2015</b> , 1-36	2-7	16
41	A semi-automated approach for mapping geomorphology in mountainous terrain, Ferozpora watershed (Kashmir Himalaya). <i>Journal of the Geological Society of India</i> , <b>2016</b> , 88, 206-212	1-3	15
40	Modelling Chorabari Lake outburst flood, Kedarnath, India. <i>Journal of Mountain Science</i> , <b>2019</b> , 16, 64-76	2-1	15
39	Seismic hazard and probability assessment of Kashmir valley, northwest Himalaya, India. <i>Natural Hazards</i> , <b>2018</b> , 93, 1451-1477	3	14
38	Comparative assessment of soil erosion modelling approaches in a Himalayan watershed. <i>Modeling Earth Systems and Environment</i> , <b>2019</b> , 5, 175-192	3-2	14
37	Glacial-geomorphic study of the Thajwas glacier valley, Kashmir Himalayas, India. <i>Quaternary International</i> , <b>2017</b> , 444, 157-171	2	13
36	In Search of the Statistical Properties of High-Resolution Polarimetric SAR Data for the Measurements of Forest Biomass Beyond the RCS Saturation Limits. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2006</b> , 3, 495-499	4-1	13

35	Paddy crop yield estimation in Kashmir Himalayan rice bowl using remote sensing and simulation model. <i>Environmental Monitoring and Assessment</i> , <b>2015</b> , 187, 316	3.1	12
34	Winter Burst of Pristine Kashmir Valley Air. <i>Scientific Reports</i> , <b>2018</b> , 8, 3329	4.9	12
33	Hydrochemical characterization and pollution assessment of groundwater in Jammu Siwaliks, India. <i>Environmental Monitoring and Assessment</i> , <b>2017</b> , 189, 122	3.1	11
32	Management of <i>Nymphoides peltatum</i> using water level fluctuations in freshwater lakes of Kashmir Himalaya. <i>Limnology</i> , <b>2017</b> , 18, 219-231	1.7	11
31	Influence of surface and vegetation characteristics on C-band radar measurements for soil moisture content <b>2002</b> , 30, 229-244		11
30	Applying integrated remote sensing and field-based approach to map glacial landform features of the Machoi Glacier valley, NW Himalaya. <i>SN Applied Sciences</i> , <b>2019</b> , 1, 1	1.8	10
29	Crustal Structure beneath the Kashmir Basin Adjoining the Western Himalayan Syntaxis. <i>Bulletin of the Seismological Society of America</i> , <b>2017</b> , 107, 2443-2458	2.3	10
28	Radar remote sensing for monitoring of dynamic ecosystem processes related to biogeochemical exchanges in tropical peatlands. <i>Visual Geosciences</i> , <b>2004</b> , 9, 9-28		10
27	Coronavirus pandemic versus temperature in the context of Indian subcontinent: a preliminary statistical analysis. <i>Environment, Development and Sustainability</i> , <b>2020</b> , 23, 1-11	4.5	10
26	Evaluating the Performance of Remotely Sensed Precipitation Estimates against In-Situ Observations during the September 2014 Mega-Flood in the Kashmir Valley. <i>Asia-Pacific Journal of Atmospheric Sciences</i> , <b>2019</b> , 55, 209-219	2.1	9
25	Estimating Land Surface Temperature and its Lapse Rate over Kashmir Valley Using MODIS Data <b>2016</b> , 723-728		7
24	Evaluation of terrigenous input, diagenetic alteration and depositional conditions of Lower Carboniferous carbonates of Tethys Himalaya, India. <i>Solid Earth Sciences</i> , <b>2018</b> , 3, 33-49	1.7	7
23	Jammu and Kashmir State: An Overview. <i>Topics in Biodiversity and Conservation</i> , <b>2020</b> , 129-166	0.2	6
22	Integration of social, economic and environmental factors in GIS for land degradation vulnerability assessment in the Pir Panjal Himalaya, Kashmir, India. <i>Applied Geography</i> , <b>2020</b> , 125, 102307	4.4	5
21	Glacial geomorphology and recent glacial recession of the Harmukh Range, NW Himalaya. <i>Quaternary International</i> , <b>2021</b> , 575-576, 236-248	2	5
20	Particulate pollution over an urban Himalayan site: Temporal variability, impact of meteorology and potential source regions. <i>Science of the Total Environment</i> , <b>2021</b> , 799, 149364	10.2	5
19	Reply to the comment by Shah on Isotopic and micromorphological studies of Late Quaternary loess-paleosol sequences of the Karewa Group: inferences for palaeoclimate of Kashmir Valley□ <i>Quaternary International</i> , <b>2015</b> , 374, 200-202	2	4
18	Paleo-glacial and paleo-equilibrium line altitude reconstruction from the Late Quaternary glacier features in the Pir Panjal Range, NW Himalayas. <i>Quaternary International</i> , <b>2021</b> ,	2	4

17	Measurement and Modelling of Particulate Pollution over Kashmir Himalaya, India. <i>Water, Air, and Soil Pollution</i> , <b>2021</b> , 232, 1	2.6	3
16	Assessing the Potential of Space-borne C-band SAR Data for Spatial Soil Moisture Information over a Large Area. <i>Geocarto International</i> , <b>2004</b> , 19, 65-75	2.7	2
15	C-band radar for soil moisture estimation under agricultural conditions		2
14	Impact of Climate Change on Vegetation Distribution in the Kashmir Himalaya. <i>Topics in Biodiversity and Conservation</i> , <b>2020</b> , 1029-1047	0.2	2
13	Coronavirus Pandemic vs. Temperature in the context of Indian Subcontinent: A preliminary statistical analysis		2
12	Geospatial Assessment of Groundwater Quality in Udhampur District, Jammu and Kashmir, India. <i>Proceedings of the National Academy of Sciences India Section A - Physical Sciences</i> , <b>2020</b> , 90, 883-897	0.9	2
11	Peatland ecosystem characterization employing L-band SAR		1
10	Applications of glacial geomorphological and lichenometric studies for reconstructing the Late Holocene glacial history of the Hoksar valley, Kashmir Himalaya, India. <i>Geografiska Annaler, Series A: Physical Geography</i> , <b>2021</b> , 103, 51-68	1.1	1
9	Late Quaternary Glacial Geomorphology of Kashmir Valley, NW Himalayas: A Case Study of the Sind Basin. <i>Geography of the Physical Environment</i> , <b>2021</b> , 145-157	1.1	1
8	Impact of climate change on snow precipitation and streamflow in the Upper Indus Basin ending twenty-first century. <i>Climatic Change</i> , <b>2022</b> , 170, 1	4.5	0
7	Explaining the differential response of glaciers across different mountain ranges in the north-western Himalaya, India. <i>Cold Regions Science and Technology</i> , <b>2022</b> , 103515	3.8	0
6	Landslide susceptibility assessment of Kashmir Himalaya, India. <i>Arabian Journal of Geosciences</i> , <b>2022</b> , 15, 1	1.8	0
5	Anthropogenic climate change drives melting of glaciers in the Himalaya.. <i>Environmental Science and Pollution Research</i> , <b>2022</b> , 1	5.1	0
4	Cirque development in the Pir Panjal Range of North Western Himalaya, India. <i>Catena</i> , <b>2022</b> , 213, 106173	3.8	0
3	Characteristics, source apportionment and long-range transport of black carbon at a high-altitude urban centre in the Kashmir valley, North-western Himalaya.. <i>Environmental Pollution</i> , <b>2022</b> , 119295	9.3	0
2	Stream Flow Changes and Glacier Recession in the Upper Indus Basin <b>2016</b> , 905-908		
1	Environmental Infrasound and Its Impact on Public Health in the Kashmir Region. <i>Open Journal of Earthquake Research</i> , <b>2019</b> , 08, 165-190	0.8	