

Hans Pottel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7216740/publications.pdf>

Version: 2024-02-01

222
papers

7,530
citations

50273

46
h-index

66906

78
g-index

227
all docs

227
docs citations

227
times ranked

8817
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Improved discrimination of AD patients using $\hat{\tau}^2$ -amyloid $\langle \text{sub} \rangle (1-42) \langle / \text{sub} \rangle$ and tau levels in CSF. <i>Neurology</i> , 1999, 52, 1555-1555. | 1.1 | 697 |
| 2 | An estimated glomerular filtration rate equation for the full age spectrum. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 798-806. | 0.7 | 342 |
| 3 | Laparoscopic sleeve gastrectomy as a single-stage procedure for the treatment of morbid obesity and the resulting quality of life, resolution of comorbidities, food tolerance, and 6-year weight loss. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 2498-2504. | 2.4 | 227 |
| 4 | I.V. and perineural dexamethasone are equivalent in increasing the analgesic duration of a single-shot interscalene block with ropivacaine for shoulder surgery: a prospective, randomized, placebo-controlled study. <i>British Journal of Anaesthesia</i> , 2013, 111, 445-452. | 3.4 | 226 |
| 5 | CKD: A Call for an Age-Adapted Definition. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1785-1805. | 6.1 | 198 |
| 6 | Serum Creatinine: Not So Simple!. <i>Nephron</i> , 2017, 136, 302-308. | 1.8 | 197 |
| 7 | Correlation between the order parameter and the steady-state fluorescence anisotropy of 1,6-diphenyl-1,3,5-hexatriene and an evaluation of membrane fluidity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1983, 730, 181-186. | 2.6 | 165 |
| 8 | Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. <i>Annals of Internal Medicine</i> , 2021, 174, 183-191. | 3.9 | 157 |
| 9 | FDG-PET/CT for the Preoperative Lymph Node Staging of Invasive Bladder Cancer. <i>European Urology</i> , 2010, 57, 641-647. | 1.9 | 149 |
| 10 | Establishing age/sex related serum creatinine reference intervals from hospital laboratory data based on different statistical methods. <i>Clinica Chimica Acta</i> , 2008, 396, 49-55. | 1.1 | 146 |
| 11 | Analytical performance and clinical utility of the INNOTEST [®] PHOSPHO-TAU(181P) assay for discrimination between Alzheimer's disease and dementia with Lewy bodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1472-80. | 2.3 | 145 |
| 12 | Estimating glomerular filtration rate for the full age spectrum from serum creatinine and cystatin C. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw425. | 0.7 | 143 |
| 13 | Effect of orientational order on the decay of the fluorescence anisotropy in membrane suspensions. Experimental verification on unilamellar vesicles and lipid/alpha-lactalbumin complexes. <i>Biophysical Journal</i> , 1984, 46, 525-539. | 0.5 | 134 |
| 14 | A new equation to estimate the glomerular filtration rate in children, adolescents and young adults. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1082-1091. | 0.7 | 132 |
| 15 | A Longitudinal Supra-Inguinal Fascia Iliaca Compartment Block Reduces Morphine Consumption After Total Hip Arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 327-333. | 2.3 | 128 |
| 16 | Effect of orientational order on the decay of the fluorescence anisotropy in membrane suspensions. A new approximate solution of the rotational diffusion equation. <i>Biophysical Journal</i> , 1984, 46, 515-523. | 0.5 | 127 |
| 17 | A simple height-independent equation for estimating glomerular filtration rate in children. <i>Pediatric Nephrology</i> , 2012, 27, 973-979. | 1.7 | 114 |
| 18 | Dephosphorylated-uncarboxylated Matrix Gla protein concentration is predictive of vitamin K status and is correlated with vascular calcification in a cohort of hemodialysis patients. <i>BMC Nephrology</i> , 2014, 15, 145. | 1.8 | 104 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | On the relationship between glomerular filtration rate and serum creatinine in children. <i>Pediatric Nephrology</i> , 2010, 25, 927-934. | 1.7 | 102 |
| 20 | Dual time-point FDG PET-CT for differentiating benign from malignant solitary pulmonary nodules in a TB endemic area. <i>South African Medical Journal</i> , 2010, 100, 598. | 0.6 | 96 |
| 21 | Inhibition of FK506 Binding Proteins Reduces α -Synuclein Aggregation and Parkinson's Disease-Like Pathology. <i>Journal of Neuroscience</i> , 2010, 30, 2454-2463. | 3.6 | 96 |
| 22 | Serial comprehensive geriatric assessment in elderly head and neck cancer patients undergoing curative radiotherapy identifies evolution of multidimensional health problems and is indicative of quality of life. <i>European Journal of Cancer Care</i> , 2014, 23, 401-412. | 1.5 | 82 |
| 23 | On the significance of the fourth-rank orientational order parameter of fluorophores in membranes. <i>Chemical Physics</i> , 1986, 102, 37-44. | 1.9 | 80 |
| 24 | Carcinoma of the gallbladder: Patterns of presentation, prognostic factors and survival rate. An 11-year single centre experience. <i>European Journal of Surgical Oncology</i> , 2013, 39, 548-553. | 1.0 | 75 |
| 25 | Infusion of third-party mesenchymal stromal cells after kidney transplantation: a phase I-II, open-label, clinical study. <i>Kidney International</i> , 2019, 95, 693-707. | 5.2 | 74 |
| 26 | Identification of citrullinated rheumatoid arthritis-specific epitopes in natural filaggrin relevant for antifilaggrin autoantibody detection by line immunoassay. <i>Arthritis and Rheumatism</i> , 2002, 46, 1185-1195. | 6.7 | 71 |
| 27 | Performance of creatinine- or cystatin C-based equations to estimate glomerular filtration rate in sub-Saharan African populations. <i>Kidney International</i> , 2019, 95, 1181-1189. | 5.2 | 70 |
| 28 | Small Bowel Obstruction After Antecolic Antegastric Laparoscopic Roux-en-Y Gastric Bypass Without Division of Small Bowel Mesentery: A Single-Centre, 7-Year Review. <i>Obesity Surgery</i> , 2011, 21, 1822-1827. | 2.1 | 67 |
| 29 | Age-dependent reference intervals for estimated and measured glomerular filtration rate. CKJ: <i>Clinical Kidney Journal</i> , 2017, 10, 545-551. | 2.9 | 67 |
| 30 | Cerebrospinal fluid levels of biomarkers and activity of acetylcholinesterase (AChE) and butyrylcholinesterase in AD patients before and after treatment with different AChE inhibitors. <i>Neurological Sciences</i> , 2002, 23, s95-s96. | 1.9 | 66 |
| 31 | G-8 indicates overall and quality-adjusted survival in older head and neck cancer patients treated with curative radiochemotherapy. <i>BMC Cancer</i> , 2015, 15, 875. | 2.6 | 66 |
| 32 | Measuring and estimating glomerular filtration rate in children. <i>Pediatric Nephrology</i> , 2017, 32, 249-263. | 1.7 | 66 |
| 33 | Bone mineral density, bone turnover markers, and incident fractures in de novo kidney transplant recipients. <i>Kidney International</i> , 2019, 95, 1461-1470. | 5.2 | 61 |
| 34 | Glomerular Filtration Rate in Healthy Living Potential Kidney Donors: A Meta-Analysis Supporting the Construction of the Full Age Spectrum Equation. <i>Nephron</i> , 2017, 135, 105-119. | 1.8 | 60 |
| 35 | Determination of an adequate screening tool for identification of vulnerable elderly head and neck cancer patients treated with radio(chemo)therapy. <i>Journal of Geriatric Oncology</i> , 2012, 3, 24-32. | 1.0 | 57 |
| 36 | Abnormal glomerular filtration rate in children, adolescents and young adults starts below 75 mL/min/1.73 m ² . <i>Pediatric Nephrology</i> , 2015, 30, 821-828. | 1.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Can a Short Course of Prophylactic Low-dose Proton Pump Inhibitor Therapy Prevent Stomal Ulceration After Laparoscopic Roux-en-Y Gastric Bypass?. <i>Obesity Surgery</i> , 2010, 20, 595-599. | 2.1 | 53 |
| 38 | Indications, safety, and feasibility of conversion of failed bariatric surgery to Roux-en-Y gastric bypass: a retrospective comparative study with primary laparoscopic Roux-en-Y gastric bypass. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 1997-2002. | 2.4 | 53 |
| 39 | Con: Should we abandon the use of the MDRD equation in favour of the CKD-EPI equation?. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1396-1403. | 0.7 | 53 |
| 40 | Renal function in children and adolescents with Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2015, 25, 381-387. | 0.6 | 53 |
| 41 | Joint Survival Analysis and Clinical Outcome of Total Joint Arthroplasties With the ARPE Implant in the Treatment of Trapeziometacarpal Osteoarthritis With a Minimal Follow-Up of 5 Years. <i>Journal of Hand Surgery</i> , 2017, 42, 630-638. | 1.6 | 53 |
| 42 | Routine serum creatinine measurements: how well do we perform?. <i>BMC Nephrology</i> , 2015, 16, 21. | 1.8 | 52 |
| 43 | A randomised controlled trial of intravenous dexamethasone combined with interscalene brachial plexus blockade for shoulder surgery. <i>Anaesthesia</i> , 2015, 70, 1180-1185. | 3.8 | 51 |
| 44 | Poor Vitamin K Status Is Associated With Low Bone Mineral Density and Increased Fracture Risk in End-Stage Renal Disease. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 262-269. | 2.8 | 51 |
| 45 | An Age-Calibrated Definition of Chronic Kidney Disease: Rationale and Benefits. <i>Clinical Biochemist Reviews</i> , 2016, 37, 17-26. | 3.3 | 51 |
| 46 | Clinical and Biological Determinants of Sclerostin Plasma Concentration in Hemodialysis Patients. <i>Nephron Clinical Practice</i> , 2014, 128, 127-134. | 2.3 | 50 |
| 47 | Evaluation of INNO-LIA Syphilis Assay as a Confirmatory Test for Syphilis. <i>Journal of Clinical Microbiology</i> , 2002, 40, 973-978. | 3.9 | 49 |
| 48 | Performance of creatinine and cystatin C-based glomerular filtration rate estimating equations in a European HIV-positive cohort. <i>Aids</i> , 2013, 27, 1573-1581. | 2.2 | 48 |
| 49 | Validation of standardized creatinine and cystatin C GFR estimating equations in a large multicentre European cohort of children. <i>Pediatric Nephrology</i> , 2019, 34, 1087-1098. | 1.7 | 45 |
| 50 | Evaluation of a Commercial Line Probe Assay for Identification of Mycobacterium Species from Liquid and Solid Culture. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2002, 21, 794-802. | 2.9 | 44 |
| 51 | Impact of FDG PET on the management of TBC treatment. <i>Nuklearmedizin - NuclearMedicine</i> , 2010, 49, 35-40. | 0.7 | 41 |
| 52 | Influence of the protein conformation on the interaction between β -lactalbumin and dimyristoylphosphatidylcholine vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1985, 817, 154-164. | 2.6 | 39 |
| 53 | Use of the Freund Clock Drawing Test within the Mini-Cog as a screening tool for cognitive impairment in elderly patients with or without cancer. <i>Journal of Geriatric Oncology</i> , 2013, 4, 174-182. | 1.0 | 38 |
| 54 | Laparoscopic versus open parenchymal preserving liver resections in the posterosuperior segments: a case-matched study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 1478-1485. | 2.4 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Performance of glomerular filtration rate estimation equations in Congolese healthy adults: The inopportunity of the ethnic correction. <i>PLoS ONE</i> , 2018, 13, e0193384. | 2.5 | 38 |
| 56 | Ambiguities in the interpretation of time-resolved fluorescence anisotropy measurements on lipid vesicle systems. <i>Chemical Physics Letters</i> , 1987, 140, 394-400. | 2.6 | 37 |
| 57 | Comparative Analysis of Different Peptidyl-Prolyl Isomerases Reveals FK506-binding Protein 12 as the Most Potent Enhancer of I \pm -Synuclein Aggregation. <i>Journal of Biological Chemistry</i> , 2011, 286, 26687-26701. | 3.4 | 36 |
| 58 | Endogenously released opioids mediate meal-induced gastric relaxation via peripheral μ -opioid receptors. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 607-614. | 3.7 | 34 |
| 59 | Estimating glomerular filtration rate at the transition from pediatric to adult care. <i>Kidney International</i> , 2019, 95, 1234-1243. | 5.2 | 34 |
| 60 | Proteinuria in COVID-19: prevalence, characterization and prognostic role. <i>Journal of Nephrology</i> , 2021, 34, 355-364. | 2.0 | 34 |
| 61 | Myostatin and Insulin-Like Growth Factor 1 Are Biomarkers of Muscle Strength, Muscle Mass, and Mortality in Patients on Hemodialysis. , 2019, 29, 511-520. | | 32 |
| 62 | Estimation of the glomerular filtration rate in children and young adults by means of the CKD-EPI equation with age-adjusted creatinine values. <i>Kidney International</i> , 2021, 99, 940-947. | 5.2 | 32 |
| 63 | A novel antibody surrogate biomarker to monitor parasite persistence in <i>Trypanosoma cruzi</i> -infected patients. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006226. | 3.0 | 32 |
| 64 | Demystifying ethnic/sex differences in kidney function: Is the difference in (estimating) glomerular filtration rate or in serum creatinine concentration?. <i>Clinica Chimica Acta</i> , 2012, 413, 1612-1617. | 1.1 | 31 |
| 65 | Impact of estimation versus direct measurement of predonation glomerular filtration rate on the eligibility of potential living kidney donors. <i>Kidney International</i> , 2019, 95, 896-904. | 5.2 | 31 |
| 66 | The closure of arteriovenous fistula in kidney transplant recipients is associated with an acceleration of kidney function decline. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw351. | 0.7 | 30 |
| 67 | Alternatives for the Bedside Schwartz Equation to Estimate Glomerular Filtration Rate in Children. <i>Advances in Chronic Kidney Disease</i> , 2018, 25, 57-66. | 1.4 | 30 |
| 68 | Chromato-panning: an efficient new mode of identifying suitable ligands from phage display libraries. <i>BMC Biotechnology</i> , 2009, 9, 21. | 3.3 | 28 |
| 69 | Value of Preoperative Esophagogastroduodenoscopy in Morbidly Obese Patients Undergoing Laparoscopic Roux-en-Y Gastric Bypass. <i>Acta Chirurgica Belgica</i> , 2013, 113, 249-253. | 0.4 | 27 |
| 70 | Omega-3 fatty acids: physiology, biological sources and potential applications in supportive cancer care. <i>Phytochemistry Reviews</i> , 2014, 13, 223-244. | 6.5 | 27 |
| 71 | Discrepancies between the Cockcroft-Gault and Chronic Kidney Disease Epidemiology (CKD-EPI) Equations: Implications for Refining Drug Dosage Adjustment Strategies. <i>Clinical Pharmacokinetics</i> , 2017, 56, 193-205. | 3.5 | 25 |
| 72 | A multicenter study to evaluate harmonization of assays for N-terminal propeptide of type I procollagen (PINP): a report from the IFCC-IOF Joint Committee for Bone Metabolism. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1546-1555. | 2.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A novel method for creatinine adjustment makes the revised Lundâ€“MalmÃ¶ GFR estimating equation applicable in children. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 456-463. | 1.2 | 25 |
| 74 | Serum protein S100 as marker of postoperative delirium after off-pump coronary artery bypass surgery: secondary analysis of two prospective randomized controlled trials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1671-1680. | 2.3 | 24 |
| 75 | Performance of creatinineâ€“based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 2118-2127. | 2.4 | 24 |
| 76 | Disease- and treatment-related elevation of the neurodegenerative marker tau in children with hematological malignancies. <i>Leukemia</i> , 2000, 14, 2076-2084. | 7.2 | 23 |
| 77 | Evaluating the possible role of 68Ga-citrate PET/CT in the characterization of indeterminate lung lesions. <i>Annals of Nuclear Medicine</i> , 2014, 28, 523-30. | 2.2 | 23 |
| 78 | Central Venous Pressure Drop After Hypovolemic Phlebotomy is a Strong Independent Predictor of Intraoperative Blood Loss During Liver Resection. <i>Annals of Surgical Oncology</i> , 2017, 24, 1367-1375. | 1.5 | 23 |
| 79 | Measured (and estimated) glomerular filtration rate: reference values in West Africa. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1176-1180. | 0.7 | 23 |
| 80 | Sclerostin and chronic kidney disease: the assay impacts what we (thought to) know. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1404-1410. | 0.7 | 22 |
| 81 | Impact of PET reconstruction protocols on quantification of lesions that fulfil the PERCIST lesion inclusion criteria. <i>EJNMMI Physics</i> , 2018, 5, 35. | 2.7 | 22 |
| 82 | Validation of the Freund Clock Drawing Test as a screening tool to detect cognitive dysfunction in elderly cancer patients undergoing comprehensive geriatric assessment. <i>Psycho-Oncology</i> , 2014, 23, 1172-1177. | 2.3 | 21 |
| 83 | The Effectiveness of a Clinical Pathway in Liver Surgery: a Case-Control Study. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 684-694. | 1.7 | 21 |
| 84 | Single- versus multiple-sample method to measure glomerular filtration rate. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1778-1785. | 0.7 | 21 |
| 85 | Stroke coach: a pilot study of a personal digital coaching program for patients after ischemic stroke. <i>Acta Neurologica Belgica</i> , 2020, 120, 91-97. | 1.1 | 21 |
| 86 | Organization, quality and cost of oncological home-hospitalization: A systematic review. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 126, 145-153. | 4.4 | 20 |
| 87 | Closure of mesenteric defects is associated with a higher incidence of small bowel obstruction due to adhesions after laparoscopic antecolic Roux-en-y gastric bypass: A retrospective cohort study. <i>International Journal of Surgery</i> , 2019, 71, 149-155. | 2.7 | 20 |
| 88 | Diagnostic Performance and Predictive Value of Rheumatoid Factor, Anti-citrullinated Peptide Antibodies, and the HLA Shared Epitope for Diagnosis of Rheumatoid Arthritis. <i>Clinical Chemistry</i> , 2005, 51, 261-263. | 3.2 | 19 |
| 89 | Echium oil is not protective against weight loss in head and neck cancer patients undergoing curative radio(chemo)therapy: a randomised-controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 382. | 3.7 | 19 |
| 90 | Laparoscopic parenchymal preserving hepatic resections in semiprone position for tumors located in the posterosuperior segments. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 255-262. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The use of uHearâ„¢ to screen for hearing loss in older patients with cancer as part of a comprehensive geriatric assessment. <i>Acta Clinica Belgica</i> , 2018, 73, 132-138. | 1.2 | 18 |
| 92 | Subjective, but not objective, cognitive complaints impact long-term quality of life in cancer patients. <i>Journal of Psychosocial Oncology</i> , 2019, 37, 427-440. | 1.2 | 18 |
| 93 | Americentrism in estimation of glomerular filtration rate equations. <i>Kidney International</i> , 2022, 101, 856-858. | 5.2 | 18 |
| 94 | New insights in glomerular filtration rate formulas and chronic kidney disease classification. <i>Clinica Chimica Acta</i> , 2010, 411, 1341-1347. | 1.1 | 17 |
| 95 | Implementation of uHearâ„¢ - an iOS-based application to screen for hearing loss - in older patients with cancer undergoing a comprehensive geriatric assessment. <i>Journal of Geriatric Oncology</i> , 2016, 7, 126-133. | 1.0 | 17 |
| 96 | Predictors of baseline cancer-related cognitive impairment in cancer patients scheduled for a curative treatment. <i>Psycho-Oncology</i> , 2017, 26, 632-639. | 2.3 | 17 |
| 97 | Underrepresentation of vulnerable older patients with cancer in phase II and III oncology registration trials: A case-control study. <i>Journal of Geriatric Oncology</i> , 2020, 11, 320-326. | 1.0 | 16 |
| 98 | The presence of persistent symptoms 12 months following a first lateral ankle sprain: A systematic review and meta-analysis. <i>Foot and Ankle Surgery</i> , 2022, 28, 817-826. | 1.7 | 16 |
| 99 | Laparoscopic right posterior sectionectomy: single-center experience and technical aspects. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 21-29. | 1.9 | 15 |
| 100 | Outcomes of completion total mesorectal excision are not compromised by prior transanal minimally invasive surgery. <i>Colorectal Disease</i> , 2020, 22, 790-798. | 1.4 | 15 |
| 101 | The "race" correction in estimating glomerular filtration rate: an European point of view. <i>Current Opinion in Nephrology and Hypertension</i> , 2021, 30, 525-530. | 2.0 | 15 |
| 102 | Strategies to Prevent Acute Kidney Injury after Pediatric Cardiac Surgery. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1480-1490. | 4.5 | 15 |
| 103 | Quantitative Models for Prediction of Toxic Component Concentrations in Smoke Gases from FTIR Spectra. <i>Fire and Materials</i> , 1996, 20, 273-291. | 2.0 | 14 |
| 104 | PEGylated cholecystokinin prolongs satiation in rats: dose dependency and receptor involvement. <i>British Journal of Pharmacology</i> , 2007, 152, 396-403. | 5.4 | 14 |
| 105 | Are eGFR equations better than IDMS-traceable serum creatinine in classifying chronic kidney disease?. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 550-561. | 1.2 | 14 |
| 106 | The added value of an assessment of the patient's hand grip strength to the comprehensive geriatric assessment in G8-abnormal older patients with cancer in routine practice. <i>Journal of Geriatric Oncology</i> , 2019, 10, 931-936. | 1.0 | 14 |
| 107 | An oblique fibular tunnel is recommended when reconstructing the ATFL and CFL. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 124-131. | 4.2 | 14 |
| 108 | Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. <i>Annals of Internal Medicine</i> , 2021, 174, 1038. | 3.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Basic characterization of an ouabain-resistant, bumetanide-sensitive K ⁺ carrier-mediated transport system in J774.2 mouse macrophage-like cell line and in variants deficient in adenylate cyclase and cAMP-dependent protein kinase activities. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1985, 817, 85-94. | 2.6 | 13 |
| 110 | The use of partial least squares (PLS) in quantitative FTIR: Determination of gas concentrations in smoke gases of burning textiles. <i>Fire and Materials</i> , 1995, 19, 221-231. | 2.0 | 13 |
| 111 | CSF-Phospho-tau (181P) as a Promising Marker for Discriminating Alzheimer's Disease from Dementia with Lewy Bodies. , 0, , 285-291. | | 13 |
| 112 | Impact of stopping vitamin K antagonist therapy on concentrations of dephospho-uncarboxylated Matrix Gla protein. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, e191-3. | 2.3 | 13 |
| 113 | Can the height-independent Pottel eGFR equation be used as a screening tool for chronic kidney disease in children?. <i>European Journal of Pediatrics</i> , 2015, 174, 1225-1235. | 2.7 | 13 |
| 114 | The influence of propofol and sevoflurane on intestinal motility during laparoscopic surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 335-342. | 1.6 | 13 |
| 115 | High-content analysis of α -synuclein aggregation and cell death in a cellular model of Parkinson's disease. <i>Journal of Neuroscience Methods</i> , 2016, 261, 117-127. | 2.5 | 13 |
| 116 | Evaluating the diagnostic value of rescaled β -trace protein in combination with serum creatinine and serum cystatin C in older adults. <i>Clinica Chimica Acta</i> , 2018, 480, 206-213. | 1.1 | 13 |
| 117 | The effect of proctoring on the learning curve of α -transanal minimally invasive surgery for local excision of rectal neoplasms. <i>Techniques in Coloproctology</i> , 2018, 22, 965-975. | 1.8 | 13 |
| 118 | Prediction of parasitological cure in children infected with <i>Trypanosoma cruzi</i> using a novel multiplex serological approach: an observational, retrospective cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1141-1150. | 9.1 | 13 |
| 119 | Evaluation of the creatinine-based chronic kidney disease in children (under 25 years) equation in healthy children and adolescents. <i>Pediatric Nephrology</i> , 2022, 37, 2213-2216. | 1.7 | 13 |
| 120 | Transition from laparoscopic to robotic liver surgery: clinical outcomes, learning curve effect, and cost-effectiveness. <i>Journal of Robotic Surgery</i> , 2022, , 1. | 1.8 | 13 |
| 121 | pH-dependence of the α -lactalbumin structure : A fluorescence study. <i>Biochemical and Biophysical Research Communications</i> , 1984, 119, 509-515. | 2.1 | 12 |
| 122 | Chronic pain after Kugel inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008, 12, 127-132. | 2.0 | 12 |
| 123 | Epidemiology of infective endocarditis in a large Belgian non-referral hospital. <i>Acta Clinica Belgica</i> , 2014, 69, 183-190. | 1.2 | 12 |
| 124 | The Modified CKiD Study Estimated GFR Equations for Children and Young Adults Under 25 Years of Age: Performance in a European Multicenter Cohort. <i>American Journal of Kidney Diseases</i> , 2022, 80, 807-810. | 1.9 | 12 |
| 125 | PEGylated cholecystokinin is more potent in inducing anorexia than conditioned taste aversion in rats. <i>British Journal of Pharmacology</i> , 2008, 155, 417-423. | 5.4 | 11 |
| 126 | The diagnostic value of rescaled renal biomarkers serum creatinine and serum cystatin C and their relation with measured glomerular filtration rate. <i>Clinica Chimica Acta</i> , 2017, 471, 164-170. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Migration from RIA to LC-MS/MS for aldosterone determination: Implications for clinical practice and determination of plasma and urine reference range intervals in a cohort of healthy Belgian subjects. <i>Clinical Mass Spectrometry</i> , 2018, 9, 7-17. | 1.9 | 11 |
| 128 | Prospects for improved glomerular filtration rate estimation based on creatinine results from a transnational multicentre study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 674-683. | 2.9 | 11 |
| 129 | Randomized clinical trial on the influence of anaesthesia protocol on intestinal motility during laparoscopic surgery requiring small bowel anastomosis. <i>British Journal of Surgery</i> , 2012, 99, 1524-1529. | 0.3 | 10 |
| 130 | An observational pilot study to evaluate the feasibility and quality of oncological home-hospitalization. <i>European Journal of Oncology Nursing</i> , 2019, 40, 44-52. | 2.1 | 10 |
| 131 | Laparoscopic liver resection for liver tumours in proximity to major vasculature: A single-center comparative study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 539-547. | 1.0 | 10 |
| 132 | A randomised wait-list controlled trial to evaluate Emotional Freedom Techniques for self-reported cancer-related cognitive impairment in cancer survivors (EMOTICON). <i>EClinicalMedicine</i> , 2021, 39, 101081. | 7.1 | 10 |
| 133 | Anti-Trypanosoma cruzi Cross-Reactive Antibodies Detected at High Rate in Non-Exposed Individuals Living in Non-Endemic Regions: Seroprevalence and Association to Other Viral Serologies. <i>PLoS ONE</i> , 2013, 8, e74493. | 2.5 | 9 |
| 134 | Measuring glomerular filtration rate using 51Cr-EDTA. <i>Nuclear Medicine Communications</i> , 2014, 35, 1150-1155. | 1.1 | 9 |
| 135 | Persistent aggregates in apheresis platelet concentrates. <i>Vox Sanguinis</i> , 2015, 108, 368-377. | 1.5 | 9 |
| 136 | ¹²⁵ I brachytherapy in younger prostate cancer patients. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 707-713. | 2.0 | 9 |
| 137 | 20-year longitudinal follow-up of measured and estimated glomerular filtration rate in kidney transplant patients. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 909-916. | 2.9 | 9 |
| 138 | A Multicenter Study to Evaluate Harmonization of Assays for C-Terminal Telopeptides of Type I Collagen (NTX): A Report from the IFCC-IOF Committee for Bone Metabolism (C-BM). <i>Calcified Tissue International</i> , 2021, 108, 785-797. | 3.1 | 9 |
| 139 | Lack of tolerance development with long-term administration of PEGylated cholecystokinin. <i>Peptides</i> , 2009, 30, 699-704. | 2.4 | 8 |
| 140 | Transanal Endoscopic Operation for Benign Rectal Lesions and T1 Carcinoma. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2017, 21, e2016.00093. | 1.1 | 8 |
| 141 | Sonographic Development of the Pericallosal Vascularization in the First and Early Second Trimester of Pregnancy. <i>American Journal of Neuroradiology</i> , 2018, 39, 589-596. | 2.4 | 8 |
| 142 | Evaluation of inactive Matrix-Gla-Protein (MGP) as a biomarker for incident and recurrent kidney stones. <i>Journal of Nephrology</i> , 2020, 33, 101-107. | 2.0 | 8 |
| 143 | Impact of the Type of Dialysis Membranes on the Circulating Concentration of Markers of Vitamin D Metabolism. <i>International Journal of Artificial Organs</i> , 2017, 40, 43-47. | 1.4 | 7 |
| 144 | Estimation of GFR in children using rescaled beta-trace protein. <i>Clinica Chimica Acta</i> , 2018, 486, 259-264. | 1.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Age-adapted percentiles of measured glomerular filtration in healthy individuals: extrapolation to living kidney donors over 65 years. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 401-407. | 2.3 | 7 |
| 146 | Dose-response effects of PEGylated cholecystokinin on the behavioral satiety sequence. <i>Physiology and Behavior</i> , 2009, 98, 198-204. | 2.1 | 6 |
| 147 | Is Body Surface Area the Appropriate Index for Glomerular Filtration Rate?. , 2012, , . | | 6 |
| 148 | Measuring the glomerular filtration rate in different age groups using iohexol, the protocol from the Belgian iohexol study. <i>Clinical Biochemistry</i> , 2013, 46, 31-36. | 1.9 | 6 |
| 149 | SILS Sigmoidectomy Versus Multiport Laparoscopic Sigmoidectomy for Diverticulitis. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014, 18, e2014.00319. | 1.1 | 6 |
| 150 | The distress thermometer predicts subjective, but not objective, cognitive complaints six months after treatment initiation in cancer patients. <i>Journal of Psychosocial Oncology</i> , 2017, 35, 741-757. | 1.2 | 6 |
| 151 | Newer GFR Estimating Equations Require Validation in Different Populations. <i>American Journal of Kidney Diseases</i> , 2017, 70, 586. | 1.9 | 6 |
| 152 | One-year mortality of patients with ST-Elevation myocardial infarction: Prognostic impact of creatinine-based equations to estimate glomerular filtration rate. <i>PLoS ONE</i> , 2018, 13, e0199773. | 2.5 | 6 |
| 153 | Comparison of Early-Compartment Correction Equations for GFR Measurements. <i>Kidney International Reports</i> , 2020, 5, 1079-1081. | 0.8 | 6 |
| 154 | Observer variability in the assessment of renal 18F-FDG uptake in kidney transplant recipients. <i>Scientific Reports</i> , 2020, 10, 4617. | 3.3 | 6 |
| 155 | Iohexol plasma clearance for measuring glomerular filtration rate: effect of different ways to calculate the area under the curve. <i>BMC Nephrology</i> , 2021, 22, 166. | 1.8 | 6 |
| 156 | Prevalence, progression and implications of breast artery calcification in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 295-302. | 2.9 | 6 |
| 157 | Creatinine-based GFR-estimating equations in children with overweight and obesity. <i>Pediatric Nephrology</i> , 2022, 37, 2393-2403. | 1.7 | 6 |
| 158 | Reconstruction of the cervical ligament in patients with chronic subtalar instability. <i>Foot and Ankle Surgery</i> , 2022, 28, 1286-1292. | 1.7 | 6 |
| 159 | A new approach to polarized fluorescence using phase and modulation fluorometry. <i>European Biophysics Journal</i> , 1987, 15, 35-45. | 2.2 | 5 |
| 160 | Does the type of creatinine assay affect creatinine clearance determination?. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 392-398. | 1.2 | 5 |
| 161 | Data on the relation between renal biomarkers and measured glomerular filtration rate. <i>Data in Brief</i> , 2017, 14, 763-772. | 1.0 | 5 |
| 162 | One-stage laparoscopic parenchymal sparing liver resection for bilobar colorectal liver metastases: safety, recurrence patterns and oncologic outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 1018-1026. | 2.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | A new approach to polarized fluorescence using phase and modulation fluorometry. <i>European Biophysics Journal</i> , 1987, 15, 47-58. | 2.2 | 4 |
| 164 | PL-109 Small bowel obstruction after antecolic antegastric laparoscopic Roux-en-Y gastric bypass: A single center 7-year review. <i>Surgery for Obesity and Related Diseases</i> , 2011, 7, 342. | 1.2 | 4 |
| 165 | Response to the letter concerning measuring glomerular filtration rate using chromium-51 EDTA. <i>Nuclear Medicine Communications</i> , 2015, 36, 297-300. | 1.1 | 4 |
| 166 | Evaluation of CT-based SUV normalization. <i>Physics in Medicine and Biology</i> , 2016, 61, 6369-6383. | 3.0 | 4 |
| 167 | Variations of parathyroid hormone and bone biomarkers are concordant only after a long term follow-up in hemodialyzed patients. <i>Scientific Reports</i> , 2017, 7, 12623. | 3.3 | 4 |
| 168 | New equation to estimate glomerular filtration rate in China: a reference issue. <i>Kidney International</i> , 2019, 96, 521. | 5.2 | 4 |
| 169 | Estimating Glomerular Filtration Rate in African American Individuals. <i>JAMA Internal Medicine</i> , 2020, 180, 1549. | 5.1 | 4 |
| 170 | Effectiveness of Adjunctive Analgesics in Head and Neck Cancer Patients Receiving Curative (Chemo-) Radiotherapy: A Systematic Review. <i>Pain Medicine</i> , 2021, 22, 152-164. | 1.9 | 4 |
| 171 | Comparison of Plasma Clearance With Early-Compartment Correction Equations and Urinary Clearance in High GFR Ranges. <i>Kidney International Reports</i> , 2021, 6, 1622-1628. | 0.8 | 4 |
| 172 | Multicenter, retrospective analysis of endovascular treatment for acute ischemic stroke in nonagenarians. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104817. | 1.6 | 4 |
| 173 | The Accumulation of Flammable Gases in Cone Calorimeter Tests is Responsible for Flash Ignition of Wool and Cotton Samples. <i>Fire and Materials</i> , 1996, 20, 107-109. | 2.0 | 3 |
| 174 | “Acute kidney dysfunction with no rejection” is associated with poor renal outcomes at 2 years post kidney transplantation. <i>BMC Nephrology</i> , 2019, 20, 249. | 1.8 | 3 |
| 175 | Detection of alcohol abuse in older patients with cancer: The integration of alcohol screening questionnaires in the comprehensive geriatric assessment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 819-823. | 1.0 | 3 |
| 176 | Survivors of COVID-19 mostly recover from tubular proteinuria and acute kidney injury after hospital discharge. <i>Journal of Nephrology</i> , 2021, 34, 967-969. | 2.0 | 3 |
| 177 | [18F]FDG PET/CT imaging disproves renal allograft acute rejection in kidney transplant recipients with acute kidney dysfunction: a validation cohort. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 49, 331-335. | 6.4 | 3 |
| 178 | Can the Vulnerable Elders Survey-13 and/or the G8 adequately identify elderly patients with head and neck cancer in need of a comprehensive geriatric assessment?. <i>Journal of Clinical Oncology</i> , 2011, 29, e19670-e19670. | 1.6 | 3 |
| 179 | Critical Review of Method Comparison Studies for the Evaluation of Estimating Glomerular Filtration Rate Equations. <i>International Journal of Nephrology and Kidney Failure</i> , 2015, 1, . | 0.1 | 3 |
| 180 | CA 15.3 measurements for separating FDG PET/CT positive from negative findings in breast carcinoma recurrence. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 131-138. | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Experience with Lexicomp® Online Drug Database for Medication Review and Drug-Drug Interaction Analysis within a Comprehensive Geriatric Assessment in Elderly Cancer Patients. <i>Journal of Analytical Oncology</i> , 2012, 1, 32-41. | 0.1 | 3 |
| 182 | A novel high performing multiplex immunoassay Multi-HTLV for serological confirmation and typing of HTLV infections. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009925. | 3.0 | 3 |
| 183 | Preclinical validation of automated dual-energy X-ray absorptiometry and computed tomography-based body composition measurements. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 60, 40-7. | 0.7 | 3 |
| 184 | The effect of different consensus definitions on diagnosing acute kidney injury events and their association with in-hospital mortality. <i>Journal of Nephrology</i> , 2022, 35, 2087-2095. | 2.0 | 3 |
| 185 | Estimating urine albumin to creatinine ratio from protein to creatinine ratio using same day measurement: validation of equations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 1064-1072. | 2.3 | 3 |
| 186 | Totally extraperitoneal laparoscopic inguinal hernia repair using a self-expanding nitinol framed hernia repair device: A prospective case series. <i>International Journal of Surgery</i> , 2017, 40, 139-144. | 2.7 | 2 |
| 187 | Stable metabolic disease on FDG-PET provides information on response to endocrine therapy for breast cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 61, 108-114. | 0.7 | 2 |
| 188 | Virologic therapy response significantly correlates with the number of active drugs as evaluated using a LiPA HIV-1 resistance scoring system. <i>Journal of Clinical Virology</i> , 2004, 31, 7-15. | 3.1 | 1 |
| 189 | Variations of sclerostin with other bone biomarkers over a one-year period in hemodialysis patients. <i>Clinica Chimica Acta</i> , 2018, 486, 183-184. | 1.1 | 1 |
| 190 | Quality of blood samples collected at home does not affect clinical decision making for the administration of systemic cancer treatment. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 215-221. | 1.2 | 1 |
| 191 | Acupuncture as a Complementary Therapy for Cancer Care: Acceptability and Preferences of Patients and Informal Caregivers. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2021, 14, 67-74. | 0.7 | 1 |
| 192 | Iohexol Plasma Clearance: Impact of Weighing the Syringe. <i>Kidney International Reports</i> , 2021, 6, 2478-2480. | 0.8 | 1 |
| 193 | Low-dose-rate brachytherapy as a minimally invasive curative treatment for localised prostate cancer has excellent oncological and functional outcomes: a retrospective analysis from a single centre. <i>Central European Journal of Urology</i> , 2018, 71, 270-275. | 0.3 | 1 |
| 194 | Oncologic Home-Hospitalization Delivers a High-Quality and Patient-Centered Alternative to Standard Ambulatory Care: Results of a Randomized-Controlled Equivalence Trial. <i>JCO Global Oncology</i> , 2021, 7, 1564-1571. | 1.8 | 1 |
| 195 | ⁵¹ Cr-EDTA plasma clearance in children. <i>Medicine (United States)</i> , 2022, 101, e28608. | 1.0 | 1 |
| 196 | PL-51: Can a short course of prophylactic low-dose proton pump inhibitor therapy prevent stomal ulceration after laparoscopic Roux-en-Y gastric bypass?. <i>Surgery for Obesity and Related Diseases</i> , 2008, 4, 308. | 1.2 | 0 |
| 197 | P-18: Quality of life, food tolerance and weight loss after laparoscopic sleeve gastrectomy. <i>Surgery for Obesity and Related Diseases</i> , 2010, 6, S32. | 1.2 | 0 |
| 198 | P-15 Indications, safety and feasibility of conversion of failed bariatric surgery to Roux-en-Y gastric bypass: a retrospective comparative study with primary laparoscopic Roux-en-Y gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2011, 7, 376-377. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Serial comprehensive geriatric evaluation in older head and neck cancer patients undergoing radiotherapy. <i>Journal of Geriatric Oncology</i> , 2012, 3, S58. | 1.0 | 0 |
| 200 | Experience with Lexicomp® online drug database for medication review and drug-drug interaction analysis within CGA in elderly cancer patients. <i>Journal of Geriatric Oncology</i> , 2012, 3, S79-S80. | 1.0 | 0 |
| 201 | Use of the Freund Clock Drawing Test within the Mini-Cog as a screening tool for cognitive impairment in elderly patients with or without cancer. <i>Journal of Geriatric Oncology</i> , 2012, 3, S75. | 1.0 | 0 |
| 202 | Serial Comprehensive Geriatric Evaluation in Elderly Head and Neck Cancer Patients Undergoing Radiotherapy. <i>Annals of Oncology</i> , 2012, 23, ix341-ix342. | 1.2 | 0 |
| 203 | A more accurate replacement for the revised Schwartz equation: quadratic or Flanders metadata? Flaws in the authors reply. <i>Kidney International</i> , 2014, 85, 215-216. | 5.2 | 0 |
| 204 | G.P.172. <i>Neuromuscular Disorders</i> , 2014, 24, 857. | 0.6 | 0 |
| 205 | G.P.173. <i>Neuromuscular Disorders</i> , 2014, 24, 857-858. | 0.6 | 0 |
| 206 | PP075-MON: Echium Oil is not Protective Against Weight Loss in Head and Neck Cancer Patients Undergoing Curative Radiotherapy. <i>Clinical Nutrition</i> , 2014, 33, S158. | 5.0 | 0 |
| 207 | V4-04 TECHNICAL ASPECTS OF ROBOT-ASSISTED LAPAROSCOPIC PROSTATECTOMY IN LARGE PROSTATES (â%¥75G).. <i>Journal of Urology</i> , 2015, 193, . | 0.4 | 0 |
| 208 | Response to the letter from Kallner: Comments on "Does the type of creatinine assay affect creatinine clearance determination?"™. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 287-288. | 1.2 | 0 |
| 209 | Comments on "Does the type of creatinine assay affect creatinine clearance determination?"™. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 284-286. | 1.2 | 0 |
| 210 | SP255DRUG DOSING IN CHRONIC KIDNEY DISEASE: IS THE COCKCROFT-GAULT FORMULA ALWAYS THE BEST ESTIMATOR OF RENAL FUNCTION TO PREVENT OVEREXPOSURE?. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i172-i172. | 0.7 | 0 |
| 211 | Persistent aggregates in apheresis platelet concentrates are commonly collected from donors with a history of aggregate donation. <i>Vox Sanguinis</i> , 2016, 111, 431-433. | 1.5 | 0 |
| 212 | Patient-specific lean body mass can be estimated from limited-coverage computed tomography images. <i>Nuclear Medicine Communications</i> , 2018, 39, 521-526. | 1.1 | 0 |
| 213 | FP292MEASUREMENT OF GLOMERULAR FILTRATION RATE BY PLASMA IOHEXOL CLEARANCE WITH DIFFERENT SINGLE-SAMPLE METHODS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i129-i129. | 0.7 | 0 |
| 214 | SP314ONE-YEAR MORTALITY OF PATIENTS WITH ST-ELEVATION MYOCARDIAL INFARCTION: PROGNOSTIC IMPACT OF CREATININE-BASED EQUATIONS TO ESTIMATE GLOMERULAR FILTRATION RATE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i450-i450. | 0.7 | 0 |
| 215 | Shifting specialized oncological care from hospital- to home-setting: is there support among patients, specialists and general practitioners?. <i>Acta Clinica Belgica</i> , 2020, 75, 250-257. | 1.2 | 0 |
| 216 | The Authors Reply. <i>Kidney International Reports</i> , 2020, 5, 1843. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | MO523PATIENTS FROM COVID-19 MOSTLY RECOVER FROM TUBULAR PROTEINURIA AND ACUTE KIDNEY INJURY AFTER HOSPITAL DISCHARGE. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 218 | MO364ASSOCIATION OF AKI-EVENT DEFINED BY DIFFERENT DEFINITIONS WITH IN-HOSPITAL MORTALITY. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 219 | FC 121THE UPTAKE OF PET RADIOTRACER 18 F-FLUORODEOXYGLUCOSE BY THE RENAL ALLOGRAFT SIGNIFICANTLY CORRELATES WITH THE ACUTE BANFF SCORES OF CORTEX INFLAMMATION. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 220 | Trypanosoma-Cruzi Cross-Reactive Antibodies Longitudinal Follow-Up: A Prospective Observational Study in Hematopoietic Stem Cell Transplantation. PLoS ONE, 2015, 10, e0137240. | 2.5 | 0 |
| 221 | Prevalence, progression and implications of breast artery calcification in patients with chronic kidney disease across stages of disease. , 2020, , . | | 0 |
| 222 | Physiology of the Aging Kidney. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, CJN.06880622. | 4.5 | 0 |