

Aura ColaÃ§o

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7217378/publications.pdf>

Version: 2024-02-01

23
papers

423
citations

623574

14
h-index

752573

20
g-index

23
all docs

23
docs citations

23
times ranked

846
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term treatment with chaethomellic acid A reduces glomerulosclerosis and arteriolosclerosis in a rat model of chronic kidney disease. <i>Biomedicine and Pharmacotherapy</i> , 2017, 96, 489-496.	2.5	5
2	Temsirolimus improves cytotoxic efficacy of cisplatin and gemcitabine against urinary bladder cancer cell lines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 41.e11-41.e22.	0.8	21
3	N-diethylnitrosamine mouse hepatotoxicity: Time-related effects on histology and oxidative stress. <i>Experimental and Toxicologic Pathology</i> , 2014, 66, 429-436.	2.1	52
4	Cytokeratin 7/19 expression in N-diethylnitrosamine-induced mouse hepatocellular lesions: implications for histogenesis. <i>International Journal of Experimental Pathology</i> , 2014, 95, 191-198.	0.6	20
5	The N-nitrosodiethylamine mouse model: sketching a timeline of evolution of chemically-induced hepatic lesions. <i>Anticancer Research</i> , 2014, 34, 7029-37.	0.5	7
6	Mitochondrial and liver oxidative stress alterations induced by N-butyl-N-(4-hydroxybutyl)nitrosamine: relevance for hepatotoxicity. <i>Journal of Applied Toxicology</i> , 2013, 33, 434-443.	1.4	22
7	Cytogenetic characterization of an N-butyl-N-(4-hydroxybutyl) nitrosamine-induced mouse papillary urothelial carcinoma. <i>Tumor Biology</i> , 2013, 34, 2691-2696.	0.8	3
8	Meloxicam synergistically enhances the in vitro effects of sunitinib malate on bladder-cancer cells. <i>Journal of Applied Biomedicine</i> , 2013, 11, 79-92.	0.6	4
9	In vivo and in vitro effects of RAD001 on bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1212-1221.	0.8	23
10	Everolimus combined with cisplatin has a potential role in treatment of urothelial bladder cancer. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 116-121.	2.5	25
11	Meloxicam in the treatment of in vitro and in vivo models of urinary bladder cancer. <i>Biomedicine and Pharmacotherapy</i> , 2013, 67, 277-284.	2.5	28
12	Synergistic Effect between Cisplatin and Sunitinib Malate on Human Urinary Bladder-Cancer Cell Lines. <i>BioMed Research International</i> , 2013, 2013, 1-11.	0.9	16
13	E-Cadherin and β -Catenin Expression during Urothelial Carcinogenesis Induced by N-butyl-N-(4-hydroxybutyl) nitrosamine in Mice. <i>Urologia Internationalis</i> , 2013, 91, 462-466.	0.6	4
14	The effects of repeated oral gavage on the health of male CD-1 mice. <i>Lab Animal</i> , 2012, 41, 129-134.	0.2	63
15	Everolimus Enhances Gemcitabine-Induced Cytotoxicity in Bladder-Cancer Cell Lines. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2012, 75, 788-799.	1.1	22
16	Histology, bioenergetics and oxidative stress in mouse liver exposed to N-diethylnitrosamine. <i>In Vivo</i> , 2012, 26, 921-9.	0.6	13
17	Ultrastructural and cytochemical characterization of follicular cell types in bovine (<i>Bos taurus</i>) cumulus oocyte complexes aspirated from small and medium antral follicles during the estrus cycle. <i>Animal Reproduction Science</i> , 2011, 123, 23-31.	0.5	4
18	High doses of olive leaf extract induce liver changes in mice. <i>Food and Chemical Toxicology</i> , 2011, 49, 1989-1997.	1.8	23

#	ARTICLE	IF	CITATIONS
19	The effects of sirolimus on urothelial lesions chemically induced in ICR mice by BBN. <i>Anticancer Research</i> , 2009, 29, 3221-6.	0.5	14
20	Cell Proliferation and DNA Content in Rat Urothelial Lesions after Repeat Intravesical Instillations of Mitomycin C and Bacillus Calmette-Guérin. <i>Urologia Internationalis</i> , 2008, 80, 90-97.	0.6	5
21	Long-term nebivolol administration reduces renal fibrosis and prevents endothelial dysfunction in rats with hypertension induced by renal mass reduction. <i>Journal of Hypertension</i> , 2007, 25, 2486-2496.	0.3	28
22	DNA study of bladder papillary tumours chemically induced by N-butyl-N-(4-hydroxybutyl) nitrosamine in Fisher rats. <i>International Journal of Experimental Pathology</i> , 2006, 88, 39-46.	0.6	6
23	DNA content analysis, expression of Ki-67 and p53 in rat urothelial lesions induced by N-butyl-N-(4-hydroxybutyl) nitrosamine and treated with mitomycin C and bacillus Calmette-Guérin. <i>Anticancer Research</i> , 2006, 26, 2995-3004.	0.5	15